



ANALYTICAL REPORT

PREPARED FOR

Attn: Christopher O'Neil
Groundwater Sciences Corporation
2550 Interstate Drive
Suite 303
Harrisburg PA 17110

Generated 03/30/2024

JOB DESCRIPTION

T1 Area 1 Quarterly Sampling Event

JOB NUMBER

410-164762-1


Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
03/30/2024

Authorized for release by
Marrissa Damiter, Project Manager
Marrissa.Damiter@et.eurofinsus.com
Designee for
Marrissa C Damiter, Project Manager
Marrissa.Damiter@et.eurofinsus.com
717 556-7246

Table of Contents

Cover Page	1
Data Summaries	4
Definitions	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Default Detection Limits	14
Surrogate Summary	15
QC Sample Results	16
QC Association	22
Chronicle	23
Certification Summary	24
Method Summary	25
Sample Summary	26
Manual Integration Summary	27
Reagent Traceability	38
COAs	68
Organic Sample Data	148
GC/MS VOA	148
Method 8260D	148
Method 8260D QC Summary	149
Method 8260D Sample Data	168
Standards Data	226
Method 8260D ICAL Data	226
Method 8260D CCAL Data	722
Raw QC Data	768
Method 8260D Tune Data	768
Method 8260D Blank Data	784
Method 8260D LCS/LCSD Data	802
Method 8260D Run Logs	832
Method 8260D Prep Data	836
Shipping and Receiving Documents	848
Client Chain of Custody	849
Sample Receipt Checklist	850

Definitions/Glossary

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job Narrative
410-164762-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/20/2024 5:10 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.3°C.

Receipt Exceptions

A trip blank was received in the cooler/package, but not entered with this job. The Trip blank logged in and reported with job number 164764.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-MW-5-0/1-0

Lab Sample ID: 410-164762-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.8		1.0	0.30	ug/L	1		8260D	Total/NA

Client Sample ID: HD-MW-6-0/1-0

Lab Sample ID: 410-164762-2

No Detections.

Client Sample ID: HD-MW-88-0/1-0

Lab Sample ID: 410-164762-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.95	J	1.0	0.30	ug/L	1		8260D	Total/NA
Tetrachloroethene	8.2		1.0	0.30	ug/L	1		8260D	Total/NA
Trichloroethene	1.6		1.0	0.30	ug/L	1		8260D	Total/NA

Client Sample ID: HD-MW-101S-0/1-0

Lab Sample ID: 410-164762-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	1.7		1.0	0.30	ug/L	1		8260D	Total/NA
Trichloroethene	0.34	J	1.0	0.30	ug/L	1		8260D	Total/NA

Client Sample ID: HD-MW-101D-0/1-0

Lab Sample ID: 410-164762-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	8.0		1.0	0.30	ug/L	1		8260D	Total/NA
Tetrachloroethene	3.2		1.0	0.30	ug/L	1		8260D	Total/NA
Trichloroethene	3.8		1.0	0.30	ug/L	1		8260D	Total/NA

Client Sample ID: HD-QC1-0/1-3

Lab Sample ID: 410-164762-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	1.5	J	20	0.70	ug/L	1		8260D	Total/NA
Toluene	0.30	J	1.0	0.30	ug/L	1		8260D	Total/NA

Client Sample ID: HD-QC1-0/1-4

Lab Sample ID: 410-164762-7

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-MW-5-0/1-0

Lab Sample ID: 410-164762-1

Date Collected: 03/19/24 14:05

Matrix: Water

Date Received: 03/20/24 17:10

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/23/24 01:09	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/23/24 01:09	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/23/24 01:09	1
2-Hexanone	ND		10	0.85	ug/L			03/23/24 01:09	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/23/24 01:09	1
Acetone	ND		20	0.70	ug/L			03/23/24 01:09	1
Benzene	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/23/24 01:09	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/23/24 01:09	1
Bromoform	ND		4.0	1.0	ug/L			03/23/24 01:09	1
Bromomethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/23/24 01:09	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Chloroethane	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Chloroform	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Chloromethane	ND		2.0	0.55	ug/L			03/23/24 01:09	1
cis-1,2-Dichloroethene	1.8		1.0	0.30	ug/L			03/23/24 01:09	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 01:09	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/23/24 01:09	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/23/24 01:09	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/23/24 01:09	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Styrene	ND		5.0	0.30	ug/L			03/23/24 01:09	1
Tetrachloroethene	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Toluene	ND		1.0	0.30	ug/L			03/23/24 01:09	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/23/24 01:09	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 01:09	1
Trichloroethene	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/23/24 01:09	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/23/24 01:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/23/24 01:09	1
4-Bromofluorobenzene (Surr)	99		80 - 120		03/23/24 01:09	1
Dibromofluoromethane (Surr)	99		80 - 120		03/23/24 01:09	1
Toluene-d8 (Surr)	100		80 - 120		03/23/24 01:09	1

Client Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-MW-6-0/1-0

Lab Sample ID: 410-164762-2

Date Collected: 03/19/24 12:48

Matrix: Water

Date Received: 03/20/24 17:10

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/23/24 01:29	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/23/24 01:29	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/23/24 01:29	1
2-Hexanone	ND		10	0.85	ug/L			03/23/24 01:29	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/23/24 01:29	1
Acetone	ND		20	0.70	ug/L			03/23/24 01:29	1
Benzene	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/23/24 01:29	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/23/24 01:29	1
Bromoform	ND		4.0	1.0	ug/L			03/23/24 01:29	1
Bromomethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/23/24 01:29	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Chloroethane	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Chloroform	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Chloromethane	ND		2.0	0.55	ug/L			03/23/24 01:29	1
cis-1,2-Dichloroethene	ND		1.0	0.30	ug/L			03/23/24 01:29	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 01:29	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/23/24 01:29	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/23/24 01:29	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/23/24 01:29	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Styrene	ND		5.0	0.30	ug/L			03/23/24 01:29	1
Tetrachloroethene	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Toluene	ND		1.0	0.30	ug/L			03/23/24 01:29	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/23/24 01:29	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 01:29	1
Trichloroethene	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/23/24 01:29	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/23/24 01:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		80 - 120		03/23/24 01:29	1
4-Bromofluorobenzene (Surr)	97		80 - 120		03/23/24 01:29	1
Dibromofluoromethane (Surr)	99		80 - 120		03/23/24 01:29	1
Toluene-d8 (Surr)	100		80 - 120		03/23/24 01:29	1

Client Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-MW-88-0/1-0

Lab Sample ID: 410-164762-3

Date Collected: 03/19/24 14:53

Matrix: Water

Date Received: 03/20/24 17:10

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/23/24 01:48	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/23/24 01:48	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/23/24 01:48	1
2-Hexanone	ND		10	0.85	ug/L			03/23/24 01:48	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/23/24 01:48	1
Acetone	ND		20	0.70	ug/L			03/23/24 01:48	1
Benzene	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/23/24 01:48	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/23/24 01:48	1
Bromoform	ND		4.0	1.0	ug/L			03/23/24 01:48	1
Bromomethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/23/24 01:48	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Chloroethane	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Chloroform	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Chloromethane	ND		2.0	0.55	ug/L			03/23/24 01:48	1
cis-1,2-Dichloroethene	0.95	J	1.0	0.30	ug/L			03/23/24 01:48	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 01:48	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/23/24 01:48	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/23/24 01:48	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/23/24 01:48	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Styrene	ND		5.0	0.30	ug/L			03/23/24 01:48	1
Tetrachloroethene	8.2		1.0	0.30	ug/L			03/23/24 01:48	1
Toluene	ND		1.0	0.30	ug/L			03/23/24 01:48	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/23/24 01:48	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 01:48	1
Trichloroethene	1.6		1.0	0.30	ug/L			03/23/24 01:48	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/23/24 01:48	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/23/24 01:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/23/24 01:48	1
4-Bromofluorobenzene (Surr)	98		80 - 120		03/23/24 01:48	1
Dibromofluoromethane (Surr)	97		80 - 120		03/23/24 01:48	1
Toluene-d8 (Surr)	101		80 - 120		03/23/24 01:48	1

Client Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-MW-101S-0/1-0

Lab Sample ID: 410-164762-4

Date Collected: 03/19/24 11:30

Matrix: Water

Date Received: 03/20/24 17:10

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/23/24 02:08	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/23/24 02:08	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/23/24 02:08	1
2-Hexanone	ND		10	0.85	ug/L			03/23/24 02:08	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/23/24 02:08	1
Acetone	ND		20	0.70	ug/L			03/23/24 02:08	1
Benzene	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/23/24 02:08	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/23/24 02:08	1
Bromoform	ND		4.0	1.0	ug/L			03/23/24 02:08	1
Bromomethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/23/24 02:08	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Chloroethane	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Chloroform	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Chloromethane	ND		2.0	0.55	ug/L			03/23/24 02:08	1
cis-1,2-Dichloroethene	ND		1.0	0.30	ug/L			03/23/24 02:08	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 02:08	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/23/24 02:08	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/23/24 02:08	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/23/24 02:08	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Styrene	ND		5.0	0.30	ug/L			03/23/24 02:08	1
Tetrachloroethene	1.7		1.0	0.30	ug/L			03/23/24 02:08	1
Toluene	ND		1.0	0.30	ug/L			03/23/24 02:08	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/23/24 02:08	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 02:08	1
Trichloroethene	0.34	J	1.0	0.30	ug/L			03/23/24 02:08	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/23/24 02:08	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/23/24 02:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/23/24 02:08	1
4-Bromofluorobenzene (Surr)	99		80 - 120		03/23/24 02:08	1
Dibromofluoromethane (Surr)	97		80 - 120		03/23/24 02:08	1
Toluene-d8 (Surr)	100		80 - 120		03/23/24 02:08	1

Client Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-MW-101D-0/1-0

Lab Sample ID: 410-164762-5

Date Collected: 03/19/24 10:20

Matrix: Water

Date Received: 03/20/24 17:10

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/23/24 02:28	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/23/24 02:28	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/23/24 02:28	1
2-Hexanone	ND		10	0.85	ug/L			03/23/24 02:28	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/23/24 02:28	1
Acetone	ND		20	0.70	ug/L			03/23/24 02:28	1
Benzene	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/23/24 02:28	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/23/24 02:28	1
Bromoform	ND		4.0	1.0	ug/L			03/23/24 02:28	1
Bromomethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/23/24 02:28	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Chloroethane	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Chloroform	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Chloromethane	ND		2.0	0.55	ug/L			03/23/24 02:28	1
cis-1,2-Dichloroethene	8.0		1.0	0.30	ug/L			03/23/24 02:28	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 02:28	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/23/24 02:28	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/23/24 02:28	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/23/24 02:28	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Styrene	ND		5.0	0.30	ug/L			03/23/24 02:28	1
Tetrachloroethene	3.2		1.0	0.30	ug/L			03/23/24 02:28	1
Toluene	ND		1.0	0.30	ug/L			03/23/24 02:28	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/23/24 02:28	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/23/24 02:28	1
Trichloroethene	3.8		1.0	0.30	ug/L			03/23/24 02:28	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/23/24 02:28	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/23/24 02:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/23/24 02:28	1
4-Bromofluorobenzene (Surr)	99		80 - 120		03/23/24 02:28	1
Dibromofluoromethane (Surr)	99		80 - 120		03/23/24 02:28	1
Toluene-d8 (Surr)	101		80 - 120		03/23/24 02:28	1

Client Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-QC1-0/1-3

Lab Sample ID: 410-164762-6

Date Collected: 03/19/24 14:35

Matrix: Water

Date Received: 03/20/24 17:10

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/22/24 22:30	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/22/24 22:30	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/22/24 22:30	1
2-Hexanone	ND		10	0.85	ug/L			03/22/24 22:30	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/22/24 22:30	1
Acetone	1.5	J	20	0.70	ug/L			03/22/24 22:30	1
Benzene	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/22/24 22:30	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/22/24 22:30	1
Bromoform	ND		4.0	1.0	ug/L			03/22/24 22:30	1
Bromomethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/22/24 22:30	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Chloroethane	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Chloroform	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Chloromethane	ND		2.0	0.55	ug/L			03/22/24 22:30	1
cis-1,2-Dichloroethene	ND		1.0	0.30	ug/L			03/22/24 22:30	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/22/24 22:30	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/22/24 22:30	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/22/24 22:30	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/22/24 22:30	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Styrene	ND		5.0	0.30	ug/L			03/22/24 22:30	1
Tetrachloroethene	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Toluene	0.30	J	1.0	0.30	ug/L			03/22/24 22:30	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/22/24 22:30	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/22/24 22:30	1
Trichloroethene	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/22/24 22:30	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/22/24 22:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/22/24 22:30	1
4-Bromofluorobenzene (Surr)	98		80 - 120		03/22/24 22:30	1
Dibromofluoromethane (Surr)	98		80 - 120		03/22/24 22:30	1
Toluene-d8 (Surr)	101		80 - 120		03/22/24 22:30	1

Client Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-QC1-0/1-4

Lab Sample ID: 410-164762-7

Date Collected: 03/19/24 14:40

Matrix: Water

Date Received: 03/20/24 17:10

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/28/24 23:42	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/28/24 23:42	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/28/24 23:42	1
2-Hexanone	ND		10	0.85	ug/L			03/28/24 23:42	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/28/24 23:42	1
Acetone	ND		20	0.70	ug/L			03/28/24 23:42	1
Benzene	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/28/24 23:42	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/28/24 23:42	1
Bromoform	ND		4.0	1.0	ug/L			03/28/24 23:42	1
Bromomethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/28/24 23:42	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Chloroethane	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Chloroform	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Chloromethane	ND		2.0	0.55	ug/L			03/28/24 23:42	1
cis-1,2-Dichloroethene	ND		1.0	0.30	ug/L			03/28/24 23:42	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/28/24 23:42	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/28/24 23:42	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/28/24 23:42	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/28/24 23:42	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Styrene	ND		5.0	0.30	ug/L			03/28/24 23:42	1
Tetrachloroethene	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Toluene	ND		1.0	0.30	ug/L			03/28/24 23:42	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/28/24 23:42	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/28/24 23:42	1
Trichloroethene	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/28/24 23:42	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/28/24 23:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		80 - 120		03/28/24 23:42	1
4-Bromofluorobenzene (Surr)	98		80 - 120		03/28/24 23:42	1
Dibromofluoromethane (Surr)	104		80 - 120		03/28/24 23:42	1
Toluene-d8 (Surr)	100		80 - 120		03/28/24 23:42	1

Default Detection Limits

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	RL	MDL	Units
1,1,1,2-Tetrachloroethane	1.0	0.30	ug/L
1,1,1-Trichloroethane	1.0	0.30	ug/L
1,1,2,2-Tetrachloroethane	1.0	0.30	ug/L
1,1,2-Trichloroethane	1.0	0.30	ug/L
1,1-Dichloroethane	1.0	0.30	ug/L
1,1-Dichloroethene	1.0	0.30	ug/L
1,2-Dibromoethane (EDB)	1.0	0.20	ug/L
1,2-Dichloroethane	1.0	0.30	ug/L
1,2-Dichloropropane	1.0	0.30	ug/L
2-Butanone (MEK)	10	0.50	ug/L
2-Hexanone	10	0.85	ug/L
4-Methyl-2-pentanone (MIBK)	10	0.50	ug/L
Acetone	20	0.70	ug/L
Benzene	1.0	0.30	ug/L
Bromochloromethane	5.0	0.20	ug/L
Bromodichloromethane	1.0	0.20	ug/L
Bromoform	4.0	1.0	ug/L
Bromomethane	1.0	0.30	ug/L
Carbon disulfide	5.0	0.30	ug/L
Carbon tetrachloride	1.0	0.30	ug/L
Chlorobenzene	1.0	0.30	ug/L
Chloroethane	1.0	0.30	ug/L
Chloroform	1.0	0.30	ug/L
Chloromethane	2.0	0.55	ug/L
cis-1,2-Dichloroethene	1.0	0.30	ug/L
cis-1,3-Dichloropropene	1.0	0.20	ug/L
Dibromochloromethane	1.0	0.20	ug/L
Ethylbenzene	1.0	0.40	ug/L
Methyl tert-butyl ether	1.0	0.20	ug/L
Methylene Chloride	1.0	0.30	ug/L
Styrene	5.0	0.30	ug/L
Tetrachloroethene	1.0	0.30	ug/L
Toluene	1.0	0.30	ug/L
trans-1,2-Dichloroethene	2.0	0.70	ug/L
trans-1,3-Dichloropropene	1.0	0.20	ug/L
Trichloroethene	1.0	0.30	ug/L
Vinyl chloride	1.0	0.30	ug/L
Xylenes, Total	1.0	0.40	ug/L

Surrogate Summary

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA	BFB	DBFM	TOL
		(80-120)	(80-120)	(80-120)	(80-120)
410-164762-1	HD-MW-5-0/1-0	98	99	99	100
410-164762-2	HD-MW-6-0/1-0	99	97	99	100
410-164762-3	HD-MW-88-0/1-0	98	98	97	101
410-164762-4	HD-MW-101S-0/1-0	98	99	97	100
410-164762-5	HD-MW-101D-0/1-0	98	99	99	101
410-164762-6	HD-QC1-0/1-3	98	98	98	101
410-164762-7	HD-QC1-0/1-4	100	98	104	100
LCS 410-486390/4	Lab Control Sample	99	99	99	100
LCS 410-488320/4	Lab Control Sample	101	98	103	100
LCSD 410-486390/5	Lab Control Sample Dup	99	99	99	100
LCSD 410-488320/5	Lab Control Sample Dup	99	98	101	101
MB 410-486390/7	Method Blank	98	98	99	100
MB 410-488320/7	Method Blank	98	99	103	100

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 410-486390/7

Matrix: Water

Analysis Batch: 486390

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/22/24 21:50	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/22/24 21:50	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/22/24 21:50	1
2-Hexanone	ND		10	0.85	ug/L			03/22/24 21:50	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/22/24 21:50	1
Acetone	ND		20	0.70	ug/L			03/22/24 21:50	1
Benzene	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/22/24 21:50	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/22/24 21:50	1
Bromoform	ND		4.0	1.0	ug/L			03/22/24 21:50	1
Bromomethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/22/24 21:50	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Chloroethane	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Chloroform	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Chloromethane	ND		2.0	0.55	ug/L			03/22/24 21:50	1
cis-1,2-Dichloroethene	ND		1.0	0.30	ug/L			03/22/24 21:50	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/22/24 21:50	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/22/24 21:50	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/22/24 21:50	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/22/24 21:50	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Styrene	ND		5.0	0.30	ug/L			03/22/24 21:50	1
Tetrachloroethene	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Toluene	ND		1.0	0.30	ug/L			03/22/24 21:50	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/22/24 21:50	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/22/24 21:50	1
Trichloroethene	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/22/24 21:50	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/22/24 21:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/22/24 21:50	1
4-Bromofluorobenzene (Surr)	98		80 - 120		03/22/24 21:50	1
Dibromofluoromethane (Surr)	99		80 - 120		03/22/24 21:50	1
Toluene-d8 (Surr)	100		80 - 120		03/22/24 21:50	1

QC Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 410-486390/4

Matrix: Water

Analysis Batch: 486390

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	20.0	21.1		ug/L		105	78 - 120
1,1,1-Trichloroethane	20.0	21.2		ug/L		106	67 - 126
1,1,2,2-Tetrachloroethane	20.0	21.1		ug/L		106	72 - 120
1,1,2-Trichloroethane	20.0	20.8		ug/L		104	80 - 120
1,1-Dichloroethane	20.0	21.2		ug/L		106	80 - 120
1,1-Dichloroethene	20.0	21.1		ug/L		105	80 - 131
1,2-Dibromoethane (EDB)	20.0	20.5		ug/L		102	77 - 120
1,2-Dichloroethane	20.0	20.6		ug/L		103	73 - 124
1,2-Dichloropropane	20.0	21.3		ug/L		106	80 - 120
2-Butanone (MEK)	250	241		ug/L		96	59 - 135
2-Hexanone	250	253		ug/L		101	56 - 135
4-Methyl-2-pentanone (MIBK)	250	258		ug/L		103	62 - 133
Acetone	250	244		ug/L		98	54 - 157
Benzene	20.0	20.9		ug/L		104	80 - 120
Bromochloromethane	20.0	21.9		ug/L		109	80 - 120
Bromodichloromethane	20.0	20.7		ug/L		104	71 - 120
Bromoform	20.0	18.7		ug/L		93	51 - 120
Bromomethane	20.0	18.5		ug/L		93	53 - 128
Carbon disulfide	20.0	19.1		ug/L		96	65 - 128
Carbon tetrachloride	20.0	20.8		ug/L		104	64 - 134
Chlorobenzene	20.0	21.1		ug/L		105	80 - 120
Chloroethane	20.0	19.3		ug/L		97	55 - 123
Chloroform	20.0	22.1		ug/L		111	80 - 120
Chloromethane	20.0	17.1		ug/L		86	56 - 121
cis-1,2-Dichloroethene	20.0	21.0		ug/L		105	80 - 125
cis-1,3-Dichloropropene	20.0	19.6		ug/L		98	75 - 120
Dibromochloromethane	20.0	20.5		ug/L		103	71 - 120
Ethylbenzene	20.0	20.9		ug/L		105	80 - 120
Methyl tert-butyl ether	20.0	20.3		ug/L		101	69 - 122
Methylene Chloride	20.0	20.5		ug/L		102	80 - 120
Styrene	20.0	20.8		ug/L		104	80 - 120
Tetrachloroethene	20.0	20.7		ug/L		104	80 - 120
Toluene	20.0	20.8		ug/L		104	80 - 120
trans-1,2-Dichloroethene	20.0	20.8		ug/L		104	80 - 126
trans-1,3-Dichloropropene	20.0	20.5		ug/L		103	67 - 120
Trichloroethene	20.0	20.5		ug/L		103	80 - 120
Vinyl chloride	20.0	17.9		ug/L		89	56 - 120
Xylenes, Total	60.0	62.0		ug/L		103	80 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		80 - 120
4-Bromofluorobenzene (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	99		80 - 120
Toluene-d8 (Surr)	100		80 - 120

QC Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-486390/5

Matrix: Water

Analysis Batch: 486390

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	20.0	19.3		ug/L		96	78 - 120	9	30
1,1,1-Trichloroethane	20.0	19.4		ug/L		97	67 - 126	9	30
1,1,2,2-Tetrachloroethane	20.0	19.3		ug/L		97	72 - 120	9	30
1,1,2-Trichloroethane	20.0	19.8		ug/L		99	80 - 120	5	30
1,1-Dichloroethane	20.0	19.4		ug/L		97	80 - 120	9	30
1,1-Dichloroethene	20.0	19.5		ug/L		98	80 - 131	8	30
1,2-Dibromoethane (EDB)	20.0	19.1		ug/L		96	77 - 120	7	30
1,2-Dichloroethane	20.0	19.0		ug/L		95	73 - 124	8	30
1,2-Dichloropropane	20.0	19.7		ug/L		99	80 - 120	8	30
2-Butanone (MEK)	250	227		ug/L		91	59 - 135	6	30
2-Hexanone	250	236		ug/L		94	56 - 135	7	30
4-Methyl-2-pentanone (MIBK)	250	240		ug/L		96	62 - 133	7	30
Acetone	250	221		ug/L		88	54 - 157	10	30
Benzene	20.0	19.5		ug/L		98	80 - 120	7	30
Bromochloromethane	20.0	20.4		ug/L		102	80 - 120	7	30
Bromodichloromethane	20.0	19.3		ug/L		96	71 - 120	7	30
Bromoform	20.0	17.6		ug/L		88	51 - 120	6	30
Bromomethane	20.0	17.6		ug/L		88	53 - 128	5	30
Carbon disulfide	20.0	17.8		ug/L		89	65 - 128	7	30
Carbon tetrachloride	20.0	19.1		ug/L		95	64 - 134	8	30
Chlorobenzene	20.0	19.7		ug/L		98	80 - 120	7	30
Chloroethane	20.0	17.9		ug/L		90	55 - 123	8	30
Chloroform	20.0	20.5		ug/L		102	80 - 120	8	30
Chloromethane	20.0	17.9		ug/L		89	56 - 121	4	30
cis-1,2-Dichloroethene	20.0	19.5		ug/L		97	80 - 125	7	30
cis-1,3-Dichloropropene	20.0	18.2		ug/L		91	75 - 120	7	30
Dibromochloromethane	20.0	18.8		ug/L		94	71 - 120	9	30
Ethylbenzene	20.0	19.3		ug/L		96	80 - 120	8	30
Methyl tert-butyl ether	20.0	18.9		ug/L		94	69 - 122	7	30
Methylene Chloride	20.0	19.5		ug/L		98	80 - 120	5	30
Styrene	20.0	19.4		ug/L		97	80 - 120	7	30
Tetrachloroethene	20.0	19.2		ug/L		96	80 - 120	7	30
Toluene	20.0	19.6		ug/L		98	80 - 120	6	30
trans-1,2-Dichloroethene	20.0	19.1		ug/L		95	80 - 126	9	30
trans-1,3-Dichloropropene	20.0	18.9		ug/L		94	67 - 120	8	30
Trichloroethene	20.0	19.1		ug/L		95	80 - 120	7	30
Vinyl chloride	20.0	16.3		ug/L		82	56 - 120	9	30
Xylenes, Total	60.0	58.7		ug/L		98	80 - 120	5	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		80 - 120
4-Bromofluorobenzene (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	99		80 - 120
Toluene-d8 (Surr)	100		80 - 120

QC Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 410-488320/7

Matrix: Water

Analysis Batch: 488320

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
1,1,1-Trichloroethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
1,1-Dichloroethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
1,1-Dichloroethene	ND		1.0	0.30	ug/L			03/28/24 22:13	1
1,2-Dibromoethane (EDB)	ND		1.0	0.20	ug/L			03/28/24 22:13	1
1,2-Dichloroethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
1,2-Dichloropropane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
2-Butanone (MEK)	ND		10	0.50	ug/L			03/28/24 22:13	1
2-Hexanone	ND		10	0.85	ug/L			03/28/24 22:13	1
4-Methyl-2-pentanone (MIBK)	ND		10	0.50	ug/L			03/28/24 22:13	1
Acetone	ND		20	0.70	ug/L			03/28/24 22:13	1
Benzene	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Bromochloromethane	ND		5.0	0.20	ug/L			03/28/24 22:13	1
Bromodichloromethane	ND		1.0	0.20	ug/L			03/28/24 22:13	1
Bromoform	ND		4.0	1.0	ug/L			03/28/24 22:13	1
Bromomethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Carbon disulfide	ND		5.0	0.30	ug/L			03/28/24 22:13	1
Carbon tetrachloride	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Chlorobenzene	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Chloroethane	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Chloroform	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Chloromethane	ND		2.0	0.55	ug/L			03/28/24 22:13	1
cis-1,2-Dichloroethene	ND		1.0	0.30	ug/L			03/28/24 22:13	1
cis-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/28/24 22:13	1
Dibromochloromethane	ND		1.0	0.20	ug/L			03/28/24 22:13	1
Ethylbenzene	ND		1.0	0.40	ug/L			03/28/24 22:13	1
Methyl tert-butyl ether	ND		1.0	0.20	ug/L			03/28/24 22:13	1
Methylene Chloride	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Styrene	ND		5.0	0.30	ug/L			03/28/24 22:13	1
Tetrachloroethene	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Toluene	ND		1.0	0.30	ug/L			03/28/24 22:13	1
trans-1,2-Dichloroethene	ND		2.0	0.70	ug/L			03/28/24 22:13	1
trans-1,3-Dichloropropene	ND		1.0	0.20	ug/L			03/28/24 22:13	1
Trichloroethene	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Vinyl chloride	ND		1.0	0.30	ug/L			03/28/24 22:13	1
Xylenes, Total	ND		1.0	0.40	ug/L			03/28/24 22:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		80 - 120		03/28/24 22:13	1
4-Bromofluorobenzene (Surr)	99		80 - 120		03/28/24 22:13	1
Dibromofluoromethane (Surr)	103		80 - 120		03/28/24 22:13	1
Toluene-d8 (Surr)	100		80 - 120		03/28/24 22:13	1

QC Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 410-488320/4

Matrix: Water

Analysis Batch: 488320

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	20.0	18.5		ug/L		92	78 - 120
1,1,1-Trichloroethane	20.0	19.5		ug/L		98	67 - 126
1,1,2,2-Tetrachloroethane	20.0	18.3		ug/L		92	72 - 120
1,1,2-Trichloroethane	20.0	18.8		ug/L		94	80 - 120
1,1-Dichloroethane	20.0	19.7		ug/L		98	80 - 120
1,1-Dichloroethene	20.0	19.7		ug/L		98	80 - 131
1,2-Dibromoethane (EDB)	20.0	18.8		ug/L		94	77 - 120
1,2-Dichloroethane	20.0	19.5		ug/L		98	73 - 124
1,2-Dichloropropane	20.0	19.4		ug/L		97	80 - 120
2-Butanone (MEK)	250	219		ug/L		88	59 - 135
2-Hexanone	250	231		ug/L		92	56 - 135
4-Methyl-2-pentanone (MIBK)	250	238		ug/L		95	62 - 133
Acetone	250	241		ug/L		96	54 - 157
Benzene	20.0	19.5		ug/L		97	80 - 120
Bromochloromethane	20.0	20.6		ug/L		103	80 - 120
Bromodichloromethane	20.0	18.1		ug/L		90	71 - 120
Bromoform	20.0	15.5		ug/L		78	51 - 120
Bromomethane	20.0	18.9		ug/L		94	53 - 128
Carbon disulfide	20.0	16.5		ug/L		82	65 - 128
Carbon tetrachloride	20.0	19.0		ug/L		95	64 - 134
Chlorobenzene	20.0	18.9		ug/L		95	80 - 120
Chloroethane	20.0	20.5		ug/L		102	55 - 123
Chloroform	20.0	20.0		ug/L		100	80 - 120
Chloromethane	20.0	18.4		ug/L		92	56 - 121
cis-1,2-Dichloroethene	20.0	19.8		ug/L		99	80 - 125
cis-1,3-Dichloropropene	20.0	16.0		ug/L		80	75 - 120
Dibromochloromethane	20.0	17.4		ug/L		87	71 - 120
Ethylbenzene	20.0	19.3		ug/L		96	80 - 120
Methyl tert-butyl ether	20.0	18.3		ug/L		92	69 - 122
Methylene Chloride	20.0	19.7		ug/L		99	80 - 120
Styrene	20.0	18.8		ug/L		94	80 - 120
Tetrachloroethene	20.0	19.6		ug/L		98	80 - 120
Toluene	20.0	19.2		ug/L		96	80 - 120
trans-1,2-Dichloroethene	20.0	19.7		ug/L		98	80 - 126
trans-1,3-Dichloropropene	20.0	16.5		ug/L		82	67 - 120
Trichloroethene	20.0	19.2		ug/L		96	80 - 120
Vinyl chloride	20.0	18.4		ug/L		92	56 - 120
Xylenes, Total	60.0	57.0		ug/L		95	80 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	103		80 - 120
Toluene-d8 (Surr)	100		80 - 120

QC Sample Results

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 410-488320/5

Matrix: Water

Analysis Batch: 488320

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	20.0	18.4		ug/L		92	78 - 120	0	30
1,1,1-Trichloroethane	20.0	19.4		ug/L		97	67 - 126	1	30
1,1,2,2-Tetrachloroethane	20.0	18.2		ug/L		91	72 - 120	0	30
1,1,2-Trichloroethane	20.0	18.6		ug/L		93	80 - 120	1	30
1,1-Dichloroethane	20.0	19.8		ug/L		99	80 - 120	1	30
1,1-Dichloroethene	20.0	19.7		ug/L		98	80 - 131	0	30
1,2-Dibromoethane (EDB)	20.0	19.1		ug/L		95	77 - 120	1	30
1,2-Dichloroethane	20.0	19.8		ug/L		99	73 - 124	2	30
1,2-Dichloropropane	20.0	19.4		ug/L		97	80 - 120	0	30
2-Butanone (MEK)	250	224		ug/L		90	59 - 135	2	30
2-Hexanone	250	235		ug/L		94	56 - 135	2	30
4-Methyl-2-pentanone (MIBK)	250	239		ug/L		96	62 - 133	1	30
Acetone	250	264		ug/L		106	54 - 157	9	30
Benzene	20.0	19.3		ug/L		96	80 - 120	1	30
Bromochloromethane	20.0	20.3		ug/L		101	80 - 120	2	30
Bromodichloromethane	20.0	18.2		ug/L		91	71 - 120	0	30
Bromoform	20.0	15.3		ug/L		76	51 - 120	2	30
Bromomethane	20.0	18.9		ug/L		95	53 - 128	0	30
Carbon disulfide	20.0	16.2		ug/L		81	65 - 128	2	30
Carbon tetrachloride	20.0	19.1		ug/L		96	64 - 134	1	30
Chlorobenzene	20.0	18.8		ug/L		94	80 - 120	0	30
Chloroethane	20.0	20.4		ug/L		102	55 - 123	1	30
Chloroform	20.0	19.8		ug/L		99	80 - 120	1	30
Chloromethane	20.0	18.4		ug/L		92	56 - 121	0	30
cis-1,2-Dichloroethene	20.0	19.5		ug/L		97	80 - 125	2	30
cis-1,3-Dichloropropene	20.0	16.0		ug/L		80	75 - 120	0	30
Dibromochloromethane	20.0	17.3		ug/L		86	71 - 120	1	30
Ethylbenzene	20.0	19.2		ug/L		96	80 - 120	0	30
Methyl tert-butyl ether	20.0	18.4		ug/L		92	69 - 122	0	30
Methylene Chloride	20.0	19.6		ug/L		98	80 - 120	0	30
Styrene	20.0	18.8		ug/L		94	80 - 120	0	30
Tetrachloroethene	20.0	19.7		ug/L		99	80 - 120	1	30
Toluene	20.0	19.3		ug/L		96	80 - 120	0	30
trans-1,2-Dichloroethene	20.0	19.3		ug/L		97	80 - 126	2	30
trans-1,3-Dichloropropene	20.0	16.4		ug/L		82	67 - 120	1	30
Trichloroethene	20.0	19.1		ug/L		96	80 - 120	0	30
Vinyl chloride	20.0	18.4		ug/L		92	56 - 120	0	30
Xylenes, Total	60.0	56.8		ug/L		95	80 - 120	0	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		80 - 120
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	101		80 - 120
Toluene-d8 (Surr)	101		80 - 120

QC Association Summary

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

GC/MS VOA

Analysis Batch: 486390

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-164762-1	HD-MW-5-0/1-0	Total/NA	Water	8260D	
410-164762-2	HD-MW-6-0/1-0	Total/NA	Water	8260D	
410-164762-3	HD-MW-88-0/1-0	Total/NA	Water	8260D	
410-164762-4	HD-MW-101S-0/1-0	Total/NA	Water	8260D	
410-164762-5	HD-MW-101D-0/1-0	Total/NA	Water	8260D	
410-164762-6	HD-QC1-0/1-3	Total/NA	Water	8260D	
MB 410-486390/7	Method Blank	Total/NA	Water	8260D	
LCS 410-486390/4	Lab Control Sample	Total/NA	Water	8260D	
LCSD 410-486390/5	Lab Control Sample Dup	Total/NA	Water	8260D	

Analysis Batch: 488320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-164762-7	HD-QC1-0/1-4	Total/NA	Water	8260D	
MB 410-488320/7	Method Blank	Total/NA	Water	8260D	
LCS 410-488320/4	Lab Control Sample	Total/NA	Water	8260D	
LCSD 410-488320/5	Lab Control Sample Dup	Total/NA	Water	8260D	

Lab Chronicle

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Client Sample ID: HD-MW-5-0/1-0

Lab Sample ID: 410-164762-1

Date Collected: 03/19/24 14:05

Matrix: Water

Date Received: 03/20/24 17:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	486390	K4WN	ELLE	03/23/24 01:09

Client Sample ID: HD-MW-6-0/1-0

Lab Sample ID: 410-164762-2

Date Collected: 03/19/24 12:48

Matrix: Water

Date Received: 03/20/24 17:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	486390	K4WN	ELLE	03/23/24 01:29

Client Sample ID: HD-MW-88-0/1-0

Lab Sample ID: 410-164762-3

Date Collected: 03/19/24 14:53

Matrix: Water

Date Received: 03/20/24 17:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	486390	K4WN	ELLE	03/23/24 01:48

Client Sample ID: HD-MW-101S-0/1-0

Lab Sample ID: 410-164762-4

Date Collected: 03/19/24 11:30

Matrix: Water

Date Received: 03/20/24 17:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	486390	K4WN	ELLE	03/23/24 02:08

Client Sample ID: HD-MW-101D-0/1-0

Lab Sample ID: 410-164762-5

Date Collected: 03/19/24 10:20

Matrix: Water

Date Received: 03/20/24 17:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	486390	K4WN	ELLE	03/23/24 02:28

Client Sample ID: HD-QC1-0/1-3

Lab Sample ID: 410-164762-6

Date Collected: 03/19/24 14:35

Matrix: Water

Date Received: 03/20/24 17:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	486390	K4WN	ELLE	03/22/24 22:30

Client Sample ID: HD-QC1-0/1-4

Lab Sample ID: 410-164762-7

Date Collected: 03/19/24 14:40

Matrix: Water

Date Received: 03/20/24 17:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	488320	JS6E	ELLE	03/28/24 23:42

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Eurofins Lancaster Laboratories Environment Testing, LLC

Accreditation/Certification Summary

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Pennsylvania	NELAP	36-00037	01-28-25

Method Summary

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	ELLE
5030C	Purge and Trap	SW846	ELLE

Protocol References:
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:
ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: Groundwater Sciences Corporation
Project/Site: T1 Area 1 Quarterly Sampling Event

Job ID: 410-164762-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-164762-1	HD-MW-5-0/1-0	Water	03/19/24 14:05	03/20/24 17:10
410-164762-2	HD-MW-6-0/1-0	Water	03/19/24 12:48	03/20/24 17:10
410-164762-3	HD-MW-88-0/1-0	Water	03/19/24 14:53	03/20/24 17:10
410-164762-4	HD-MW-101S-0/1-0	Water	03/19/24 11:30	03/20/24 17:10
410-164762-5	HD-MW-101D-0/1-0	Water	03/19/24 10:20	03/20/24 17:10
410-164762-6	HD-QC1-0/1-3	Water	03/19/24 14:35	03/20/24 17:10
410-164762-7	HD-QC1-0/1-4	Water	03/19/24 14:40	03/20/24 17:10

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Analysis Batch Number: 484275

Lab Sample ID: IC 410-484275/3

Client Sample ID:

Date Analyzed: 03/18/24 12:16

Lab File ID: EN18X03.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Chlorodifluoromethane	1.11	Incomplete Integration	K4WN	03/18/24 16:41
Acetonitrile	2.15	Incomplete Integration	K4WN	03/18/24 16:46

Lab Sample ID: IC 410-484275/4

Client Sample ID:

Date Analyzed: 03/18/24 12:36

Lab File ID: EN18X04.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Acetonitrile	2.13	Incomplete Integration	K4WN	03/18/24 16:42

Lab Sample ID: IC 410-484275/5

Client Sample ID:

Date Analyzed: 03/18/24 12:56

Lab File ID: EN18X05.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	1.69	Incomplete Integration	K4WN	03/18/24 16:43
Acetonitrile	2.13	Incomplete Integration	K4WN	03/18/24 16:43

Lab Sample ID: IC 410-484275/6

Client Sample ID:

Date Analyzed: 03/18/24 13:16

Lab File ID: EN18X06.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	1.70	Incomplete Integration	K4WN	03/18/24 16:40
Acetonitrile	2.14	Incomplete Integration	K4WN	03/18/24 16:40

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Analysis Batch Number: 484275

Lab Sample ID: IC 410-484275/8

Client Sample ID:

Date Analyzed: 03/18/24 13:56

Lab File ID: EN18X08.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	1.70	Incomplete Integration	K4WN	03/18/24 16:44
Acetonitrile	2.14	Incomplete Integration	K4WN	03/18/24 16:44

Lab Sample ID: IC 410-484275/12

Client Sample ID:

Date Analyzed: 03/18/24 15:16

Lab File ID: EN18X12.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
1,3-Butadiene	1.26	Incomplete Integration	K4WN	03/18/24 17:53
2-Propanol	2.02	Incomplete Integration	K4WN	03/18/24 18:03
Methyl acetate	2.18	Incomplete Integration	K4WN	03/18/24 17:53
2-Butanone (MEK)	3.37	Incomplete Integration	K4WN	03/18/24 17:54
1,4-Dioxane	5.20	Incomplete Integration	K4WN	03/18/24 17:54
p-Isopropyltoluene	9.59	Incomplete Integration	K4WN	03/18/24 17:54

Lab Sample ID: IC 410-484275/13

Client Sample ID:

Date Analyzed: 03/18/24 15:36

Lab File ID: EN18X13.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.10	Incomplete Integration	K4WN	03/18/24 17:55
Chloromethane	1.21	Incomplete Integration	K4WN	03/18/24 17:55
1,3-Butadiene	1.26	Incomplete Integration	K4WN	03/18/24 17:55
Cyclohexane	3.90	Incomplete Integration	K4WN	03/18/24 17:56

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Analysis Batch Number: 484275

Lab Sample ID: IC 410-484275/14

Client Sample ID:

Date Analyzed: 03/18/24 15:56

Lab File ID: EN18X14.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
1,3-Butadiene	1.26	Incomplete Integration	K4WN	03/18/24 17:57
1,4-Dioxane	5.20	Incomplete Integration	K4WN	03/18/24 17:57

Lab Sample ID: IC 410-484275/15

Client Sample ID:

Date Analyzed: 03/18/24 16:16

Lab File ID: EN18X15.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Chloromethane	1.21	Incomplete Integration	K4WN	03/18/24 17:58
Acetone	1.95	Incomplete Integration	K4WN	03/18/24 17:58

Lab Sample ID: ICIS 410-484275/16

Client Sample ID:

Date Analyzed: 03/18/24 16:36

Lab File ID: EN18X16.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Chloromethane	1.23	Incomplete Integration	K4WN	03/18/24 17:51
1,4-Dioxane	5.19	Incomplete Integration	K4WN	03/18/24 17:47

Lab Sample ID: IC 410-484275/17

Client Sample ID:

Date Analyzed: 03/18/24 16:56

Lab File ID: EN18X17.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.11	Incomplete Integration	K4WN	03/18/24 17:59
Chloromethane	1.23	Incomplete Integration	K4WN	03/18/24 17:59
Acetone	1.95	Incomplete Integration	K4WN	03/18/24 17:59

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Analysis Batch Number: 484275

Lab Sample ID: IC 410-484275/18

Client Sample ID:

Date Analyzed: 03/18/24 17:16

Lab File ID: EN18X18.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.11	Incomplete Integration	K4WN	03/18/24 18:00
Chloromethane	1.22	Incomplete Integration	K4WN	03/18/24 18:00
1,4-Dioxane	5.20	Incomplete Integration	K4WN	03/18/24 18:01
2-Chlorotoluene	8.98	Incomplete Integration	K4WN	03/18/24 18:01

Lab Sample ID: ICV 410-484275/20

Client Sample ID:

Date Analyzed: 03/18/24 17:57

Lab File ID: EN18X20.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.10	Incomplete Integration	K4WN	03/18/24 18:22
Chloromethane	1.22	Incomplete Integration	K4WN	03/18/24 18:22
Acetone	1.94	Incomplete Integration	K4WN	03/18/24 18:23
2-Propanol	2.02	Incomplete Integration	K4WN	03/18/24 18:23
t-Butyl alcohol	2.34	Incomplete Integration	K4WN	03/18/24 18:23
Acrylonitrile	2.44	Incomplete Integration	K4WN	03/18/24 18:23
1,4-Dioxane	5.20	Incomplete Integration	K4WN	03/18/24 18:23

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Analysis Batch Number: 486390

Lab Sample ID: CCVIS 410-486390/3

Client Sample ID:

Date Analyzed: 03/22/24 20:31

Lab File ID: EM22X32.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.10	Incomplete Integration	K4WN	03/22/24 21:10
Chloromethane	1.21	Incomplete Integration	K4WN	03/22/24 21:10
1,4-Dioxane	5.18	Incomplete Integration	K4WN	03/22/24 21:11

Lab Sample ID: LCS 410-486390/4

Client Sample ID:

Date Analyzed: 03/22/24 20:51

Lab File ID: EM22X33.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Chloromethane	1.21	Incomplete Integration	K4WN	03/22/24 21:19

Lab Sample ID: 410-164762-6

Client Sample ID: HD-QC1-0/1-3

Date Analyzed: 03/22/24 22:30

Lab File ID: EM22X38.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-Butanone (MEK)		Invalid Compound ID	N9NA	03/25/24 09:41

Lab Sample ID: 410-164762-1

Client Sample ID: HD-MW-5-0/1-0

Date Analyzed: 03/23/24 01:09

Lab File ID: EM22X46.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
1,1-Dichloroethene		Invalid Compound ID	N9NA	03/25/24 09:45
Trichloroethene		Invalid Compound ID	N9NA	03/25/24 09:46

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Analysis Batch Number: 486390

Lab Sample ID: 410-164762-2

Client Sample ID: HD-MW-6-0/1-0

Date Analyzed: 03/23/24 01:29

Lab File ID: EM22X47.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Chloromethane		Invalid Compound ID	N9NA	03/25/24 09:46

Lab Sample ID: 410-164762-3

Client Sample ID: HD-MW-88-0/1-0

Date Analyzed: 03/23/24 01:48

Lab File ID: EM22X48.D

GC Column: DB-624 20m

ID: 0.18 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
4-Methyl-2-pentanone (MIBK)		Invalid Compound ID	N9NA	03/25/24 09:47

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 9355

Analysis Batch Number: 486676

Lab Sample ID: IC 410-486676/3

Client Sample ID:

Date Analyzed: 03/25/24 13:30

Lab File ID: YM25X02.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	3.03	Incomplete Integration	K4WN	03/25/24 19:31
Acetonitrile	3.71	Incomplete Integration	K4WN	03/25/24 19:31
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:31

Lab Sample ID: IC 410-486676/4

Client Sample ID:

Date Analyzed: 03/25/24 13:52

Lab File ID: YM25X03.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Acetonitrile	3.70	Incomplete Integration	K4WN	03/25/24 19:32
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:33

Lab Sample ID: IC 410-486676/5

Client Sample ID:

Date Analyzed: 03/25/24 14:14

Lab File ID: YM25X04.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	2.90	Incomplete Integration	K4WN	03/25/24 19:33
Acetonitrile	3.69	Incomplete Integration	K4WN	03/25/24 19:33
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:33

Lab Sample ID: IC 410-486676/6

Client Sample ID:

Date Analyzed: 03/25/24 14:37

Lab File ID: YM25X05.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	2.90	Incomplete Integration	K4WN	03/25/24 19:34
Acetonitrile	3.69	Incomplete Integration	K4WN	03/25/24 19:34
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:34

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 9355

Analysis Batch Number: 486676

Lab Sample ID: IC 410-486676/7

Client Sample ID:

Date Analyzed: 03/25/24 14:59

Lab File ID: YM25X06.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	3.02	Incomplete Integration	K4WN	03/25/24 19:34
Acetonitrile	3.69	Incomplete Integration	K4WN	03/25/24 19:35
t-Butyl alcohol-d10 (IS)	3.97	Incomplete Integration	K4WN	03/25/24 19:35

Lab Sample ID: IC 410-486676/8

Client Sample ID:

Date Analyzed: 03/25/24 15:21

Lab File ID: YM25X07.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Ethanol	2.90	Incomplete Integration	K4WN	03/25/24 19:35
Acetonitrile	3.68	Incomplete Integration	K4WN	03/25/24 19:35
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:36

Lab Sample ID: IC 410-486676/12

Client Sample ID:

Date Analyzed: 03/25/24 16:50

Lab File ID: YM25X11.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorofluoromethane	2.75	Incomplete Integration	K4WN	03/25/24 19:46
Acetone	3.35	Incomplete Integration	K4WN	03/25/24 19:46
Carbon disulfide	3.64	Incomplete Integration	K4WN	03/25/24 19:47
Allyl chloride	3.78	Incomplete Integration	K4WN	03/25/24 19:47
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:47
2-Butanone (MEK)	5.86	Incomplete Integration	K4WN	03/25/24 19:47
n-Butanol	7.87	Incomplete Integration	K4WN	03/25/24 19:47
1,4-Dioxane	8.42	Incomplete Integration	K4WN	03/25/24 19:47
2-Hexanone	10.33	Incomplete Integration	K4WN	03/25/24 19:48

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 9355

Analysis Batch Number: 486676

Lab Sample ID: IC 410-486676/13

Client Sample ID:

Date Analyzed: 03/25/24 17:12

Lab File ID: YM25X12.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
1,3-Butadiene	2.15	Incomplete Integration	K4WN	03/25/24 19:48
n-Pentane	2.85	Incomplete Integration	K4WN	03/25/24 19:49
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:49
n-Heptane	7.51	Incomplete Integration	K4WN	03/25/24 19:49

Lab Sample ID: IC 410-486676/15

Client Sample ID:

Date Analyzed: 03/25/24 17:56

Lab File ID: YM25X14.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
t-Butyl alcohol-d10 (IS)	3.96	Incomplete Integration	K4WN	03/25/24 19:52
Methyl acrylate	5.98	Incomplete Integration	K4WN	03/25/24 19:52
1,4-Dioxane	8.40	Incomplete Integration	K4WN	03/25/24 19:52

Lab Sample ID: ICIS 410-486676/16

Client Sample ID:

Date Analyzed: 03/25/24 18:19

Lab File ID: YM25X15.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.85	Incomplete Integration	K4WN	03/25/24 19:53
2-Propanol	3.50	Incomplete Integration	K4WN	03/25/24 22:02
t-Butyl alcohol-d10 (IS)	3.94	Incomplete Integration	K4WN	03/25/24 19:53
1,4-Dioxane	8.40	Incomplete Integration	K4WN	03/25/24 19:53
Cyclohexanone	11.98	Incomplete Integration	K4WN	03/25/24 19:43

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 9355

Analysis Batch Number: 486676

Lab Sample ID: IC 410-486676/17

Client Sample ID:

Date Analyzed: 03/25/24 18:41

Lab File ID: YM25X16.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.85	Incomplete Integration	K4WN	03/25/24 19:54
Acetone	3.35	Incomplete Integration	K4WN	03/25/24 19:54
2-Propanol	3.50	Incomplete Integration	K4WN	03/25/24 22:02
Methyl acetate	3.75	Incomplete Integration	K4WN	03/25/24 19:55
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 19:55
Methyl acrylate	5.97	Incomplete Integration	K4WN	03/25/24 19:55
1,4-Dioxane	8.40	Incomplete Integration	K4WN	03/25/24 19:56

Lab Sample ID: IC 410-486676/18

Client Sample ID:

Date Analyzed: 03/25/24 19:03

Lab File ID: YM25X17.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dichlorodifluoromethane	1.86	Incomplete Integration	K4WN	03/25/24 19:56
2-Propanol	3.50	Incomplete Integration	K4WN	03/25/24 22:03
t-Butyl alcohol-d10 (IS)	3.97	Incomplete Integration	K4WN	03/25/24 22:05
Methyl acrylate	5.98	Incomplete Integration	K4WN	03/25/24 19:57
1,4-Dioxane	8.41	Incomplete Integration	K4WN	03/25/24 19:58

Lab Sample ID: ICV 410-486676/20

Client Sample ID:

Date Analyzed: 03/25/24 19:47

Lab File ID: YM25X19.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
t-Butyl alcohol	4.08	Incomplete Integration	K4WN	03/25/24 22:18
Methyl acrylate	5.99	Incomplete Integration	K4WN	03/25/24 22:18
n-Butanol	7.84	Incomplete Integration	K4WN	03/25/24 22:18
1,4-Dioxane	8.41	Incomplete Integration	K4WN	03/25/24 22:18

GC/MS VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 9355

Analysis Batch Number: 486676

Lab Sample ID: IC 410-486676/14

Client Sample ID:

Date Analyzed: 03/25/24 20:33

Lab File ID: YM25X21.D

GC Column: R-624SilMS 30 ID: 0.25 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Chloromethane	2.05	Incomplete Integration	K4WN	03/25/24 21:57
t-Butyl alcohol-d10 (IS)	3.95	Incomplete Integration	K4WN	03/25/24 21:57
Methyl acrylate	5.99	Incomplete Integration	K4WN	03/25/24 21:57
1,4-Dioxane	8.41	Incomplete Integration	K4WN	03/25/24 21:57

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
MSV_4ppbEE_00574	03/19/24	03/18/24	DI Water, Lot DI 24078	1000 mL	MSV_CCV_2CEVE_00167	4 uL	2-Chloroethyl vinyl ether	4 ug/L
					MSV_CCV_CYC_00008	32 uL	Cyclohexanone	199.994 ug/L
					MSV_CCV_EE_00006	4 uL	Ethyl ether	4.00055 ug/L
					MSV_CCV_GASES_00723	2 uL	1,2-Dichloro-1,1,2-trifluoroethane	4 ug/L
							Bromomethane	4 ug/L
							Butadiene	4 ug/L
							Chloroethane	4 ug/L
							Chloromethane	4 ug/L
							Dichlorodifluoromethane	4 ug/L
							Dichlorofluoromethane	4 ug/L
							Trichlorofluoromethane	4 ug/L
							Vinyl chloride	4 ug/L
					MSV_CCV_OH_Sp_00009	4 uL	2-Ethylhexyl acrylate	3.9988 ug/L
							n-Butyl acrylate	4.00185 ug/L
							Ethyl acrylate	3.99968 ug/L
							Methyl acrylate	4.00056 ug/L
					MSV_CCV_VOC#1_00175	4 uL	1,1,1,2-Tetrachloroethane	4 ug/L
							1,1,1-Trichloroethane	4 ug/L
							1,1,2,2-Tetrachloroethane	4 ug/L
							1,1,2-Trichloroethane	4 ug/L
							1,1-Dichloroethane	4 ug/L
							1,1-Dichloroethene	4 ug/L
							1,1-Dichloropropene	4 ug/L
							1,2,3-Trichlorobenzene	4 ug/L
							1,2,3-Trichloropropane	4 ug/L
							1,2,4-Trichlorobenzene	4 ug/L
							1,2,4-Trimethylbenzene	4 ug/L
							1,2-Dibromo-3-Chloropropane	4 ug/L
							1,2-Dibromoethane (EDB)	4 ug/L
							1,2-Dichlorobenzene	4 ug/L
							1,2-Dichloroethane	4 ug/L
							1,2-Dichloropropane	4 ug/L
							1,3,5-Trimethylbenzene	4 ug/L
							1,3-Dichlorobenzene	4 ug/L
							1,3-Dichloropropane	4 ug/L
							1,4-Dichlorobenzene	4 ug/L
							2,2-Dichloropropane	4 ug/L
							2-Chlorotoluene	4 ug/L
							4-Chlorotoluene	4 ug/L
							4-Isopropyltoluene	4 ug/L
							Benzene	4 ug/L
							Bromobenzene	4 ug/L
							Bromochloromethane	4 ug/L
							Bromodichloromethane	4 ug/L
							Bromoform	4 ug/L

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Carbon tetrachloride	4 ug/L
							Chlorobenzene	4 ug/L
							Chloroform	4 ug/L
							cis-1,2-Dichloroethene	4 ug/L
							cis-1,3-Dichloropropene	4 ug/L
							Dibromochloromethane	4 ug/L
							Dibromomethane	4 ug/L
							Ethylbenzene	4 ug/L
							Hexachlorobutadiene	4 ug/L
							Isopropylbenzene	4 ug/L
							m-Xylene & p-Xylene	8 ug/L
							Methylene Chloride	4 ug/L
							n-Butylbenzene	4 ug/L
							N-Propylbenzene	4 ug/L
							Naphthalene	4 ug/L
							o-Xylene	4 ug/L
							sec-Butylbenzene	4 ug/L
							Styrene	4 ug/L
							tert-Butylbenzene	4 ug/L
							Tetrachloroethene	4 ug/L
							Toluene	4 ug/L
							trans-1,2-Dichloroethene	4 ug/L
							trans-1,3-Dichloropropene	4 ug/L
							Trichloroethene	4 ug/L
							1,1,2-Trichloro-1,2,2-trifluoroethane	4 ug/L
							1,2,3-Trimethylbenzene	4 ug/L
							1,3,5-Trichlorobenzene	4 ug/L
							1,3-Diethylbenzene	4 ug/L
							1,4-Dioxane	50 ug/L
							1-Chlorohexane	4 ug/L
							2-Chloro-1,3-butadiene	4 ug/L
							2-ethoxy-2-methyl butane	4 ug/L
							2-Methyl-2-propanol	20 ug/L
							2-Methylnaphthalene	4 ug/L
							2-Nitropropane	20 ug/L
							3-Chloro-1-propene	4 ug/L
							Acrylonitrile	10 ug/L
							Benzyl chloride	4 ug/L
							Carbon disulfide	4 ug/L
							Cyclohexane	4 ug/L
							Ethyl methacrylate	4 ug/L
							Hexane	4 ug/L
							Iodomethane	4 ug/L
							Isobutyl alcohol	50 ug/L
							Isopropyl alcohol	20 ug/L
							Isopropyl ether	4 ug/L

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Methacrylonitrile	10 ug/L
							Methyl acetate	4 ug/L
							Methyl methacrylate	4 ug/L
							Methyl tert-butyl ether	4 ug/L
							Methylcyclohexane	4 ug/L
							n-Butanol	50 ug/L
							n-Heptane	4 ug/L
							o-diethylbenzene	4 ug/L
							p-Diethylbenzene	4 ug/L
							Pentane	4 ug/L
							Propionitrile	20 ug/L
							Tert-amyl methyl ether	4 ug/L
							Tert-butyl ethyl ether	4 ug/L
							Tetrahydrofuran	20 ug/L
							trans-1,4-Dichloro-2-butene	10 ug/L
					MSV_CCV_VOC#3_00171	3.2 uL	Acrolein	39.9966 ug/L
							2-Butanone (MEK)	8 ug/L
							2-Hexanone	8 ug/L
							4-Methyl-2-pentanone (MIBK)	8 ug/L
							Acetone	8 ug/L
.MSV_CCV_2CEVE_00167	04/16/24	03/17/24	Methanol, Lot EH471	5 mL	MSV_V_2CLEVE_00171	1 mL	2-Chloroethyl vinyl ether	1000 ug/mL
..MSV_V_2CLEVE_00171	04/30/26		Restek, Lot A0197472		(Purchased Reagent)		2-Chloroethyl vinyl ether	5000 ug/mL
.MSV_CCV_CYC_00008	07/15/24	01/15/24	50/50 MeOH/Water, Lot EH471	200 mL	MSV_VCYC_STK_00011	8.605 mL	Cyclohexanone	6249.81 ug/mL
..MSV_VCYC_STK_00011	07/15/24	01/15/24	50/50 MeOH/Water, Lot EH471	10 mL	MSV_CYC_00009	1.4526 g	Cyclohexanone	145260 ug/mL
...MSV_CYC_00009	06/30/27		Chem Service, Lot 14568900		(Purchased Reagent)		Cyclohexanone	1 g/g
.MSV_CCV_EE_00006	05/07/24	11/07/23	Methanol, Lot EG095	50 mL	MSV_EE_MISCSK_00013	1.579 mL	Ethyl ether	1000.14 ug/mL
..MSV_EE_MISCSK_00013	05/07/24	11/07/23	Methanol, Lot EG095	10 mL	MSV_EE_Neat_00010	0.3167 g	Ethyl ether	31670 ug/mL
...MSV_EE_Neat_00010	05/30/27		Chem Service, Lot 14084700		(Purchased Reagent)		Ethyl ether	1 g/g
.MSV_CCV_GASES_00723	03/25/24		Restek, Lot A0197586		(Purchased Reagent)		1,2-Dichloro-1,1,2-trifluoroethane	2000 ug/mL
							Bromomethane	2000 ug/mL
							Butadiene	2000 ug/mL
							Chloroethane	2000 ug/mL
							Chloromethane	2000 ug/mL
							Dichlorodifluoromethane	2000 ug/mL
							Dichlorofluoromethane	2000 ug/mL
							Trichlorofluoromethane	2000 ug/mL
							Vinyl chloride	2000 ug/mL
.MSV_CCV_OH_Sp_00009	04/02/24	03/04/24	Methanol, Lot EG095	10 mL	MSV_V_Acr_Std_00005	2 mL	2-Ethylhexyl acrylate	999.7 ug/mL
							n-Butyl acrylate	1000.46 ug/mL
							Ethyl acrylate	999.919 ug/mL
							Methyl acrylate	1000.14 ug/mL
..MSV_V_Acr_Std_00005	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_MStk_2E6A_00003	0.769 mL	2-Ethylhexyl acrylate	4998.5 ug/mL
					MSV_MStk_BAcr_00004	0.881 mL	n-Butyl acrylate	5002.32 ug/mL
					MSV_MStk_EtAc_00003	0.991 mL	Ethyl acrylate	4999.6 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
...MSV_MStk_2E6A_00003	07/21/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_MStk_MACr_00003	0.79 mL	Methyl acrylate	5000.7 ug/mL
...MSV_2Eth6Acry_00001	02/28/28		Sigma Aldrich, Lot MKCN1302		MSV_2Eth6Acry_00001	0.65 g	2-Ethylhexyl acrylate	65000 ug/mL
...MSV_MStk_BAcry_00004	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	(Purchased Reagent)		2-Ethylhexyl acrylate	1 g/g
...MSV_nButylAcry_00005	01/31/26		Chem Service, Lot 14061100		MSV_nButylAcry_00005	0.5678 g	n-Butyl acrylate	56780 ug/mL
...MSV_MStk_EtAc_00003	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	(Purchased Reagent)		n-Butyl acrylate	1 g/g
...MSV_EthylAcry_00003	03/31/26		Chem Service, Lot 14239800		MSV_EthylAcry_00003	0.5045 g	Ethyl acrylate	50450 ug/mL
...MSV_MStk_MACr_00003	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	(Purchased Reagent)		Ethyl acrylate	1 g/g
...MSV_MethylAcry_00003	01/31/26		Chem Service, Lot 14104500		MSV_MethylAcry_00003	0.633 g	Methyl acrylate	63300 ug/mL
...MSV_MethylAcry_00003	01/31/26		Chem Service, Lot 14104500		(Purchased Reagent)		Methyl acrylate	1 g/g
.MSV_CCV_VOC#1_00175	04/16/24	03/17/24	Methanol, Lot EH471	5 mL	MSV_MegaMIX#1_00170	1 mL	1,1,1,2-Tetrachloroethane	1000 ug/mL
							1,1,1-Trichloroethane	1000 ug/mL
							1,1,2,2-Tetrachloroethane	1000 ug/mL
							1,1,2-Trichloroethane	1000 ug/mL
							1,1-Dichloroethane	1000 ug/mL
							1,1-Dichloroethene	1000 ug/mL
							1,1-Dichloropropene	1000 ug/mL
							1,2,3-Trichlorobenzene	1000 ug/mL
							1,2,3-Trichloropropane	1000 ug/mL
							1,2,4-Trichlorobenzene	1000 ug/mL
							1,2,4-Trimethylbenzene	1000 ug/mL
							1,2-Dibromo-3-Chloropropane	1000 ug/mL
							1,2-Dibromoethane (EDB)	1000 ug/mL
							1,2-Dichlorobenzene	1000 ug/mL
							1,2-Dichloroethane	1000 ug/mL
							1,2-Dichloropropane	1000 ug/mL
							1,3,5-Trimethylbenzene	1000 ug/mL
							1,3-Dichlorobenzene	1000 ug/mL
							1,3-Dichloropropane	1000 ug/mL
							1,4-Dichlorobenzene	1000 ug/mL
							2,2-Dichloropropane	1000 ug/mL
							2-Chlorotoluene	1000 ug/mL
							4-Chlorotoluene	1000 ug/mL
							4-Isopropyltoluene	1000 ug/mL
							Benzene	1000 ug/mL
							Bromobenzene	1000 ug/mL
							Bromochloromethane	1000 ug/mL
							Bromodichloromethane	1000 ug/mL
							Bromoform	1000 ug/mL
							Carbon tetrachloride	1000 ug/mL
							Chlorobenzene	1000 ug/mL
							Chloroform	1000 ug/mL
							cis-1,2-Dichloroethene	1000 ug/mL
							cis-1,3-Dichloropropane	1000 ug/mL
							Dibromochloromethane	1000 ug/mL
							Dibromomethane	1000 ug/mL
							Ethylbenzene	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Hexachlorobutadiene	1000 ug/mL
							Isopropylbenzene	1000 ug/mL
							m-Xylene & p-Xylene	2000 ug/mL
							Methylene Chloride	1000 ug/mL
							n-Butylbenzene	1000 ug/mL
							N-Propylbenzene	1000 ug/mL
							Naphthalene	1000 ug/mL
							o-Xylene	1000 ug/mL
							sec-Butylbenzene	1000 ug/mL
							Styrene	1000 ug/mL
							tert-Butylbenzene	1000 ug/mL
							Tetrachloroethene	1000 ug/mL
							Toluene	1000 ug/mL
							trans-1,2-Dichloroethene	1000 ug/mL
							trans-1,3-Dichloropropene	1000 ug/mL
							Trichloroethene	1000 ug/mL
					MSV_MegaMix#2_00167	1 mL	1,1,2-Trichloro-1,2,2-trifluoroethane	1000 ug/mL
							1,2,3-Trimethylbenzene	1000 ug/mL
							1,3,5-Trichlorobenzene	1000 ug/mL
							1,3-Diethylbenzene	1000 ug/mL
							1,4-Dioxane	12500 ug/mL
							1-Chlorohexane	1000 ug/mL
							2-Chloro-1,3-butadiene	1000 ug/mL
							2-ethoxy-2-methyl butane	1000 ug/mL
							2-Methyl-2-propanol	5000 ug/mL
							2-Methylnaphthalene	1000 ug/mL
							2-Nitropropane	5000 ug/mL
							3-Chloro-1-propene	1000 ug/mL
							Acrylonitrile	2500 ug/mL
							Benzyl chloride	1000 ug/mL
							Carbon disulfide	1000 ug/mL
							Cyclohexane	1000 ug/mL
							Ethyl methacrylate	1000 ug/mL
							Hexane	1000 ug/mL
							Iodomethane	1000 ug/mL
							Isobutyl alcohol	12500 ug/mL
							Isopropyl alcohol	5000 ug/mL
							Isopropyl ether	1000 ug/mL
							Methacrylonitrile	2500 ug/mL
							Methyl acetate	1000 ug/mL
							Methyl methacrylate	1000 ug/mL
							Methyl tert-butyl ether	1000 ug/mL
							Methylcyclohexane	1000 ug/mL
							n-Butanol	12500 ug/mL
							n-Heptane	1000 ug/mL
							o-diethylbenzene	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							p-Diethylbenzene	1000 ug/mL
							Pentane	1000 ug/mL
							Propionitrile	5000 ug/mL
							Tert-amyl methyl ether	1000 ug/mL
							Tert-butyl ethyl ether	1000 ug/mL
							Tetrahydrofuran	5000 ug/mL
							trans-1,4-Dichloro-2-butene	2500 ug/mL
..MSV_MegaMIX#1_00170	04/16/24		Restek, Lot A0197556		(Purchased Reagent)		1,1,1,2-Tetrachloroethane	5000 ug/mL
							1,1,1-Trichloroethane	5000 ug/mL
							1,1,2,2-Tetrachloroethane	5000 ug/mL
							1,1,2-Trichloroethane	5000 ug/mL
							1,1-Dichloroethane	5000 ug/mL
							1,1-Dichloroethene	5000 ug/mL
							1,1-Dichloropropene	5000 ug/mL
							1,2,3-Trichlorobenzene	5000 ug/mL
							1,2,3-Trichloropropane	5000 ug/mL
							1,2,4-Trichlorobenzene	5000 ug/mL
							1,2,4-Trimethylbenzene	5000 ug/mL
							1,2-Dibromo-3-Chloropropane	5000 ug/mL
							1,2-Dibromoethane (EDB)	5000 ug/mL
							1,2-Dichlorobenzene	5000 ug/mL
							1,2-Dichloroethane	5000 ug/mL
							1,2-Dichloropropane	5000 ug/mL
							1,3,5-Trimethylbenzene	5000 ug/mL
							1,3-Dichlorobenzene	5000 ug/mL
							1,3-Dichloropropane	5000 ug/mL
							1,4-Dichlorobenzene	5000 ug/mL
							2,2-Dichloropropane	5000 ug/mL
							2-Chlorotoluene	5000 ug/mL
							4-Chlorotoluene	5000 ug/mL
							4-Isopropyltoluene	5000 ug/mL
							Benzene	5000 ug/mL
							Bromobenzene	5000 ug/mL
							Bromochloromethane	5000 ug/mL
							Bromodichloromethane	5000 ug/mL
							Bromoform	5000 ug/mL
							Carbon tetrachloride	5000 ug/mL
							Chlorobenzene	5000 ug/mL
							Chloroform	5000 ug/mL
							cis-1,2-Dichloroethene	5000 ug/mL
							cis-1,3-Dichloropropene	5000 ug/mL
							Dibromochloromethane	5000 ug/mL
							Dibromomethane	5000 ug/mL
							Ethylbenzene	5000 ug/mL
							Hexachlorobutadiene	5000 ug/mL
							Isopropylbenzene	5000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							m-Xylene & p-Xylene	10000 ug/mL
							Methylene Chloride	5000 ug/mL
							n-Butylbenzene	5000 ug/mL
							N-Propylbenzene	5000 ug/mL
							Naphthalene	5000 ug/mL
							o-Xylene	5000 ug/mL
							sec-Butylbenzene	5000 ug/mL
							Styrene	5000 ug/mL
							tert-Butylbenzene	5000 ug/mL
							Tetrachloroethene	5000 ug/mL
							Toluene	5000 ug/mL
							trans-1,2-Dichloroethene	5000 ug/mL
							trans-1,3-Dichloropropene	5000 ug/mL
							Trichloroethene	5000 ug/mL
..MSV_MegaMix#2_00167	04/30/26	Restek, Lot A0197578			(Purchased Reagent)		1,1,2-Trichloro-1,2,2-trifluor oethane	5000 ug/mL
							1,2,3-Trimethylbenzene	5000 ug/mL
							1,3,5-Trichlorobenzene	5000 ug/mL
							1,3-Diethylbenzene	5000 ug/mL
							1,4-Dioxane	62500 ug/mL
							1-Chlorohexane	5000 ug/mL
							2-Chloro-1,3-butadiene	5000 ug/mL
							2-ethoxy-2-methyl butane	5000 ug/mL
							2-Methyl-2-propanol	25000 ug/mL
							2-Methylnaphthalene	5000 ug/mL
							2-Nitropropane	25000 ug/mL
							3-Chloro-1-propene	5000 ug/mL
							Acrylonitrile	12500 ug/mL
							Benzyl chloride	5000 ug/mL
							Carbon disulfide	5000 ug/mL
							Cyclohexane	5000 ug/mL
							Ethyl methacrylate	5000 ug/mL
							Hexane	5000 ug/mL
							Iodomethane	5000 ug/mL
							Isobutyl alcohol	62500 ug/mL
							Isopropyl alcohol	25000 ug/mL
							Isopropyl ether	5000 ug/mL
							Methacrylonitrile	12500 ug/mL
							Methyl acetate	5000 ug/mL
							Methyl methacrylate	5000 ug/mL
							Methyl tert-butyl ether	5000 ug/mL
							Methylcyclohexane	5000 ug/mL
							n-Butanol	62500 ug/mL
							n-Heptane	5000 ug/mL
							o-diethylbenzene	5000 ug/mL
							p-Diethylbenzene	5000 ug/mL
							Pentane	5000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Propionitrile	25000 ug/mL
							Tert-amyl methyl ether	5000 ug/mL
							Tert-butyl ethyl ether	5000 ug/mL
							Tetrahydrofuran	25000 ug/mL
							trans-1,4-Dichloro-2-butene	12500 ug/mL
.MSV_CCV_VOC#3_00171	04/16/24	03/17/24	Methanol, Lot EH471	5 mL	MSV_CCV_ACR_00016	0.5 mL	Acrolein	12498.9 ug/mL
					MSV_V_Ketones_00178	1 mL	2-Butanone (MEK)	2500 ug/mL
							2-Hexanone	2500 ug/mL
							4-Methyl-2-pentanone (MIBK)	2500 ug/mL
							Acetone	2500 ug/mL
..MSV_CCV_ACR_00016	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_VACR_STK_00038	9.185 mL	Acrolein	124989 ug/mL
...MSV_VACR_STK_00038	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_ACROLEIN_00032	1.4648 g	Acrolein	136080 ug/mL
...MSV_ACROLEIN_00032	06/30/24		Chem Service, Lot 14703000		(Purchased Reagent)		Acrolein	0.929 g/g
..MSV_V_Ketones_00178	01/31/26		Restek, Lot A0193494		(Purchased Reagent)		2-Butanone (MEK)	12500 ug/mL
							2-Hexanone	12500 ug/mL
							4-Methyl-2-pentanone (MIBK)	12500 ug/mL
							Acetone	12500 ug/mL
MSV_4ppbEE_00576	04/01/24	03/25/24	DI Water, Lot DI 23226	1000 mL	MSV_CCV_2CEVE_00166	4 uL	2-Chloroethyl vinyl ether	4 ug/L
					MSV_CCV_CYC_00008	32 uL	Cyclohexanone	199.994 ug/L
					MSV_CCV_EE_00006	4 uL	Ethyl ether	4.00055 ug/L
					MSV_CCV_GASES_00760	2 uL	1,2-Dichloro-1,1,2-trifluoroethane	4 ug/L
							Bromomethane	4 ug/L
							Butadiene	4 ug/L
							Chloroethane	4 ug/L
							Chloromethane	4 ug/L
							Dichlorodifluoromethane	4 ug/L
							Dichlorofluoromethane	4 ug/L
							Trichlorofluoromethane	4 ug/L
							Vinyl chloride	4 ug/L
					MSV_CCV_OH_Sp_00009	4 uL	2-Ethylhexyl acrylate	3.9988 ug/L
							n-Butyl acrylate	4.00185 ug/L
							Ethyl acrylate	3.99968 ug/L
							Methyl acrylate	4.00056 ug/L
					MSV_CCV_VOC#1_00174	4 uL	1,1,1,2-Tetrachloroethane	4 ug/L
							1,1,1-Trichloroethane	4 ug/L
							1,1,2,2-Tetrachloroethane	4 ug/L
							1,1,2-Trichloroethane	4 ug/L
							1,1-Dichloroethane	4 ug/L
							1,1-Dichloroethene	4 ug/L
							1,1-Dichloropropene	4 ug/L
							1,2,3-Trichlorobenzene	4 ug/L
							1,2,3-Trichloropropane	4 ug/L
							1,2,4-Trichlorobenzene	4 ug/L
							1,2,4-Trimethylbenzene	4 ug/L
							1,2-Dibromo-3-Chloropropane	4 ug/L

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							1,2-Dibromoethane (EDB)	4 ug/L
							1,2-Dichlorobenzene	4 ug/L
							1,2-Dichloroethane	4 ug/L
							1,2-Dichloropropane	4 ug/L
							1,3,5-Trimethylbenzene	4 ug/L
							1,3-Dichlorobenzene	4 ug/L
							1,3-Dichloropropane	4 ug/L
							1,4-Dichlorobenzene	4 ug/L
							2,2-Dichloropropane	4 ug/L
							2-Chlorotoluene	4 ug/L
							4-Chlorotoluene	4 ug/L
							4-Isopropyltoluene	4 ug/L
							Benzene	4 ug/L
							Bromobenzene	4 ug/L
							Bromochloromethane	4 ug/L
							Bromodichloromethane	4 ug/L
							Bromoform	4 ug/L
							Carbon tetrachloride	4 ug/L
							Chlorobenzene	4 ug/L
							Chloroform	4 ug/L
							cis-1,2-Dichloroethene	4 ug/L
							cis-1,3-Dichloropropene	4 ug/L
							Dibromochloromethane	4 ug/L
							Dibromomethane	4 ug/L
							Ethylbenzene	4 ug/L
							Hexachlorobutadiene	4 ug/L
							Isopropylbenzene	4 ug/L
							m-Xylene & p-Xylene	8 ug/L
							Methylene Chloride	4 ug/L
							n-Butylbenzene	4 ug/L
							N-Propylbenzene	4 ug/L
							Naphthalene	4 ug/L
							o-Xylene	4 ug/L
							sec-Butylbenzene	4 ug/L
							Styrene	4 ug/L
							tert-Butylbenzene	4 ug/L
							Tetrachloroethene	4 ug/L
							Toluene	4 ug/L
							trans-1,2-Dichloroethene	4 ug/L
							trans-1,3-Dichloropropene	4 ug/L
							Trichloroethene	4 ug/L
							1,1,2-Trichloro-1,2,2-trifluoroethane	4 ug/L
							1,2,3-Trimethylbenzene	4 ug/L
							1,3,5-Trichlorobenzene	4 ug/L
							1,3-Diethylbenzene	4 ug/L
							1,4-Dioxane	50 ug/L

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							1-Chlorohexane	4 ug/L
							2-Chloro-1,3-butadiene	4 ug/L
							2-ethoxy-2-methyl butane	4 ug/L
							2-Methyl-2-propanol	20 ug/L
							2-Methylnaphthalene	4 ug/L
							2-Nitropropane	20 ug/L
							3-Chloro-1-propene	4 ug/L
							Acrylonitrile	10 ug/L
							Benzyl chloride	4 ug/L
							Carbon disulfide	4 ug/L
							Cyclohexane	4 ug/L
							Ethyl methacrylate	4 ug/L
							Hexane	4 ug/L
							Iodomethane	4 ug/L
							Isobutyl alcohol	50 ug/L
							Isopropyl alcohol	20 ug/L
							Isopropyl ether	4 ug/L
							Methacrylonitrile	10 ug/L
							Methyl acetate	4 ug/L
							Methyl methacrylate	4 ug/L
							Methyl tert-butyl ether	4 ug/L
							Methylcyclohexane	4 ug/L
							n-Butanol	50 ug/L
							n-Heptane	4 ug/L
							o-diethylbenzene	4 ug/L
							p-Diethylbenzene	4 ug/L
							Pentane	4 ug/L
							Propionitrile	20 ug/L
							Tert-amyl methyl ether	4 ug/L
							Tert-butyl ethyl ether	4 ug/L
							Tetrahydrofuran	20 ug/L
							trans-1,4-Dichloro-2-butene	10 ug/L
					MSV_CCV_VOC#3_00170	3.2 uL	Acrolein	39.9966 ug/L
							2-Butanone (MEK)	8 ug/L
							2-Hexanone	8 ug/L
							4-Methyl-2-pentanone (MIBK)	8 ug/L
							Acetone	8 ug/L
.MSV_CCV_2CEVE_00166	04/09/24	03/10/24	Methanol, Lot EH471	5 mL	MSV_V_2CLEVE_00173	1 mL	2-Chloroethyl vinyl ether	1000 ug/mL
..MSV_V_2CLEVE_00173	04/30/26		Restek, Lot A0197472		(Purchased Reagent)		2-Chloroethyl vinyl ether	5000 ug/mL
.MSV_CCV_CYC_00008	07/15/24	01/15/24	50/50 MeOH/Water, Lot EH471	200 mL	MSV_VCYC_STK_00011	8.605 mL	Cyclohexanone	6249.81 ug/mL
..MSV_VCYC_STK_00011	07/15/24	01/15/24	50/50 MeOH/Water, Lot EH471	10 mL	MSV_CYC_00009	1.4526 g	Cyclohexanone	145260 ug/mL
...MSV_CYC_00009	06/30/27		Chem Service, Lot 14568900		(Purchased Reagent)		Cyclohexanone	1 g/g
.MSV_CCV_EE_00006	05/07/24	11/07/23	Methanol, Lot EG095	50 mL	MSV_EE_MISCSK_00013	1.579 mL	Ethyl ether	1000.14 ug/mL
..MSV_EE_MISCSK_00013	05/07/24	11/07/23	Methanol, Lot EG095	10 mL	MSV_EE_Neat_00010	0.3167 g	Ethyl ether	31670 ug/mL
...MSV_EE_Neat_00010	05/30/27		Chem Service, Lot 14084700		(Purchased Reagent)		Ethyl ether	1 g/g

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
.MSV_CCV_GASES_00760	04/01/24		Restek, Lot A0197586		(Purchased Reagent)		1,2-Dichloro-1,1,2-trifluoroethane	2000 ug/mL
							Bromomethane	2000 ug/mL
							Butadiene	2000 ug/mL
							Chloroethane	2000 ug/mL
							Chloromethane	2000 ug/mL
							Dichlorodifluoromethane	2000 ug/mL
							Dichlorofluoromethane	2000 ug/mL
							Trichlorofluoromethane	2000 ug/mL
							Vinyl chloride	2000 ug/mL
.MSV_CCV_OH_Sp_00009	04/02/24	03/04/24	Methanol, Lot EG095	10 mL	MSV_V_Acr_Std_00005	2 mL	2-Ethylhexyl acrylate	999.7 ug/mL
							n-Butyl acrylate	1000.46 ug/mL
							Ethyl acrylate	999.919 ug/mL
							Methyl acrylate	1000.14 ug/mL
..MSV_V_Acr_Std_00005	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_MStk_2E6A_00003	0.769 mL	2-Ethylhexyl acrylate	4998.5 ug/mL
					MSV_MStk_BAcr_00004	0.881 mL	n-Butyl acrylate	5002.32 ug/mL
					MSV_MStk_EtAc_00003	0.991 mL	Ethyl acrylate	4999.6 ug/mL
					MSV_MStk_MAc_00003	0.79 mL	Methyl acrylate	5000.7 ug/mL
...MSV_MStk_2E6A_00003	07/21/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_2Eth6Acry_00001	0.65 g	2-Ethylhexyl acrylate	65000 ug/mL
...MSV_2Eth6Acry_00001	02/28/28		Sigma Aldrich, Lot MKCN1302		(Purchased Reagent)		2-Ethylhexyl acrylate	1 g/g
...MSV_MStk_BAcr_00004	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_nButylAcr_00005	0.5678 g	n-Butyl acrylate	56780 ug/mL
...MSV_nButylAcr_00005	01/31/26		Chem Service, Lot 14061100		(Purchased Reagent)		n-Butyl acrylate	1 g/g
...MSV_MStk_EtAc_00003	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_EthylAcry_00003	0.5045 g	Ethyl acrylate	50450 ug/mL
...MSV_EthylAcry_00003	03/31/26		Chem Service, Lot 14239800		(Purchased Reagent)		Ethyl acrylate	1 g/g
...MSV_MStk_MAc_00003	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_MethylAcr_00003	0.633 g	Methyl acrylate	63300 ug/mL
...MSV_MethylAcr_00003	01/31/26		Chem Service, Lot 14104500		(Purchased Reagent)		Methyl acrylate	1 g/g
.MSV_CCV_VOC#1_00174	04/09/24	03/10/24	Methanol, Lot EH471	5 mL	MSV_MegaMIX#1_00171	1 mL	1,1,1,2-Tetrachloroethane	1000 ug/mL
							1,1,1-Trichloroethane	1000 ug/mL
							1,1,2,2-Tetrachloroethane	1000 ug/mL
							1,1,2-Trichloroethane	1000 ug/mL
							1,1-Dichloroethane	1000 ug/mL
							1,1-Dichloroethene	1000 ug/mL
							1,1-Dichloropropene	1000 ug/mL
							1,2,3-Trichlorobenzene	1000 ug/mL
							1,2,3-Trichloropropane	1000 ug/mL
							1,2,4-Trichlorobenzene	1000 ug/mL
							1,2,4-Trimethylbenzene	1000 ug/mL
							1,2-Dibromo-3-Chloropropane	1000 ug/mL
							1,2-Dibromoethane (EDB)	1000 ug/mL
							1,2-Dichlorobenzene	1000 ug/mL
							1,2-Dichloroethane	1000 ug/mL
							1,2-Dichloropropane	1000 ug/mL
							1,3,5-Trimethylbenzene	1000 ug/mL
							1,3-Dichlorobenzene	1000 ug/mL
							1,3-Dichloropropane	1000 ug/mL
							1,4-Dichlorobenzene	1000 ug/mL
							2,2-Dichloropropane	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							2-Chlorotoluene	1000 ug/mL
							4-Chlorotoluene	1000 ug/mL
							4-Isopropyltoluene	1000 ug/mL
							Benzene	1000 ug/mL
							Bromobenzene	1000 ug/mL
							Bromochloromethane	1000 ug/mL
							Bromodichloromethane	1000 ug/mL
							Bromoform	1000 ug/mL
							Carbon tetrachloride	1000 ug/mL
							Chlorobenzene	1000 ug/mL
							Chloroform	1000 ug/mL
							cis-1,2-Dichloroethene	1000 ug/mL
							cis-1,3-Dichloropropene	1000 ug/mL
							Dibromochloromethane	1000 ug/mL
							Dibromomethane	1000 ug/mL
							Ethylbenzene	1000 ug/mL
							Hexachlorobutadiene	1000 ug/mL
							Isopropylbenzene	1000 ug/mL
							m-Xylene & p-Xylene	2000 ug/mL
							Methylene Chloride	1000 ug/mL
							n-Butylbenzene	1000 ug/mL
							N-Propylbenzene	1000 ug/mL
							Naphthalene	1000 ug/mL
							o-Xylene	1000 ug/mL
							sec-Butylbenzene	1000 ug/mL
							Styrene	1000 ug/mL
							tert-Butylbenzene	1000 ug/mL
							Tetrachloroethene	1000 ug/mL
							Toluene	1000 ug/mL
							trans-1,2-Dichloroethene	1000 ug/mL
							trans-1,3-Dichloropropene	1000 ug/mL
							Trichloroethene	1000 ug/mL
					MSV_MegaMix#2_00165	1 mL	1,1,2-Trichloro-1,2,2-trifluoroethane	1000 ug/mL
							1,2,3-Trimethylbenzene	1000 ug/mL
							1,3,5-Trichlorobenzene	1000 ug/mL
							1,3-Diethylbenzene	1000 ug/mL
							1,4-Dioxane	12500 ug/mL
							1-Chlorohexane	1000 ug/mL
							2-Chloro-1,3-butadiene	1000 ug/mL
							2-ethoxy-2-methyl butane	1000 ug/mL
							2-Methyl-2-propanol	5000 ug/mL
							2-Methylnaphthalene	1000 ug/mL
							2-Nitropropane	5000 ug/mL
							3-Chloro-1-propene	1000 ug/mL
							Acrylonitrile	2500 ug/mL
							Benzyl chloride	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Carbon disulfide	1000 ug/mL
							Cyclohexane	1000 ug/mL
							Ethyl methacrylate	1000 ug/mL
							Hexane	1000 ug/mL
							Iodomethane	1000 ug/mL
							Isobutyl alcohol	12500 ug/mL
							Isopropyl alcohol	5000 ug/mL
							Isopropyl ether	1000 ug/mL
							Methacrylonitrile	2500 ug/mL
							Methyl acetate	1000 ug/mL
							Methyl methacrylate	1000 ug/mL
							Methyl tert-butyl ether	1000 ug/mL
							Methylcyclohexane	1000 ug/mL
							n-Butanol	12500 ug/mL
							n-Heptane	1000 ug/mL
							o-diethylbenzene	1000 ug/mL
							p-Diethylbenzene	1000 ug/mL
							Pentane	1000 ug/mL
							Propionitrile	5000 ug/mL
							Tert-amyl methyl ether	1000 ug/mL
..MSV_MegaMIX#1_00171	04/30/24		Restek, Lot A0197556		(Purchased Reagent)		Tert-butyl ethyl ether	1000 ug/mL
							Tetrahydrofuran	5000 ug/mL
							trans-1,4-Dichloro-2-butene	2500 ug/mL
							1,1,1,2-Tetrachloroethane	5000 ug/mL
							1,1,1-Trichloroethane	5000 ug/mL
							1,1,2,2-Tetrachloroethane	5000 ug/mL
							1,1,2-Trichloroethane	5000 ug/mL
							1,1-Dichloroethane	5000 ug/mL
							1,1-Dichloroethene	5000 ug/mL
							1,1-Dichloropropene	5000 ug/mL
							1,2,3-Trichlorobenzene	5000 ug/mL
							1,2,3-Trichloropropane	5000 ug/mL
							1,2,4-Trichlorobenzene	5000 ug/mL
							1,2,4-Trimethylbenzene	5000 ug/mL
							1,2-Dibromo-3-Chloropropane	5000 ug/mL
							1,2-Dibromoethane (EDB)	5000 ug/mL
							1,2-Dichlorobenzene	5000 ug/mL
							1,2-Dichloroethane	5000 ug/mL
							1,2-Dichloropropane	5000 ug/mL
							1,3,5-Trimethylbenzene	5000 ug/mL
							1,3-Dichlorobenzene	5000 ug/mL
							1,3-Dichloropropane	5000 ug/mL
							1,4-Dichlorobenzene	5000 ug/mL
							2,2-Dichloropropane	5000 ug/mL
							2-Chlorotoluene	5000 ug/mL
							4-Chlorotoluene	5000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							4-Isopropyltoluene	5000 ug/mL
							Benzene	5000 ug/mL
							Bromobenzene	5000 ug/mL
							Bromochloromethane	5000 ug/mL
							Bromodichloromethane	5000 ug/mL
							Bromoform	5000 ug/mL
							Carbon tetrachloride	5000 ug/mL
							Chlorobenzene	5000 ug/mL
							Chloroform	5000 ug/mL
							cis-1,2-Dichloroethene	5000 ug/mL
							cis-1,3-Dichloropropene	5000 ug/mL
							Dibromochloromethane	5000 ug/mL
							Dibromomethane	5000 ug/mL
							Ethylbenzene	5000 ug/mL
							Hexachlorobutadiene	5000 ug/mL
							Isopropylbenzene	5000 ug/mL
							m-Xylene & p-Xylene	10000 ug/mL
							Methylene Chloride	5000 ug/mL
							n-Butylbenzene	5000 ug/mL
							N-Propylbenzene	5000 ug/mL
							Naphthalene	5000 ug/mL
							o-Xylene	5000 ug/mL
							sec-Butylbenzene	5000 ug/mL
							Styrene	5000 ug/mL
							tert-Butylbenzene	5000 ug/mL
							Tetrachloroethene	5000 ug/mL
							Toluene	5000 ug/mL
							trans-1,2-Dichloroethene	5000 ug/mL
							trans-1,3-Dichloropropene	5000 ug/mL
							Trichloroethene	5000 ug/mL
..MSV_MegaMix#2_00165	04/30/24		Restek, Lot A0197578		(Purchased Reagent)		1,1,2-Trichloro-1,2,2-trifluor oethane	5000 ug/mL
							1,2,3-Trimethylbenzene	5000 ug/mL
							1,3,5-Trichlorobenzene	5000 ug/mL
							1,3-Diethylbenzene	5000 ug/mL
							1,4-Dioxane	62500 ug/mL
							1-Chlorohexane	5000 ug/mL
							2-Chloro-1,3-butadiene	5000 ug/mL
							2-ethoxy-2-methyl butane	5000 ug/mL
							2-Methyl-2-propanol	25000 ug/mL
							2-Methylnaphthalene	5000 ug/mL
							2-Nitropropane	25000 ug/mL
							3-Chloro-1-propene	5000 ug/mL
							Acrylonitrile	12500 ug/mL
							Benzyl chloride	5000 ug/mL
							Carbon disulfide	5000 ug/mL
							Cyclohexane	5000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Ethyl methacrylate	5000 ug/mL
							Hexane	5000 ug/mL
							Iodomethane	5000 ug/mL
							Isobutyl alcohol	62500 ug/mL
							Isopropyl alcohol	25000 ug/mL
							Isopropyl ether	5000 ug/mL
							Methacrylonitrile	12500 ug/mL
							Methyl acetate	5000 ug/mL
							Methyl methacrylate	5000 ug/mL
							Methyl tert-butyl ether	5000 ug/mL
							Methylcyclohexane	5000 ug/mL
							n-Butanol	62500 ug/mL
							n-Heptane	5000 ug/mL
							o-diethylbenzene	5000 ug/mL
							p-Diethylbenzene	5000 ug/mL
							Pentane	5000 ug/mL
							Propionitrile	25000 ug/mL
							Tert-amyl methyl ether	5000 ug/mL
							Tert-butyl ethyl ether	5000 ug/mL
							Tetrahydrofuran	25000 ug/mL
							trans-1,4-Dichloro-2-butene	12500 ug/mL
.MSV_CCV_VOC#3_00170	04/09/24	03/10/24	Methanol, Lot EH471	5 mL	MSV_CCV_ACR_00016	0.5 mL	Acrolein	12498.9 ug/mL
					MSV_V_Ketones_00179	1 mL	2-Butanone (MEK)	2500 ug/mL
							2-Hexanone	2500 ug/mL
							4-Methyl-2-pentanone (MIBK)	2500 ug/mL
							Acetone	2500 ug/mL
..MSV_CCV_ACR_00016	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_VACR_STK_00038	9.185 mL	Acrolein	124989 ug/mL
...MSV_VACR_STK_00038	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_ACROLEIN_00032	1.4648 g	Acrolein	136080 ug/mL
...MSV_ACROLEIN_00032	06/30/24		Chem Service, Lot 14703000		(Purchased Reagent)		Acrolein	0.929 g/g
..MSV_V_Ketones_00179	01/31/26		Restek, Lot A0193494		(Purchased Reagent)		2-Butanone (MEK)	12500 ug/mL
							2-Hexanone	12500 ug/mL
							4-Methyl-2-pentanone (MIBK)	12500 ug/mL
							Acetone	12500 ug/mL
MSV_CCV_2CEVE_00167	04/16/24	03/17/24	Methanol, Lot EH471	5 mL	MSV_V_2CLEVE_00171	1 mL	2-Chloroethyl vinyl ether	1000 ug/mL
.MSV_V_2CLEVE_00171	04/30/26		Restek, Lot A0197472		(Purchased Reagent)		2-Chloroethyl vinyl ether	5000 ug/mL
MSV_CCV_2CEVE_00168	04/23/24	03/24/24	Methanol, Lot EH471	5 mL	MSV_V_2CLEVE_00179	1 mL	2-Chloroethyl vinyl ether	1000 ug/mL
.MSV_V_2CLEVE_00179	04/30/26		Restek, Lot A0197472		(Purchased Reagent)		2-Chloroethyl vinyl ether	5000 ug/mL
MSV_CCV_CYC_00008	07/15/24	01/15/24	50/50 MeOH/Water, Lot EH471	200 mL	MSV_VCYC_STK_00011	8.605 mL	Cyclohexanone	6249.81 ug/mL
.MSV_VCYC_STK_00011	07/15/24	01/15/24	50/50 MeOH/Water, Lot EH471	10 mL	MSV_CYC_00009	1.4526 g	Cyclohexanone	145260 ug/mL
..MSV_CYC_00009	06/30/27		Chem Service, Lot 14568900		(Purchased Reagent)		Cyclohexanone	1 g/g
MSV_CCV_EE_00006	05/07/24	11/07/23	Methanol, Lot EG095	50 mL	MSV_EE_MISCSK_00013	1.579 mL	Ethyl ether	1000.14 ug/mL
.MSV_EE_MISCSK_00013	05/07/24	11/07/23	Methanol, Lot EG095	10 mL	MSV_EE_Neat_00010	0.3167 g	Ethyl ether	31670 ug/mL
..MSV_EE_Neat_00010	05/30/27		Chem Service, Lot 14084700		(Purchased Reagent)		Ethyl ether	1 g/g

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
MSV_CCV_ETOH_00005	03/26/24	09/26/23	Methanol, Lot EG095	200 mL	MSV_VETOH_STK_00014	6.3 mL	Ethanol	12499.2 ug/mL
..MSV_VETOH_STK_00014	03/26/24	09/26/23	Methanol, Lot EG095	10 mL	MSV_EtOH_00047	3.968 g	Ethanol	396800 ug/mL
..MSV_EtOH_00047	04/30/28	Chem Service, Lot 14757000			(Purchased Reagent)		Ethanol	1 g/g
MSV_CCV_GASES_00723	03/25/24	Restek, Lot A0197586			(Purchased Reagent)		1,2-Dichloro-1,1,2-trifluoroethane	2000 ug/mL
							Bromomethane	2000 ug/mL
							Butadiene	2000 ug/mL
							Chloroethane	2000 ug/mL
							Chloromethane	2000 ug/mL
							Dichlorodifluoromethane	2000 ug/mL
							Dichlorofluoromethane	2000 ug/mL
							Trichlorofluoromethane	2000 ug/mL
							Vinyl chloride	2000 ug/mL
MSV_CCV_GASES_00724	03/28/24	Restek, Lot A0197586			(Purchased Reagent)		Bromomethane	2000 ug/mL
							Chloroethane	2000 ug/mL
							Chloromethane	2000 ug/mL
							Vinyl chloride	2000 ug/mL
MSV_CCV_GASES_00760	04/01/24	Restek, Lot A0197586			(Purchased Reagent)		1,2-Dichloro-1,1,2-trifluoroethane	2000 ug/mL
							Bromomethane	2000 ug/mL
							Butadiene	2000 ug/mL
							Chloroethane	2000 ug/mL
							Chloromethane	2000 ug/mL
							Dichlorodifluoromethane	2000 ug/mL
							Dichlorofluoromethane	2000 ug/mL
							Trichlorofluoromethane	2000 ug/mL
							Vinyl chloride	2000 ug/mL
MSV_CCV_LKB_00009	06/19/24	12/21/23	Methanol, Lot EG095	50 mL	MSV_V34D1B_SK_00012	0.541 mL	3,4-Dichloro-1-butene	1000.53 ug/mL
..MSV_V34D1B_SK_00012	06/19/24	12/21/23	Methanol, Lot EG095	10 mL	MSV_Vc14d_STK_00010	0.81 mL	cis-1,4-Dichloro-2-butene	1000.35 ug/mL
..MSV_3,4DC1Be_00003	08/22/27	TCI, Lot W3RMJ			MSV_3,4DC1Be_00003	0.9247 g	3,4-Dichloro-1-butene	92470 ug/mL
..MSV_Vc14d_STK_00010	06/19/24	12/19/23	Methanol, Lot EG095	10 mL	(Purchased Reagent)		3,4-Dichloro-1-butene	1 g/g
..MSV_c14dcb_Nt_00004	08/16/27	Aldrich, Lot SHBH4584V			MSV_c14dcb_Nt_00004	0.65 g	cis-1,4-Dichloro-2-butene	61750 ug/mL
					(Purchased Reagent)		cis-1,4-Dichloro-2-butene	0.95 g/g
MSV_CCV_OH_Sp_00009	04/02/24	03/04/24	Methanol, Lot EG095	10 mL	MSV_V_Acr_Std_00005	2 mL	2-Ethylhexyl acrylate	999.7 ug/mL
							n-Butyl acrylate	1000.46 ug/mL
							Ethyl acrylate	999.919 ug/mL
							Methyl acrylate	1000.14 ug/mL
..MSV_V_Acr_Std_00005	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_MStk_2E6A_00003	0.769 mL	2-Ethylhexyl acrylate	4998.5 ug/mL
					MSV_MStk_BAc_00004	0.881 mL	n-Butyl acrylate	5002.32 ug/mL
					MSV_MStk_EtAc_00003	0.991 mL	Ethyl acrylate	4999.6 ug/mL
					MSV_MStk_MAc_00003	0.79 mL	Methyl acrylate	5000.7 ug/mL
..MSV_MStk_2E6A_00003	07/21/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_2Eth6Acry_00001	0.65 g	2-Ethylhexyl acrylate	65000 ug/mL
...MSV_2Eth6Acry_00001	02/28/28	Sigma Aldrich, Lot MKCN1302			(Purchased Reagent)		2-Ethylhexyl acrylate	1 g/g
..MSV_MStk_BAc_00004	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_nButylAc_00005	0.5678 g	n-Butyl acrylate	56780 ug/mL
...MSV_nButylAc_00005	01/31/26	Chem Service, Lot 14061100			(Purchased Reagent)		n-Butyl acrylate	1 g/g

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
..MSV_MStk_EtAc_00003	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_EthylAcry_00003	0.5045 g	Ethyl acrylate	50450 ug/mL
...MSV_EthylAcry_00003	03/31/26		Chem Service, Lot 14239800		(Purchased Reagent)		Ethyl acrylate	1 g/g
..MSV_MStk_MAc_00003	07/14/24	01/14/24	Methanol, Lot EH471	10 mL	MSV_MethylAc_00003	0.633 g	Methyl acrylate	63300 ug/mL
...MSV_MethylAc_00003	01/31/26		Chem Service, Lot 14104500		(Purchased Reagent)		Methyl acrylate	1 g/g
MSV_CCV_Penta_00046	03/30/24	03/01/24	Methanol, Lot EH822	1 mL	MSV_V_PentaCL_00044	200 uL	Pentachloroethane	1000 ug/mL
.MSV_V_PentaCL_00044	03/30/24		Restek, Lot A0184174		(Purchased Reagent)		Pentachloroethane	5000 ug/mL
MSV_CCV_V5ACE_00034	04/09/24	03/10/24	Methanol, Lot EH471	10 mL	MSV_AcetatesV_00069	1 mL	Acetonitrile	5000 ug/mL
							Ethyl acetate	1000 ug/mL
							Isopropyl acetate	1000 ug/mL
							n-Butyl acetate	1000 ug/mL
							n-Propyl acetate	1000 ug/mL
							Vinyl acetate	1000 ug/mL
.MSV_AcetatesV_00069	11/30/24		Restek, Lot A0197847		(Purchased Reagent)		Acetonitrile	50000 ug/mL
							Ethyl acetate	10000 ug/mL
							Isopropyl acetate	10000 ug/mL
							n-Butyl acetate	10000 ug/mL
							n-Propyl acetate	10000 ug/mL
							Vinyl acetate	10000 ug/mL
MSV_CCV_VOC#1_00175	04/16/24	03/17/24	Methanol, Lot EH471	5 mL	MSV_MegaMIX#1_00170	1 mL	1,1,1,2-Tetrachloroethane	1000 ug/mL
							1,1,1-Trichloroethane	1000 ug/mL
							1,1,2,2-Tetrachloroethane	1000 ug/mL
							1,1,2-Trichloroethane	1000 ug/mL
							1,1-Dichloroethane	1000 ug/mL
							1,1-Dichloroethene	1000 ug/mL
							1,1-Dichloropropene	1000 ug/mL
							1,2,3-Trichlorobenzene	1000 ug/mL
							1,2,3-Trichloropropane	1000 ug/mL
							1,2,4-Trichlorobenzene	1000 ug/mL
							1,2,4-Trimethylbenzene	1000 ug/mL
							1,2-Dibromo-3-Chloropropane	1000 ug/mL
							1,2-Dibromoethane (EDB)	1000 ug/mL
							1,2-Dichlorobenzene	1000 ug/mL
							1,2-Dichloroethane	1000 ug/mL
							1,2-Dichloropropane	1000 ug/mL
							1,3,5-Trimethylbenzene	1000 ug/mL
							1,3-Dichlorobenzene	1000 ug/mL
							1,3-Dichloropropane	1000 ug/mL
							1,4-Dichlorobenzene	1000 ug/mL
							2,2-Dichloropropane	1000 ug/mL
							2-Chlorotoluene	1000 ug/mL
							4-Chlorotoluene	1000 ug/mL
							4-Isopropyltoluene	1000 ug/mL
							Benzene	1000 ug/mL
							Bromobenzene	1000 ug/mL
							Bromochloromethane	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Bromodichloromethane	1000 ug/mL
							Bromoform	1000 ug/mL
							Carbon tetrachloride	1000 ug/mL
							Chlorobenzene	1000 ug/mL
							Chloroform	1000 ug/mL
							cis-1,2-Dichloroethene	1000 ug/mL
							cis-1,3-Dichloropropene	1000 ug/mL
							Dibromochloromethane	1000 ug/mL
							Dibromomethane	1000 ug/mL
							Ethylbenzene	1000 ug/mL
							Hexachlorobutadiene	1000 ug/mL
							Isopropylbenzene	1000 ug/mL
							m-Xylene & p-Xylene	2000 ug/mL
							Methylene Chloride	1000 ug/mL
							n-Butylbenzene	1000 ug/mL
							N-Propylbenzene	1000 ug/mL
							Naphthalene	1000 ug/mL
							o-Xylene	1000 ug/mL
							sec-Butylbenzene	1000 ug/mL
							Styrene	1000 ug/mL
							tert-Butylbenzene	1000 ug/mL
							Tetrachloroethene	1000 ug/mL
							Toluene	1000 ug/mL
							trans-1,2-Dichloroethene	1000 ug/mL
							trans-1,3-Dichloropropene	1000 ug/mL
							Trichloroethene	1000 ug/mL
					MSV_MegaMix#2_00167	1 mL	1,1,2-Trichloro-1,2,2-trifluoroethane	1000 ug/mL
							1,2,3-Trimethylbenzene	1000 ug/mL
							1,3,5-Trichlorobenzene	1000 ug/mL
							1,3-Diethylbenzene	1000 ug/mL
							1,4-Dioxane	12500 ug/mL
							1-Chlorohexane	1000 ug/mL
							2-Chloro-1,3-butadiene	1000 ug/mL
							2-ethoxy-2-methyl butane	1000 ug/mL
							2-Methyl-2-propanol	5000 ug/mL
							2-Methylnaphthalene	1000 ug/mL
							2-Nitropropane	5000 ug/mL
							3-Chloro-1-propene	1000 ug/mL
							Acrylonitrile	2500 ug/mL
							Benzyl chloride	1000 ug/mL
							Carbon disulfide	1000 ug/mL
							Cyclohexane	1000 ug/mL
							Ethyl methacrylate	1000 ug/mL
							Hexane	1000 ug/mL
							Iodomethane	1000 ug/mL
							Isobutyl alcohol	12500 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Isopropyl alcohol	5000 ug/mL
							Isopropyl ether	1000 ug/mL
							Methacrylonitrile	2500 ug/mL
							Methyl acetate	1000 ug/mL
							Methyl methacrylate	1000 ug/mL
							Methyl tert-butyl ether	1000 ug/mL
							Methylcyclohexane	1000 ug/mL
							n-Butanol	12500 ug/mL
							n-Heptane	1000 ug/mL
							o-diethylbenzene	1000 ug/mL
							p-Diethylbenzene	1000 ug/mL
							Pentane	1000 ug/mL
							Propionitrile	5000 ug/mL
							Tert-amyl methyl ether	1000 ug/mL
							Tert-butyl ethyl ether	1000 ug/mL
							Tetrahydrofuran	5000 ug/mL
							trans-1,4-Dichloro-2-butene	2500 ug/mL
.MSV_MegaMIX#1_00170	04/16/24	Restek, Lot A0197556			(Purchased Reagent)		1,1,1,2-Tetrachloroethane	5000 ug/mL
							1,1,1-Trichloroethane	5000 ug/mL
							1,1,2,2-Tetrachloroethane	5000 ug/mL
							1,1,2-Trichloroethane	5000 ug/mL
							1,1-Dichloroethane	5000 ug/mL
							1,1-Dichloroethene	5000 ug/mL
							1,1-Dichloropropene	5000 ug/mL
							1,2,3-Trichlorobenzene	5000 ug/mL
							1,2,3-Trichloropropane	5000 ug/mL
							1,2,4-Trichlorobenzene	5000 ug/mL
							1,2,4-Trimethylbenzene	5000 ug/mL
							1,2-Dibromo-3-Chloropropane	5000 ug/mL
							1,2-Dibromoethane (EDB)	5000 ug/mL
							1,2-Dichlorobenzene	5000 ug/mL
							1,2-Dichloroethane	5000 ug/mL
							1,2-Dichloropropane	5000 ug/mL
							1,3,5-Trimethylbenzene	5000 ug/mL
							1,3-Dichlorobenzene	5000 ug/mL
							1,3-Dichloropropane	5000 ug/mL
							1,4-Dichlorobenzene	5000 ug/mL
							2,2-Dichloropropane	5000 ug/mL
							2-Chlorotoluene	5000 ug/mL
							4-Chlorotoluene	5000 ug/mL
							4-Isopropyltoluene	5000 ug/mL
							Benzene	5000 ug/mL
							Bromobenzene	5000 ug/mL
							Bromochloromethane	5000 ug/mL
							Bromodichloromethane	5000 ug/mL
							Bromoform	5000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Carbon tetrachloride	5000 ug/mL
							Chlorobenzene	5000 ug/mL
							Chloroform	5000 ug/mL
							cis-1,2-Dichloroethene	5000 ug/mL
							cis-1,3-Dichloropropene	5000 ug/mL
							Dibromochloromethane	5000 ug/mL
							Dibromomethane	5000 ug/mL
							Ethylbenzene	5000 ug/mL
							Hexachlorobutadiene	5000 ug/mL
							Isopropylbenzene	5000 ug/mL
							m-Xylene & p-Xylene	10000 ug/mL
							Methylene Chloride	5000 ug/mL
							n-Butylbenzene	5000 ug/mL
							N-Propylbenzene	5000 ug/mL
							Naphthalene	5000 ug/mL
							o-Xylene	5000 ug/mL
							sec-Butylbenzene	5000 ug/mL
							Styrene	5000 ug/mL
							tert-Butylbenzene	5000 ug/mL
							Tetrachloroethene	5000 ug/mL
.MSV_MegaMix#2_00167	04/30/26	Restek, Lot A0197578			(Purchased Reagent)		Toluene	5000 ug/mL
							trans-1,2-Dichloroethene	5000 ug/mL
							trans-1,3-Dichloropropene	5000 ug/mL
							Trichloroethene	5000 ug/mL
							1,1,2-Trichloro-1,2,2-trifluoroethane	5000 ug/mL
							1,2,3-Trimethylbenzene	5000 ug/mL
							1,3,5-Trichlorobenzene	5000 ug/mL
							1,3-Diethylbenzene	5000 ug/mL
							1,4-Dioxane	62500 ug/mL
							1-Chlorohexane	5000 ug/mL
							2-Chloro-1,3-butadiene	5000 ug/mL
							2-ethoxy-2-methyl butane	5000 ug/mL
							2-Methyl-2-propanol	25000 ug/mL
							2-Methylnaphthalene	5000 ug/mL
							2-Nitropropane	25000 ug/mL
							3-Chloro-1-propene	5000 ug/mL
							Acrylonitrile	12500 ug/mL
							Benzyl chloride	5000 ug/mL
							Carbon disulfide	5000 ug/mL
							Cyclohexane	5000 ug/mL
							Ethyl methacrylate	5000 ug/mL
							Hexane	5000 ug/mL
							Iodomethane	5000 ug/mL
							Isobutyl alcohol	62500 ug/mL
							Isopropyl alcohol	25000 ug/mL
							Isopropyl ether	5000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Methacrylonitrile	12500 ug/mL
							Methyl acetate	5000 ug/mL
							Methyl methacrylate	5000 ug/mL
							Methyl tert-butyl ether	5000 ug/mL
							Methylcyclohexane	5000 ug/mL
							n-Butanol	62500 ug/mL
							n-Heptane	5000 ug/mL
							o-diethylbenzene	5000 ug/mL
							p-Diethylbenzene	5000 ug/mL
							Pentane	5000 ug/mL
							Propionitrile	25000 ug/mL
							Tert-amyl methyl ether	5000 ug/mL
							Tert-butyl ethyl ether	5000 ug/mL
							Tetrahydrofuran	25000 ug/mL
							trans-1,4-Dichloro-2-butene	12500 ug/mL
MSV_ccv_voc#1_00176	04/23/24	03/24/24	Methanol, Lot EH471	5 mL	MSV_MegaMIX#1_00173	1 mL	1,1,1,2-Tetrachloroethane	1000 ug/mL
							1,1,1-Trichloroethane	1000 ug/mL
							1,1,2,2-Tetrachloroethane	1000 ug/mL
							1,1,2-Trichloroethane	1000 ug/mL
							1,1-Dichloroethane	1000 ug/mL
							1,1-Dichloroethene	1000 ug/mL
							1,1-Dichloropropene	1000 ug/mL
							1,2,3-Trichlorobenzene	1000 ug/mL
							1,2,3-Trichloropropane	1000 ug/mL
							1,2,4-Trichlorobenzene	1000 ug/mL
							1,2,4-Trimethylbenzene	1000 ug/mL
							1,2-Dibromo-3-Chloropropane	1000 ug/mL
							1,2-Dibromoethane (EDB)	1000 ug/mL
							1,2-Dichlorobenzene	1000 ug/mL
							1,2-Dichloroethane	1000 ug/mL
							1,2-Dichloropropane	1000 ug/mL
							1,3,5-Trimethylbenzene	1000 ug/mL
							1,3-Dichlorobenzene	1000 ug/mL
							1,3-Dichloropropane	1000 ug/mL
							1,4-Dichlorobenzene	1000 ug/mL
							2,2-Dichloropropane	1000 ug/mL
							2-Chlorotoluene	1000 ug/mL
							4-Chlorotoluene	1000 ug/mL
							4-Isopropyltoluene	1000 ug/mL
							Benzene	1000 ug/mL
							Bromobenzene	1000 ug/mL
							Bromochloromethane	1000 ug/mL
							Bromodichloromethane	1000 ug/mL
							Bromoform	1000 ug/mL
							Carbon tetrachloride	1000 ug/mL
							Chlorobenzene	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Chloroform	1000 ug/mL
							cis-1,2-Dichloroethene	1000 ug/mL
							cis-1,3-Dichloropropene	1000 ug/mL
							Dibromochloromethane	1000 ug/mL
							Dibromomethane	1000 ug/mL
							Ethylbenzene	1000 ug/mL
							Hexachlorobutadiene	1000 ug/mL
							Isopropylbenzene	1000 ug/mL
							m-Xylene & p-Xylene	2000 ug/mL
							Methylene Chloride	1000 ug/mL
							n-Butylbenzene	1000 ug/mL
							N-Propylbenzene	1000 ug/mL
							Naphthalene	1000 ug/mL
							o-Xylene	1000 ug/mL
							sec-Butylbenzene	1000 ug/mL
							Styrene	1000 ug/mL
							tert-Butylbenzene	1000 ug/mL
							Tetrachloroethene	1000 ug/mL
							Toluene	1000 ug/mL
							trans-1,2-Dichloroethene	1000 ug/mL
							trans-1,3-Dichloropropene	1000 ug/mL
							Trichloroethene	1000 ug/mL
					MSV_MegaMix#2_00168	1 mL	1,1,2-Trichloro-1,2,2-trifluoroethane	1000 ug/mL
							1,2,3-Trimethylbenzene	1000 ug/mL
							1,3,5-Trichlorobenzene	1000 ug/mL
							1,3-Diethylbenzene	1000 ug/mL
							1,4-Dioxane	12500 ug/mL
							1-Chlorohexane	1000 ug/mL
							2-Chloro-1,3-butadiene	1000 ug/mL
							2-ethoxy-2-methyl butane	1000 ug/mL
							2-Methyl-2-propanol	5000 ug/mL
							2-Methylnaphthalene	1000 ug/mL
							2-Nitropropane	5000 ug/mL
							3-Chloro-1-propene	1000 ug/mL
							Acrylonitrile	2500 ug/mL
							Benzyl chloride	1000 ug/mL
							Carbon disulfide	1000 ug/mL
							Cyclohexane	1000 ug/mL
							Ethyl methacrylate	1000 ug/mL
							Hexane	1000 ug/mL
							Iodomethane	1000 ug/mL
							Isobutyl alcohol	12500 ug/mL
							Isopropyl alcohol	5000 ug/mL
							Isopropyl ether	1000 ug/mL
							Methacrylonitrile	2500 ug/mL
							Methyl acetate	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Methyl methacrylate	1000 ug/mL
							Methyl tert-butyl ether	1000 ug/mL
							Methylcyclohexane	1000 ug/mL
							n-Butanol	12500 ug/mL
							n-Heptane	1000 ug/mL
							o-diethylbenzene	1000 ug/mL
							p-Diethylbenzene	1000 ug/mL
							Pentane	1000 ug/mL
							Propionitrile	5000 ug/mL
							Tert-amyl methyl ether	1000 ug/mL
							Tert-butyl ethyl ether	1000 ug/mL
Tetrahydrofuran	5000 ug/mL							
trans-1,4-Dichloro-2-butene	2500 ug/mL							
.MSV_MegaMIX#1_00173	04/30/24		Restek, Lot A0197556		(Purchased Reagent)	1,1,1,2-Tetrachloroethane	5000 ug/mL	
						1,1,1-Trichloroethane	5000 ug/mL	
						1,1,2,2-Tetrachloroethane	5000 ug/mL	
						1,1,2-Trichloroethane	5000 ug/mL	
						1,1-Dichloroethane	5000 ug/mL	
						1,1-Dichloroethene	5000 ug/mL	
						1,1-Dichloropropene	5000 ug/mL	
						1,2,3-Trichlorobenzene	5000 ug/mL	
						1,2,3-Trichloropropane	5000 ug/mL	
						1,2,4-Trichlorobenzene	5000 ug/mL	
						1,2,4-Trimethylbenzene	5000 ug/mL	
						1,2-Dibromo-3-Chloropropane	5000 ug/mL	
						1,2-Dibromoethane (EDB)	5000 ug/mL	
						1,2-Dichlorobenzene	5000 ug/mL	
						1,2-Dichloroethane	5000 ug/mL	
						1,2-Dichloropropane	5000 ug/mL	
						1,3,5-Trimethylbenzene	5000 ug/mL	
						1,3-Dichlorobenzene	5000 ug/mL	
						1,3-Dichloropropane	5000 ug/mL	
						1,4-Dichlorobenzene	5000 ug/mL	
						2,2-Dichloropropane	5000 ug/mL	
						2-Chlorotoluene	5000 ug/mL	
						4-Chlorotoluene	5000 ug/mL	
						4-Isopropyltoluene	5000 ug/mL	
						Benzene	5000 ug/mL	
						Bromobenzene	5000 ug/mL	
						Bromochloromethane	5000 ug/mL	
						Bromodichloromethane	5000 ug/mL	
						Bromoform	5000 ug/mL	
						Carbon tetrachloride	5000 ug/mL	
						Chlorobenzene	5000 ug/mL	
						Chloroform	5000 ug/mL	
						cis-1,2-Dichloroethene	5000 ug/mL	

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							cis-1,3-Dichloropropene	5000 ug/mL
							Dibromochloromethane	5000 ug/mL
							Dibromomethane	5000 ug/mL
							Ethylbenzene	5000 ug/mL
							Hexachlorobutadiene	5000 ug/mL
							Isopropylbenzene	5000 ug/mL
							m-Xylene & p-Xylene	10000 ug/mL
							Methylene Chloride	5000 ug/mL
							n-Butylbenzene	5000 ug/mL
							N-Propylbenzene	5000 ug/mL
							Naphthalene	5000 ug/mL
							o-Xylene	5000 ug/mL
							sec-Butylbenzene	5000 ug/mL
							Styrene	5000 ug/mL
							tert-Butylbenzene	5000 ug/mL
							Tetrachloroethene	5000 ug/mL
							Toluene	5000 ug/mL
							trans-1,2-Dichloroethene	5000 ug/mL
							trans-1,3-Dichloropropene	5000 ug/mL
							Trichloroethene	5000 ug/mL
.MSV_MegaMix#2_00168	04/23/24		Restek, Lot A0197578		(Purchased Reagent)		1,1,2-Trichloro-1,2,2-trifluor oethane	5000 ug/mL
							1,2,3-Trimethylbenzene	5000 ug/mL
							1,3,5-Trichlorobenzene	5000 ug/mL
							1,3-Diethylbenzene	5000 ug/mL
							1,4-Dioxane	62500 ug/mL
							1-Chlorohexane	5000 ug/mL
							2-Chloro-1,3-butadiene	5000 ug/mL
							2-ethoxy-2-methyl butane	5000 ug/mL
							2-Methyl-2-propanol	25000 ug/mL
							2-Methylnaphthalene	5000 ug/mL
							2-Nitropropane	25000 ug/mL
							3-Chloro-1-propene	5000 ug/mL
							Acrylonitrile	12500 ug/mL
							Benzyl chloride	5000 ug/mL
							Carbon disulfide	5000 ug/mL
							Cyclohexane	5000 ug/mL
							Ethyl methacrylate	5000 ug/mL
							Hexane	5000 ug/mL
							Iodomethane	5000 ug/mL
							Isobutyl alcohol	62500 ug/mL
							Isopropyl alcohol	25000 ug/mL
							Isopropyl ether	5000 ug/mL
							Methacrylonitrile	12500 ug/mL
							Methyl acetate	5000 ug/mL
							Methyl methacrylate	5000 ug/mL
							Methyl tert-butyl ether	5000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Methylcyclohexane	5000 ug/mL
							n-Butanol	62500 ug/mL
							n-Heptane	5000 ug/mL
							o-diethylbenzene	5000 ug/mL
							p-Diethylbenzene	5000 ug/mL
							Pentane	5000 ug/mL
							Propionitrile	25000 ug/mL
							Tert-amyl methyl ether	5000 ug/mL
							Tert-butyl ethyl ether	5000 ug/mL
							Tetrahydrofuran	25000 ug/mL
							trans-1,4-Dichloro-2-butene	12500 ug/mL
MSV_CCV_VOC#3_00171	04/16/24	03/17/24	Methanol, Lot EH471	5 mL	MSV_CCV_ACR_00016	0.5 mL	Acrolein	12498.9 ug/mL
					MSV_V_Ketones_00178	1 mL	2-Butanone (MEK)	2500 ug/mL
							2-Hexanone	2500 ug/mL
							4-Methyl-2-pentanone (MIBK)	2500 ug/mL
							Acetone	2500 ug/mL
.MSV_CCV_ACR_00016	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_VACR_STK_00038	9.185 mL	Acrolein	124989 ug/mL
..MSV_VACR_STK_00038	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_ACROLEIN_00032	1.4648 g	Acrolein	136080 ug/mL
...MSV_ACROLEIN_00032	06/30/24		Chem Service, Lot 14703000		(Purchased Reagent)		Acrolein	0.929 g/g
.MSV_V_Ketones_00178	01/31/26		Restek, Lot A0193494		(Purchased Reagent)		2-Butanone (MEK)	12500 ug/mL
							2-Hexanone	12500 ug/mL
							4-Methyl-2-pentanone (MIBK)	12500 ug/mL
							Acetone	12500 ug/mL
MSV_CCV_VOC#3_00172	04/21/24	03/24/24	Methanol, Lot EH471	5 mL	MSV_CCV_ACR_00016	0.5 mL	Acrolein	12498.9 ug/mL
					MSV_V_Ketones_00182	1 mL	2-Butanone (MEK)	2500 ug/mL
							2-Hexanone	2500 ug/mL
							4-Methyl-2-pentanone (MIBK)	2500 ug/mL
							Acetone	2500 ug/mL
.MSV_CCV_ACR_00016	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_VACR_STK_00038	9.185 mL	Acrolein	124989 ug/mL
..MSV_VACR_STK_00038	04/21/24	02/21/24	Methanol, Lot EH471	10 mL	MSV_ACROLEIN_00032	1.4648 g	Acrolein	136080 ug/mL
...MSV_ACROLEIN_00032	06/30/24		Chem Service, Lot 14703000		(Purchased Reagent)		Acrolein	0.929 g/g
.MSV_V_Ketones_00182	01/31/26		Restek, Lot A0193494		(Purchased Reagent)		2-Butanone (MEK)	12500 ug/mL
							2-Hexanone	12500 ug/mL
							4-Methyl-2-pentanone (MIBK)	12500 ug/mL
							Acetone	12500 ug/mL
MSV_Cent_ISO_00004	04/23/24	10/30/23	Methanol, Lot EG095	50 mL	MSV_Cus826_IS_00626	1 mL	1,4-Dichlorobenzene-d4	50 ug/mL
							Chlorobenzene-d5 (IS)	50 ug/mL
							Fluorobenzene (IS)	50 ug/mL
							t-Butyl alcohol-d10 (IS)	250 ug/mL
							1,4-Dichlorobenzene-d4	2500 ug/mL
.MSV_Cus826_IS_00626	04/23/24		Restek, Lot A0197488		(Purchased Reagent)		Chlorobenzene-d5 (IS)	2500 ug/mL
							Fluorobenzene (IS)	2500 ug/mL
							t-Butyl alcohol-d10 (IS)	12500 ug/mL
MSV_Cent_ISSS_00023	04/23/24	10/23/23	Methanol, Lot EG095	50 mL	MSV_8260_SS_01049	1 mL	1,2-Dichloroethane-d4 (Surr)	50 ug/mL
							4-Bromofluorobenzene (Surr)	50 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Dibromofluoromethane (Surr)	50 ug/mL
							Toluene-d8 (Surr)	50 ug/mL
					MSV_Cus826_IS_00626	1 mL	1,4-Dichlorobenzene-d4	50 ug/mL
							Chlorobenzene-d5 (IS)	50 ug/mL
							Fluorobenzene (IS)	50 ug/mL
							t-Butyl alcohol-d10 (IS)	250 ug/mL
.MSV_8260_SS_01049	04/23/24		Restek, Lot A0201083		(Purchased Reagent)		1,2-Dichloroethane-d4 (Surr)	2500 ug/mL
							4-Bromofluorobenzene (Surr)	2500 ug/mL
							Dibromofluoromethane (Surr)	2500 ug/mL
							Toluene-d8 (Surr)	2500 ug/mL
.MSV_Cus826_IS_00626	04/23/24		Restek, Lot A0197488		(Purchased Reagent)		1,4-Dichlorobenzene-d4	2500 ug/mL
							Chlorobenzene-d5 (IS)	2500 ug/mL
							Fluorobenzene (IS)	2500 ug/mL
							t-Butyl alcohol-d10 (IS)	12500 ug/mL
MSV_HP20_ISO_00010	09/19/24	03/25/24	Methanol, Lot EH822	10 mL	MSV_Cus826_IS_00774	1 mL	1,4-Dichlorobenzene-d4	250 ug/mL
							Chlorobenzene-d5 (IS)	250 ug/mL
							Fluorobenzene (IS)	250 ug/mL
							t-Butyl alcohol-d10 (IS)	1250 ug/mL
.MSV_Cus826_IS_00774	04/30/26		Restek, Lot A0197488		(Purchased Reagent)		1,4-Dichlorobenzene-d4	2500 ug/mL
							Chlorobenzene-d5 (IS)	2500 ug/mL
							Fluorobenzene (IS)	2500 ug/mL
							t-Butyl alcohol-d10 (IS)	12500 ug/mL
MSV_HP20_ISSS_00129	09/19/24	03/19/24	Methanol, Lot EH235	10 mL	MSV_8260_SS_01153	1 mL	1,2-Dichloroethane-d4 (Surr)	250 ug/mL
							4-Bromofluorobenzene (Surr)	250 ug/mL
							Dibromofluoromethane (Surr)	250 ug/mL
							Toluene-d8 (Surr)	250 ug/mL
					MSV_Cus826_IS_00774	1 mL	1,4-Dichlorobenzene-d4	250 ug/mL
							Chlorobenzene-d5 (IS)	250 ug/mL
							Fluorobenzene (IS)	250 ug/mL
							t-Butyl alcohol-d10 (IS)	1250 ug/mL
.MSV_8260_SS_01153	10/31/28		Restek, Lot A0203162		(Purchased Reagent)		1,2-Dichloroethane-d4 (Surr)	2500 ug/mL
							4-Bromofluorobenzene (Surr)	2500 ug/mL
							Dibromofluoromethane (Surr)	2500 ug/mL
							Toluene-d8 (Surr)	2500 ug/mL
.MSV_Cus826_IS_00774	04/30/26		Restek, Lot A0197488		(Purchased Reagent)		1,4-Dichlorobenzene-d4	2500 ug/mL
							Chlorobenzene-d5 (IS)	2500 ug/mL
							Fluorobenzene (IS)	2500 ug/mL
							t-Butyl alcohol-d10 (IS)	12500 ug/mL
MSV_LCS_Gases_00189	03/24/24	03/17/24	Methanol, Lot EH471	25 mL	MSV_QC_2K_GAS_00206	0.5 mL	Bromomethane	40 ug/mL
							Chloroethane	40 ug/mL
							Chloromethane	40 ug/mL
							Vinyl chloride	40 ug/mL
.MSV_QC_2K_GAS_00206	03/24/24		Restek, Lot A0184924		(Purchased Reagent)		Bromomethane	2000 ug/mL
							Chloroethane	2000 ug/mL
							Chloromethane	2000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Vinyl chloride	2000 ug/mL
MSV_LCS_Gases_00190	03/31/24	03/24/24	Methanol, Lot EH471	25 mL	MSV_QC_2K_GAS_00207	0.5 mL	Bromomethane	40 ug/mL
							Chloroethane	40 ug/mL
							Chloromethane	40 ug/mL
							Vinyl chloride	40 ug/mL
.MSV_QC_2K_GAS_00207	03/31/24	Restek, Lot A0184924			(Purchased Reagent)		Bromomethane	2000 ug/mL
							Chloroethane	2000 ug/mL
							Chloromethane	2000 ug/mL
							Vinyl chloride	2000 ug/mL
MSV_LCS_VOC#1_00158	04/16/24	03/17/24	Methanol, Lot EH471	25 mL	MSV_M_MIX1SEC_00191	1 mL	1,1,1,2-Tetrachloroethane	40 ug/mL
							1,1,1-Trichloroethane	40 ug/mL
							1,1,2,2-Tetrachloroethane	40 ug/mL
							1,1,2-Trichloroethane	40 ug/mL
							1,1-Dichloroethane	40 ug/mL
							1,1-Dichloroethene	40 ug/mL
							1,2-Dibromoethane (EDB)	40 ug/mL
							1,2-Dichloroethane	40 ug/mL
							1,2-Dichloropropane	40 ug/mL
							Benzene	40 ug/mL
							Bromochloromethane	40 ug/mL
							Bromodichloromethane	40 ug/mL
							Bromoform	40 ug/mL
							Carbon tetrachloride	40 ug/mL
							Chlorobenzene	40 ug/mL
							Chloroform	40 ug/mL
							cis-1,2-Dichloroethene	40 ug/mL
							cis-1,3-Dichloropropene	40 ug/mL
							Dibromochloromethane	40 ug/mL
							Ethylbenzene	40 ug/mL
							Methylene Chloride	40 ug/mL
							Styrene	40 ug/mL
							Tetrachloroethene	40 ug/mL
							Toluene	40 ug/mL
							trans-1,2-Dichloroethene	40 ug/mL
							trans-1,3-Dichloropropene	40 ug/mL
							Trichloroethene	40 ug/mL
					MSV_M_MIX2SEC_00194	1 mL	Carbon disulfide	40 ug/mL
							Methyl tert-butyl ether	40 ug/mL
					MSV_Q_Ketones_00199	1 mL	2-Butanone (MEK)	500 ug/mL
							2-Hexanone	500 ug/mL
							4-Methyl-2-pentanone (MIBK)	500 ug/mL
							Acetone	500 ug/mL
.MSV_M_MIX1SEC_00191	06/30/26	Restek, Lot A0198667			(Purchased Reagent)		1,1,1,2-Tetrachloroethane	1000 ug/mL
							1,1,1-Trichloroethane	1000 ug/mL
							1,1,2,2-Tetrachloroethane	1000 ug/mL
							1,1,2-Trichloroethane	1000 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							1,1-Dichloroethane	1000 ug/mL
							1,1-Dichloroethene	1000 ug/mL
							1,2-Dibromoethane (EDB)	1000 ug/mL
							1,2-Dichloroethane	1000 ug/mL
							1,2-Dichloropropane	1000 ug/mL
							Benzene	1000 ug/mL
							Bromochloromethane	1000 ug/mL
							Bromodichloromethane	1000 ug/mL
							Bromoform	1000 ug/mL
							Carbon tetrachloride	1000 ug/mL
							Chlorobenzene	1000 ug/mL
							Chloroform	1000 ug/mL
							cis-1,2-Dichloroethene	1000 ug/mL
							cis-1,3-Dichloropropene	1000 ug/mL
							Dibromochloromethane	1000 ug/mL
							Ethylbenzene	1000 ug/mL
							Methylene Chloride	1000 ug/mL
							Styrene	1000 ug/mL
							Tetrachloroethene	1000 ug/mL
							Toluene	1000 ug/mL
							trans-1,2-Dichloroethene	1000 ug/mL
							trans-1,3-Dichloropropene	1000 ug/mL
							Trichloroethene	1000 ug/mL
.MSV_M_MIX2SEC_00194	04/30/26		Restek, Lot A0197573		(Purchased Reagent)		Carbon disulfide	1000 ug/mL
							Methyl tert-butyl ether	1000 ug/mL
.MSV_Q_Ketones_00199	04/30/25		Restek, Lot A0194631		(Purchased Reagent)		2-Butanone (MEK)	12500 ug/mL
							2-Hexanone	12500 ug/mL
							4-Methyl-2-pentanone (MIBK)	12500 ug/mL
							Acetone	12500 ug/mL
MSV_LCS_VOC#1_00159	04/23/24	03/24/24	Methanol, Lot EH471	25 mL	MSV_M_MIX1SEC_00197	1 mL	1,1,1,2-Tetrachloroethane	40 ug/mL
							1,1,1-Trichloroethane	40 ug/mL
							1,1,2,2-Tetrachloroethane	40 ug/mL
							1,1,2-Trichloroethane	40 ug/mL
							1,1-Dichloroethane	40 ug/mL
							1,1-Dichloroethene	40 ug/mL
							1,2-Dibromoethane (EDB)	40 ug/mL
							1,2-Dichloroethane	40 ug/mL
							1,2-Dichloropropane	40 ug/mL
							Benzene	40 ug/mL
							Bromochloromethane	40 ug/mL
							Bromodichloromethane	40 ug/mL
							Bromoform	40 ug/mL
							Carbon tetrachloride	40 ug/mL
							Chlorobenzene	40 ug/mL
							Chloroform	40 ug/mL
							cis-1,2-Dichloroethene	40 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							cis-1,3-Dichloropropene	40 ug/mL
							Dibromochloromethane	40 ug/mL
							Ethylbenzene	40 ug/mL
							Methylene Chloride	40 ug/mL
							Styrene	40 ug/mL
							Tetrachloroethene	40 ug/mL
							Toluene	40 ug/mL
							trans-1,2-Dichloroethene	40 ug/mL
							trans-1,3-Dichloropropene	40 ug/mL
					Trichloroethene	40 ug/mL		
					MSV_M_MIX2SEC_00190	1 mL	Carbon disulfide	40 ug/mL
					MSV_Q_Ketones_00202	1 mL	Methyl tert-butyl ether	40 ug/mL
							2-Butanone (MEK)	500 ug/mL
							2-Hexanone	500 ug/mL
4-Methyl-2-pentanone (MIBK)	500 ug/mL							
Acetone	500 ug/mL							
.MSV_M_MIX1SEC_00197	06/30/26	Restek, Lot A0198667			(Purchased Reagent)		1,1,1,2-Tetrachloroethane	1000 ug/mL
							1,1,1-Trichloroethane	1000 ug/mL
							1,1,2,2-Tetrachloroethane	1000 ug/mL
							1,1,2-Trichloroethane	1000 ug/mL
							1,1-Dichloroethane	1000 ug/mL
							1,1-Dichloroethene	1000 ug/mL
							1,2-Dibromoethane (EDB)	1000 ug/mL
							1,2-Dichloroethane	1000 ug/mL
							1,2-Dichloropropane	1000 ug/mL
							Benzene	1000 ug/mL
							Bromochloromethane	1000 ug/mL
							Bromodichloromethane	1000 ug/mL
							Bromoform	1000 ug/mL
							Carbon tetrachloride	1000 ug/mL
							Chlorobenzene	1000 ug/mL
							Chloroform	1000 ug/mL
							cis-1,2-Dichloroethene	1000 ug/mL
							cis-1,3-Dichloropropene	1000 ug/mL
							Dibromochloromethane	1000 ug/mL
							Ethylbenzene	1000 ug/mL
							Methylene Chloride	1000 ug/mL
							Styrene	1000 ug/mL
							Tetrachloroethene	1000 ug/mL
							Toluene	1000 ug/mL
							trans-1,2-Dichloroethene	1000 ug/mL
							trans-1,3-Dichloropropene	1000 ug/mL
							Trichloroethene	1000 ug/mL
.MSV_M_MIX2SEC_00190	04/30/26	Restek, Lot A0197573			(Purchased Reagent)		Carbon disulfide	1000 ug/mL
	04/30/25	Restek, Lot A0194631			(Purchased Reagent)		Methyl tert-butyl ether	1000 ug/mL
							2-Butanone (MEK)	12500 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							2-Hexanone	12500 ug/mL
							4-Methyl-2-pentanone (MIBK)	12500 ug/mL
							Acetone	12500 ug/mL
MSV_V_BFB_00016							1,2-Dichloroethene, Total	
							1,3-Dichloropropene, Total	
							divinyl benzene	
							Tentatively Identified Compound	
							Total BTEX	
							Total Diethylbenzene	
							Xylenes, Total	
.MSV VBFB STK 00011	06/05/24	12/05/23	Methanol, Lot EG095	10 mL	MSV VBFB STK 00011	0.098 mL	BFB	50.129 ug/mL
..MSV 4BFB NEAT 00009	05/31/25		Chem Service, Lot 13775500		MSV 4BFB NEAT 00009	1.2788 g	BFB	127880 ug/mL
					(Purchased Reagent)		BFB	1 g/g
MSV_V_SMFreon_00036	04/11/24		Restek, Lot A0184508				2-Chloro-1,1,1-Trifluoroethane	2000 ug/mL
							Chlorodifluoromethane	2000 ug/mL
							Chlorotrifluoroethene	2000 ug/mL

Reagent


MSV_2Eth6Acry_00001

Certificate of Analysis


Product Name:

2-Ethylhexyl acrylate - 98%, contains ≥ 0.001 – $\leq 0.11\%$ monomethyl ether hydroquinone as stabilizer

Product Number: 290815
Batch Number: MKCN1302
Brand: ALDRICH
CAS Number: 103-11-7
MDL Number: MFCD00009495
Formula: C₁₁H₂₀O₂
Formula Weight: 184.28 g/mol
Quality Release Date: 01 SEP 2020



Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	$\geq 97.5\%$	99.6 %
Stabilizer	0.001 - 0.110 %	0.002 %
Monomethyl Ether Hydroquinone (MEHQ)		



Michael Grady, Manager
Quality Control
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Reagent

MSV_3,4DC1Be_00003



Certificate of Analysis

08/23/2022(JST)

TOKYO CHEMICAL INDUSTRY CO.,LTD.
4-10-1 Nihonbashi-Honcho, Chuo-ku, Tokyo 103-0023 Japan

Chemical Name: 3,4-Dichloro-1-butene		
Product Number: D1072 CAS RN: 760-23-6	Lot: W3RMJ	

Tests	Results	Specifications
Appearance	Colorless clear liquid	Colorless to Almost colorless clear liquid
Purity(GC)	99.6 %	min. 98.0 %

TCI Lot numbers are 4-5 characters in length. Characters listed after the first 4-5 characters are control numbers for internal purpose only.
The contents of the specifications are subject to change without advance notice. The specification values displayed here are the most up to date values. There may be cases where the product labels display a different specification, however, the product quality still meets the latest specification.

Customer Service:

TCI AMERICA
Tel: +1-800-423-8616 / +1-503-283-1681
Fax: +1-888-520-1075 / +1-503-283-1987
E-mail: Sales-US@TCIchemicals.com

Takuya Nishioka
Quality Assurance Department Manager

Reagent

MSV_c14dcb_Nt_00004

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis


Product Name:

cis-1,4-Dichloro-2-butene - 95%

Product Number: 195707
Batch Number: SHBH4584V
Brand: ALDRICH
CAS Number: 1476-11-5
MDL Number: MFCD00062950
Formula: C₄H₆Cl₂
Formula Weight: 125.00 g/mol
Storage Temperature: Store at 2 - 8 °C
Quality Release Date: 30 AUG 2016



Test	Specification	Result
Appearance (Color)	Colorless to Light Yellow	Very Faint Yellow
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	≥ 94.5 %	98.0 %



Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

MSV_CCV_GASES_00723



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577488 **Lot No.:** A0197586

Description : Custom Gases Standard
Custom Gases Standard 2,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : May 31, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorodifluoromethane (CFC-12)	75-71-8	00012554	99%	2,004.0 µg/mL	+/- 113.0947
2	Chloromethane (methyl chloride)	74-87-3	SHBM9611	99%	2,003.1 µg/mL	+/- 113.1749
3	Vinyl chloride	75-01-4	00015559	99%	2,001.3 µg/mL	+/- 112.7805
4	1,3-Butadiene	106-99-0	00015314	99%	2,002.1 µg/mL	+/- 112.9024
5	Bromomethane (methyl bromide)	74-83-9	101604	99%	2,002.9 µg/mL	+/- 113.0693
6	Chloroethane (ethyl chloride)	75-00-3	107-401039114-1	99%	2,000.9 µg/mL	+/- 112.6811
7	Dichlorofluoromethane (CFC-21)	75-43-4	14150400	90%	2,001.6 µg/mL	+/- 112.4412
8	Trichlorofluoromethane (CFC-11)	75-69-4	MKCL8411	99%	2,020.0 µg/mL	+/- 113.4748
9	1,2-Dichloro-1,1,2-trifluoroethane (CFC-123a)	354-23-4	Q9B-64	99%	1,998.5 µg/mL	+/- 112.6823

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Tech Tips:

Raw material may contain trace amounts of tert-Butanol.

Quality Confirmation Test

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant flow 2.0 mL/min.

Temp. Program:

40°C (hold 6 min.) to 100°C
@ 6°C/min.

Inj. Temp:

200°C

Det. Temp:

250°C

Det. Type:


MSD

Split Vent:

Split ratio 10:1

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brittany Federinko - Operations Tech I

Date Mixed: 01-May-2023

Balance Serial # B707717271

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 04-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_CCV_GASES_00724



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577488 **Lot No.:** A0197586

Description : Custom Gases Standard
Custom Gases Standard 2,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : May 31, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorodifluoromethane (CFC-12)	75-71-8	00012554	99%	2,004.0 µg/mL	+/- 113.0947
2	Chloromethane (methyl chloride)	74-87-3	SHBM9611	99%	2,003.1 µg/mL	+/- 113.1749
3	Vinyl chloride	75-01-4	00015559	99%	2,001.3 µg/mL	+/- 112.7805
4	1,3-Butadiene	106-99-0	00015314	99%	2,002.1 µg/mL	+/- 112.9024
5	Bromomethane (methyl bromide)	74-83-9	101604	99%	2,002.9 µg/mL	+/- 113.0693
6	Chloroethane (ethyl chloride)	75-00-3	107-401039114-1	99%	2,000.9 µg/mL	+/- 112.6811
7	Dichlorofluoromethane (CFC-21)	75-43-4	14150400	90%	2,001.6 µg/mL	+/- 112.4412
8	Trichlorofluoromethane (CFC-11)	75-69-4	MKCL8411	99%	2,020.0 µg/mL	+/- 113.4748
9	1,2-Dichloro-1,1,2-trifluoroethane (CFC-123a)	354-23-4	Q9B-64	99%	1,998.5 µg/mL	+/- 112.6823

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Tech Tips:

Raw material may contain trace amounts of tert-Butanol.

Quality Confirmation Test

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant flow 2.0 mL/min.

Temp. Program:

40°C (hold 6 min.) to 100°C
@ 6°C/min.

Inj. Temp:

200°C

Det. Temp:

250°C

Det. Type:


MSD

Split Vent:

Split ratio 10:1

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brittany Federinko - Operations Tech I

Date Mixed: 01-May-2023

Balance Serial # B707717271

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 04-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_CCV_GASES_00760



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577488 **Lot No.:** A0197586

Description : Custom Gases Standard
Custom Gases Standard 2,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : May 31, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorodifluoromethane (CFC-12)	75-71-8	00012554	99%	2,004.0 µg/mL	+/- 113.0947
2	Chloromethane (methyl chloride)	74-87-3	SHBM9611	99%	2,003.1 µg/mL	+/- 113.1749
3	Vinyl chloride	75-01-4	00015559	99%	2,001.3 µg/mL	+/- 112.7805
4	1,3-Butadiene	106-99-0	00015314	99%	2,002.1 µg/mL	+/- 112.9024
5	Bromomethane (methyl bromide)	74-83-9	101604	99%	2,002.9 µg/mL	+/- 113.0693
6	Chloroethane (ethyl chloride)	75-00-3	107-401039114-1	99%	2,000.9 µg/mL	+/- 112.6811
7	Dichlorofluoromethane (CFC-21)	75-43-4	14150400	90%	2,001.6 µg/mL	+/- 112.4412
8	Trichlorofluoromethane (CFC-11)	75-69-4	MKCL8411	99%	2,020.0 µg/mL	+/- 113.4748
9	1,2-Dichloro-1,1,2-trifluoroethane (CFC-123a)	354-23-4	Q9B-64	99%	1,998.5 µg/mL	+/- 112.6823

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Tech Tips:

Raw material may contain trace amounts of tert-Butanol.

Quality Confirmation Test

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant flow 2.0 mL/min.

Temp. Program:

40°C (hold 6 min.) to 100°C
@ 6°C/min.

Inj. Temp:

200°C

Det. Temp:

250°C

Det. Type:


MSD

Split Vent:

Split ratio 10:1

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brittany Federinko - Operations Tech I

Date Mixed: 01-May-2023

Balance Serial # B707717271

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 04-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_M_MIX1SEC_00197



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577493 **Lot No.:** A0198667

Description : Custom VOC MegaMix®.SEC #1 Standard
Custom VOC MegaMix®.SEC #1 Standard 1,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,1-Dichloroethene	75-35-4.SEC	13896500	99%	1,004.5 µg/mL	+/- 57.0049
2	Methylene chloride (dichloromethane)	75-09-2.SEC	FGM02	99%	1,004.4 µg/mL	+/- 56.9992
3	trans-1,2-Dichloroethene	156-60-5.SEC	L5QOH	99%	1,003.9 µg/mL	+/- 56.9751
4	1,1-Dichloroethane	75-34-3.SEC	1026.30-3	98%	1,006.0 µg/mL	+/- 57.0953
5	2,2-Dichloropropane	594-20-7.SEC	I7E8E	99%	1,005.2 µg/mL	+/- 57.0474
6	cis-1,2-Dichloroethene	156-59-2.SEC	YZO5O	99%	1,004.3 µg/mL	+/- 56.9952
7	Chloroform	67-66-3.SEC	1297547	99%	1,003.9 µg/mL	+/- 56.9736
8	Bromochloromethane	74-97-5.SEC	13547000	99%	1,004.4 µg/mL	+/- 57.0043
9	1,1,1-Trichloroethane	71-55-6.SEC	14183000	99%	1,005.0 µg/mL	+/- 57.0375
10	1,1-Dichloropropene	563-58-6.SEC	556500	99%	1,003.8 µg/mL	+/- 56.9691
11	Carbon tetrachloride	56-23-5.SEC	11466	99%	1,003.9 µg/mL	+/- 56.9751
12	1,2-Dichloroethane	107-06-2.SEC	00016165	99%	1,003.1 µg/mL	+/- 56.9268
13	Benzene	71-43-2.SEC	B28Y008	99%	1,005.0 µg/mL	+/- 57.0361
14	Trichloroethene	79-01-6.SEC	H04X050	99%	1,003.3 µg/mL	+/- 56.9410
15	1,2-Dichloropropane	78-87-5.SEC	ERRBI-RH	99%	1,003.7 µg/mL	+/- 56.9609
16	Bromodichloromethane	75-27-4.SEC	28128	99%	1,004.8 µg/mL	+/- 57.0261

17	Dibromomethane	74-95-3.SEC MOKKJ	99%	1,004.5	µg/mL	+/-	57.0100
18	cis-1,3-Dichloropropene	10061-01-5.SEC 4870A	98%	1,004.8	µg/mL	+/-	57.0258
19	Toluene	108-88-3.SEC YND2B-BD	99%	1,004.1	µg/mL	+/-	56.9839
20	trans-1,3-Dichloropropene	10061-02-6.SEC ZDMSL	98%	1,006.1	µg/mL	+/-	57.0995
21	1,1,2-Trichloroethane	79-00-5.SEC 13547100	99%	1,003.8	µg/mL	+/-	56.9680
22	1,3-Dichloropropane	142-28-9.SEC IQCON	99%	1,003.6	µg/mL	+/-	56.9544
23	Tetrachloroethene	127-18-4.SEC F09W014	99%	1,003.9	µg/mL	+/-	56.9736
24	Dibromochloromethane	124-48-1.SEC 10234064	99%	1,003.9	µg/mL	+/-	56.9708
25	1,2-Dibromoethane (EDB)	106-93-4.SEC 050675P15E	99%	1,003.7	µg/mL	+/-	56.9646
26	Chlorobenzene	108-90-7.SEC 1161936	99%	1,004.0	µg/mL	+/-	56.9793
27	1,1,1,2-Tetrachloroethane	630-20-6.SEC 13789800	99%	1,003.4	µg/mL	+/-	56.9430
28	Ethylbenzene	100-41-4.SEC XO5UA	99%	1,004.6	µg/mL	+/-	57.0111
29	m-Xylene	108-38-3.SEC 7ZV6F	99%	1,004.8	µg/mL	+/-	57.0225
30	p-Xylene	106-42-3.SEC D6UOA	99%	1,004.6	µg/mL	+/-	57.0134
31	o-Xylene	95-47-6.SEC UJ6RI	99%	1,005.4	µg/mL	+/-	57.0576
32	Styrene	100-42-5.SEC QGQ7F	99%	1,003.8	µg/mL	+/-	56.9680
33	Isopropylbenzene (cumene)	98-82-8.SEC 7P24L	99%	1,005.3	µg/mL	+/-	57.0531
34	Bromoform	75-25-2.SEC 13723500	99%	1,003.9	µg/mL	+/-	56.9751
35	1,1,2,2-Tetrachloroethane	79-34-5.SEC BCCD5088	99%	1,003.8	µg/mL	+/-	56.9680
36	1,2,3-Trichloropropane	96-18-4.SEC 6V2ED	99%	1,003.2	µg/mL	+/-	56.9339
37	n-Propylbenzene	103-65-1.SEC XCGEC	99%	1,004.1	µg/mL	+/-	56.9861
38	Bromobenzene	108-86-1.SEC 8DKWJ	99%	1,004.2	µg/mL	+/-	56.9929
39	1,3,5-Trimethylbenzene	108-67-8.SEC GI2SM	99%	1,004.3	µg/mL	+/-	56.9986
40	2-Chlorotoluene	95-49-8.SEC BRHPM	99%	1,003.7	µg/mL	+/-	56.9612
41	4-Chlorotoluene	106-43-4.SEC S5SKD	99%	1,004.6	µg/mL	+/-	57.0134
42	tert-Butylbenzene	98-06-6.SEC D6OHC	99%	1,004.4	µg/mL	+/-	56.9998
43	1,2,4-Trimethylbenzene	95-63-6.SEC JHZDD	99%	1,004.6	µg/mL	+/-	57.0111
44	sec-Butylbenzene	135-98-8.SEC O4HRF	99%	1,005.1	µg/mL	+/-	57.0429
45	4-Isopropyltoluene (p-cymene)	99-87-6.SEC 13889300	98%	1,004.1	µg/mL	+/-	56.9877
46	1,3-Dichlorobenzene	541-73-1.SEC ZA2ZI	99%	1,003.6	µg/mL	+/-	56.9580
47	1,4-Dichlorobenzene	106-46-7.SEC J5GVD	99%	1,005.3	µg/mL	+/-	57.0517
48	n-Butylbenzene	104-51-8.SEC MMPGA	99%	1,005.4	µg/mL	+/-	57.0599
49	1,2-Dichlorobenzene	95-50-1.SEC R6QDM	99%	1,004.0	µg/mL	+/-	56.9779
50	1,2-Dibromo-3-chloropropane	96-12-8.SEC Q135-105	99%	1,004.2	µg/mL	+/-	56.9929
51	1,2,4-Trichlorobenzene	120-82-1.SEC 3LYYC	99%	1,004.6	µg/mL	+/-	57.0145
52	Hexachlorobutadiene	87-68-3.SEC 13889400	97%	1,004.2	µg/mL	+/-	56.9930


53	Naphthalene	91-20-3.SEC	AM5NG	99%	1,002.7	µg/mL	+/- 56.9055
54	1,2,3-Trichlorobenzene	87-61-6.SEC	A0043055	99%	1,004.6	µg/mL	+/- 57.0156

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)
Carrier Gas:
hydrogen-constant pressure 11.0 psi.
Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)
Inj. Temp:
200°C
Det. Temp:
250°C
Det. Type:
FID
Split Vent:
40 ml/min
Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Jess Hoy - Operations Tech I

Jennifer Pollino - Operations Tech III - ARM QC

Date Mixed: 02-Jun-2023 **Balance Serial #** B251644995
Date Passed: 06-Jun-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_M_MIX2SEC_00190



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577494 **Lot No.:** A0197573

Description : Custom VOC MegaMix®.SEC #2 Standard
Custom VOC MegaMix®.SEC #2 Standard 1,000-50,000µg/mL, P&T
Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	n-Pentane (C5)	109-66-0.SEC FGH02		99%	1,006.7 µg/mL	+/- 16.4916
2	2-Propanol (isopropanol)	67-63-0.SEC 7B8ZE		99%	7,533.3 µg/mL	+/- 123.1844
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1.SEC 18342		99%	1,004.0 µg/mL	+/- 16.4479
4	tert-Butanol (TBA)	75-65-0.SEC DI34O		99%	10,066.7 µg/mL	+/- 164.6093
5	Methyl acetate	79-20-9.SEC LV27M		99%	1,006.0 µg/mL	+/- 16.4807
6	Iodomethane (methyl iodide)	74-88-4.SEC Y25A027		99%	1,003.3 µg/mL	+/- 16.4370
7	Allyl chloride (3-chloropropene)	107-05-1.SEC RD210329		99%	1,006.0 µg/mL	+/- 16.4807
8	Carbon disulfide	75-15-0.SEC MKBL1376V		99%	1,002.7 µg/mL	+/- 16.4260
9	Acrylonitrile	107-13-1.SEC V54AD		99%	5,030.0 µg/mL	+/- 82.2742
10	Methyl-tert-butyl ether (MTBE)	1634-04-4.SECDCQG		99%	1,007.3 µg/mL	+/- 16.5025
11	n-Hexane (C6)	110-54-3.SEC 10188491		99%	1,009.3 µg/mL	+/- 16.5353
12	Diisopropyl ether (DIPE)	108-20-3.SEC LL7TN-SH		99%	1,005.3 µg/mL	+/- 16.4697
13	Chloroprene (2-chloro-1,3-butadiene)	126-99-8 S230420RSR		99%	1,005.3 µg/mL	+/- 16.4697
14	Ethyl-tert-butyl ether (ETBE)	637-92-3.SEC UCI5B		98%	1,006.8 µg/mL	+/- 16.4935
15	Propionitrile	107-12-0.SEC B4ZPC		99%	7,542.0 µg/mL	+/- 123.3262
16	Methacrylonitrile	126-98-7 1012014		99%	7,562.0 µg/mL	+/- 123.6532

17	Isobutanol (2-Methyl-1-propanol)	78-83-1.SEC YNG3K	99%	25,096.0	µg/mL	+/-	410.3677
18	Tetrahydrofuran	109-99-9.SEC 3NYHE	99%	5,033.3	µg/mL	+/-	82.3287
19	Cyclohexane	110-82-7.SEC YADRA	99%	1,005.3	µg/mL	+/-	16.4697
20	1-Butanol	71-36-3.SEC RSHAH	99%	50,062.7	µg/mL	+/-	818.6206
21	tert-Amyl methyl ether (TAME)	994-05-8.SEC 12075100	98%	1,005.8	µg/mL	+/-	16.4775
22	n-Heptane (C7)	142-82-5.SEC TFHUC	99%	1,002.0	µg/mL	+/-	16.4151
23	tert-Amyl ethyl ether (TAEE)	919-94-8.SEC 11370700	99%	1,005.3	µg/mL	+/-	16.4697
24	Methylcyclohexane	108-87-2.SEC Q02QG	99%	1,008.7	µg/mL	+/-	16.5243
25	Methyl methacrylate	80-62-6.SEC G01X021	99%	1,003.3	µg/mL	+/-	16.4370
26	1,4-Dioxane	123-91-1.SEC QHRWO	99%	25,144.0	µg/mL	+/-	411.1526
27	2-Nitropropane	79-46-9.SEC F43IA	99%	1,003.3	µg/mL	+/-	16.4370
28	Ethyl methacrylate	97-63-2.SEC AQSP0	99%	1,003.3	µg/mL	+/-	16.4370
29	1-Chlorohexane	544-10-5.SEC 13075400	99%	1,002.0	µg/mL	+/-	16.4151
30	trans-1,4-Dichloro-2-butene	110-57-6.SEC RD230316RSR	96%	5,033.0	µg/mL	+/-	82.3226
31	1,2,3-Trimethylbenzene	526-73-8.SEC 13921700	98%	1,007.4	µg/mL	+/-	16.5042
32	1,3-Diethylbenzene	141-93-5.SEC 113566-1	99%	1,000.7	µg/mL	+/-	16.3933
33	Benzyl chloride	100-44-7.SEC H29N03	99%	1,002.0	µg/mL	+/-	16.4151
34	1,4-Diethylbenzene	105-05-5.SEC FBQ02	98%	1,004.8	µg/mL	+/-	16.4614
35	1,2-Diethylbenzene	135-01-3.SEC BCBF3667V	99%	1,001.3	µg/mL	+/-	16.4042
36	1,3,5-Trichlorobenzene	108-70-3.SEC I28U021	99%	1,007.5	µg/mL	+/-	16.5058
37	2-Methylnaphthalene	91-57-6.SEC 76023-1	99%	1,003.3	µg/mL	+/-	16.4370

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant pressure 30 psi

Temp. Program:

40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:

200°C

Det. Temp:

250°C

Det. Type:


MSD

Split Vent:

25.0 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Bryan Snyder - Operations Tech I

Date Mixed: 30-Apr-2023

Balance Serial # 1128342314


Christie Mills - Operations Lead Tech - ARM QC

Date Passed: 19-Jun-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_MegaMIX#1_00170



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577486 **Lot No.:** A0197556

Description : Custom VOC MegaMix® #1 Standard

Custom VOC MegaMix® #1 Standard 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,1-dichloroethene	75-35-4	SHBL4758	99%	5,031.3 µg/mL	+/- 283.3780
2	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	5,034.6 µg/mL	+/- 283.5646
3	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	5,035.6 µg/mL	+/- 283.6244
4	1,1-Dichloroethane	75-34-3	760200	99%	5,025.8 µg/mL	+/- 283.0682
5	2,2-Dichloropropane	594-20-7	RD220812	99%	5,043.3 µg/mL	+/- 284.0782
6	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	5,049.7 µg/mL	+/- 284.4387
7	chloroform	67-66-3	SHBN8469	99%	5,026.5 µg/mL	+/- 283.1105
8	Bromochloromethane	74-97-5	230206JLM	99%	5,043.8 µg/mL	+/- 284.1063
9	1,1,1-trichloroethane	71-55-6	RD230130RSR	99%	5,017.8 µg/mL	+/- 282.6176
10	1,1-Dichloropropene	563-58-6	230131JLM	99%	5,043.1 µg/mL	+/- 284.0669
11	carbon tetrachloride	56-23-5	SHBP4875	99%	5,031.8 µg/mL	+/- 283.4062
12	1,2-Dichloroethane	107-06-2	SHBQ0693	99%	5,041.9 µg/mL	+/- 283.9799
13	Benzene	71-43-2	SHBM3620	99%	5,044.9 µg/mL	+/- 284.1683
14	Trichloroethene	79-01-6	SHBN3720	99%	5,031.3 µg/mL	+/- 283.3780
15	1,2-Dichloropropane	78-87-5	BCBR0882V	99%	5,036.8 µg/mL	+/- 283.6878
16	bromodichloromethane	75-27-4	MKCF8470	99%	5,023.9 µg/mL	+/- 282.9661

17	Dibromomethane	74-95-3	10233302	99%	5,047.7	µg/mL	+/-	284.3260
18	cis-1,3-Dichloropropene	10061-01-5	RD221227RSRB	99%	5,027.8	µg/mL	+/-	283.1844
19	Toluene	108-88-3	ED097-US	99%	5,047.6	µg/mL	+/-	284.3204
20	trans-1,3-Dichloropropene	10061-02-6	RD220228A	98%	5,026.1	µg/mL	+/-	283.0852
21	1,1,2-Trichloroethane	79-00-5	FGB01	99%	5,037.6	µg/mL	+/-	283.7335
22	1,3-Dichloropropane	142-28-9	BCCH5357	99%	5,042.5	µg/mL	+/-	284.0331
23	Tetrachloroethene	127-18-4	SHBJ7422	99%	5,031.8	µg/mL	+/-	283.4097
24	dibromochloromethane	124-48-1	MKCM8659	99%	5,024.5	µg/mL	+/-	282.9978
25	1,2-Dibromoethane (EDB)	106-93-4	BCCH7113	99%	5,044.2	µg/mL	+/-	284.1289
26	Chlorobenzene	108-90-7	SHBN6640	99%	5,022.1	µg/mL	+/-	282.8605
27	1,1,1,2-Tetrachloroethane	630-20-6	GC01	99%	5,043.6	µg/mL	+/-	284.0951
28	Ethylbenzene	100-41-4	094632L21G	99%	5,045.6	µg/mL	+/-	284.2077
29	m-Xylene	108-38-3	Q13G020	99%	5,048.8	µg/mL	+/-	284.3880
30	p-Xylene	106-42-3	10234437	99%	5,045.7	µg/mL	+/-	284.2134
31	o-Xylene	95-47-6	SHBN5105	98%	5,038.2	µg/mL	+/-	283.7898
32	Styrene	100-42-5	MKQCQ3390	99%	5,041.8	µg/mL	+/-	283.9937
33	Isopropylbenzene (cumene)	98-82-8	Z20D022	99%	5,047.5	µg/mL	+/-	284.3148
34	bromoform	75-25-2	MKCR0680	99%	5,030.8	µg/mL	+/-	283.3533
35	1,1,2,2-Tetrachloroethane	79-34-5	OXACF	99%	5,031.6	µg/mL	+/-	283.3956
36	1,2,3-Trichloropropane	96-18-4	332900	99%	5,044.1	µg/mL	+/-	284.1232
37	n-Propylbenzene	103-65-1	G08M	98%	5,049.5	µg/mL	+/-	284.4246
38	Bromobenzene	108-86-1	MKQCQ7174	99%	5,044.6	µg/mL	+/-	284.1514
39	1,3,5-Trimethylbenzene	108-67-8	BCCF4166	99%	5,049.4	µg/mL	+/-	284.4218
40	2-Chlorotoluene	95-49-8	235783M23T	99%	5,044.5	µg/mL	+/-	284.1458
41	4-Chlorotoluene	106-43-4	BCCG9286	99%	5,045.5	µg/mL	+/-	284.2021
42	tert-Butylbenzene	98-06-6	STBJ1937	99%	5,047.9	µg/mL	+/-	284.3373
43	1,2,4-Trimethylbenzene	95-63-6	MKCS3775	99%	5,047.3	µg/mL	+/-	284.3035
44	sec-Butylbenzene	135-98-8	MKCP2266	99%	5,046.3	µg/mL	+/-	284.2472
45	p-Isopropyltoluene (p-Cymene)	99-87-6	MKCR6143	99%	5,045.8	µg/mL	+/-	284.2190
46	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	5,036.8	µg/mL	+/-	283.6878
47	1,4-Dichlorobenzene	106-46-7	MKBS4401V	99%	5,037.8	µg/mL	+/-	283.7476
48	n-Butylbenzene	104-51-8	09804AE	99%	5,049.1	µg/mL	+/-	284.4049
49	1,2-Dichlorobenzene	95-50-1	SHBN3835	99%	5,030.9	µg/mL	+/-	283.3604
50	1,2-Dibromo-3-chloropropane	96-12-8	HBMVB	97%	5,047.8	µg/mL	+/-	284.3307
51	1,2,4-Trichlorobenzene	120-82-1	SHBM0526	99%	5,046.6	µg/mL	+/-	284.2641
52	Hexachlorobutadiene	87-68-3	X05J	99%	5,045.1	µg/mL	+/-	284.1796


53	Naphthalene	91-20-3	MKCH0219	99%	5,029.9	µg/mL	+/- 283.3234
54	1,2,3-Trichlorobenzene	87-61-6	MKBX7627V	99%	5,045.3	µg/mL	+/- 284.1908

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)
Carrier Gas:
hydrogen-constant pressure 11.0 psi.
Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)
Inj. Temp:
200°C
Det. Temp:
250°C
Det. Type:
FID
Split Vent:
40 ml/min
Inj. Vol
0.2µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Nick Yaw - Operations Tech I


Christie Mills - Operations Tech II - ARM QC

Date Mixed: 28-Apr-2023

Balance Serial # B707717271

Date Passed: 05-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_MegaMIX#1_00171



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577486 **Lot No.:** A0197556

Description : Custom VOC MegaMix® #1 Standard

Custom VOC MegaMix® #1 Standard 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,1-dichloroethene	75-35-4	SHBL4758	99%	5,031.3 µg/mL	+/- 283.3780
2	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	5,034.6 µg/mL	+/- 283.5646
3	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	5,035.6 µg/mL	+/- 283.6244
4	1,1-Dichloroethane	75-34-3	760200	99%	5,025.8 µg/mL	+/- 283.0682
5	2,2-Dichloropropane	594-20-7	RD220812	99%	5,043.3 µg/mL	+/- 284.0782
6	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	5,049.7 µg/mL	+/- 284.4387
7	chloroform	67-66-3	SHBN8469	99%	5,026.5 µg/mL	+/- 283.1105
8	Bromochloromethane	74-97-5	230206JLM	99%	5,043.8 µg/mL	+/- 284.1063
9	1,1,1-trichloroethane	71-55-6	RD230130RSR	99%	5,017.8 µg/mL	+/- 282.6176
10	1,1-Dichloropropene	563-58-6	230131JLM	99%	5,043.1 µg/mL	+/- 284.0669
11	carbon tetrachloride	56-23-5	SHBP4875	99%	5,031.8 µg/mL	+/- 283.4062
12	1,2-Dichloroethane	107-06-2	SHBQ0693	99%	5,041.9 µg/mL	+/- 283.9799
13	Benzene	71-43-2	SHBM3620	99%	5,044.9 µg/mL	+/- 284.1683
14	Trichloroethene	79-01-6	SHBN3720	99%	5,031.3 µg/mL	+/- 283.3780
15	1,2-Dichloropropane	78-87-5	BCBR0882V	99%	5,036.8 µg/mL	+/- 283.6878
16	bromodichloromethane	75-27-4	MKCF8470	99%	5,023.9 µg/mL	+/- 282.9661

17	Dibromomethane	74-95-3	10233302	99%	5,047.7	µg/mL	+/-	284.3260
18	cis-1,3-Dichloropropene	10061-01-5	RD221227RSRB	99%	5,027.8	µg/mL	+/-	283.1844
19	Toluene	108-88-3	ED097-US	99%	5,047.6	µg/mL	+/-	284.3204
20	trans-1,3-Dichloropropene	10061-02-6	RD220228A	98%	5,026.1	µg/mL	+/-	283.0852
21	1,1,2-Trichloroethane	79-00-5	FGB01	99%	5,037.6	µg/mL	+/-	283.7335
22	1,3-Dichloropropane	142-28-9	BCCH5357	99%	5,042.5	µg/mL	+/-	284.0331
23	Tetrachloroethene	127-18-4	SHBJ7422	99%	5,031.8	µg/mL	+/-	283.4097
24	dibromochloromethane	124-48-1	MKCM8659	99%	5,024.5	µg/mL	+/-	282.9978
25	1,2-Dibromoethane (EDB)	106-93-4	BCCH7113	99%	5,044.2	µg/mL	+/-	284.1289
26	Chlorobenzene	108-90-7	SHBN6640	99%	5,022.1	µg/mL	+/-	282.8605
27	1,1,1,2-Tetrachloroethane	630-20-6	GC01	99%	5,043.6	µg/mL	+/-	284.0951
28	Ethylbenzene	100-41-4	094632L21G	99%	5,045.6	µg/mL	+/-	284.2077
29	m-Xylene	108-38-3	Q13G020	99%	5,048.8	µg/mL	+/-	284.3880
30	p-Xylene	106-42-3	10234437	99%	5,045.7	µg/mL	+/-	284.2134
31	o-Xylene	95-47-6	SHBN5105	98%	5,038.2	µg/mL	+/-	283.7898
32	Styrene	100-42-5	MKQCQ3390	99%	5,041.8	µg/mL	+/-	283.9937
33	Isopropylbenzene (cumene)	98-82-8	Z20D022	99%	5,047.5	µg/mL	+/-	284.3148
34	bromoform	75-25-2	MKCR0680	99%	5,030.8	µg/mL	+/-	283.3533
35	1,1,2,2-Tetrachloroethane	79-34-5	OXACF	99%	5,031.6	µg/mL	+/-	283.3956
36	1,2,3-Trichloropropane	96-18-4	332900	99%	5,044.1	µg/mL	+/-	284.1232
37	n-Propylbenzene	103-65-1	G08M	98%	5,049.5	µg/mL	+/-	284.4246
38	Bromobenzene	108-86-1	MKQCQ7174	99%	5,044.6	µg/mL	+/-	284.1514
39	1,3,5-Trimethylbenzene	108-67-8	BCCF4166	99%	5,049.4	µg/mL	+/-	284.4218
40	2-Chlorotoluene	95-49-8	235783M23T	99%	5,044.5	µg/mL	+/-	284.1458
41	4-Chlorotoluene	106-43-4	BCCG9286	99%	5,045.5	µg/mL	+/-	284.2021
42	tert-Butylbenzene	98-06-6	STBJ1937	99%	5,047.9	µg/mL	+/-	284.3373
43	1,2,4-Trimethylbenzene	95-63-6	MKCS3775	99%	5,047.3	µg/mL	+/-	284.3035
44	sec-Butylbenzene	135-98-8	MKCP2266	99%	5,046.3	µg/mL	+/-	284.2472
45	p-Isopropyltoluene (p-Cymene)	99-87-6	MKCR6143	99%	5,045.8	µg/mL	+/-	284.2190
46	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	5,036.8	µg/mL	+/-	283.6878
47	1,4-Dichlorobenzene	106-46-7	MKBS4401V	99%	5,037.8	µg/mL	+/-	283.7476
48	n-Butylbenzene	104-51-8	09804AE	99%	5,049.1	µg/mL	+/-	284.4049
49	1,2-Dichlorobenzene	95-50-1	SHBN3835	99%	5,030.9	µg/mL	+/-	283.3604
50	1,2-Dibromo-3-chloropropane	96-12-8	HBMVB	97%	5,047.8	µg/mL	+/-	284.3307
51	1,2,4-Trichlorobenzene	120-82-1	SHBM0526	99%	5,046.6	µg/mL	+/-	284.2641
52	Hexachlorobutadiene	87-68-3	X05J	99%	5,045.1	µg/mL	+/-	284.1796


53	Naphthalene	91-20-3	MKCH0219	99%	5,029.9	µg/mL	+/- 283.3234
54	1,2,3-Trichlorobenzene	87-61-6	MKBX7627V	99%	5,045.3	µg/mL	+/- 284.1908

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)
Carrier Gas:
hydrogen-constant pressure 11.0 psi.
Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)
Inj. Temp:
200°C
Det. Temp:
250°C
Det. Type:
FID
Split Vent:
40 ml/min
Inj. Vol
0.2µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Nick Yaw
Nick Yaw - Operations Tech I

Date Mixed: 28-Apr-2023 Balance Serial # B707717271

Christie Mills
Christie Mills - Operations Tech II - ARM QC

Date Passed: 05-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_MegaMIX#1_00173



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577486 **Lot No.:** A0197556

Description : Custom VOC MegaMix® #1 Standard

Custom VOC MegaMix® #1 Standard 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,1-dichloroethene	75-35-4	SHBL4758	99%	5,031.3 µg/mL	+/- 283.3780
2	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	5,034.6 µg/mL	+/- 283.5646
3	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	5,035.6 µg/mL	+/- 283.6244
4	1,1-Dichloroethane	75-34-3	760200	99%	5,025.8 µg/mL	+/- 283.0682
5	2,2-Dichloropropane	594-20-7	RD220812	99%	5,043.3 µg/mL	+/- 284.0782
6	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	5,049.7 µg/mL	+/- 284.4387
7	chloroform	67-66-3	SHBN8469	99%	5,026.5 µg/mL	+/- 283.1105
8	Bromochloromethane	74-97-5	230206JLM	99%	5,043.8 µg/mL	+/- 284.1063
9	1,1,1-trichloroethane	71-55-6	RD230130RSR	99%	5,017.8 µg/mL	+/- 282.6176
10	1,1-Dichloropropene	563-58-6	230131JLM	99%	5,043.1 µg/mL	+/- 284.0669
11	carbon tetrachloride	56-23-5	SHBP4875	99%	5,031.8 µg/mL	+/- 283.4062
12	1,2-Dichloroethane	107-06-2	SHBQ0693	99%	5,041.9 µg/mL	+/- 283.9799
13	Benzene	71-43-2	SHBM3620	99%	5,044.9 µg/mL	+/- 284.1683
14	Trichloroethene	79-01-6	SHBN3720	99%	5,031.3 µg/mL	+/- 283.3780
15	1,2-Dichloropropane	78-87-5	BCBR0882V	99%	5,036.8 µg/mL	+/- 283.6878
16	bromodichloromethane	75-27-4	MKCF8470	99%	5,023.9 µg/mL	+/- 282.9661

17	Dibromomethane	74-95-3	10233302	99%	5,047.7	µg/mL	+/-	284.3260
18	cis-1,3-Dichloropropene	10061-01-5	RD221227RSRB	99%	5,027.8	µg/mL	+/-	283.1844
19	Toluene	108-88-3	ED097-US	99%	5,047.6	µg/mL	+/-	284.3204
20	trans-1,3-Dichloropropene	10061-02-6	RD220228A	98%	5,026.1	µg/mL	+/-	283.0852
21	1,1,2-Trichloroethane	79-00-5	FGB01	99%	5,037.6	µg/mL	+/-	283.7335
22	1,3-Dichloropropane	142-28-9	BCCH5357	99%	5,042.5	µg/mL	+/-	284.0331
23	Tetrachloroethene	127-18-4	SHBJ7422	99%	5,031.8	µg/mL	+/-	283.4097
24	dibromochloromethane	124-48-1	MKCM8659	99%	5,024.5	µg/mL	+/-	282.9978
25	1,2-Dibromoethane (EDB)	106-93-4	BCCH7113	99%	5,044.2	µg/mL	+/-	284.1289
26	Chlorobenzene	108-90-7	SHBN6640	99%	5,022.1	µg/mL	+/-	282.8605
27	1,1,1,2-Tetrachloroethane	630-20-6	GC01	99%	5,043.6	µg/mL	+/-	284.0951
28	Ethylbenzene	100-41-4	094632L21G	99%	5,045.6	µg/mL	+/-	284.2077
29	m-Xylene	108-38-3	Q13G020	99%	5,048.8	µg/mL	+/-	284.3880
30	p-Xylene	106-42-3	10234437	99%	5,045.7	µg/mL	+/-	284.2134
31	o-Xylene	95-47-6	SHBN5105	98%	5,038.2	µg/mL	+/-	283.7898
32	Styrene	100-42-5	MKCCQ3390	99%	5,041.8	µg/mL	+/-	283.9937
33	Isopropylbenzene (cumene)	98-82-8	Z20D022	99%	5,047.5	µg/mL	+/-	284.3148
34	bromoform	75-25-2	MKCR0680	99%	5,030.8	µg/mL	+/-	283.3533
35	1,1,2,2-Tetrachloroethane	79-34-5	OXACF	99%	5,031.6	µg/mL	+/-	283.3956
36	1,2,3-Trichloropropane	96-18-4	332900	99%	5,044.1	µg/mL	+/-	284.1232
37	n-Propylbenzene	103-65-1	G08M	98%	5,049.5	µg/mL	+/-	284.4246
38	Bromobenzene	108-86-1	MKCCQ7174	99%	5,044.6	µg/mL	+/-	284.1514
39	1,3,5-Trimethylbenzene	108-67-8	BCCF4166	99%	5,049.4	µg/mL	+/-	284.4218
40	2-Chlorotoluene	95-49-8	235783M23T	99%	5,044.5	µg/mL	+/-	284.1458
41	4-Chlorotoluene	106-43-4	BCCG9286	99%	5,045.5	µg/mL	+/-	284.2021
42	tert-Butylbenzene	98-06-6	STBJ1937	99%	5,047.9	µg/mL	+/-	284.3373
43	1,2,4-Trimethylbenzene	95-63-6	MKCS3775	99%	5,047.3	µg/mL	+/-	284.3035
44	sec-Butylbenzene	135-98-8	MKCP2266	99%	5,046.3	µg/mL	+/-	284.2472
45	p-Isopropyltoluene (p-Cymene)	99-87-6	MKCR6143	99%	5,045.8	µg/mL	+/-	284.2190
46	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	5,036.8	µg/mL	+/-	283.6878
47	1,4-Dichlorobenzene	106-46-7	MKBS4401V	99%	5,037.8	µg/mL	+/-	283.7476
48	n-Butylbenzene	104-51-8	09804AE	99%	5,049.1	µg/mL	+/-	284.4049
49	1,2-Dichlorobenzene	95-50-1	SHBN3835	99%	5,030.9	µg/mL	+/-	283.3604
50	1,2-Dibromo-3-chloropropane	96-12-8	HBMVB	97%	5,047.8	µg/mL	+/-	284.3307
51	1,2,4-Trichlorobenzene	120-82-1	SHBM0526	99%	5,046.6	µg/mL	+/-	284.2641
52	Hexachlorobutadiene	87-68-3	X05J	99%	5,045.1	µg/mL	+/-	284.1796


53	Naphthalene	91-20-3	MKCH0219	99%	5,029.9	µg/mL	+/- 283.3234
54	1,2,3-Trichlorobenzene	87-61-6	MKBX7627V	99%	5,045.3	µg/mL	+/- 284.1908

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)
Carrier Gas:
hydrogen-constant pressure 11.0 psi.
Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)
Inj. Temp:
200°C
Det. Temp:
250°C
Det. Type:
FID
Split Vent:
40 ml/min
Inj. Vol
0.2µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Nick Yaw
Nick Yaw - Operations Tech I

Date Mixed: 28-Apr-2023 **Balance Serial #** B707717271

Christie Mills
Christie Mills - Operations Tech II - ARM QC

Date Passed: 05-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_MegaMix#2_00165



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577487 **Lot No.:** A0197578

Description : Custom VOC MegaMix® #2 Standard

Custom VOC MegaMix® #2 Standard 5000-62500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	n-Pentane (C5)	109-66-0	SHBQ0917	99%	5,046.5 µg/mL	+/- 85.0489
2	2-Propanol (isopropanol)	67-63-0	SHBP6610	99%	25,172.0 µg/mL	+/- 411.6105
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00018685	99%	5,025.7 µg/mL	+/- 84.6978
4	tert-Butanol (TBA)	75-65-0	101619K21F-1	99%	25,170.0 µg/mL	+/- 411.5778
5	Methyl acetate	79-20-9	SHBP3100	99%	5,020.2 µg/mL	+/- 84.6051
6	Iodomethane (methyl iodide)	74-88-4	MKCN8012	99%	5,022.3 µg/mL	+/- 84.6416
7	Allyl chloride (3-chloropropene)	107-05-1	RD221118RSR	99%	5,038.8 µg/mL	+/- 84.9197
8	Carbon disulfide	75-15-0	N28F701	99%	5,028.2 µg/mL	+/- 84.7399
9	Acrylonitrile	107-13-1	102466R02E	99%	12,532.0 µg/mL	+/- 204.9222
10	Methyl-tert-butyl ether (MTBE)	1634-04-4	SHBP0179	99%	5,044.2 µg/mL	+/- 85.0096
11	n-Hexane (C6)	110-54-3	STBG6381	99%	5,016.0 µg/mL	+/- 84.5349
12	Diisopropyl ether (DIPE)	108-20-3	STBK3450	99%	5,043.0 µg/mL	+/- 84.9899
13	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	S230420RSR	99%	5,037.3 µg/mL	+/- 84.8944
14	Ethyl-tert-butyl ether (ETBE)	637-92-3	MKCP5997	99%	5,034.8 µg/mL	+/- 84.8523
15	Propionitrile	107-12-0	BCCH7430	99%	25,000.0 µg/mL	+/- 408.7979
16	Methacrylonitrile	126-98-7	1012014	99%	12,520.0 µg/mL	+/- 204.7260

17	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	62,545.0	µg/mL	+/- 1,022.7307
18	Tetrahydrofuran	109-99-9	SHBQ0910	99%	25,024.0	µg/mL	+/- 409.1904
19	Cyclohexane	110-82-7	MKCQ2001	99%	5,039.5	µg/mL	+/- 84.9309
20	1-Butanol	71-36-3	101601K21K	99%	62,664.0	µg/mL	+/- 1,024.6765
21	tert-Amyl methyl ether (TAME)	994-05-8	HMBJ0825	99%	5,021.8	µg/mL	+/- 84.6332
22	n-Heptane (C7)	142-82-5	044743N07T	99%	5,041.5	µg/mL	+/- 84.9646
23	tert-Amyl ethyl ether (TAEE)	919-94-8	IKVYB	97%	5,049.3	µg/mL	+/- 85.0967
24	Methylcyclohexane	108-87-2	SHBN1699	99%	5,028.0	µg/mL	+/- 84.7371
25	Methyl methacrylate	80-62-6	MKCQ2756	99%	5,012.3	µg/mL	+/- 84.4731
26	1,4-Dioxane	123-91-1	SHBN3770	99%	62,583.0	µg/mL	+/- 1,023.3520
27	2-Nitropropane	79-46-9	BCCB9352	97%	25,024.1	µg/mL	+/- 409.1914
28	Ethyl methacrylate	97-63-2	MKCN6206	97%	5,040.1	µg/mL	+/- 84.9414
29	1-Chlorohexane	544-10-5	BCBS3368V	99%	5,046.3	µg/mL	+/- 85.0461
30	trans-1,4-dichloro-2-butene	110-57-6	RD221227RSRA	94%	12,618.6	µg/mL	+/- 206.3376
31	1,2,3-Trimethylbenzene	526-73-8	8776.10-36	98%	5,002.6	µg/mL	+/- 84.3086
32	1,3-Diethylbenzene	141-93-5	BCBZ6270	99%	5,041.0	µg/mL	+/- 84.9562
33	Benzyl chloride	100-44-7	MKCM5986	99%	5,045.3	µg/mL	+/- 85.0292
34	1,4-Diethylbenzene	105-05-5	1135.72-1	99%	5,032.7	µg/mL	+/- 84.8158
35	1,2-Diethylbenzene	135-01-3	ECH2970181	99%	5,015.3	µg/mL	+/- 84.5236
36	1,3,5-Trichlorobenzene	108-70-3	11319AS	99%	5,003.8	µg/mL	+/- 84.3298
37	2-Methylnaphthalene	91-57-6	STBK0259	96%	5,002.4	µg/mL	+/- 84.3057

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant pressure 30 psi

Temp. Program:

40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:

200°C

Det. Temp:

250°C

Det. Type:


MSD

Split Vent:

25.0 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Apr-2023

Balance Serial # B251644995

Marlina Cowan
Marlina Cowan - Operations Tech II ARM QC

Date Passed: 02-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_MegaMix#2_00167



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577487 **Lot No.:** A0197578

Description : Custom VOC MegaMix® #2 Standard

Custom VOC MegaMix® #2 Standard 5000-62500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	n-Pentane (C5)	109-66-0	SHBQ0917	99%	5,046.5 µg/mL	+/- 85.0489
2	2-Propanol (isopropanol)	67-63-0	SHBP6610	99%	25,172.0 µg/mL	+/- 411.6105
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00018685	99%	5,025.7 µg/mL	+/- 84.6978
4	tert-Butanol (TBA)	75-65-0	101619K21F-1	99%	25,170.0 µg/mL	+/- 411.5778
5	Methyl acetate	79-20-9	SHBP3100	99%	5,020.2 µg/mL	+/- 84.6051
6	Iodomethane (methyl iodide)	74-88-4	MKCN8012	99%	5,022.3 µg/mL	+/- 84.6416
7	Allyl chloride (3-chloropropene)	107-05-1	RD221118RSR	99%	5,038.8 µg/mL	+/- 84.9197
8	Carbon disulfide	75-15-0	N28F701	99%	5,028.2 µg/mL	+/- 84.7399
9	Acrylonitrile	107-13-1	102466R02E	99%	12,532.0 µg/mL	+/- 204.9222
10	Methyl-tert-butyl ether (MTBE)	1634-04-4	SHBP0179	99%	5,044.2 µg/mL	+/- 85.0096
11	n-Hexane (C6)	110-54-3	STBG6381	99%	5,016.0 µg/mL	+/- 84.5349
12	Diisopropyl ether (DIPE)	108-20-3	STBK3450	99%	5,043.0 µg/mL	+/- 84.9899
13	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	S230420RSR	99%	5,037.3 µg/mL	+/- 84.8944
14	Ethyl-tert-butyl ether (ETBE)	637-92-3	MKCP5997	99%	5,034.8 µg/mL	+/- 84.8523
15	Propionitrile	107-12-0	BCCH7430	99%	25,000.0 µg/mL	+/- 408.7979
16	Methacrylonitrile	126-98-7	1012014	99%	12,520.0 µg/mL	+/- 204.7260

17	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	62,545.0	µg/mL	+/- 1,022.7307
18	Tetrahydrofuran	109-99-9	SHBQ0910	99%	25,024.0	µg/mL	+/- 409.1904
19	Cyclohexane	110-82-7	MKQCQ2001	99%	5,039.5	µg/mL	+/- 84.9309
20	1-Butanol	71-36-3	101601K21K	99%	62,664.0	µg/mL	+/- 1,024.6765
21	tert-Amyl methyl ether (TAME)	994-05-8	HMBJ0825	99%	5,021.8	µg/mL	+/- 84.6332
22	n-Heptane (C7)	142-82-5	044743N07T	99%	5,041.5	µg/mL	+/- 84.9646
23	tert-Amyl ethyl ether (TAE)	919-94-8	IKVYB	97%	5,049.3	µg/mL	+/- 85.0967
24	Methylcyclohexane	108-87-2	SHBN1699	99%	5,028.0	µg/mL	+/- 84.7371
25	Methyl methacrylate	80-62-6	MKQCQ2756	99%	5,012.3	µg/mL	+/- 84.4731
26	1,4-Dioxane	123-91-1	SHBN3770	99%	62,583.0	µg/mL	+/- 1,023.3520
27	2-Nitropropane	79-46-9	BCCB9352	97%	25,024.1	µg/mL	+/- 409.1914
28	Ethyl methacrylate	97-63-2	MKCN6206	97%	5,040.1	µg/mL	+/- 84.9414
29	1-Chlorohexane	544-10-5	BCBS3368V	99%	5,046.3	µg/mL	+/- 85.0461
30	trans-1,4-dichloro-2-butene	110-57-6	RD221227RSRA	94%	12,618.6	µg/mL	+/- 206.3376
31	1,2,3-Trimethylbenzene	526-73-8	8776.10-36	98%	5,002.6	µg/mL	+/- 84.3086
32	1,3-Diethylbenzene	141-93-5	BCBZ6270	99%	5,041.0	µg/mL	+/- 84.9562
33	Benzyl chloride	100-44-7	MKCM5986	99%	5,045.3	µg/mL	+/- 85.0292
34	1,4-Diethylbenzene	105-05-5	1135.72-1	99%	5,032.7	µg/mL	+/- 84.8158
35	1,2-Diethylbenzene	135-01-3	ECH2970181	99%	5,015.3	µg/mL	+/- 84.5236
36	1,3,5-Trichlorobenzene	108-70-3	11319AS	99%	5,003.8	µg/mL	+/- 84.3298
37	2-Methylnaphthalene	91-57-6	STBK0259	96%	5,002.4	µg/mL	+/- 84.3057

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant pressure 30 psi

Temp. Program:

40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:

200°C

Det. Temp:

250°C

Det. Type:


MSD

Split Vent:

25.0 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Apr-2023

Balance Serial # B251644995

Marlina Cowan
Marlina Cowan - Operations Tech II ARM QC

Date Passed: 02-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_MegaMix#2_00168



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577487 **Lot No.:** A0197578

Description : Custom VOC MegaMix® #2 Standard

Custom VOC MegaMix® #2 Standard 5000-62500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	n-Pentane (C5)	109-66-0	SHBQ0917	99%	5,046.5 µg/mL	+/- 85.0489
2	2-Propanol (isopropanol)	67-63-0	SHBP6610	99%	25,172.0 µg/mL	+/- 411.6105
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00018685	99%	5,025.7 µg/mL	+/- 84.6978
4	tert-Butanol (TBA)	75-65-0	101619K21F-1	99%	25,170.0 µg/mL	+/- 411.5778
5	Methyl acetate	79-20-9	SHBP3100	99%	5,020.2 µg/mL	+/- 84.6051
6	Iodomethane (methyl iodide)	74-88-4	MKCN8012	99%	5,022.3 µg/mL	+/- 84.6416
7	Allyl chloride (3-chloropropene)	107-05-1	RD221118RSR	99%	5,038.8 µg/mL	+/- 84.9197
8	Carbon disulfide	75-15-0	N28F701	99%	5,028.2 µg/mL	+/- 84.7399
9	Acrylonitrile	107-13-1	102466R02E	99%	12,532.0 µg/mL	+/- 204.9222
10	Methyl-tert-butyl ether (MTBE)	1634-04-4	SHBP0179	99%	5,044.2 µg/mL	+/- 85.0096
11	n-Hexane (C6)	110-54-3	STBG6381	99%	5,016.0 µg/mL	+/- 84.5349
12	Diisopropyl ether (DIPE)	108-20-3	STBK3450	99%	5,043.0 µg/mL	+/- 84.9899
13	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	S230420RSR	99%	5,037.3 µg/mL	+/- 84.8944
14	Ethyl-tert-butyl ether (ETBE)	637-92-3	MKCP5997	99%	5,034.8 µg/mL	+/- 84.8523
15	Propionitrile	107-12-0	BCCH7430	99%	25,000.0 µg/mL	+/- 408.7979
16	Methacrylonitrile	126-98-7	1012014	99%	12,520.0 µg/mL	+/- 204.7260

17	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	62,545.0	µg/mL	+/- 1,022.7307
18	Tetrahydrofuran	109-99-9	SHBQ0910	99%	25,024.0	µg/mL	+/- 409.1904
19	Cyclohexane	110-82-7	MKQCQ2001	99%	5,039.5	µg/mL	+/- 84.9309
20	1-Butanol	71-36-3	101601K21K	99%	62,664.0	µg/mL	+/- 1,024.6765
21	tert-Amyl methyl ether (TAME)	994-05-8	HMBJ0825	99%	5,021.8	µg/mL	+/- 84.6332
22	n-Heptane (C7)	142-82-5	044743N07T	99%	5,041.5	µg/mL	+/- 84.9646
23	tert-Amyl ethyl ether (TAE)	919-94-8	IKVYB	97%	5,049.3	µg/mL	+/- 85.0967
24	Methylcyclohexane	108-87-2	SHBN1699	99%	5,028.0	µg/mL	+/- 84.7371
25	Methyl methacrylate	80-62-6	MKQCQ2756	99%	5,012.3	µg/mL	+/- 84.4731
26	1,4-Dioxane	123-91-1	SHBN3770	99%	62,583.0	µg/mL	+/- 1,023.3520
27	2-Nitropropane	79-46-9	BCCB9352	97%	25,024.1	µg/mL	+/- 409.1914
28	Ethyl methacrylate	97-63-2	MKCN6206	97%	5,040.1	µg/mL	+/- 84.9414
29	1-Chlorohexane	544-10-5	BCBS3368V	99%	5,046.3	µg/mL	+/- 85.0461
30	trans-1,4-dichloro-2-butene	110-57-6	RD221227RSRA	94%	12,618.6	µg/mL	+/- 206.3376
31	1,2,3-Trimethylbenzene	526-73-8	8776.10-36	98%	5,002.6	µg/mL	+/- 84.3086
32	1,3-Diethylbenzene	141-93-5	BCBZ6270	99%	5,041.0	µg/mL	+/- 84.9562
33	Benzyl chloride	100-44-7	MKCM5986	99%	5,045.3	µg/mL	+/- 85.0292
34	1,4-Diethylbenzene	105-05-5	1135.72-1	99%	5,032.7	µg/mL	+/- 84.8158
35	1,2-Diethylbenzene	135-01-3	ECH2970181	99%	5,015.3	µg/mL	+/- 84.5236
36	1,3,5-Trichlorobenzene	108-70-3	11319AS	99%	5,003.8	µg/mL	+/- 84.3298
37	2-Methylnaphthalene	91-57-6	STBK0259	96%	5,002.4	µg/mL	+/- 84.3057

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant pressure 30 psi

Temp. Program:

40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:

200°C

Det. Temp:

250°C

Det. Type:


MSD

Split Vent:

25.0 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Apr-2023

Balance Serial # B251644995

Marlina Cowan
Marlina Cowan - Operations Tech II ARM QC

Date Passed: 02-May-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Reagent

MSV_MethylAcr_00003

CERTIFICATE OF ANALYSIS

Methyl acrylate

CATALOG NUMBER	N-12413-1G
LOT NUMBER	14104500
DATE CERTIFIED	01/06/22
EXPIRATION DATE	01/31/26
CAS NUMBER	96-33-3
MOLECULAR FORMULA	C ₄ H ₆ O ₂
MOLECULAR WEIGHT	86.10
STORAGE	Store at room temperature (20 - 25 °C).
HANDLING	See Safety Data Sheet
INTENDED USE	For laboratory use only.

Analytical Test	Value
% PURITY (GC/FID)	99.5
FT-IR SPECTROSCOPY	CONFORMS TO STRUCTURE

Chem Service, Inc. guarantees the purity to be +/- 0.5% deviation prior to the expiration date shown on the label and exclusive of any customer contamination.

Certified By:



Kristin R Jones

Chem Service, Inc. is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.




COA Form
Revision 3 (3/2015)

Print Date: 02/08/23

CERTIFICATE OF ANALYSIS

Gas Chromatography / Flame Ionization Detector (GC/FID)

Data file: C:\CHEM32\1\DATA\2022 DATA\0122\methyl acrylate.D
Sample name: Methyl acrylate
Acq. method: FRANNY-BACK.M
Instrument: GC3 **Location:** 201
Injection date: 1/6/2022 9:14:16 AM **Injection Vol:** 1.000
Column name: RTX-5MS (30m x 0.25mm x 0.5µm) **# Of Injections:** 1



Signal: FID1 B, Back Signal

RT [min]	Type	Width [min]	Area	Height	Area%
1.403	BB S	0.0102	2527.1797	4118.3921	100.0000
Sum			2527.1797		

Chem Service, Inc. is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.



Reagent

MSV_nButylAcr_00005

CERTIFICATE OF ANALYSIS

n-Butyl acrylate

CATALOG NUMBER	N-12513-1G
LOT NUMBER	14061100
DATE CERTIFIED	01/06/20
EXPIRATION DATE	01/31/26
CAS NUMBER	141-32-2
MOLECULAR FORMULA	C ₇ H ₁₂ O ₂
MOLECULAR WEIGHT	128.17
STORAGE	Store at room temperature (20 - 25 °C).
HANDLING	See Safety Data Sheet
INTENDED USE	For laboratory use only.

Analytical Test	Value
% PURITY (GC/FID)	99.5

Chem Service, Inc. guarantees the purity to be +/- 0.5% deviation prior to the expiration date shown on the label and exclusive of any customer contamination.

Certified By:



Kristin R Jones

Chem Service, Inc. is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.



COA Form
Revision 3 (3/2015)


Print Date: 01/26/23

CERTIFICATE OF ANALYSIS

Gas Chromatography / Flame Ionization Detector (GC/FID)

Data file: C:\CHEM32\1\DATA\2020 DATA\0120\butyl acrylate.D
Sample name: Butyl acrylate
Description:
Acq. method: S-10428M1.M
Instrument: GC3
Injection date: 1/6/2020 9:50:14 AM
Column name: HP-5ms Ultra Inert Diameter 250.000 Length 30.000 Particle Size 0.250

Location: 204
Injection Vol: 1.000
Of Injections: 1



Signal: FID1 B, Back - Front Signal

RT [min]	Type	Width [min]	Area	Height	Area%
5.975	BV	0.0298	8741.1309	3980.0339	100.0000
Sum			8741.1309		

Chem Service, Inc. is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.



Reagent

MSV_QC_2K_GAS_00206



CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577488.SEC **Lot No.:** A0184924

Description : Custom Gases.SEC Standard
Custom Gases.SEC Standard 2,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : May 31, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Dichlorodifluoromethane (CFC-12) CAS # 75-71-8.SEC (Lot 27545) Purity 99%	2,000.3 µg/mL	+/- 17.8749 µg/mL Gravimetric +/- 112.9722 µg/mL Unstressed +/- 115.5779 µg/mL Stressed
2	Chloromethane (methyl chloride) CAS # 74-87-3.SEC (Lot 18343) Purity 99%	2,002.3 µg/mL	+/- 19.9305 µg/mL Gravimetric +/- 113.4254 µg/mL Unstressed +/- 116.0260 µg/mL Stressed
3	Vinyl chloride CAS # 75-01-4.SEC (Lot MKBK6872V) Purity 99%	2,002.4 µg/mL	+/- 21.8874 µg/mL Gravimetric +/- 113.7916 µg/mL Unstressed +/- 116.3843 µg/mL Stressed
4	1,3-Butadiene CAS # 106-99-0.SEC (Lot 26996) Purity 99%	2,003.4 µg/mL	+/- 24.0683 µg/mL Gravimetric +/- 114.2862 µg/mL Unstressed +/- 116.8705 µg/mL Stressed
5	Bromomethane (methyl bromide) CAS # 74-83-9.SEC (Lot 00017022) Purity 99%	2,007.9 µg/mL	+/- 17.0860 µg/mL Gravimetric +/- 113.2712 µg/mL Unstressed +/- 115.8898 µg/mL Stressed
6	Chloroethane (ethyl chloride) CAS # 75-00-3.SEC (Lot 00004202) Purity 98%	2,002.2 µg/mL	+/- 20.1773 µg/mL Gravimetric +/- 113.4619 µg/mL Unstressed +/- 116.0614 µg/mL Stressed
7	Dichlorofluoromethane (CFC-21) CAS # 75-43-4 * (Lot 12841600) Purity 99%	2,000.0 µg/mL	+/- 11.7371 µg/mL Gravimetric +/- 112.1494 µg/mL Unstressed +/- 114.7730 µg/mL Stressed

8	Trichlorofluoromethane (CFC-11)			2,000.0	µg/mL	+/-	11.7371	µg/mL	Gravimetric	
	CAS #	75-69-4.SEC	(Lot 00010739)			+/-	112.1494		µg/mL	Unstressed
	Purity	99%				+/-	114.7730		µg/mL	Stressed
9	1,2-Dichloro-1,1,2-trifluoroethane (CFC-123a)			2,000.5	µg/mL	+/-	25.4843	µg/mL	Gravimetric	
	CAS #	354-23-4 *	(Lot Q9B-64)			+/-	114.4324		µg/mL	Unstressed
	Purity	99%				+/-	117.0060		µg/mL	Stressed
Solvent:	P&T Methanol									
	CAS #	67-56-1								
	Purity	99%								

* Restek is unable to identify a reliable and/or acceptable second source for this material - the same batch of neat material may have been used to produce both the primary and secondary standard. The primary and secondary standards were prepared using different equipment and personnel.

Tech Tips:

Raw material may contain trace amounts of tert-Butanol.

Column:

60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant flow 2.0 mL/min.

Temp. Program:

40°C (hold 6 min.) to 100°C
@ 6°C/min.

Inj. Temp:


200°C

Det. Temp:

250°C

Det. Type:

MSD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brandon Reish
Brandon Reish - Mix Technician

Date Mixed: 05-May-2022

Balance: 1127510105

Marlina Cowan
Marlina Cowan - Operations Tech I

Date Passed: 10-May-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

- k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
 - Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Reagent

MSV_QC_2K_GAS_00207



CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577488.SEC **Lot No.:** A0184924

Description : Custom Gases.SEC Standard
Custom Gases.SEC Standard 2,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : May 31, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Dichlorodifluoromethane (CFC-12) CAS # 75-71-8.SEC (Lot 27545) Purity 99%	2,000.3 µg/mL	+/- 17.8749 µg/mL Gravimetric +/- 112.9722 µg/mL Unstressed +/- 115.5779 µg/mL Stressed
2	Chloromethane (methyl chloride) CAS # 74-87-3.SEC (Lot 18343) Purity 99%	2,002.3 µg/mL	+/- 19.9305 µg/mL Gravimetric +/- 113.4254 µg/mL Unstressed +/- 116.0260 µg/mL Stressed
3	Vinyl chloride CAS # 75-01-4.SEC (Lot MKBK6872V) Purity 99%	2,002.4 µg/mL	+/- 21.8874 µg/mL Gravimetric +/- 113.7916 µg/mL Unstressed +/- 116.3843 µg/mL Stressed
4	1,3-Butadiene CAS # 106-99-0.SEC (Lot 26996) Purity 99%	2,003.4 µg/mL	+/- 24.0683 µg/mL Gravimetric +/- 114.2862 µg/mL Unstressed +/- 116.8705 µg/mL Stressed
5	Bromomethane (methyl bromide) CAS # 74-83-9.SEC (Lot 00017022) Purity 99%	2,007.9 µg/mL	+/- 17.0860 µg/mL Gravimetric +/- 113.2712 µg/mL Unstressed +/- 115.8898 µg/mL Stressed
6	Chloroethane (ethyl chloride) CAS # 75-00-3.SEC (Lot 00004202) Purity 98%	2,002.2 µg/mL	+/- 20.1773 µg/mL Gravimetric +/- 113.4619 µg/mL Unstressed +/- 116.0614 µg/mL Stressed
7	Dichlorofluoromethane (CFC-21) CAS # 75-43-4 * (Lot 12841600) Purity 99%	2,000.0 µg/mL	+/- 11.7371 µg/mL Gravimetric +/- 112.1494 µg/mL Unstressed +/- 114.7730 µg/mL Stressed

8	Trichlorofluoromethane (CFC-11)			2,000.0	μg/mL	+/-	11.7371	μg/mL	Gravimetric	
	CAS #	75-69-4.SEC	(Lot 00010739)				+/-	112.1494	μg/mL	Unstressed
	Purity	99%					+/-	114.7730	μg/mL	Stressed
9	1,2-Dichloro-1,1,2-trifluoroethane (CFC-123a)			2,000.5	μg/mL	+/-	25.4843	μg/mL	Gravimetric	
	CAS #	354-23-4 *	(Lot Q9B-64)				+/-	114.4324	μg/mL	Unstressed
	Purity	99%					+/-	117.0060	μg/mL	Stressed
Solvent:	P&T Methanol									
	CAS #	67-56-1								
	Purity	99%								

* Restek is unable to identify a reliable and/or acceptable second source for this material - the same batch of neat material may have been used to produce both the primary and secondary standard. The primary and secondary standards were prepared using different equipment and personnel.

Tech Tips:

Raw material may contain trace amounts of tert-Butanol.

Column:

60m x 0.25mm x 1.4 μm
Rtx-502.2 (cat.#10916)

Carrier Gas:

helium-constant flow 2.0 mL/min.

Temp. Program:

40°C (hold 6 min.) to 100°C
@ 6°C/min.

Inj. Temp:


200°C

Det. Temp:

250°C

Det. Type:

MSD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brandon Reish
Brandon Reish - Mix Technician

Date Mixed: 05-May-2022

Balance: 1127510105

Marlina Cowan
Marlina Cowan - Operations Tech I

Date Passed: 10-May-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

- k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
 - Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Reagent

MSV_V_PentaCL_00044



CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577491 **Lot No.:** A0184174

Description : Custom Pentachloroethane Standard

Custom Pentachloroethane Standard 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Pentachloroethane CAS # 76-01-7 Purity 99% (Lot 10518800)	5,022.0 µg/mL	+/- 29.4719 µg/mL Gravimetric +/- 281.6071 µg/mL Unstressed +/- 288.1950 µg/mL Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Nick Yaw
Nick Yaw - Operations Tech I

Christie Mills
Christie Mills - Operations Technician II

Date Mixed: 15-Apr-2022 **Balance:** B707717271

Date Passed: 20-Apr-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

- k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
 - Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Reagent

MSV_V_SMFreon_00036



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 577490 **Lot No.:** A0184508

Description : Custom SM Freons Standard
Custom SM Freons Standard 2,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Chlorotrifluoroethylene CAS # 79-38-9 (Lot 202600) Purity 99%	2,000.6 µg/mL	+/- 37.3988 µg/mL Gravimetric +/- 117.6695 µg/mL Unstressed +/- 120.1742 µg/mL Stressed
2	Chlorodifluoromethane (CFC-22) CAS # 75-45-6 (Lot Q162-44) Purity 99%	2,004.5 µg/mL	+/- 79.7514 µg/mL Gravimetric +/- 137.3187 µg/mL Unstressed +/- 139.4793 µg/mL Stressed
3	2-Chloro-1,1,1-trifluoroethane (HCFC-133a) CAS # 75-88-7 (Lot Q157-146) Purity 99%	2,000.3 µg/mL	+/- 53.9352 µg/mL Gravimetric +/- 123.9040 µg/mL Unstressed +/- 126.2843 µg/mL Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)


Carrier Gas:
helium-constant flow 2.0 mL/min.

Temp. Program:
40°C (hold 6 min.) to 100°C
@ 6°C/min.

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
MSD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Cathleen Soltis - Mix Technician

Date Mixed: 25-Apr-2022 Balance: B707717271


Christie Mills - Operations Technician II

Date Passed: 02-May-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

- k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
 - Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Method 8260D

Volatile Organic Compounds (GC/MS)
by Method 8260D

FORM II
GC/MS VOA SURROGATE RECOVERY

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Matrix: Water

Level: Low

GC Column (1): DB-624 20m ID: 0.18 (mm)

Client Sample ID	Lab Sample ID	DBFM #	DCA #	TOL #	BFB #
HD-MW-5-0/1-0	410-164762-1	99	98	100	99
HD-MW-6-0/1-0	410-164762-2	99	99	100	97
HD-MW-88-0/1-0	410-164762-3	97	98	101	98
HD-MW-101S-0/1-0	410-164762-4	97	98	100	99
HD-MW-101D-0/1-0	410-164762-5	99	98	101	99
HD-QC1-0/1-3	410-164762-6	98	98	101	98
HD-QC1-0/1-4	410-164762-7	104	100	100	98
	MB 410-486390/7	99	98	100	98
	MB 410-488320/7	103	98	100	99
	LCS 410-486390/4	99	99	100	99
	LCS 410-488320/4	103	101	100	98
	LCSD 410-486390/5	99	99	100	99
	LCSD 410-488320/5	101	99	101	98

DBFM = Dibromofluoromethane (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)
TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene (Surr)

QC LIMITS
80-120
80-120
80-120
80-120

Column to be used to flag recovery values

FORM II 8260D

FORM III
GC/MS VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Matrix: Water Level: Low

Lab File ID: EM22X33.D

Lab ID: LCS 410-486390/4

Client ID:

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
1,1,1,2-Tetrachloroethane	20.0	21.1	105	78-120	
1,1,1-Trichloroethane	20.0	21.2	106	67-126	
1,1,2,2-Tetrachloroethane	20.0	21.1	106	72-120	
1,1,2-Trichloroethane	20.0	20.8	104	80-120	
1,1-Dichloroethane	20.0	21.2	106	80-120	
1,1-Dichloroethene	20.0	21.1	105	80-131	
1,2-Dibromoethane (EDB)	20.0	20.5	102	77-120	
1,2-Dichloroethane	20.0	20.6	103	73-124	
1,2-Dichloropropane	20.0	21.3	106	80-120	
2-Butanone (MEK)	250	241	96	59-135	
2-Hexanone	250	253	101	56-135	
4-Methyl-2-pentanone (MIBK)	250	258	103	62-133	
Acetone	250	244	98	54-157	
Benzene	20.0	20.9	104	80-120	
Bromochloromethane	20.0	21.9	109	80-120	
Bromodichloromethane	20.0	20.7	104	71-120	
Bromoform	20.0	18.7	93	51-120	
Bromomethane	20.0	18.5	93	53-128	
Carbon disulfide	20.0	19.1	96	65-128	
Carbon tetrachloride	20.0	20.8	104	64-134	
Chlorobenzene	20.0	21.1	105	80-120	
Chloroethane	20.0	19.3	97	55-123	
Chloroform	20.0	22.1	111	80-120	
Chloromethane	20.0	17.1	86	56-121	
cis-1,2-Dichloroethene	20.0	21.0	105	80-125	
cis-1,3-Dichloropropene	20.0	19.6	98	75-120	
Dibromochloromethane	20.0	20.5	103	71-120	
Ethylbenzene	20.0	20.9	105	80-120	
Methyl tert-butyl ether	20.0	20.3	101	69-122	
Methylene Chloride	20.0	20.5	102	80-120	
Styrene	20.0	20.8	104	80-120	
Tetrachloroethene	20.0	20.7	104	80-120	
Toluene	20.0	20.8	104	80-120	
trans-1,2-Dichloroethene	20.0	20.8	104	80-126	
trans-1,3-Dichloropropene	20.0	20.5	103	67-120	
Trichloroethene	20.0	20.5	103	80-120	
Vinyl chloride	20.0	17.9	89	56-120	
Xylenes, Total	60.0	62.0	103	80-120	

Column to be used to flag recovery and RPD values

FORM III
GC/MS VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Matrix: Water Level: Low

Lab File ID: YM28X33.D

Lab ID: LCS 410-488320/4

Client ID:

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
1,1,1,2-Tetrachloroethane	20.0	18.5	92	78-120	
1,1,1-Trichloroethane	20.0	19.5	98	67-126	
1,1,2,2-Tetrachloroethane	20.0	18.3	92	72-120	
1,1,2-Trichloroethane	20.0	18.8	94	80-120	
1,1-Dichloroethane	20.0	19.7	98	80-120	
1,1-Dichloroethene	20.0	19.7	98	80-131	
1,2-Dibromoethane (EDB)	20.0	18.8	94	77-120	
1,2-Dichloroethane	20.0	19.5	98	73-124	
1,2-Dichloropropane	20.0	19.4	97	80-120	
2-Butanone (MEK)	250	219	88	59-135	
2-Hexanone	250	231	92	56-135	
4-Methyl-2-pentanone (MIBK)	250	238	95	62-133	
Acetone	250	241	96	54-157	
Benzene	20.0	19.5	97	80-120	
Bromochloromethane	20.0	20.6	103	80-120	
Bromodichloromethane	20.0	18.1	90	71-120	
Bromoform	20.0	15.5	78	51-120	
Bromomethane	20.0	18.9	94	53-128	
Carbon disulfide	20.0	16.5	82	65-128	
Carbon tetrachloride	20.0	19.0	95	64-134	
Chlorobenzene	20.0	18.9	95	80-120	
Chloroethane	20.0	20.5	102	55-123	
Chloroform	20.0	20.0	100	80-120	
Chloromethane	20.0	18.4	92	56-121	
cis-1,2-Dichloroethene	20.0	19.8	99	80-125	
cis-1,3-Dichloropropene	20.0	16.0	80	75-120	
Dibromochloromethane	20.0	17.4	87	71-120	
Ethylbenzene	20.0	19.3	96	80-120	
Methyl tert-butyl ether	20.0	18.3	92	69-122	
Methylene Chloride	20.0	19.7	99	80-120	
Styrene	20.0	18.8	94	80-120	
Tetrachloroethene	20.0	19.6	98	80-120	
Toluene	20.0	19.2	96	80-120	
trans-1,2-Dichloroethene	20.0	19.7	98	80-126	
trans-1,3-Dichloropropene	20.0	16.5	82	67-120	
Trichloroethene	20.0	19.2	96	80-120	
Vinyl chloride	20.0	18.4	92	56-120	
Xylenes, Total	60.0	57.0	95	80-120	

Column to be used to flag recovery and RPD values

FORM III
GC/MS VOA LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Matrix: Water Level: Low

Lab File ID: EM22X34.D

Lab ID: LCSD 410-486390/5

Client ID:

COMPOUND	SPIKE ADDED (ug/L)	LCSD CONCENTRATION (ug/L)	LCSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
1,1,1,2-Tetrachloroethane	20.0	19.3	96	9	30	78-120	
1,1,1-Trichloroethane	20.0	19.4	97	9	30	67-126	
1,1,2,2-Tetrachloroethane	20.0	19.3	97	9	30	72-120	
1,1,2-Trichloroethane	20.0	19.8	99	5	30	80-120	
1,1-Dichloroethane	20.0	19.4	97	9	30	80-120	
1,1-Dichloroethene	20.0	19.5	98	8	30	80-131	
1,2-Dibromoethane (EDB)	20.0	19.1	96	7	30	77-120	
1,2-Dichloroethane	20.0	19.0	95	8	30	73-124	
1,2-Dichloropropane	20.0	19.7	99	8	30	80-120	
2-Butanone (MEK)	250	227	91	6	30	59-135	
2-Hexanone	250	236	94	7	30	56-135	
4-Methyl-2-pentanone (MIBK)	250	240	96	7	30	62-133	
Acetone	250	221	88	10	30	54-157	
Benzene	20.0	19.5	98	7	30	80-120	
Bromochloromethane	20.0	20.4	102	7	30	80-120	
Bromodichloromethane	20.0	19.3	96	7	30	71-120	
Bromoform	20.0	17.6	88	6	30	51-120	
Bromomethane	20.0	17.6	88	5	30	53-128	
Carbon disulfide	20.0	17.8	89	7	30	65-128	
Carbon tetrachloride	20.0	19.1	95	8	30	64-134	
Chlorobenzene	20.0	19.7	98	7	30	80-120	
Chloroethane	20.0	17.9	90	8	30	55-123	
Chloroform	20.0	20.5	102	8	30	80-120	
Chloromethane	20.0	17.9	89	4	30	56-121	
cis-1,2-Dichloroethene	20.0	19.5	97	7	30	80-125	
cis-1,3-Dichloropropene	20.0	18.2	91	7	30	75-120	
Dibromochloromethane	20.0	18.8	94	9	30	71-120	
Ethylbenzene	20.0	19.3	96	8	30	80-120	
Methyl tert-butyl ether	20.0	18.9	94	7	30	69-122	
Methylene Chloride	20.0	19.5	98	5	30	80-120	
Styrene	20.0	19.4	97	7	30	80-120	
Tetrachloroethene	20.0	19.2	96	7	30	80-120	
Toluene	20.0	19.6	98	6	30	80-120	
trans-1,2-Dichloroethene	20.0	19.1	95	9	30	80-126	
trans-1,3-Dichloropropene	20.0	18.9	94	8	30	67-120	
Trichloroethene	20.0	19.1	95	7	30	80-120	
Vinyl chloride	20.0	16.3	82	9	30	56-120	
Xylenes, Total	60.0	58.7	98	5	30	80-120	

Column to be used to flag recovery and RPD values

FORM III
GC/MS VOA LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Matrix: Water Level: Low

Lab File ID: YM28X34.D

Lab ID: LCSD 410-488320/5

Client ID:

COMPOUND	SPIKE ADDED (ug/L)	LCSD CONCENTRATION (ug/L)	LCSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
1,1,1,2-Tetrachloroethane	20.0	18.4	92	0	30	78-120	
1,1,1-Trichloroethane	20.0	19.4	97	1	30	67-126	
1,1,2,2-Tetrachloroethane	20.0	18.2	91	0	30	72-120	
1,1,2-Trichloroethane	20.0	18.6	93	1	30	80-120	
1,1-Dichloroethane	20.0	19.8	99	1	30	80-120	
1,1-Dichloroethene	20.0	19.7	98	0	30	80-131	
1,2-Dibromoethane (EDB)	20.0	19.1	95	1	30	77-120	
1,2-Dichloroethane	20.0	19.8	99	2	30	73-124	
1,2-Dichloropropane	20.0	19.4	97	0	30	80-120	
2-Butanone (MEK)	250	224	90	2	30	59-135	
2-Hexanone	250	235	94	2	30	56-135	
4-Methyl-2-pentanone (MIBK)	250	239	96	1	30	62-133	
Acetone	250	264	106	9	30	54-157	
Benzene	20.0	19.3	96	1	30	80-120	
Bromochloromethane	20.0	20.3	101	2	30	80-120	
Bromodichloromethane	20.0	18.2	91	0	30	71-120	
Bromoform	20.0	15.3	76	2	30	51-120	
Bromomethane	20.0	18.9	95	0	30	53-128	
Carbon disulfide	20.0	16.2	81	2	30	65-128	
Carbon tetrachloride	20.0	19.1	96	1	30	64-134	
Chlorobenzene	20.0	18.8	94	0	30	80-120	
Chloroethane	20.0	20.4	102	1	30	55-123	
Chloroform	20.0	19.8	99	1	30	80-120	
Chloromethane	20.0	18.4	92	0	30	56-121	
cis-1,2-Dichloroethene	20.0	19.5	97	2	30	80-125	
cis-1,3-Dichloropropene	20.0	16.0	80	0	30	75-120	
Dibromochloromethane	20.0	17.3	86	1	30	71-120	
Ethylbenzene	20.0	19.2	96	0	30	80-120	
Methyl tert-butyl ether	20.0	18.4	92	0	30	69-122	
Methylene Chloride	20.0	19.6	98	0	30	80-120	
Styrene	20.0	18.8	94	0	30	80-120	
Tetrachloroethene	20.0	19.7	99	1	30	80-120	
Toluene	20.0	19.3	96	0	30	80-120	
trans-1,2-Dichloroethene	20.0	19.3	97	2	30	80-126	
trans-1,3-Dichloropropene	20.0	16.4	82	1	30	67-120	
Trichloroethene	20.0	19.1	96	0	30	80-120	
Vinyl chloride	20.0	18.4	92	0	30	56-120	
Xylenes, Total	60.0	56.8	95	0	30	80-120	

Column to be used to flag recovery and RPD values

FORM IV

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab File ID: EM22X36.D

Lab Sample ID: MB 410-486390/7

Matrix: Water

Heated Purge: (Y/N) N

Instrument ID: 15648

Date Analyzed: 03/22/2024 21:50

GC Column: DB-624 20m ID: 0.18 (mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 410-486390/4	EM22X33.D	03/22/2024 20:51
	LCSD 410-486390/5	EM22X34.D	03/22/2024 21:11
HD-QC1-0/1-3	410-164762-6	EM22X38.D	03/22/2024 22:30
HD-MW-5-0/1-0	410-164762-1	EM22X46.D	03/23/2024 01:09
HD-MW-6-0/1-0	410-164762-2	EM22X47.D	03/23/2024 01:29
HD-MW-88-0/1-0	410-164762-3	EM22X48.D	03/23/2024 01:48
HD-MW-101S-0/1-0	410-164762-4	EM22X49.D	03/23/2024 02:08
HD-MW-101D-0/1-0	410-164762-5	EM22X50.D	03/23/2024 02:28

FORM IV

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab File ID: YM28X36.D

Lab Sample ID: MB 410-488320/7

Matrix: Water

Heated Purge: (Y/N) N

Instrument ID: 9355

Date Analyzed: 03/28/2024 22:13

GC Column: R-624SilMS 30m ID: 0.25 (mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 410-488320/4	YM28X33.D	03/28/2024 21:07
	LCSD 410-488320/5	YM28X34.D	03/28/2024 21:29
HD-QC1-0/1-4	410-164762-7	YM28X40.D	03/28/2024 23:42

FORM V
GC/MS VOA INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab File ID: EM18T01.D

BFB Injection Date: 03/18/2024

Instrument ID: 15648

BFB Injection Time: 11:40

Analysis Batch No.: 484275

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	50 - 200% of m/z 174	126.1
96	5 - 9% of m/z 95	6.6
173	Less than 2% of m/z 174	0.0
174	50 - 200% of m/z 95	79.3
175	5 - 9% of m/z 174	7.9
176	95 -105% of m/z 174	96.4
177	5 - 10% of m/z 176	6.6

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	IC 410-484275/3	EN18X03.D	03/18/2024	12:16
	IC 410-484275/4	EN18X04.D	03/18/2024	12:36
	IC 410-484275/5	EN18X05.D	03/18/2024	12:56
	IC 410-484275/6	EN18X06.D	03/18/2024	13:16
	IC 410-484275/7	EN18X07.D	03/18/2024	13:36
	IC 410-484275/8	EN18X08.D	03/18/2024	13:56
	IC 410-484275/12	EN18X12.D	03/18/2024	15:16
	IC 410-484275/13	EN18X13.D	03/18/2024	15:36
	IC 410-484275/14	EN18X14.D	03/18/2024	15:56
	IC 410-484275/15	EN18X15.D	03/18/2024	16:16
	ICIS 410-484275/16	EN18X16.D	03/18/2024	16:36
	IC 410-484275/17	EN18X17.D	03/18/2024	16:56
	IC 410-484275/18	EN18X18.D	03/18/2024	17:16
	ICV 410-484275/20	EN18X20.D	03/18/2024	17:57

FORM V
GC/MS VOA INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab File ID: EM22T31.D

BFB Injection Date: 03/22/2024

Instrument ID: 15648

BFB Injection Time: 19:59

Analysis Batch No.: 486390

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	50 - 200% of m/z 174	126.5
96	5 - 9% of m/z 95	6.5
173	Less than 2% of m/z 174	0.0
174	50 - 200% of m/z 95	79.0
175	5 - 9% of m/z 174	8.1
176	95 -105% of m/z 174	97.1
177	5 - 10% of m/z 176	6.4

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	CCVIS 410-486390/3	EM22X32.D	03/22/2024	20:31
	LCS 410-486390/4	EM22X33.D	03/22/2024	20:51
	LCSD 410-486390/5	EM22X34.D	03/22/2024	21:11
	MB 410-486390/7	EM22X36.D	03/22/2024	21:50
HD-QC1-0/1-3	410-164762-6	EM22X38.D	03/22/2024	22:30
HD-MW-5-0/1-0	410-164762-1	EM22X46.D	03/23/2024	1:09
HD-MW-6-0/1-0	410-164762-2	EM22X47.D	03/23/2024	1:29
HD-MW-88-0/1-0	410-164762-3	EM22X48.D	03/23/2024	1:48
HD-MW-101S-0/1-0	410-164762-4	EM22X49.D	03/23/2024	2:08
HD-MW-101D-0/1-0	410-164762-5	EM22X50.D	03/23/2024	2:28

FORM V
GC/MS VOA INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1
Environment Testing, LLC

SDG No.: _____

Lab File ID: YM25T01.D BFB Injection Date: 03/25/2024

Instrument ID: 9355 BFB Injection Time: 12:49

Analysis Batch No.: 486676

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0 % of mass 95	17.7
75	30.0 - 60.0 % of mass 95	47.7
95	Base Peak, 100% relative abundance	100.0
96	5.0 - 9.0 % of mass 95	6.9
173	Less than 2.0 % of mass 174	0.0 (0.0) 1
174	Greater than 50% of mass 95	76.4
175	5.0 - 9.0 % of mass 174	6.0 (7.8) 1
176	95.0 - 101.0 % of mass 174	73.8 (96.6) 1
177	5.0 - 9.0 % of mass 176	5.1 (6.9) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	IC 410-486676/3	YM25X02.D	03/25/2024	13:30
	IC 410-486676/4	YM25X03.D	03/25/2024	13:52
	IC 410-486676/5	YM25X04.D	03/25/2024	14:14
	IC 410-486676/6	YM25X05.D	03/25/2024	14:37
	IC 410-486676/7	YM25X06.D	03/25/2024	14:59
	IC 410-486676/8	YM25X07.D	03/25/2024	15:21
	IC 410-486676/12	YM25X11.D	03/25/2024	16:50
	IC 410-486676/13	YM25X12.D	03/25/2024	17:12
	IC 410-486676/15	YM25X14.D	03/25/2024	17:56
	ICIS 410-486676/16	YM25X15.D	03/25/2024	18:19
	IC 410-486676/17	YM25X16.D	03/25/2024	18:41
	IC 410-486676/18	YM25X17.D	03/25/2024	19:03
	ICV 410-486676/20	YM25X19.D	03/25/2024	19:47
	IC 410-486676/14	YM25X21.D	03/25/2024	20:33

FORM V
GC/MS VOA INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab File ID: YM28T31.D

BFB Injection Date: 03/28/2024

Instrument ID: 9355

BFB Injection Time: 20:10

Analysis Batch No.: 488320

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0 % of mass 95	18.6
75	30.0 - 60.0 % of mass 95	49.9
95	Base Peak, 100% relative abundance	100.0
96	5.0 - 9.0 % of mass 95	7.0
173	Less than 2.0 % of mass 174	0.0 (0.0) 1
174	Greater than 50% of mass 95	80.9
175	5.0 - 9.0 % of mass 174	6.1 (7.5) 1
176	95.0 - 101.0 % of mass 174	79.2 (98.0) 1
177	5.0 - 9.0 % of mass 176	5.2 (6.5) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	CCVIS 410-488320/3	YM28X32.D	03/28/2024	20:45
	LCS 410-488320/4	YM28X33.D	03/28/2024	21:07
	LCSD 410-488320/5	YM28X34.D	03/28/2024	21:29
	MB 410-488320/7	YM28X36.D	03/28/2024	22:13
HD-QC1-0/1-4	410-164762-7	YM28X40.D	03/28/2024	23:42

FORM VIII

Job No.: 410-164762-1

Sample No.: ICIS 410-484275/16

Date Analyzed: 03/18/2024 16:36

Instrument ID: 15648

GC Column: DB-624 20m ID: 0.18 (mm)

Lab File ID (Standard): EN18X16.D

Heated Purge: (Y/N) N

Calibration ID: 59728

		TBAd10		FB		CBZd5	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
INITIAL CALIBRATION MID-POINT		220202	2.27	1080528	4.47	806749	7.64
UPPER LIMIT		440404	2.77	2161056	4.97	1613498	8.14
LOWER LIMIT		110101	1.77	540264	3.97	403375	7.14
LAB SAMPLE ID	CLIENT SAMPLE ID						
ICV 410-484275/20		240366	2.27	1080038	4.47	799652	7.64
CCVIS 410-486390/3		183256	2.26	936265	4.45	694552	7.63

TBAd10 = t-Butyl alcohol-d10 (IS)

FB = Fluorobenzene (IS)

CBZd5 = Chlorobenzene-d5 (IS)

Area Limit = 50%-200% of internal standard area

RT Limit = $\pm$ 0.5 minutes of internal standard RT

```
# Column used to flag values outside QC limits
```

FORM VIII

Job No.: 410-164762-1

Sample No.: ICIS 410-484275/16

Date Analyzed: 03/18/2024 16:36

GC Column: DB-624 20m

ID: 0.18 (mm)

Heated Purge: (Y/N) N

Calibration ID: 59728

		DCBd4					
		AREA #	RT #	#	RT #	#	RT #
INITIAL CALIBRATION MID-POINT		454380	9.60				
UPPER LIMIT		908760	10.10				
LOWER LIMIT		227190	9.10				
LAB SAMPLE ID	CLIENT SAMPLE ID						
ICV 410-484275/20		446746	9.60				
CCVIS 410-486390/3		387212	9.59				

DCBd4 = 1,4-Dichlorobenzene-d4

Area Limit = 50%-200% of internal standard area
RT Limit = $\pm$ 0.5 minutes of internal standard RT

```
# Column used to flag values outside QC limits
```

FORM VIII
GC/MS VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1
 Environment Testing, LLC

SDG No.: _____

Sample No.: CCVIS 410-486390/3 Date Analyzed: 03/22/2024 20:31

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm)

Lab File ID (Standard): EM22X32.D Heated Purge: (Y/N) N

Calibration ID: 59728

	TBA _d 10		FB		CBZ _d 5	
	AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD	183256	2.26	936265	4.45	694552	7.63
UPPER LIMIT	366512	2.76	1872530	4.95	1389104	8.13
LOWER LIMIT	91628	1.76	468133	3.95	347276	7.13
LAB SAMPLE ID	CLIENT SAMPLE ID					
LCS 410-486390/4		176872	2.26	892425	4.45	659434 7.63
LCSD 410-486390/5		202168	2.27	968759	4.45	712661 7.63
MB 410-486390/7		191244	2.26	969284	4.45	713203 7.63
410-164762-6	HD-QC1-0/1-3	192976	2.26	976641	4.45	716622 7.63
410-164762-1	HD-MW-5-0/1-0	182900	2.26	957374	4.46	704146 7.63
410-164762-2	HD-MW-6-0/1-0	185150	2.26	934469	4.46	693893 7.63
410-164762-3	HD-MW-88-0/1-0	194616	2.26	952181	4.45	694057 7.63
410-164762-4	HD-MW-101S-0/1-0	200372	2.26	993449	4.45	731630 7.63
410-164762-5	HD-MW-101D-0/1-0	202890	2.27	982313	4.46	721247 7.63

TBA_d10 = t-Butyl alcohol-d₁₀ (IS)

FB = Fluorobenzene (IS)

CBZ_d5 = Chlorobenzene-d₅ (IS)

Area Limit = 50%-200% of internal standard area

RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII

Job No.: 410-164762-1

Sample No.: CCVIS 410-486390/3

Date Analyzed: 03/22/2024 20:31

GC Column: DB-624 20m

ID: 0.18 (mm)

Heated Purge: (Y/N) N

Calibration ID: 59728

		DCBd4					
		AREA #	RT #	#	RT #	#	RT #
12/24 HOUR STD		387212	9.59				
UPPER LIMIT		774424	10.09				
LOWER LIMIT		193606	9.09				
LAB SAMPLE ID	CLIENT SAMPLE ID						
LCS 410-486390/4		363437	9.59				
LCSD 410-486390/5		395450	9.59				
MB 410-486390/7		390714	9.59				
410-164762-6	HD-QC1-0/1-3	392668	9.59				
410-164762-1	HD-MW-5-0/1-0	384623	9.59				
410-164762-2	HD-MW-6-0/1-0	374204	9.59				
410-164762-3	HD-MW-88-0/1-0	375370	9.59				
410-164762-4	HD-MW-101S-0/1-0	404393	9.59				
410-164762-5	HD-MW-101D-0/1-0	401739	9.59				

DCBd4 = 1,4-Dichlorobenzene-d4

Area Limit = 50%-200% of internal standard area
RT Limit = $\pm$ 0.5 minutes of internal standard RT

```
# Column used to flag values outside QC limits
```

FORM VIII
GC/MS VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1
 Environment Testing, LLC

SDG No.: _____

Sample No.: ICIS 410-486676/16 Date Analyzed: 03/25/2024 18:19

Instrument ID: 9355 GC Column: R-624SilMS 30m ID: 0.25 (mm)

Lab File ID (Standard): YM25X15.D Heated Purge: (Y/N) N

Calibration ID: 59886

		TBAd10		FB		CBZd5	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
INITIAL CALIBRATION MID-POINT		385838	3.94	837226	7.49	636078	11.04
UPPER LIMIT		771676	4.44	1674452	7.99	1272156	11.54
LOWER LIMIT		192919	3.44	418613	6.99	318039	10.54
LAB SAMPLE ID		CLIENT SAMPLE ID					
ICV 410-486676/20		404413	3.95	811297	7.49	613534	11.04
CCVIS 410-488320/3		330773	3.94	773260	7.49	593305	11.04

TBA_d10 = t-Butyl alcohol-d₁₀ (IS)

FB = Fluorobenzene (IS)

CBZ_d5 = Chlorobenzene-d₅ (IS)

Area Limit = 50%-200% of internal standard area

RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII

Job No.: 410-164762-1

Sample No.: ICIS 410-486676/16

Date Analyzed: 03/25/2024 18:19

GC Column: R-624SilMS 30m

ID: 0.25 (mm)

Heated Purge: (Y/N) N

Calibration ID: 59886

		DCBd4					
		AREA #	RT #	#	RT #	#	RT #
INITIAL CALIBRATION MID-POINT		382835	12.95				
UPPER LIMIT		765670	13.45				
LOWER LIMIT		191418	12.45				
LAB SAMPLE ID	CLIENT SAMPLE ID						
ICV 410-486676/20		366961	12.95				
CCVIS 410-488320/3		354448	12.95				

DCBd4 = 1,4-Dichlorobenzene-d4

Area Limit = 50%-200% of internal standard area
RT Limit = $\pm$ 0.5 minutes of internal standard RT

```
# Column used to flag values outside QC limits
```

FORM VIII
GC/MS VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1
 Environment Testing, LLC

SDG No.: _____

Sample No.: CCVIS 410-488320/3 Date Analyzed: 03/28/2024 20:45

Instrument ID: 9355 GC Column: R-624SilMS 30m ID: 0.25 (mm)

Lab File ID (Standard): YM28X32.D Heated Purge: (Y/N) N

Calibration ID: 59886

	TBAd10		FB		CBZd5		
	AREA #	RT #	AREA #	RT #	AREA #	RT #	
12/24 HOUR STD	330773	3.94	773260	7.49	593305	11.04	
UPPER LIMIT	661546	4.44	1546520	7.99	1186610	11.54	
LOWER LIMIT	165387	3.44	386630	6.99	296653	10.54	
LAB SAMPLE ID	CLIENT SAMPLE ID						
LCS 410-488320/4		359950	3.95	788055	7.49	593026	11.04
LCSD 410-488320/5		353936	3.95	787063	7.49	588920	11.04
MB 410-488320/7		321724	3.95	768037	7.49	572540	11.04
410-164762-7	HD-QC1-0/1-4	306527	3.95	741243	7.49	557943	11.04

TBA_d10 = t-Butyl alcohol-d₁₀ (IS)

FB = Fluorobenzene (IS)

CBZ_d5 = Chlorobenzene-d₅ (IS)

Area Limit = 50%-200% of internal standard area

RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII

Job No.: 410-164762-1

Sample No.: CCVIS 410-488320/3

Date Analyzed: 03/28/2024 20:45

Instrument ID: 9355

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Lab File ID (Standard): YM28X32.D

Heated Purge: (Y/N) N

Calibration ID: 59886

		DCBd4					
		AREA #	RT #	#	RT #	#	RT #
12/24 HOUR STD		354448	12.95				
UPPER LIMIT		708896	13.45				
LOWER LIMIT		177224	12.45				
LAB SAMPLE ID	CLIENT SAMPLE ID						
LCS 410-488320/4		361439	12.95				
LCSD 410-488320/5		361862	12.95				
MB 410-488320/7		358656	12.95				
410-164762-7	HD-QC1-0/1-4	346393	12.95				

DCBd4 = 1,4-Dichlorobenzene-d4

Area Limit = 50%-200% of internal standard area
RT Limit = $\pm$ 0.5 minutes of internal standard RT

```
# Column used to flag values outside QC limits
```

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-MW-5-0/1-0

Lab Sample ID: 410-164762-1

Matrix: Water

Lab File ID: EM22X46.D

Analysis Method: 8260D

Date Collected: 03/19/2024 14:05

Sample wt/vol: 5(mL)

Date Analyzed: 03/23/2024 01:09

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	1.8		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	ND		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1
Environment Testing, LLC

SDG No.: _____

Client Sample ID: HD-MW-5-0/1-0 Lab Sample ID: 410-164762-1

Matrix: Water Lab File ID: EM22X46.D

Analysis Method: 8260D Date Collected: 03/19/2024 14:05

Sample wt/vol: 5 (mL) Date Analyzed: 03/23/2024 01:09

Soil Aliquot Vol: _____ Dilution Factor: 1

Soil Extract Vol.: _____ GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL) Heated Purge: (Y/N) N pH: _____

% Moisture: _____ % Solids: _____ Level: (low/med) Low

Analysis Batch No.: 486390 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	ND		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	98		80-120
460-00-4	4-Bromofluorobenzene (Surr)	99		80-120
1868-53-7	Dibromofluoromethane (Surr)	99		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X46.D
 Lims ID: 410-164762-A-1
 Client ID: HD-MW-5-0/1-0
 Sample Type: Client
 Inject. Date: 23-Mar-2024 01:09:30 ALS Bottle#: 16 Worklist Smp#: 17
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-017
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 09:46:12 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:46:12

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
4 Chloromethane	50		1.214				ND	7
6 Vinyl chloride	62		1.275				ND	
8 Bromomethane	94		1.445				ND	
9 Chloroethane	64		1.470				ND	
17 1,1-Dichloroethene	96		1.915				ND	U
18 Acetone	58		1.927				ND	
22 Carbon disulfide	76		2.079				ND	
27 Methylene Chloride	84		2.250				ND	
* 28 t-Butyl alcohol-d10 (IS)	65	2.262	2.256	0.006	24	182900	250.0	
32 trans-1,2-Dichloroethene	96	2.482	2.469	0.013	23	725	0.1483	
31 Methyl tert-butyl ether	73		2.476				ND	
34 1,1-Dichloroethane	63		2.823				ND	
40 cis-1,2-Dichloroethene	96	3.347	3.347	0.000	84	9928	1.79	
39 2-Butanone (MEK)	43		3.353				ND	
45 Chlorobromomethane	128		3.561				ND	
47 Chloroform	83		3.646				ND	
\$ 48 Dibromofluoromethane (Surr)	113	3.799	3.792	0.007	93	223828	49.6	
49 1,1,1-Trichloroethane	97		3.823				ND	
53 Carbon tetrachloride	117		3.987				ND	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.116	4.115	0.001	77	347563	49.1	
56 Benzene	78		4.170				ND	
57 1,2-Dichloroethane	62		4.183				ND	
* 60 Fluorobenzene (IS)	96	4.457	4.451	0.006	98	957374	50.0	
63 Trichloroethene	95		4.817				ND	U
65 1,2-Dichloropropane	63		5.036				ND	
71 Dichlorobromomethane	83		5.329				ND	
74 cis-1,3-Dichloropropene	75		5.804				ND	
75 4-Methyl-2-pentanone (MIBK)	43		5.981				ND	
\$ 77 Toluene-d8 (Surr)	98	6.091	6.091	0.000	95	986239	50.0	
78 Toluene	92		6.158				ND	
79 trans-1,3-Dichloropropene	75		6.408				ND	
82 1,1,2-Trichloroethane	97		6.597				ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
83 Tetrachloroethene	166		6.749				ND	
86 2-Hexanone	43		6.901				ND	
87 Chlorodibromomethane	129		7.023				ND	
89 Ethylene Dibromide	107		7.127				ND	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	90	704146	50.0	
91 Chlorobenzene	112		7.657				ND	
94 1,1,1,2-Tetrachloroethane	131		7.749				ND	
95 Ethylbenzene	91		7.779				ND	
96 m-Xylene & p-Xylene	106		7.901				ND	
97 o-Xylene	106		8.255				ND	
98 Styrene	104		8.267				ND	
99 Bromoform	173		8.407				ND	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	86	369213	49.3	
105 1,1,2,2-Tetrachloroethane	83		8.822				ND	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	384623	50.0	
S 169 Xylenes, Total	106		11.245				ND	7

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

U - Marked Undetected

Reagents:

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent

Report Date: 25-Mar-2024 09:46:12

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X46.D

Injection Date: 23-Mar-2024 01:09:30

Instrument ID: 15648

Operator ID: MEC29284

Lims ID: 410-164762-A-1

Lab Sample ID: 410-164762-1

Worklist Smp#: 17

Client ID: HD-MW-5-0/1-0

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 16

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X46.D
Lims ID: 410-164762-A-1
Client ID: HD-MW-5-0/1-0
Sample Type: Client
Inject. Date: 23-Mar-2024 01:09:30 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-017
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 25-Mar-2024 09:46:12 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:46:12

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	49.6	99.23
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	49.1	98.15
\$ 77 Toluene-d8 (Surr)	50.0	50.0	100.03
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.3	98.59

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X46.D

Injection Date: 23-Mar-2024 01:09:30

Instrument ID: 15648

Lims ID: 410-164762-A-1

Lab Sample ID: 410-164762-1

Client ID: HD-MW-5-0/1-0

Operator ID: MEC29284

ALS Bottle#: 16

Worklist Smp#: 17

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad


40 cis-1,2-Dichloroethene, CAS: 156-59-2

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X46.D
Injection Date: 23-Mar-2024 01:09:30 Instrument ID: 15648
Lims ID: 410-164762-A-1 Lab Sample ID: 410-164762-1
Client ID: HD-MW-5-0/1-0
Operator ID: MEC29284 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector: MS Quad

17 1,1-Dichloroethene, CAS: 75-35-4

Processing Results



RT	Mass	Response	Amount
1.93	96.00	546	0.125113
1.91	98.00	0	
1.91	63.00	0	
1.93	61.00	1525	

Reviewer: N9NA, 25-Mar-2024 09:45:48 07:00:00 (UTC)

Audit Action: Marked Compound Undetected


Audit Reason: Invalid Compound ID

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X46.D
Injection Date: 23-Mar-2024 01:09:30 Instrument ID: 15648
Lims ID: 410-164762-A-1 Lab Sample ID: 410-164762-1
Client ID: HD-MW-5-0/1-0
Operator ID: MEC29284 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

63 Trichloroethene, CAS: 79-01-6

Processing Results



RT	Mass	Response	Amount
4.82	95.00	873	0.153909
4.82	132.00	0	
4.82	97.00	0	
4.82	130.00	528	

Reviewer: N9NA, 25-Mar-2024 09:46:03 07:00:00 (UTC)

Audit Action: Marked Compound Undetected

Audit Reason: Invalid Compound ID

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-MW-6-0/1-0

Lab Sample ID: 410-164762-2

Matrix: Water

Lab File ID: EM22X47.D

Analysis Method: 8260D

Date Collected: 03/19/2024 12:48

Sample wt/vol: 5(mL)

Date Analyzed: 03/23/2024 01:29

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	ND		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I

GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No. :

Client Sample ID: HD-MW-6-0/1-0

Lab Sample ID: 410-164762-2

Matrix: Water

Lab File ID: EM22X47.D

Analysis Method: 8260D

Date Collected: 03/19/2024 12:48

Sample wt/vol: 5 (mL)

Date Analyzed: 03/23/2024 01:29

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	ND		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		80-120
460-00-4	4-Bromofluorobenzene (Surr)	97		80-120
1868-53-7	Dibromofluoromethane (Surr)	99		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X47.D
 Lims ID: 410-164762-A-2
 Client ID: HD-MW-6-0/1-0
 Sample Type: Client
 Inject. Date: 23-Mar-2024 01:29:30 ALS Bottle#: 17 Worklist Smp#: 18
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-018
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 09:46:38 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:46:38

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
4 Chloromethane	50		1.214				ND	U
6 Vinyl chloride	62		1.275				ND	
8 Bromomethane	94		1.445				ND	
9 Chloroethane	64		1.470				ND	
17 1,1-Dichloroethene	96		1.915				ND	
18 Acetone	58		1.927				ND	
22 Carbon disulfide	76		2.079				ND	
27 Methylene Chloride	84		2.250				ND	
* 28 t-Butyl alcohol-d10 (IS)	65	2.262	2.256	0.006	32	185150	250.0	
32 trans-1,2-Dichloroethene	96		2.469				ND	
31 Methyl tert-butyl ether	73		2.476				ND	
34 1,1-Dichloroethane	63		2.823				ND	
40 cis-1,2-Dichloroethene	96		3.347				ND	
39 2-Butanone (MEK)	43		3.353				ND	
45 Chlorobromomethane	128		3.561				ND	
47 Chloroform	83		3.646				ND	7
\$ 48 Dibromofluoromethane (Surr)	113	3.798	3.792	0.006	93	218230	49.6	
49 1,1,1-Trichloroethane	97		3.823				ND	
53 Carbon tetrachloride	117		3.987				ND	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.115	4.115	0.000	77	340659	49.3	
56 Benzene	78		4.170				ND	
57 1,2-Dichloroethane	62		4.183				ND	7
* 60 Fluorobenzene (IS)	96	4.457	4.451	0.006	98	934469	50.0	
63 Trichloroethene	95		4.817				ND	
65 1,2-Dichloropropane	63		5.036				ND	
71 Dichlorobromomethane	83		5.329				ND	
74 cis-1,3-Dichloropropene	75		5.804				ND	
75 4-Methyl-2-pentanone (MIBK)	43		5.981				ND	
\$ 77 Toluene-d8 (Surr)	98	6.091	6.091	0.000	95	968133	49.8	
78 Toluene	92		6.158				ND	
79 trans-1,3-Dichloropropene	75		6.408				ND	
82 1,1,2-Trichloroethane	97		6.597				ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
83 Tetrachloroethene	166		6.749				ND	
86 2-Hexanone	43		6.901				ND	
87 Chlorodibromomethane	129		7.023				ND	
89 Ethylene Dibromide	107		7.127				ND	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	90	693893	50.0	
91 Chlorobenzene	112		7.657				ND	
94 1,1,1,2-Tetrachloroethane	131		7.749				ND	
95 Ethylbenzene	91		7.779				ND	
96 m-Xylene & p-Xylene	106		7.901				ND	
97 o-Xylene	106		8.255				ND	
98 Styrene	104		8.267				ND	
99 Bromoform	173		8.407				ND	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	87	356970	48.4	
105 1,1,2,2-Tetrachloroethane	83		8.822				ND	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	374204	50.0	
S 169 Xylenes, Total	106		11.245				ND	7

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

U - Marked Undetected


Reagents:

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X47.D
Lims ID: 410-164762-A-2
Client ID: HD-MW-6-0/1-0
Sample Type: Client
Inject. Date: 23-Mar-2024 01:29:30 ALS Bottle#: 17 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-018
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 25-Mar-2024 09:46:38 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:46:38


Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	49.6	99.12
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	49.3	98.56
\$ 77 Toluene-d8 (Surr)	50.0	49.8	99.64
\$ 103 4-Bromofluorobenzene (Surr)	50.0	48.4	96.73

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X47.D
Injection Date: 23-Mar-2024 01:29:30 Instrument ID: 15648
Lims ID: 410-164762-A-2 Lab Sample ID: 410-164762-2
Client ID: HD-MW-6-0/1-0
Operator ID: MEC29284 ALS Bottle#: 17 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector: MS Quad

4 Chloromethane, CAS: 74-87-3

Processing Results



RT	Mass	Response	Amount
1.22	50.00	881	0.103231
1.21	52.00	0	
1.21	47.00	0	

Reviewer: N9NA, 25-Mar-2024 09:46:26 07:00:00 (UTC)

Audit Action: Marked Compound Undetected

Audit Reason: Invalid Compound ID

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-MW-88-0/1-0

Lab Sample ID: 410-164762-3

Matrix: Water

Lab File ID: EM22X48.D

Analysis Method: 8260D

Date Collected: 03/19/2024 14:53

Sample wt/vol: 5(mL)

Date Analyzed: 03/23/2024 01:48

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	0.95	J	1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	8.2		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I

GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No. :

Client Sample ID: HD-MW-88-0/1-0

Lab Sample ID: 410-164762-3

Matrix: Water

Lab File ID: EM22X48.D

Analysis Method: 8260D

Date Collected: 03/19/2024 14:53

Sample wt/vol: 5 (mL)

Date Analyzed: 03/23/2024 01:48

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	1.6		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	98		80-120
460-00-4	4-Bromofluorobenzene (Surr)	98		80-120
1868-53-7	Dibromofluoromethane (Surr)	97		80-120
2037-26-5	Toluene-d8 (Surr)	101		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X48.D
 Lims ID: 410-164762-A-3
 Client ID: HD-MW-88-0/1-0
 Sample Type: Client
 Inject. Date: 23-Mar-2024 01:48:30 ALS Bottle#: 18 Worklist Smp#: 19
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-019
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 09:47:18 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:47:18

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
4 Chloromethane	50		1.214				ND	7
6 Vinyl chloride	62		1.275				ND	
8 Bromomethane	94		1.445				ND	
9 Chloroethane	64		1.470				ND	
17 1,1-Dichloroethene	96		1.915				ND	
18 Acetone	58		1.927				ND	
22 Carbon disulfide	76		2.079				ND	
27 Methylene Chloride	84		2.250				ND	
* 28 t-Butyl alcohol-d10 (IS)	65	2.262	2.256	0.006	31	194616	250.0	
32 trans-1,2-Dichloroethene	96		2.469				ND	
31 Methyl tert-butyl ether	73		2.476				ND	
34 1,1-Dichloroethane	63	2.817	2.823	-0.006	1	1365	0.1303	
40 cis-1,2-Dichloroethene	96	3.347	3.347	0.000	77	5218	0.9471	
39 2-Butanone (MEK)	43		3.353				ND	7
45 Chlorobromomethane	128		3.561				ND	
47 Chloroform	83		3.646				ND	7
\$ 48 Dibromofluoromethane (Surr)	113	3.792	3.792	0.000	92	218303	48.7	
49 1,1,1-Trichloroethane	97		3.823				ND	
53 Carbon tetrachloride	117		3.987				ND	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.109	4.115	-0.006	77	344304	48.9	
56 Benzene	78		4.170				ND	
57 1,2-Dichloroethane	62		4.183				ND	
* 60 Fluorobenzene (IS)	96	4.451	4.451	0.000	98	952181	50.0	
63 Trichloroethene	95	4.823	4.817	0.006	94	8968	1.59	
65 1,2-Dichloropropane	63		5.036				ND	
71 Dichlorobromomethane	83		5.329				ND	
74 cis-1,3-Dichloropropene	75		5.804				ND	
75 4-Methyl-2-pentanone (MIBK)	43		5.981				ND	U
\$ 77 Toluene-d8 (Surr)	98	6.085	6.091	-0.006	95	978732	50.4	
78 Toluene	92		6.158				ND	
79 trans-1,3-Dichloropropene	75		6.408				ND	
82 1,1,2-Trichloroethane	97		6.597				ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
83 Tetrachloroethene	166	6.755	6.749	0.006	94	46473	8.23	
86 2-Hexanone	43		6.901				ND	
87 Chlorodibromomethane	129		7.023				ND	
89 Ethylene Dibromide	107		7.127				ND	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	90	694057	50.0	
91 Chlorobenzene	112		7.657				ND	
94 1,1,1,2-Tetrachloroethane	131		7.749				ND	
95 Ethylbenzene	91		7.779				ND	
96 m-Xylene & p-Xylene	106		7.901				ND	
97 o-Xylene	106		8.255				ND	
98 Styrene	104		8.267				ND	
99 Bromoform	173		8.407				ND	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	86	362235	49.1	
105 1,1,2,2-Tetrachloroethane	83		8.822				ND	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	375370	50.0	
S 169 Xylenes, Total	106		11.245				ND	7

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

U - Marked Undetected


Reagents:

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X48.D
Lims ID: 410-164762-A-3
Client ID: HD-MW-88-0/1-0
Sample Type: Client
Inject. Date: 23-Mar-2024 01:48:30 ALS Bottle#: 18 Worklist Smp#: 19
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-019
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 25-Mar-2024 09:47:18 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:47:18

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	48.7	97.30
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	48.9	97.76
\$ 77 Toluene-d8 (Surr)	50.0	50.4	100.71
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.1	98.13

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X48.D

Injection Date: 23-Mar-2024 01:48:30

Instrument ID: 15648

Lims ID: 410-164762-A-3

Lab Sample ID: 410-164762-3

Client ID: HD-MW-88-0/1-0

Operator ID: MEC29284

ALS Bottle#: 18

Worklist Smp#: 19

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad

40 cis-1,2-Dichloroethene, CAS: 156-59-2

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X48.D

Injection Date: 23-Mar-2024 01:48:30

Instrument ID: 15648

Lims ID: 410-164762-A-3

Lab Sample ID: 410-164762-3

Client ID: HD-MW-88-0/1-0

Operator ID: MEC29284

ALS Bottle#: 18

Worklist Smp#: 19

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad

83 Tetrachloroethene, CAS: 127-18-4

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X48.D

Injection Date: 23-Mar-2024 01:48:30

Instrument ID: 15648

Lims ID: 410-164762-A-3

Lab Sample ID: 410-164762-3

Client ID: HD-MW-88-0/1-0

Operator ID: MEC29284

ALS Bottle#: 18

Worklist Smp#: 19

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad


63 Trichloroethene, CAS: 79-01-6

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X48.D
Injection Date: 23-Mar-2024 01:48:30 Instrument ID: 15648
Lims ID: 410-164762-A-3 Lab Sample ID: 410-164762-3
Client ID: HD-MW-88-0/1-0
Operator ID: MEC29284 ALS Bottle#: 18 Worklist Smp#: 19
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector: MS Quad

75 4-Methyl-2-pentanone (MIBK), CAS: 108-10-1

Processing Results



RT	Mass	Response	Amount
6.08	43.00	5537	0.649107
6.08	58.00	9043	
5.98	85.00	0	
6.08	100.00	620435	

Reviewer: N9NA, 25-Mar-2024 09:47:09 07:00:00 (UTC)

Audit Action: Marked Compound Undetected

Audit Reason: Invalid Compound ID

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-MW-101S-0/1-0

Lab Sample ID: 410-164762-4

Matrix: Water

Lab File ID: EM22X49.D

Analysis Method: 8260D

Date Collected: 03/19/2024 11:30

Sample wt/vol: 5(mL)

Date Analyzed: 03/23/2024 02:08

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	1.7		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-MW-101S-0/1-0

Lab Sample ID: 410-164762-4

Matrix: Water

Lab File ID: EM22X49.D

Analysis Method: 8260D

Date Collected: 03/19/2024 11:30

Sample wt/vol: 5 (mL)

Date Analyzed: 03/23/2024 02:08

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	0.34	J	1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	98		80-120
460-00-4	4-Bromofluorobenzene (Surr)	99		80-120
1868-53-7	Dibromofluoromethane (Surr)	97		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X49.D
 Lims ID: 410-164762-A-4
 Client ID: HD-MW-101S-0/1-0
 Sample Type: Client
 Inject. Date: 23-Mar-2024 02:08:30 ALS Bottle#: 19 Worklist Smp#: 20
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-020
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 09:47:18 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:48:02

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
4 Chloromethane	50		1.214				ND	7
6 Vinyl chloride	62		1.275				ND	
8 Bromomethane	94		1.445				ND	
9 Chloroethane	64		1.470				ND	
17 1,1-Dichloroethene	96		1.915				ND	
18 Acetone	58		1.927				ND	
22 Carbon disulfide	76		2.079				ND	
27 Methylene Chloride	84		2.250				ND	
* 28 t-Butyl alcohol-d10 (IS)	65	2.256	2.256	0.000	32	200372	250.0	
32 trans-1,2-Dichloroethene	96		2.469				ND	
31 Methyl tert-butyl ether	73		2.476				ND	
34 1,1-Dichloroethane	63		2.823				ND	
40 cis-1,2-Dichloroethene	96	3.347	3.347	0.000	78	793	0.1380	
39 2-Butanone (MEK)	43		3.353				ND	
45 Chlorobromomethane	128		3.561				ND	
47 Chloroform	83	3.634	3.646	-0.012	1	1152	0.1124	
\$ 48 Dibromofluoromethane (Surr)	113	3.792	3.792	0.000	92	226341	48.3	
49 1,1,1-Trichloroethane	97		3.823				ND	7
53 Carbon tetrachloride	117		3.987				ND	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.109	4.115	-0.006	77	360248	49.0	
56 Benzene	78		4.170				ND	
57 1,2-Dichloroethane	62		4.183				ND	
* 60 Fluorobenzene (IS)	96	4.451	4.451	0.000	98	993449	50.0	
63 Trichloroethene	95	4.823	4.817	0.006	94	2014	0.3422	
65 1,2-Dichloropropane	63		5.036				ND	
71 Dichlorobromomethane	83		5.329				ND	
74 cis-1,3-Dichloropropene	75		5.804				ND	
75 4-Methyl-2-pentanone (MIBK)	43		5.981				ND	
\$ 77 Toluene-d8 (Surr)	98	6.085	6.091	-0.006	95	1022832	49.9	
78 Toluene	92		6.158				ND	
79 trans-1,3-Dichloropropene	75		6.408				ND	
82 1,1,2-Trichloroethane	97		6.597				ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
83 Tetrachloroethene	166	6.755	6.749	0.006	93	9874	1.66	
86 2-Hexanone	43		6.901				ND	
87 Chlorodibromomethane	129		7.023				ND	
89 Ethylene Dibromide	107		7.127				ND	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	90	731630	50.0	
91 Chlorobenzene	112		7.657				ND	
94 1,1,1,2-Tetrachloroethane	131		7.749				ND	
95 Ethylbenzene	91		7.779				ND	
96 m-Xylene & p-Xylene	106		7.901				ND	
97 o-Xylene	106		8.255				ND	
98 Styrene	104		8.267				ND	
99 Bromoform	173		8.407				ND	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	86	383701	49.3	
105 1,1,2,2-Tetrachloroethane	83		8.822				ND	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	404393	50.0	
S 169 Xylenes, Total	106		11.245				ND	7

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Reagents:

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent

Report Date: 25-Mar-2024 09:48:02

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X49.D

Injection Date: 23-Mar-2024 02:08:30

Instrument ID: 15648

Operator ID: MEC29284

Lims ID: 410-164762-A-4

Lab Sample ID: 410-164762-4

Worklist Smp#: 20

Client ID: HD-MW-101S-0/1-0

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 19

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X49.D
Lims ID: 410-164762-A-4
Client ID: HD-MW-101S-0/1-0
Sample Type: Client
Inject. Date: 23-Mar-2024 02:08:30 ALS Bottle#: 19 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-020
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 25-Mar-2024 09:47:18 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:48:02

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	48.3	96.70
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	49.0	98.04
\$ 77 Toluene-d8 (Surr)	50.0	49.9	99.84
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.3	98.61

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X49.D

Injection Date: 23-Mar-2024 02:08:30

Instrument ID: 15648

Lims ID: 410-164762-A-4

Lab Sample ID: 410-164762-4

Client ID: HD-MW-101S-0/1-0

Operator ID: MEC29284

ALS Bottle#: 19

Worklist Smp#: 20

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad

83 Tetrachloroethene, CAS: 127-18-4

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X49.D

Injection Date: 23-Mar-2024 02:08:30

Instrument ID: 15648

Lims ID: 410-164762-A-4

Lab Sample ID: 410-164762-4

Client ID: HD-MW-101S-0/1-0

Operator ID: MEC29284

ALS Bottle#: 19

Worklist Smp#: 20

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad

63 Trichloroethene, CAS: 79-01-6

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-MW-101D-0/1-0

Lab Sample ID: 410-164762-5

Matrix: Water

Lab File ID: EM22X50.D

Analysis Method: 8260D

Date Collected: 03/19/2024 10:20

Sample wt/vol: 5(mL)

Date Analyzed: 03/23/2024 02:28

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	8.0		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	3.2		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-MW-101D-0/1-0

Lab Sample ID: 410-164762-5

Matrix: Water

Lab File ID: EM22X50.D

Analysis Method: 8260D

Date Collected: 03/19/2024 10:20

Sample wt/vol: 5 (mL)

Date Analyzed: 03/23/2024 02:28

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	3.8		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	98		80-120
460-00-4	4-Bromofluorobenzene (Surr)	99		80-120
1868-53-7	Dibromofluoromethane (Surr)	99		80-120
2037-26-5	Toluene-d8 (Surr)	101		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X50.D
 Lims ID: 410-164762-A-5
 Client ID: HD-MW-101D-0/1-0
 Sample Type: Client
 Inject. Date: 23-Mar-2024 02:28:30 ALS Bottle#: 20 Worklist Smp#: 21
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-021
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 09:47:18 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:48:55

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
4 Chloromethane	50		1.214				ND	
6 Vinyl chloride	62		1.275				ND	
8 Bromomethane	94		1.445				ND	
9 Chloroethane	64		1.470				ND	
17 1,1-Dichloroethene	96	1.933	1.915	0.018	85	623	0.1391	
18 Acetone	58		1.927				ND	
22 Carbon disulfide	76		2.079				ND	
27 Methylene Chloride	84		2.250				ND	
* 28 t-Butyl alcohol-d10 (IS)	65	2.268	2.256	0.012	32	202890	250.0	
32 trans-1,2-Dichloroethene	96		2.469				ND	
31 Methyl tert-butyl ether	73		2.476				ND	
34 1,1-Dichloroethane	63	2.835	2.823	0.012	89	2133	0.1974	
40 cis-1,2-Dichloroethene	96	3.353	3.347	0.006	84	45251	7.96	
39 2-Butanone (MEK)	43		3.353				ND	7
45 Chlorobromomethane	128		3.561				ND	
47 Chloroform	83	3.652	3.646	0.006	80	2945	0.2906	
\$ 48 Dibromofluoromethane (Surr)	113	3.805	3.792	0.013	93	228310	49.3	
49 1,1,1-Trichloroethane	97		3.823				ND	
53 Carbon tetrachloride	117		3.987				ND	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.116	4.115	0.001	77	355626	48.9	
56 Benzene	78		4.170				ND	7
57 1,2-Dichloroethane	62		4.183				ND	
* 60 Fluorobenzene (IS)	96	4.457	4.451	0.006	98	982313	50.0	
63 Trichloroethene	95	4.823	4.817	0.006	95	22379	3.85	
65 1,2-Dichloropropane	63		5.036				ND	
71 Dichlorobromomethane	83		5.329				ND	
74 cis-1,3-Dichloropropene	75		5.804				ND	
75 4-Methyl-2-pentanone (MIBK)	43		5.981				ND	
\$ 77 Toluene-d8 (Surr)	98	6.091	6.091	0.000	95	1015538	50.3	
78 Toluene	92		6.158				ND	
79 trans-1,3-Dichloropropene	75		6.408				ND	
82 1,1,2-Trichloroethane	97		6.597				ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
83 Tetrachloroethene	166	6.755	6.749	0.006	92	18747	3.20	
86 2-Hexanone	43		6.901				ND	
87 Chlorodibromomethane	129		7.023				ND	
89 Ethylene Dibromide	107		7.127				ND	
* 90 Chlorobenzene-d5 (IS)	117	7.633	7.627	0.006	90	721247	50.0	
91 Chlorobenzene	112		7.657				ND	
94 1,1,1,2-Tetrachloroethane	131		7.749				ND	
95 Ethylbenzene	91		7.779				ND	
96 m-Xylene & p-Xylene	106		7.901				ND	
97 o-Xylene	106		8.255				ND	
98 Styrene	104		8.267				ND	
99 Bromoform	173		8.407				ND	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	86	378387	49.3	
105 1,1,2,2-Tetrachloroethane	83		8.822				ND	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	401739	50.0	
S 169 Xylenes, Total	106		11.245				ND	7

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Reagents:

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent

Report Date: 25-Mar-2024 09:48:55

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X50.D

Injection Date: 23-Mar-2024 02:28:30

Instrument ID: 15648

Operator ID: MEC29284

Lims ID: 410-164762-A-5

Lab Sample ID: 410-164762-5

Worklist Smp#: 21

Client ID: HD-MW-101D-0/1-0

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 20

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X50.D
Lims ID: 410-164762-A-5
Client ID: HD-MW-101D-0/1-0
Sample Type: Client
Inject. Date: 23-Mar-2024 02:28:30 ALS Bottle#: 20 Worklist Smp#: 21
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-021
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 25-Mar-2024 09:47:18 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:48:55

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	49.3	98.64
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	48.9	97.88
\$ 77 Toluene-d8 (Surr)	50.0	50.3	100.56
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.3	98.64

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X50.D

Injection Date: 23-Mar-2024 02:28:30

Instrument ID: 15648

Lims ID: 410-164762-A-5

Lab Sample ID: 410-164762-5

Client ID: HD-MW-101D-0/1-0

Operator ID: MEC29284

ALS Bottle#: 20

Worklist Smp#: 21

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad

40 cis-1,2-Dichloroethene, CAS: 156-59-2

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X50.D

Injection Date: 23-Mar-2024 02:28:30

Instrument ID: 15648

Lims ID: 410-164762-A-5

Lab Sample ID: 410-164762-5

Client ID: HD-MW-101D-0/1-0

Operator ID: MEC29284

ALS Bottle#: 20

Worklist Smp#: 21

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad

83 Tetrachloroethene, CAS: 127-18-4

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X50.D

Injection Date: 23-Mar-2024 02:28:30

Instrument ID: 15648

Lims ID: 410-164762-A-5

Lab Sample ID: 410-164762-5

Client ID: HD-MW-101D-0/1-0

Operator ID: MEC29284

ALS Bottle#: 20

Worklist Smp#: 21

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad

63 Trichloroethene, CAS: 79-01-6

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-QC1-0/1-3

Lab Sample ID: 410-164762-6

Matrix: Water

Lab File ID: EM22X38.D

Analysis Method: 8260D

Date Collected: 03/19/2024 14:35

Sample wt/vol: 5(mL)

Date Analyzed: 03/22/2024 22:30

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	1.5	J	20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	ND		1.0	0.30
108-88-3	Toluene	0.30	J	1.0	0.30

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-QC1-0/1-3

Lab Sample ID: 410-164762-6

Matrix: Water

Lab File ID: EM22X38.D

Analysis Method: 8260D

Date Collected: 03/19/2024 14:35

Sample wt/vol: 5 (mL)

Date Analyzed: 03/22/2024 22:30

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	ND		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	98		80-120
460-00-4	4-Bromofluorobenzene (Surr)	98		80-120
1868-53-7	Dibromofluoromethane (Surr)	98		80-120
2037-26-5	Toluene-d8 (Surr)	101		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X38.D
 Lims ID: 410-164762-A-6
 Client ID: HD-QC1-0/1-3
 Sample Type: Client
 Inject. Date: 22-Mar-2024 22:30:30 ALS Bottle#: 8 Worklist Smp#: 9
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-009
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 09:41:43 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:41:43

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
4 Chloromethane	50		1.214				ND	
6 Vinyl chloride	62		1.275				ND	
8 Bromomethane	94		1.445				ND	
9 Chloroethane	64		1.470				ND	
17 1,1-Dichloroethene	96		1.915				ND	
18 Acetone	58	1.945	1.927	0.018	95	1021	1.48	
22 Carbon disulfide	76		2.079				ND	7
27 Methylene Chloride	84		2.250				ND	
* 28 t-Butyl alcohol-d10 (IS)	65	2.262	2.256	0.006	33	192976	250.0	
32 trans-1,2-Dichloroethene	96		2.469				ND	
31 Methyl tert-butyl ether	73		2.476				ND	
34 1,1-Dichloroethane	63		2.823				ND	
40 cis-1,2-Dichloroethene	96		3.347				ND	
39 2-Butanone (MEK)	43		3.353				ND	U
45 Chlorobromomethane	128		3.561				ND	
47 Chloroform	83		3.646				ND	
\$ 48 Dibromofluoromethane (Surr)	113	3.798	3.792	0.006	93	225115	48.9	
49 1,1,1-Trichloroethane	97		3.823				ND	
53 Carbon tetrachloride	117		3.987				ND	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.115	4.115	0.000	77	354597	49.1	
56 Benzene	78		4.170				ND	7
57 1,2-Dichloroethane	62		4.183				ND	
* 60 Fluorobenzene (IS)	96	4.451	4.451	0.000	98	976641	50.0	
63 Trichloroethene	95		4.817				ND	
65 1,2-Dichloropropane	63		5.036				ND	
71 Dichlorobromomethane	83		5.329				ND	
74 cis-1,3-Dichloropropene	75		5.804				ND	
75 4-Methyl-2-pentanone (MIBK)	43		5.981				ND	
\$ 77 Toluene-d8 (Surr)	98	6.084	6.091	-0.007	95	1013091	50.5	
78 Toluene	92	6.158	6.158	0.000	96	4292	0.3010	
79 trans-1,3-Dichloropropene	75		6.408				ND	
82 1,1,2-Trichloroethane	97		6.597				ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
83 Tetrachloroethene	166		6.749				ND	
86 2-Hexanone	43		6.901				ND	
87 Chlorodibromomethane	129		7.023				ND	
89 Ethylene Dibromide	107		7.127				ND	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	90	716622	50.0	
91 Chlorobenzene	112		7.657				ND	7
94 1,1,1,2-Tetrachloroethane	131		7.749				ND	
95 Ethylbenzene	91		7.779				ND	7
96 m-Xylene & p-Xylene	106		7.901				ND	7
97 o-Xylene	106		8.255				ND	7
98 Styrene	104		8.267				ND	
99 Bromoform	173		8.407				ND	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	87	374458	49.1	
105 1,1,2,2-Tetrachloroethane	83		8.822				ND	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	392668	50.0	
S 169 Xylenes, Total	106		11.245				ND	7

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

U - Marked Undetected


Reagents:

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X38.D
Lims ID: 410-164762-A-6
Client ID: HD-QC1-0/1-3
Sample Type: Client
Inject. Date: 22-Mar-2024 22:30:30 ALS Bottle#: 8 Worklist Smp#: 9
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-009
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 25-Mar-2024 09:41:43 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1645

First Level Reviewer: N9NA

Date: 25-Mar-2024 09:41:43

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	48.9	97.83
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	49.1	98.16
\$ 77 Toluene-d8 (Surr)	50.0	50.5	100.96
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.1	98.25

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X38.D

Instrument ID: 15648

Lab Sample ID: 410-164762-6

Operator ID: MEC29284

ALS Bottle#: 8 Worklist Smp#: 9

Dil. Factor: 1.0000

Limit Group: MSV - 8260C D

Detector	MS Quad
----------	---------

18-Acetone, CAS: 67-64-1

Raw Spec: Scan 190(1.95)

Amdis Enhanced Spec: Scan 190(1.95), Qvalue=95 Sig Qvalue=93

Ref Spec: 18-Acetone (NIST98.L)

Differenc Spec: Scan 1 @ 1.950 min.(Qvalue: 95)

m/z 58.0

m/z 43.0

m/z 58.0

m/z 43.0

RT

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X38.D

Injection Date: 22-Mar-2024 22:30:30

Instrument ID: 15648

Lims ID: 410-164762-A-6

Lab Sample ID: 410-164762-6

Client ID: HD-QC1-0/1-3

Operator ID: MEC29284

ALS Bottle#: 8

Worklist Smp#: 9

Purge Vol: 5.000 mL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Detector: MS Quad


78 Toluene, CAS: 108-88-3

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X38.D
Injection Date: 22-Mar-2024 22:30:30 Instrument ID: 15648
Lims ID: 410-164762-A-6 Lab Sample ID: 410-164762-6
Client ID: HD-QC1-0/1-3
Operator ID: MEC29284 ALS Bottle#: 8 Worklist Smp#: 9
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector: MS Quad

39 2-Butanone (MEK), CAS: 78-93-3

Processing Results



RT	Mass	Response	Amount
3.37	43.00	1707	0.401541
3.35	72.00	0	
3.35	57.00	0	

Reviewer: N9NA, 25-Mar-2024 09:41:31 07:00:00 (UTC)

Audit Action: Marked Compound Undetected

Audit Reason: Invalid Compound ID

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID: HD-QC1-0/1-4

Lab Sample ID: 410-164762-7

Matrix: Water

Lab File ID: YM28X40.D

Analysis Method: 8260D

Date Collected: 03/19/2024 14:40

Sample wt/vol: 5(mL)

Date Analyzed: 03/28/2024 23:42

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: R-624SilMS 30m ID: 0.25(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 488320

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	ND		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1
Environment Testing, LLC

SDG No.:

Client Sample ID: HD-QC1-0/1-4 Lab Sample ID: 410-164762-7

Matrix: Water Lab File ID: YM28X40.D

Analysis Method: 8260D Date Collected: 03/19/2024 14:40

Sample wt/vol: 5 (mL) Date Analyzed: 03/28/2024 23:42

Soil Aliquot Vol: Dilution Factor: 1

Soil Extract Vol.: GC Column: R-624SilMS 30m ID: 0.25 (mm)

Purge Volume: 5.0 (mL) Heated Purge: (Y/N) N pH:

% Moisture: % Solids: Level: (low/med) Low

Analysis Batch No.: 488320 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	ND		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	100		80-120
460-00-4	4-Bromofluorobenzene (Surr)	98		80-120
1868-53-7	Dibromofluoromethane (Surr)	104		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X40.D
 Lims ID: 410-164762-A-7
 Client ID: HD-QC1-0/1-4
 Sample Type: Client
 Inject. Date: 28-Mar-2024 23:42:30 ALS Bottle#: 10 Worklist Smp#: 11
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109833-011
 Operator ID: gaw91131 Instrument ID: 9355
 Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 28-Mar-2024 23:08:20 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1677

First Level Reviewer: FQ4L

Date: 29-Mar-2024 12:10:45

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
4 Chloromethane	50		2.045				ND	
6 Vinyl chloride	62		2.145				ND	
8 Bromomethane	94		2.467				ND	
9 Chloroethane	64		2.538				ND	
17 1,1-Dichloroethene	96		3.339				ND	
18 Acetone	58		3.346				ND	
22 Carbon disulfide	76		3.647				ND	
* 26 t-Butyl alcohol-d10 (IS)	65	3.947	3.940	0.007	31	306527	250.0	
27 Methylene Chloride	84		3.961				ND	
30 Methyl tert-butyl ether	73		4.347				ND	
31 trans-1,2-Dichloroethene	96		4.362				ND	
34 1,1-Dichloroethane	63		5.019				ND	
40 2-Butanone (MEK)	43		5.827				ND	
41 cis-1,2-Dichloroethene	96		5.863				ND	
48 Chlorobromomethane	128		6.199				ND	
51 Chloroform	83		6.357				ND	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.571	0.007	93	182371	51.8	
53 1,1,1-Trichloroethane	97		6.600				ND	
56 Carbon tetrachloride	117		6.821				ND	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.036	7.036	0.000	84	44583	49.9	
59 Benzene	78		7.072				ND	
60 1,2-Dichloroethane	62		7.143				ND	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	741243	50.0	
67 Trichloroethene	95		7.980				ND	
70 1,2-Dichloropropane	63		8.309				ND	
76 Dichlorobromomethane	83		8.659				ND	
79 cis-1,3-Dichloropropene	75		9.217				ND	
80 4-Methyl-2-pentanone (MIBK)	43		9.388				ND	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	94	723675	49.8	
82 Toluene	92	9.631	9.624	0.007	94	2370	0.2566	
83 trans-1,3-Dichloropropene	75		9.889				ND	
126 1,1,2-Trichloroethane	97		10.096				ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ug/l	Flags
127 Tetrachloroethene	166		10.196				ND	
129 2-Hexanone	43		10.311				ND	
132 Chlorodibromomethane	129		10.489				ND	
133 Ethylene Dibromide	107		10.604				ND	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	557943	50.0	
136 Chlorobenzene	112		11.069				ND	7
137 1,1,1,2-Tetrachloroethane	131		11.154				ND	
138 Ethylbenzene	91		11.154				ND	7
S 139 Xylenes, Total	106		11.245				ND	7
140 m-Xylene & p-Xylene	106		11.276				ND	7
142 o-Xylene	106		11.605				ND	7
143 Styrene	104		11.619				ND	
144 Bromoform	173		11.784				ND	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.055	12.055	0.000	91	279524	49.0	
149 1,1,2,2-Tetrachloroethane	83		12.155				ND	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	346393	50.0	

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Reagents:

MSV_HP20_ISSS_00129

Amount Added: 1.00

Units: uL

Run Reagent

Report Date: 29-Mar-2024 12:10:45

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X40.D

Injection Date: 28-Mar-2024 23:42:30

Instrument ID: 9355

Operator ID: gaw91131

Lims ID: 410-164762-A-7

Lab Sample ID: 410-164762-7

Worklist Smp#: 11

Client ID: HD-QC1-0/1-4

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 10

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X40.D
Lims ID: 410-164762-A-7
Client ID: HD-QC1-0/1-4
Sample Type: Client
Inject. Date: 28-Mar-2024 23:42:30 ALS Bottle#: 10 Worklist Smp#: 11
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109833-011
Operator ID: gaw91131 Instrument ID: 9355
Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
Limit Group: MSV - 8260C_D
Last Update: 28-Mar-2024 23:08:20 Calib Date: 25-Mar-2024 20:33:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
Process Host: CTX1677

First Level Reviewer: FQ4L

Date: 29-Mar-2024 12:10:45

Compound	Amount Added	Amount Recovered	% Rec.
\$ 52 Dibromofluoromethane (Surr)	50.0	51.8	103.59
\$ 58 1,2-Dichloroethane-d4 (Surr)	50.0	49.9	99.71
\$ 81 Toluene-d8 (Surr)	50.0	49.8	99.52
\$ 148 4-Bromofluorobenzene (Surr)	50.0	49.0	98.02

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 12:16 Calibration End Date: 03/18/2024 13:56 Calibration ID: 59724

Calibration Files

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-484275/3	EN18X03.D
Level 2	IC 410-484275/4	EN18X04.D
Level 3	IC 410-484275/5	EN18X05.D
Level 4	IC 410-484275/6	EN18X06.D
Level 5	IC 410-484275/7	EN18X07.D
Level 6	IC 410-484275/8	EN18X08.D

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Chlorotrifluoroethene	0.2008 0.2127	0.2119	0.2410	0.2131	0.2189	Ave		0.216 4				6.2		20.0			
Chlorodifluoromethane	11.403 11.985	12.931	12.845	11.961	12.440	Ave		12.26 1				4.8		20.0			
Freon 133a	0.3046 0.3124	0.3586	0.3628	0.3212	0.3212	Ave		0.330 1				7.4		20.0			
Ethanol	0.0911 0.0711	0.0897	0.0860	0.0769	0.0756	Ave		0.081 7				10.1		20.0			
Acetonitrile	1.7409 1.2216	1.3838	1.3638	1.2192	1.2415	Ave		1.361 8				14.6		20.0			
Vinyl acetate	0.7657 0.7783	0.7328	0.7800	0.7678	0.7674	Ave		0.765 3				2.2		20.0			
Ethyl acetate	0.3622 0.3974	0.3691	0.4053	0.3943	0.3931	Ave		0.386 9				4.4		20.0			
Isopropyl acetate	0.7420 0.7626	0.7429	0.7803	0.7557	0.7546	Ave		0.756 4				1.9		20.0			
n-Propyl acetate	0.1421 0.1500	0.1359	0.1512	0.1457	0.1495	Ave		0.145 7				4.0		20.0			
3,4-Dichloro-1-butene	0.4107 0.4353	0.4311	0.4489	0.4164	0.4372	Ave		0.429 9				3.3		20.0			
Butyl acetate	0.8350 0.8756	0.8305	0.8932	0.8706	0.8920	Ave		0.866 2				3.2		20.0			
cis-1,4-Dichloro-2-butene	0.2281 0.2498	0.2425	0.2552	0.2391	0.2507	Ave		0.244 2				4.0		20.0			
Pentachloroethane	0.3877 0.4484	0.4155	0.4401	0.4093	0.4450	Ave		0.424 3				5.7		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 12:16 Calibration End Date: 03/18/2024 13:56 Calibration ID: 59724

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-484275/3	EN18X03.D
Level 2	IC 410-484275/4	EN18X04.D
Level 3	IC 410-484275/5	EN18X05.D
Level 4	IC 410-484275/6	EN18X06.D
Level 5	IC 410-484275/7	EN18X07.D
Level 6	IC 410-484275/8	EN18X08.D

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Chlorotrifluoroethene	FB	Ave	18441 1406631	46893	103665	233000	472842	4.00 300	10.0	20.0	50.0	100
Chlorodifluoromethane	TBA d1 0	Ave	45147 3094293	121631	236444	532418	1046047	4.00 300	10.0	20.0	50.0	100
Freon 133a	FB	Ave	27976 2066146	79378	156025	351291	693927	4.00 300	10.0	20.0	50.0	100
Ethanol	TBA d1 0	Ave	22536 458980	42207	79127	85554	158999	250 7500	500	1000	1250	2500
Acetonitrile	TBA d1 0	Ave	34462 1576846	65082	125521	271359	521967	20.0 1500	50.0	100	250	500
Vinyl acetate	FB	Ave	70321 5147916	162208	335449	839598	1657836	4.00 300	10.0	20.0	50.0	100
Ethyl acetate	FB	Ave	33263 2628088	81689	174316	431151	849227	4.00 300	10.0	20.0	50.0	100
Isopropyl acetate	FB	Ave	68140 5043839	164450	335601	826413	1630296	4.00 300	10.0	20.0	50.0	100
n-Propyl acetate	FB	Ave	13049 991822	30074	65036	159317	322911	4.00 300	10.0	20.0	50.0	100
3,4-Dichloro-1-butene	CBZ d5	Ave	27548 2136903	70257	140735	334775	686081	4.00 300	10.0	20.0	50.0	100
Butyl acetate	CBZ d5	Ave	55976 4296636	135263	279883	699520	1399261	4.00 300	10.0	20.0	50.0	100
cis-1,4-Dichloro-2-butene	CBZ d5	Ave	15296 1226350	39507	79989	192172	393373	4.00 300	10.0	20.0	50.0	100
Pentachloroethane	DCB d4	Ave	14420 1208298	37540	76613	182175	388725	4.00 300	10.0	20.0	50.0	100

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
 Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date:	03/18/2024 12:16	Calibration End Date:	03/18/2024 13:56	Calibration ID:	59724
-------------------------	------------------	-----------------------	------------------	-----------------	-------

Curve Type Legend:

Ave = Average ISTD

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 12:16 Calibration End Date: 03/18/2024 13:56 Calibration ID: 59724

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-484275/3	EN18X03.D
Level 2	IC 410-484275/4	EN18X04.D
Level 3	IC 410-484275/5	EN18X05.D
Level 4	IC 410-484275/6	EN18X06.D
Level 5	IC 410-484275/7	EN18X07.D
Level 6	IC 410-484275/8	EN18X08.D

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Chlorotrifluoroethene	-7.2	-2.1	11.4	-1.5	1.1	-1.7	50	30	30	30	30	30
Chlorodifluoromethane	-7.0	5.5	4.8	-2.4	1.5	-2.2	50	30	30	30	30	30
Freon 133a	-7.7	8.6	9.9	-2.7	-2.7	-5.4	50	30	30	30	30	30
Ethanol	11.4	9.8	5.2	-5.9	-7.5	-13.0	50	30	30	30	30	30
Acetonitrile	27.8	1.6	0.1	-10.5	-8.8	-10.3	50	30	30	30	30	30
Vinyl acetate	0.1	-4.2	1.9	0.3	0.3	1.7	50	30	30	30	30	30
Ethyl acetate	-6.4	-4.6	4.8	1.9	1.6	2.7	50	30	30	30	30	30
Isopropyl acetate	-1.9	-1.8	3.2	-0.1	-0.2	0.8	50	30	30	30	30	30
n-Propyl acetate	-2.5	-6.8	3.8	0.0	2.6	2.9	50	30	30	30	30	30
3,4-Dichloro-1-butene	-4.5	0.3	4.4	-3.1	1.7	1.2	50	30	30	30	30	30
Butyl acetate	-3.6	-4.1	3.1	0.5	3.0	1.1	50	30	30	30	30	30
cis-1,4-Dichloro-2-butene	-6.6	-0.7	4.5	-2.1	2.6	2.3	50	30	30	30	30	30
Pentachloroethane	-8.6	-2.1	3.7	-3.5	4.9	5.7	50	30	30	30	30	30

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X03.D
 Lims ID: IC sm v4
 Client ID:
 Sample Type: IC Calib Level: 2
 Inject. Date: 18-Mar-2024 12:16:30 ALS Bottle#: 3 Worklist Smp#: 3
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-003
 Misc. Info.: SM 4
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub42
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:27:55 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 16:39:47

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.086	1.086	0.000	97	18441	4.00	3.71	
3 Chlorodifluoromethane	51	1.110	1.116	-0.006	97	45147	4.00	3.72	M
7 2-Chloro-1,1,1-Trifluoroethane	118	1.299	1.299	0.000	37	27976	4.00	3.69	
13 Ethanol	45	1.701	1.695	0.006	95	22536	250.0	278.6	
24 Acetonitrile	41	2.146	2.140	0.006	94	34462	20.0	25.6	M
* 28 t-Butyl alcohol-d10 (IS)	65	2.274	2.268	0.006	98	247441	250.0	250.0	
35 Vinyl acetate	43	2.884	2.884	0.000	97	70321	4.00	4.00	
43 Ethyl acetate	43	3.451	3.433	0.018	96	33263	4.00	3.74	
58 Isopropyl acetate	43	4.292	4.292	0.000	98	68140	4.00	3.92	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	98	1147956	50.0	50.0	
70 n-Propyl acetate	61	5.280	5.280	0.000	99	13049	4.00	3.90	
85 3,4-Dichloro-1-butene	75	6.841	6.841	0.000	87	27548	4.00	3.82	
88 n-Butyl acetate	43	7.090	7.091	-0.001	96	55976	4.00	3.86	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	90	838013	50.0	50.0	
102 cis-1,4-Dichloro-2-butene	88	8.639	8.639	0.000	90	15296	4.00	3.74	
114 Pentachloroethane	167	9.316	9.316	0.000	89	14420	4.00	3.65	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.596	-0.006	97	464921	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 4.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 4.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.00	Units: uL
MSV_Cent_ISO_00004	Amount Added: 5.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 4.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 20.00	Units: uL

Report Date: 18-Mar-2024 19:27:55

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X03.D

Injection Date: 18-Mar-2024 12:16:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC sm v4

Worklist Smp#: 3

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 3

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X03.D
Injection Date: 18-Mar-2024 12:16:30 Instrument ID: 15648
Lims ID: IC sm v4
Client ID:
Operator ID: jml01693 ALS Bottle#: 3 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

3 Chlorodifluoromethane, CAS: 75-45-6

Signal: 1


RT: 1.11
Area: 44111
Amount: 3.647880
Amount Units: ug/l

Processing Integration Results



RT: 1.11
Area: 45147
Amount: 3.720274
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:41:43 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X03.D
Injection Date: 18-Mar-2024 12:16:30 Instrument ID: 15648
Lims ID: IC sm v4
Client ID:
Operator ID: jml01693 ALS Bottle#: 3 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

24 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 2.15
Area: 32291
Amount: 24.96592
Amount Units: ug/l

Processing Integration Results



RT: 2.15
Area: 34462
Amount: 25.568038
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:46:10 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X04.D
 Lims ID: IC sm v10
 Client ID:
 Sample Type: IC Calib Level: 3
 Inject. Date: 18-Mar-2024 12:36:30 ALS Bottle#: 4 Worklist Smp#: 4
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-004
 Misc. Info.: SM 10
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub42
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:27:57 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 16:42:55

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.073	1.086	-0.013	97	46893	10.0	9.79	
3 Chlorodifluoromethane	51	1.104	1.116	-0.012	97	121631	10.0	10.5	
7 2-Chloro-1,1,1-Trifluoroethane	118	1.293	1.299	-0.006	37	79378	10.0	10.9	
13 Ethanol	45	1.695	1.695	0.000	98	42207	500.0	548.9	
24 Acetonitrile	41	2.134	2.140	-0.006	99	65082	50.0	50.8	M
* 28 t-Butyl alcohol-d10 (IS)	65	2.262	2.268	-0.006	98	235162	250.0	250.0	
35 Vinyl acetate	43	2.878	2.884	-0.006	98	162208	10.0	9.58	
43 Ethyl acetate	43	3.426	3.433	-0.007	99	81689	10.0	9.54	
58 Isopropyl acetate	43	4.286	4.292	-0.006	98	164450	10.0	9.82	
* 60 Fluorobenzene (IS)	96	4.463	4.469	-0.006	97	1106745	50.0	50.0	
70 n-Propyl acetate	61	5.274	5.280	-0.006	99	30074	10.0	9.32	
85 3,4-Dichloro-1-butene	75	6.840	6.841	-0.001	87	70257	10.0	10.0	
88 n-Butyl acetate	43	7.090	7.091	-0.001	97	135263	10.0	9.59	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	90	814340	50.0	50.0	
102 cis-1,4-Dichloro-2-butene	88	8.639	8.639	0.000	91	39507	10.0	9.93	
114 Pentachloroethane	167	9.316	9.316	0.000	90	37540	10.0	9.79	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.596	-0.006	97	451759	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 2.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 2.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 1.00	Units: uL
MSV_Cent_ISO_00004	Amount Added: 5.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 2.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 8.00	Units: uL

Report Date: 18-Mar-2024 19:27:57

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X04.D

Injection Date: 18-Mar-2024 12:36:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC sm v10

Worklist Smp#: 4

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 4

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X04.D
Injection Date: 18-Mar-2024 12:36:30 Instrument ID: 15648
Lims ID: IC sm v10
Client ID:
Operator ID: jml01693 ALS Bottle#: 4 Worklist Smp#: 4
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

24 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 2.13
Area: 57867
Amount: 45.691123
Amount Units: ug/l

Processing Integration Results



RT: 2.13
Area: 65082
Amount: 50.806858
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:42:47 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X05.D
 Lims ID: IC sm v20
 Client ID:
 Sample Type: IC Calib Level: 4
 Inject. Date: 18-Mar-2024 12:56:30 ALS Bottle#: 5 Worklist Smp#: 5
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-005
 Misc. Info.: SM 20
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub42
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:27:59 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 16:43:28

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.079	1.079	0.000	96	103665	20.0	22.3	
3 Chlorodifluoromethane	51	1.104	1.104	0.000	97	236444	20.0	21.0	
7 2-Chloro-1,1,1-Trifluoroethane	118	1.293	1.293	0.000	41	156025	20.0	22.0	
13 Ethanol	45	1.689	1.689	0.000	100	79127	999.9	1051.7	M
24 Acetonitrile	41	2.134	2.134	0.000	99	125521	100.0	100.1	M
* 28 t-Butyl alcohol-d10 (IS)	65	2.268	2.268	0.000	98	230097	250.0	250.0	
35 Vinyl acetate	43	2.878	2.878	0.000	98	335449	20.0	20.4	
43 Ethyl acetate	43	3.433	3.433	0.000	100	174316	20.0	21.0	
58 Isopropyl acetate	43	4.286	4.286	0.000	98	335601	20.0	20.6	
* 60 Fluorobenzene (IS)	96	4.463	4.463	0.000	98	1075213	50.0	50.0	
70 n-Propyl acetate	61	5.274	5.274	0.000	99	65036	20.0	20.8	
85 3,4-Dichloro-1-butene	75	6.840	6.840	0.000	87	140735	20.0	20.9	
88 n-Butyl acetate	43	7.090	7.090	0.000	97	279883	20.0	20.6	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	90	783390	50.0	50.0	
102 cis-1,4-Dichloro-2-butene	88	8.639	8.639	0.000	91	79989	20.0	20.9	
114 Pentachloroethane	167	9.316	9.316	0.000	90	76613	20.0	20.7	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	435177	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 4.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 4.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.00	Units: uL
MSV_Cent_ISO_00004	Amount Added: 5.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 4.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 16.00	Units: uL

Report Date: 18-Mar-2024 19:27:59

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X05.D

Injection Date: 18-Mar-2024 12:56:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC sm v20

Worklist Smp#: 5

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 5

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X05.D
Injection Date: 18-Mar-2024 12:56:30 Instrument ID: 15648
Lims ID: IC sm v20
Client ID:
Operator ID: jml01693 ALS Bottle#: 5 Worklist Smp#: 5
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


RT: 1.69
Area: 79406
Amount: 1054.5339
Amount Units: ug/l

Processing Integration Results



RT: 1.69
Area: 79127
Amount: 1051.7488
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:43:06 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X05.D
Injection Date: 18-Mar-2024 12:56:30 Instrument ID: 15648
Lims ID: IC sm v20
Client ID:
Operator ID: jml01693 ALS Bottle#: 5 Worklist Smp#: 5
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

24 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 2.13
Area: 119637
Amount: 94.744239
Amount Units: ug/l

Processing Integration Results



RT: 2.13
Area: 125521
Amount: 100.1461
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:43:22 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X06.D
 Lims ID: IC sm v50
 Client ID:
 Sample Type: IC Calib Level: 5
 Inject. Date: 18-Mar-2024 13:16:30 ALS Bottle#: 6 Worklist Smp#: 6
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-006
 Misc. Info.: SM 50
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub42
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:28:01 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 16:40:32

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.086	1.086	0.000	97	233000	50.0	49.2	
3 Chlorodifluoromethane	51	1.116	1.116	0.000	97	532418	50.0	48.8	
7 2-Chloro-1,1,1-Trifluoroethane	118	1.299	1.299	0.000	40	351291	50.0	48.7	
13 Ethanol	45	1.695	1.695	0.000	98	85554	1249.9	1175.7	M
24 Acetonitrile	41	2.140	2.140	0.000	99	271359	250.0	223.8	M
* 28 t-Butyl alcohol-d10 (IS)	65	2.268	2.268	0.000	98	222565	250.0	250.0	
35 Vinyl acetate	43	2.884	2.884	0.000	98	839598	50.0	50.2	
43 Ethyl acetate	43	3.433	3.433	0.000	100	431151	50.0	51.0	
58 Isopropyl acetate	43	4.292	4.292	0.000	98	826413	50.0	50.0	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	98	1093550	50.0	50.0	
70 n-Propyl acetate	61	5.280	5.280	0.000	99	159317	50.0	50.0	
85 3,4-Dichloro-1-butene	75	6.841	6.841	0.000	87	334775	50.0	48.5	
88 n-Butyl acetate	43	7.091	7.091	0.000	97	699520	50.0	50.3	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	90	803462	50.0	50.0	
102 cis-1,4-Dichloro-2-butene	88	8.639	8.639	0.000	92	192172	50.0	49.0	
114 Pentachloroethane	167	9.316	9.316	0.000	91	182175	50.0	48.2	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	97	445086	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 5.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 5.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.50	Units: uL
MSV_Cent_ISO_00004	Amount Added: 5.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 5.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 10.00	Units: uL

Report Date: 18-Mar-2024 19:28:01

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X06.D

Injection Date: 18-Mar-2024 13:16:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC sm v50

Worklist Smp#: 6

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 6

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X06.D
Injection Date: 18-Mar-2024 13:16:30 Instrument ID: 15648
Lims ID: IC sm v50
Client ID:
Operator ID: jml01693 ALS Bottle#: 6 Worklist Smp#: 6
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


RT: 1.70
Area: 85233
Amount: 1170.9123
Amount Units: ug/l

Processing Integration Results



RT: 1.70
Area: 85554
Amount: 1175.6600
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:40:04 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X06.D
Injection Date: 18-Mar-2024 13:16:30 Instrument ID: 15648
Lims ID: IC sm v50
Client ID:
Operator ID: jml01693 ALS Bottle#: 6 Worklist Smp#: 6
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

24 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 2.14
Area: 268213
Amount: 233.5642
Amount Units: ug/l

Processing Integration Results



RT: 2.14
Area: 271359
Amount: 223.8288
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:40:23 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X07.D
 Lims ID: IC sm v100
 Client ID:
 Sample Type: IC Calib Level: 6
 Inject. Date: 18-Mar-2024 13:36:30 ALS Bottle#: 7 Worklist Smp#: 7
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-007
 Misc. Info.: SM 100
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub42
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:28:04 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 16:44:01

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.079	1.086	-0.007	96	472842	100.0	101.1	
3 Chlorodifluoromethane	51	1.104	1.116	-0.012	97	1046047	100.0	101.5	
7 2-Chloro-1,1,1-Trifluoroethane	118	1.293	1.299	-0.006	37	693927	100.0	97.3	
13 Ethanol	45	1.689	1.695	-0.006	99	158999	2499.8	2313.3	
24 Acetonitrile	41	2.134	2.140	-0.006	99	521967	500.0	455.8	
* 28 t-Butyl alcohol-d10 (IS)	65	2.268	2.268	0.000	98	210216	250.0	250.0	
35 Vinyl acetate	43	2.878	2.884	-0.006	98	1657836	100.0	100.3	
43 Ethyl acetate	43	3.433	3.433	0.000	100	849227	100.0	101.6	
58 Isopropyl acetate	43	4.286	4.292	-0.006	98	1630296	100.0	99.8	
* 60 Fluorobenzene (IS)	96	4.463	4.469	-0.006	99	1080219	50.0	50.0	
70 n-Propyl acetate	61	5.274	5.280	-0.006	99	322911	100.0	102.6	
85 3,4-Dichloro-1-butene	75	6.840	6.841	-0.001	87	686081	100.1	101.7	
88 n-Butyl acetate	43	7.090	7.091	-0.001	97	1399261	100.0	103.0	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	90	784302	50.0	50.0	
102 cis-1,4-Dichloro-2-butene	88	8.639	8.639	0.000	93	393373	100.0	102.7	
114 Pentachloroethane	167	9.316	9.316	0.000	91	388725	100.0	104.9	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	97	436817	50.0	50.0	

QC Flag Legend

Processing Flags

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 5.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 5.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.50	Units: uL
MSV_Cent_ISO_00004	Amount Added: 5.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 5.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 10.00	Units: uL

Report Date: 18-Mar-2024 19:28:04

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X07.D

Injection Date: 18-Mar-2024 13:36:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC sm v100

Worklist Smp#: 7

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 7

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X08.D
 Lims ID: IC sm v300
 Client ID:
 Sample Type: IC Calib Level: 7
 Inject. Date: 18-Mar-2024 13:56:30 ALS Bottle#: 8 Worklist Smp#: 8
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-008
 Misc. Info.: SM 300
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub42
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:28:05 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 16:45:57

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.086	1.086	0.000	97	1406631	300.0	294.9	
3 Chlorodifluoromethane	51	1.116	1.116	0.000	97	3094293	300.0	293.3	
7 2-Chloro-1,1,1-Trifluoroethane	118	1.299	1.299	0.000	37	2066146	300.0	283.9	
13 Ethanol	45	1.695	1.695	0.000	99	458980	7499.5	6524.8	M
24 Acetonitrile	41	2.140	2.140	0.000	99	1576846	1500.0	1345.5	M
* 28 t-Butyl alcohol-d10 (IS)	65	2.274	2.268	0.006	97	215142	250.0	250.0	
35 Vinyl acetate	43	2.884	2.884	0.000	98	5147916	300.0	305.1	
43 Ethyl acetate	43	3.439	3.433	0.006	100	2628088	300.0	308.1	
58 Isopropyl acetate	43	4.292	4.292	0.000	98	5043839	300.0	302.5	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	98	1102334	50.0	50.0	
70 n-Propyl acetate	61	5.274	5.280	-0.006	99	991822	300.0	308.7	
85 3,4-Dichloro-1-butene	75	6.847	6.841	0.006	88	2136903	300.2	303.9	
88 n-Butyl acetate	43	7.091	7.091	0.000	97	4296636	300.0	303.3	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	89	817817	50.0	50.0	
102 cis-1,4-Dichloro-2-butene	88	8.639	8.639	0.000	93	1226350	300.1	307.0	
114 Pentachloroethane	167	9.316	9.316	0.000	92	1208298	300.0	317.0	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	97	449100	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 15.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 15.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 7.50	Units: uL
MSV_Cent_ISO_00004	Amount Added: 5.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 15.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 30.00	Units: uL

Report Date: 18-Mar-2024 19:28:06

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X08.D

Injection Date: 18-Mar-2024 13:56:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC sm v300

Worklist Smp#: 8

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 8

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X08.D
Injection Date: 18-Mar-2024 13:56:30 Instrument ID: 15648
Lims ID: IC sm v300
Client ID:
Operator ID: jml01693 ALS Bottle#: 8 Worklist Smp#: 8
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


RT: 1.70
Area: 459795
Amount: 6534.6980
Amount Units: ug/l

Processing Integration Results



RT: 1.70
Area: 458980
Amount: 6524.7946
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:44:30 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X08.D
Injection Date: 18-Mar-2024 13:56:30 Instrument ID: 15648
Lims ID: IC sm v300
Client ID:
Operator ID: jml01693 ALS Bottle#: 8 Worklist Smp#: 8
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

24 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 2.14
Area: 1573002
Amount: 1322.0337
Amount Units: ug/l

Processing Integration Results



RT: 2.14
Area: 1576846
Amount: 1345.5278
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 16:44:50 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Calibration

/ Chlorotrifluoroethene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.2164

Error Coefficients

Relative Standard Deviation: 6.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	0.80321	50.0	1147956.0	0.200803	Y
2	IC 410-484275/4	10.0	2.11851	50.0	1106745.0	0.211851	Y
3	IC 410-484275/5	20.0	4.820673	50.0	1075213.0	0.241034	Y
4	IC 410-484275/6	50.0	10.653377	50.0	1093550.0	0.213068	Y
5	IC 410-484275/7	100.0	21.886395	50.0	1080219.0	0.218864	Y
6	IC 410-484275/8	300.0	63.802396	50.0	1102334.0	0.212675	Y



Calibration

/ Chlorodifluoromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 12.26

Error Coefficients

Relative Standard Deviation: 4.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	45.613904	250.0	247441.0	11.403476	Y
2	IC 410-484275/4	10.0	129.305543	250.0	235162.0	12.930554	Y
3	IC 410-484275/5	20.0	256.896005	250.0	230097.0	12.8448	Y
4	IC 410-484275/6	50.0	598.047761	250.0	222565.0	11.960955	Y
5	IC 410-484275/7	100.0	1244.01449	250.0	210216.0	12.440145	Y
6	IC 410-484275/8	300.0	3595.640321	250.0	215142.0	11.985468	Y



Calibration


/ 2-Chloro-1,1,1-Trifluoroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3301
Error Coefficients	

Relative Standard Deviation: 7.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	1.218514	50.0	1147956.0	0.304628	Y
2	IC 410-484275/4	10.0	3.586102	50.0	1106745.0	0.35861	Y
3	IC 410-484275/5	20.0	7.255539	50.0	1075213.0	0.362777	Y
4	IC 410-484275/6	50.0	16.061954	50.0	1093550.0	0.321239	Y
5	IC 410-484275/7	100.0	32.119737	50.0	1080219.0	0.321197	Y
6	IC 410-484275/8	300.0	93.716877	50.0	1102334.0	0.31239	Y



Calibration

/ Ethanol

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.08174

Error Coefficients

Relative Standard Deviation: 10.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	249.984	22.769064	250.0	247441.0	0.091082	Y
2	IC 410-484275/4	499.968	44.870132	250.0	235162.0	0.089746	Y
3	IC 410-484275/5	999.936	85.971351	250.0	230097.0	0.085977	Y
4	IC 410-484275/6	1249.92	96.100016	250.0	222565.0	0.076885	Y
5	IC 410-484275/7	2499.84	189.090031	250.0	210216.0	0.075641	Y
6	IC 410-484275/8	7499.52	533.345418	250.0	215142.0	0.071117	Y



Calibration

/ Acetonitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.362

Error Coefficients

Relative Standard Deviation: 14.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	20.0	34.818401	250.0	247441.0	1.74092	Y
2	IC 410-484275/4	50.0	69.188474	250.0	235162.0	1.383769	Y
3	IC 410-484275/5	100.0	136.378353	250.0	230097.0	1.363784	Y
4	IC 410-484275/6	250.0	304.808708	250.0	222565.0	1.219235	Y
5	IC 410-484275/7	500.0	620.750799	250.0	210216.0	1.241502	Y
6	IC 410-484275/8	1500.0	1832.331669	250.0	215142.0	1.221554	Y



Calibration

/ Vinyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.7653

Error Coefficients

Relative Standard Deviation: 2.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	3.062879	50.0	1147956.0	0.76572	Y
2	IC 410-484275/4	10.0	7.328156	50.0	1106745.0	0.732816	Y
3	IC 410-484275/5	20.0	15.599188	50.0	1075213.0	0.779959	Y
4	IC 410-484275/6	50.0	38.388642	50.0	1093550.0	0.767773	Y
5	IC 410-484275/7	100.0	76.736106	50.0	1080219.0	0.767361	Y
6	IC 410-484275/8	300.0	233.500736	50.0	1102334.0	0.778336	Y



Calibration


/ Ethyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3869
Error Coefficients	

Relative Standard Deviation: 4.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	1.448792	50.0	1147956.0	0.362198	Y
2	IC 410-484275/4	10.0	3.690507	50.0	1106745.0	0.369051	Y
3	IC 410-484275/5	20.0	8.106115	50.0	1075213.0	0.405306	Y
4	IC 410-484275/6	50.0	19.713365	50.0	1093550.0	0.394267	Y
5	IC 410-484275/7	100.0	39.308094	50.0	1080219.0	0.393081	Y
6	IC 410-484275/8	300.0	119.205613	50.0	1102334.0	0.397352	Y



Calibration

/ Isopropyl acetate

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.7564

Error Coefficients

Relative Standard Deviation: 1.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	2.967884	50.0	1147956.0	0.741971	Y
2	IC 410-484275/4	10.0	7.429444	50.0	1106745.0	0.742944	Y
3	IC 410-484275/5	20.0	15.606257	50.0	1075213.0	0.780313	Y
4	IC 410-484275/6	50.0	37.785789	50.0	1093550.0	0.755716	Y
5	IC 410-484275/7	100.0	75.461365	50.0	1080219.0	0.754614	Y
6	IC 410-484275/8	300.0	228.77998	50.0	1102334.0	0.7626	Y



Calibration

/ n-Propyl acetate

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.1457

Error Coefficients

Relative Standard Deviation: 4.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	0.568358	50.0	1147956.0	0.14209	Y
2	IC 410-484275/4	10.0	1.358669	50.0	1106745.0	0.135867	Y
3	IC 410-484275/5	20.0	3.024331	50.0	1075213.0	0.151217	Y
4	IC 410-484275/6	50.0	7.284395	50.0	1093550.0	0.145688	Y
5	IC 410-484275/7	100.0	14.946553	50.0	1080219.0	0.149466	Y
6	IC 410-484275/8	300.0	44.987363	50.0	1102334.0	0.149958	Y



Calibration

/ 3,4-Dichloro-1-butene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4299

Error Coefficients

Relative Standard Deviation: 3.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.002102	1.64365	50.0	838013.0	0.410697	Y
2	IC 410-484275/4	10.005254	4.313739	50.0	814340.0	0.431147	Y
3	IC 410-484275/5	20.010508	8.982435	50.0	783390.0	0.448886	Y
4	IC 410-484275/6	50.02627	20.833281	50.0	803462.0	0.416447	Y
5	IC 410-484275/7	100.05254	43.738318	50.0	784302.0	0.437153	Y
6	IC 410-484275/8	300.15762	130.646771	50.0	817817.0	0.435261	Y



Calibration

/ n-Butyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.8662

Error Coefficients

Relative Standard Deviation: 3.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	3.339805	50.0	838013.0	0.834951	Y
2	IC 410-484275/4	10.0	8.305069	50.0	814340.0	0.830507	Y
3	IC 410-484275/5	20.0	17.86358	50.0	783390.0	0.893179	Y
4	IC 410-484275/6	50.0	43.531617	50.0	803462.0	0.870632	Y
5	IC 410-484275/7	100.0	89.204222	50.0	784302.0	0.892042	Y
6	IC 410-484275/8	300.0	262.68933	50.0	817817.0	0.875631	Y



Calibration

/ cis-1,4-Dichloro-2-butene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.2442

Error Coefficients

Relative Standard Deviation: 4.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0014	0.912635	50.0	838013.0	0.228079	Y
2	IC 410-484275/4	10.0035	2.425707	50.0	814340.0	0.242486	Y
3	IC 410-484275/5	20.007	5.105312	50.0	783390.0	0.255176	Y
4	IC 410-484275/6	50.0175	11.958997	50.0	803462.0	0.239096	Y
5	IC 410-484275/7	100.035	25.077904	50.0	784302.0	0.250691	Y
6	IC 410-484275/8	300.105	74.977043	50.0	817817.0	0.249836	Y



Calibration

/ Pentachloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4243

Error Coefficients

Relative Standard Deviation: 5.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/3	4.0	1.550801	50.0	464921.0	0.3877	Y
2	IC 410-484275/4	10.0	4.15487	50.0	451759.0	0.415487	Y
3	IC 410-484275/5	20.0	8.80251	50.0	435177.0	0.440126	Y
4	IC 410-484275/6	50.0	20.465146	50.0	445086.0	0.409303	Y
5	IC 410-484275/7	100.0	44.495178	50.0	436817.0	0.444952	Y
6	IC 410-484275/8	300.0	134.524382	50.0	449100.0	0.448415	Y



FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

Calibration Files

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-484275/12	EN18X12.D
Level 2	IC 410-484275/13	EN18X13.D
Level 3	IC 410-484275/14	EN18X14.D
Level 4	IC 410-484275/15	EN18X15.D
Level 5	ICIS 410-484275/16	EN18X16.D
Level 6	IC 410-484275/17	EN18X17.D
Level 7	IC 410-484275/18	EN18X18.D

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Dichlorodifluoromethane	0.4800 0.4724	0.5307 0.4596	0.4873	0.4971	0.4809	Ave		0.486 9			0.1000	4.6		20.0			
Chloromethane	0.4898 0.4383	0.5049 0.4226	0.4400	0.4715	0.4294	Ave		0.456 6			0.1000	7.0		20.0			
1,3-Butadiene	0.4855 0.4973	0.5855 0.4797	0.5092	0.5305	0.5059	Ave		0.513 4				7.0		20.0			
Vinyl chloride	0.3687 0.4221	0.4845 0.4089	0.4331	0.4414	0.4094	Ave		0.424 0			0.1000	8.4		20.0			
Bromomethane	0.2793 0.2546	0.2884 0.2457	0.2531	0.2639	0.2545	Ave		0.262 8			0.1000	5.9		20.0			
Chloroethane	0.2826 0.2361	0.2674 0.2276	0.2407	0.2522	0.2316	Ave		0.248 3			0.1000	8.2		20.0			
Dichlorofluoromethane	0.7446 0.6280	0.7479 0.5926	0.6623	0.6726	0.6252	Ave		0.667 6			0.1000	8.9		20.0			
n-Pentane	0.4961 0.5517	0.5800 0.5278	0.5102	0.5556	0.5263	Ave		0.535 4				5.4		20.0			
Trichlorofluoromethane	0.5075 0.5151	0.5849 0.4978	0.5214	0.5504	0.5218	Ave		0.528 4			0.1000	5.6		20.0			
Ethyl ether	0.2560 0.2602	0.2476 0.2424	0.2511	0.2646	0.2439	Ave		0.252 3				3.3		20.0			
Freon 123a	0.4236 0.3641	0.4449 0.3474	0.3728	0.3937	0.3661	Ave		0.387 5				9.1		20.0			
Acrolein	2.3311 2.1455	1.9911 2.0921	2.0088	2.0935	1.9869	Ave		2.092 7				5.8		20.0			
1,1-Dichloroethene	0.2204 0.2364	0.2368 0.2238	0.2238	0.2333	0.2209	Ave		0.227 9			0.1000	3.2		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Acetone	0.9318 0.9006	0.9536 0.8702	0.8593	0.9107	0.8396	Ave		0.895 1			0.1000	4.6		20.0			
Freon 113	0.2090 0.2739	0.2783 0.2635	0.2537	0.2803	0.2664	Ave		0.260 7			0.1000	9.4		20.0			
2-Propanol	0.8148 0.5908	0.6422 0.6028	0.6055	0.6798	0.5456	Ave		0.640 2				13.7		20.0			
Methyl iodide	0.4153 0.4208	0.4336 0.3963	0.3952	0.4104	0.3964	Ave		0.409 7				3.6		20.0			
Carbon disulfide	0.6553 0.7042	0.7225 0.6634	0.6559	0.6953	0.6540	Ave		0.678 6			0.1000	4.1		20.0			
Allyl chloride	0.4839 0.5490	0.5586 0.5043	0.5052	0.5438	0.5111	Ave		0.522 3				5.4		20.0			
Methyl acetate	0.2290 0.3247	0.2952 0.2884	0.2993	0.3167	0.3029	Ave		0.293 7			0.1000	10.6		20.0			
Methylene Chloride	0.2728 0.2686	0.2780 0.2475	0.2539	0.2675	0.2517	Ave		0.262 9			0.1000	4.4		20.0			
t-Butyl alcohol	1.5638 1.0531	1.1687 0.9863	1.0352	1.0848	0.9690	Ave		1.123 0				18.3		20.0			
Acrylonitrile	0.1630 0.1509	0.1585 0.1388	0.1471	0.1481	0.1414	Ave		0.149 7				5.8		20.0			
trans-1,2-Dichloroethene	0.2414 0.2666	0.2811 0.2506	0.2395	0.2586	0.2488	Ave		0.255 2			0.1000	5.8		20.0			
Methyl tert-butyl ether	0.9412 0.9674	0.9723 0.8817	0.8816	0.9574	0.9027	Ave		0.929 2			0.1000	4.3		20.0			
n-Hexane	0.4559 0.4574	0.4736 0.4295	0.4072	0.4507	0.4413	Ave		0.445 1				4.9		20.0			
1,1-Dichloroethane	0.5404 0.5616	0.5839 0.5261	0.5360	0.5663	0.5353	Ave		0.549 9			0.2000	3.8		20.0			
Isopropyl ether	0.9863 1.0490	1.0697 0.9635	0.9837	1.0456	0.9943	Ave		1.013 2				4.0		20.0			
2-Chloro-1,3-butadiene	0.5106 0.5640	0.5772 0.5241	0.5288	0.5535	0.5281	Ave		0.540 9				4.5		20.0			
Ethyl t-butyl ether	1.0159 1.0159	1.0029 0.9230	0.9190	0.9848	0.9355	Ave		0.971 0				4.5		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
cis-1,2-Dichloroethene	0.2808 0.3016	0.3033 0.2785	0.2855	0.2957	0.2799	Ave		0.289 3			0.1000	3.7		20.0			
2-Butanone (MEK)	0.2856 0.2158	0.2073 0.1983	0.2049	0.2095	0.2019	Ave		0.217 6			0.1000	14.0		20.0			
2,2-Dichloropropane	0.5050 0.5186	0.5443 0.4819	0.5095	0.5169	0.4866	Ave		0.509 0				4.1		20.0			
Propionitrile	1.7052 1.4808	1.5034 1.4532	1.4501	1.4885	1.4045	Ave		1.497 9				6.5		20.0			
Methyl acrylate	0.2791 0.4277	0.3887 0.3968	0.3720	0.4254	0.3942	Ave		0.383 4				13.1		20.0			
Methacrylonitrile	0.1716 0.1609	0.1622 0.1499	0.1478	0.1596	0.1501	Ave		0.157 5				5.5		20.0			
Bromochloromethane	0.1274 0.1394	0.1325 0.1281	0.1215	0.1323	0.1286	Ave		0.130 0				4.2		20.0			
Tetrahydrofuran	1.2775 1.2417	1.2854 1.2101	1.1470	1.2424	1.1754	Ave		1.225 6				4.2		20.0			
Chloroform	0.5625 0.5223	0.5483 0.4800	0.4925	0.5173	0.4878	Ave		0.515 8			0.2000	6.1		20.0			
1,1,1-Trichloroethane	0.4427 0.4862	0.5107 0.4548	0.4478	0.4759	0.4527	Ave		0.467 3			0.1000	5.3		20.0			
Cyclohexane	0.6023 0.5857	0.5903 0.5540	0.5259	0.5819	0.5616	Ave		0.571 7			0.1000	4.6		20.0			
1,1-Dichloropropene	0.3977 0.4414	0.4450 0.4122	0.4089	0.4320	0.4088	Ave		0.420 9				4.4		20.0			
Carbon tetrachloride	0.3636 0.4257	0.4177 0.4013	0.3844	0.4101	0.3951	Ave		0.399 7			0.1000	5.3		20.0			
Isobutyl alcohol	0.4202 0.3980	0.3703 0.3759	0.3581	0.3884	0.3592	Ave		0.381 4				5.9		20.0			
Benzene	1.1238 1.1942	1.2284 1.1228	1.1102	1.1800	1.1100	Ave		1.152 8			0.5000	4.1		20.0			
1,2-Dichloroethane	0.4876 0.4789	0.4763 0.4401	0.4429	0.4728	0.4518	Ave		0.464 3			0.1000	4.1		20.0			
t-Amyl methyl ether	0.9340 0.9425	0.9214 0.8558	0.8606	0.9303	0.8879	Ave		0.904 7				4.0		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
n-Heptane	0.5536 0.4552	0.4773 0.4281	0.4056	0.4564	0.4287	Ave		0.457 8				10.6		20.0			
n-Butanol	0.3289 0.2985	0.3049 0.2753	0.2532	0.2796	0.2594	Ave		0.285 7				9.4		20.0			
Trichloroethene	0.2871 0.3082	0.3167 0.2879	0.2830	0.3039	0.2869	Ave		0.296 2			0.2000	4.4		20.0			
Ethyl acrylate	0.4224 0.5343	0.4671 0.4898	0.4417	0.5182	0.4870	Ave		0.480 1				8.3		20.0			
Methylcyclohexane	0.4499 0.5454	0.5360 0.5138	0.4878	0.5330	0.5094	Ave		0.510 8			0.1000	6.5		20.0			
1,2-Dichloropropane	0.3001 0.3287	0.3280 0.3064	0.2955	0.3211	0.3026	Ave		0.311 8			0.1000	4.4		20.0			
t-Amyl ethyl ether	0.4757 0.4981	0.4890 0.4600	0.4521	0.4773	0.4617	Ave		0.473 4				3.5		20.0			
Dibromomethane	0.1909 0.1923	0.1898 0.1768	0.1777	0.1860	0.1791	Ave		0.184 7				3.6		20.0			
1,4-Dioxane	++++ 0.0688	0.0493 0.0614	0.0564	0.0650	0.0623	Ave		0.060 5			0.0050	11.4		20.0			
Methyl methacrylate	0.2920 0.2799	0.2641 0.2586	0.2449	0.2706	0.2547	Ave		0.266 4				6.0		20.0			
Bromodichloromethane	0.3701 0.3998	0.3828 0.3731	0.3638	0.3873	0.3715	Ave		0.378 4			0.2000	3.3		20.0			
2-Nitropropane	3.7259 3.8664	3.8547 3.8069	3.5788	3.8629	3.6623	Ave		3.765 4				3.0		20.0			
2-Chloroethyl vinyl ether	0.2138 0.2394	0.2147 0.2224	0.2082	0.2339	0.2214	Ave		0.222 0				5.1		20.0			
cis-1,3-Dichloropropene	0.4838 0.5281	0.4898 0.4944	0.4707	0.5060	0.4839	Ave		0.493 8			0.2000	3.8		20.0			
4-Methyl-2-pentanone (MIBK)	0.4685 0.4726	0.4416 0.4233	0.4288	0.4686	0.4320	Ave		0.447 9			0.1000	4.8		20.0			
Toluene	0.9475 1.0384	1.0663 0.9766	0.9695	1.0121	0.9547	Ave		0.995 0			0.4000	4.5		20.0			
trans-1,3-Dichloropropene	0.6139 0.6710	0.6226 0.6295	0.6021	0.6458	0.6081	Ave		0.627 6			0.1000	3.8		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Ethyl methacrylate	0.6460 0.6854	0.6476 0.6212	0.6123	0.6609	0.6276	Ave		0.643 n				3.9		20.0			
1,1,2-Trichloroethane	0.3610 0.3505	0.3491 0.3247	0.3200	0.3380	0.3296	Ave		0.339 n			0.1000	4.5		20.0			
Tetrachloroethene	0.3913 0.4241	0.4283 0.4033	0.3914	0.4140	0.3935	Ave		0.406 6			0.2000	3.9		20.0			
1,3-Dichloropropane	0.6566 0.6527	0.6466 0.6017	0.5942	0.6345	0.6014	Ave		0.626 8				4.3		20.0			
2-Hexanone	0.4788 0.4601	0.4651 0.4147	0.4272	0.4581	0.4175	Ave		0.445 9			0.1000	5.7		20.0			
Dibromochloromethane	0.3861 0.4041	0.3673 0.3804	0.3494	0.3789	0.3687	Ave		0.376 4				4.5		20.0			
1,2-Dibromoethane (EDB)	0.3506 0.3743	0.3724 0.3483	0.3413	0.3674	0.3473	Ave		0.357 4			0.1000	3.8		20.0			
Chlorobenzene	0.9898 1.0935	1.0921 1.0387	1.0032	1.0803	1.0128	Ave		1.044 4			0.5000	4.2		20.0			
1-Chlorohexane	0.5296 0.5607	0.5746 0.5393	0.5073	0.5573	0.5196	Ave		0.541 2				4.5		20.0			
1,1,1,2-Tetrachloroethane	0.3395 0.3912	0.3688 0.3681	0.3413	0.3728	0.3604	Ave		0.363 2				5.0		20.0			
Ethylbenzene	1.9525 2.0277	2.0155 1.9143	1.9056	1.9878	1.8862	Ave		1.955 7			0.1000	2.9		20.0			
m&p-Xylene	0.6812 0.7783	0.7522 0.7506	0.7155	0.7495	0.7239	Ave		0.735 9			0.1000	4.3		20.0			
o-Xylene	0.6400 0.7677	0.7625 0.7438	0.6882	0.7458	0.7116	Ave		0.722 8			0.3000	6.4		20.0			
n-Butyl acrylate	0.8794 1.0626	0.9400 0.9957	0.9294	1.0566	0.9842	Ave		0.978 3				6.9		20.0			
Styrene	1.1009 1.2774	1.2021 1.2437	1.1441	1.2267	1.1675	Ave		1.194 6			0.3000	5.1		20.0			
Bromoform	0.2780 0.3023	0.2651 0.2862	0.2657	0.2834	0.2702	Ave		0.278 7			0.1000	4.8		20.0			
Isopropylbenzene	1.6624 1.8926	1.8571 1.7921	1.7164	1.8560	1.7519	Ave		1.789 8			0.1000	4.7		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Cyclohexanone	0.3761 0.3934	0.3814 0.3265	0.3426	0.3515	0.3422	Ave		0.359 1				6.9		20.0			
Bromobenzene	0.7681 0.7996	0.7881 0.7336	0.7537	0.8002	0.7414	Ave		0.769 2				3.6		20.0			
1,1,2,2-Tetrachloroethane	1.0482 1.0162	1.0263 0.9018	0.9252	1.0134	0.9284	Ave		0.979 9			0.3000	6.0		20.0			
1,2,3-Trichloropropane	0.3067 0.3053	0.3133 0.2715	0.2839	0.3111	0.2834	Ave		0.296 4				5.6		20.0			
trans-1,4-Dichloro-2-butene	0.4202 0.4278	0.3902 0.3802	0.3846	0.4266	0.3919	Ave		0.403 1				5.2		20.0			
N-Propylbenzene	3.5619 4.1815	4.1247 3.5516	3.8248	4.1264	3.8909	Ave		3.894 6				6.8		20.0			
2-Chlorotoluene	0.7200 0.8024	0.8092 0.7225	0.7266	0.7786	0.7395	Ave		0.757 0				5.1		20.0			
4-Chlorotoluene	0.7002 0.8335	0.8355 0.7710	0.7628	0.8023	0.7705	Ave		0.782 3				6.0		20.0			
1,3,5-Trimethylbenzene	2.4471 2.9763	2.9163 2.7689	2.6466	2.8828	2.7606	Ave		2.771 2				6.5		20.0			
tert-Butylbenzene	0.5149 0.6003	0.5529 0.5550	0.5366	0.5780	0.5575	Ave		0.556 5				4.9		20.0			
1,2,4-Trimethylbenzene	2.6148 2.9979	2.8858 2.7499	2.6827	2.9023	2.7642	Ave		2.799 6				4.8		20.0			
sec-Butylbenzene	2.8527 3.6676	3.4806 3.2479	3.2566	3.5090	3.3816	Ave		3.342 3				7.8		20.0			
1,3-Dichlorobenzene	1.3510 1.5245	1.4855 1.4021	1.3803	1.4977	1.4191	Ave		1.437 2			0.6000	4.6		20.0			
p-Isopropyltoluene	2.5841 3.1893	3.0142 2.9195	2.7879	3.0321	2.9287	Ave		2.922 2				6.6		20.0			
1,4-Dichlorobenzene	1.4084 1.5461	1.5230 1.4233	1.3966	1.5138	1.4304	Ave		1.463 1			0.5000	4.2		20.0			
1,2,3-Trimethylbenzene	2.6859 3.0042	2.9556 2.7283	2.7256	2.9677	2.8103	Ave		2.839 7				4.7		20.0			
Benzyl chloride	2.0620 2.3060	2.1079 2.0504	2.0344	2.2445	2.1009	Ave		2.129 4				4.9		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
1,3-Diethylbenzene	1.4879 1.7984	1.7452 1.6620	1.5941	1.7081	1.6622	Ave		1.665 4				6.1		20.0			
1,4-Diethylbenzene	1.5127 1.8865	1.7363 1.7613	1.6513	1.7989	1.7463	Ave		1.727 6				6.8		20.0			
1,2-Dichlorobenzene	1.2900 1.4904	1.3918 1.3900	1.3442	1.4510	1.3665	Ave		1.389 1			0.4000	4.8		20.0			
n-Butylbenzene	1.2316 1.5382	1.4386 1.4534	1.4027	1.4749	1.4288	Ave		1.424 0				6.7		20.0			
1,2-Diethylbenzene	1.2881 1.4955	1.4397 1.3853	1.3503	1.4429	1.3748	Ave		1.396 6				4.9		20.0			
1,2-Dibromo-3-Chloropropane	0.2561 0.2753	0.2624 0.2392	0.2503	0.2766	0.2482	Ave		0.258 3			0.0500	5.4		20.0			
1,3,5-Trichlorobenzene	0.8960 1.0545	0.9763 0.9354	0.9278	0.9961	0.9664	Ave		0.964 6				5.4		20.0			
1,2,4-Trichlorobenzene	0.7576 1.0033	0.9073 0.8685	0.8646	0.9372	0.8969	Ave		0.890 8			0.2000	8.5		20.0			
Hexachlorobutadiene	0.3573 0.4317	0.4081 0.3669	0.3676	0.4059	0.3956	Ave		0.390 4				7.0		20.0			
2-Ethylhexyl acrylate	0.8762 1.1970	0.8694 1.0241	0.9108	1.0664	1.0334	Ave		0.996 8				12.0		20.0			
Naphthalene	2.8212 3.3897	3.0683 2.8637	2.8541	3.2043	3.0247	Ave		3.032 3				6.9		20.0			
1,2,3-Trichlorobenzene	0.7730 0.9502	0.8384 0.8079	0.7910	0.8783	0.8378	Ave		0.839 5				7.1		20.0			
2-Methylnaphthalene	1.2400 1.7177	1.3291 1.4072	1.2498	1.5031	1.4588	Ave		1.415 1				11.8		20.0			
Dibromofluoromethane (Surr)	0.2352 0.2354	0.2365 0.2351	0.2341	0.2358	0.2371	Ave		0.235 6				0.4		20.0			
1,2-Dichloroethane-d4 (Surr)	0.3718 0.3646	0.3733 0.3619	0.3722	0.3753	0.3701	Ave		0.369 9				1.3		20.0			
Toluene-d8 (Surr)	1.4060 1.4005	1.3910 1.3948	1.4034	1.4018	1.4042	Ave		1.400 3				0.4		20.0			
4-Bromofluorobenzene (Surr)	0.5286 0.5273	0.5305 0.5333	0.5364	0.5318	0.5350	Ave		0.531 9				0.6		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-484275/12	EN18X12.D
Level 2	IC 410-484275/13	EN18X13.D
Level 3	IC 410-484275/14	EN18X14.D
Level 4	IC 410-484275/15	EN18X15.D
Level 5	ICIS 410-484275/16	EN18X16.D
Level 6	IC 410-484275/17	EN18X17.D
Level 7	IC 410-484275/18	EN18X18.D

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Dichlorodifluoromethane	FB	Ave	10032 994884	46048 3219911	106804	207583	519618	1.00 100	4.00 300	10.0	20.0	50.0
Chloromethane	FB	Ave	10237 923092	43810 2960580	96435	196885	463983	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Butadiene	FB	Ave	10147 1047434	50799 3360716	111614	221551	546682	1.00 100	4.00 300	10.0	20.0	50.0
Vinyl chloride	FB	Ave	7706 888899	42040 2864482	94930	184311	442389	1.00 100	4.00 300	10.0	20.0	50.0
Bromomethane	FB	Ave	5837 536276	25023 1720909	55477	110193	274984	1.00 100	4.00 300	10.0	20.0	50.0
Chloroethane	FB	Ave	5907 497322	23197 1594608	52764	105324	250269	1.00 100	4.00 300	10.0	20.0	50.0
Dichlorofluoromethane	FB	Ave	15564 1322632	64889 4151591	145175	280869	675552	1.00 100	4.00 300	10.0	20.0	50.0
n-Pentane	FB	Ave	10369 1161976	50319 3697113	111838	232007	568657	1.00 100	4.00 300	10.0	20.0	50.0
Trichlorofluoromethane	FB	Ave	10607 1084771	50752 3487269	114278	229849	563866	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl ether	FB	Ave	5352 548140	21487 1698216	55055	110530	263559	1.00 100	4.00 300	10.0	20.0	50.0
Freon 123a	FB	Ave	8853 766834	38597 2434008	81709	164396	395535	1.00 100	4.00 300	10.0	20.0	50.0
Acrolein	TBA d1 0	Ave	19425 1886705	68783 5706740	175703	359083	874967	10.00 1000	40.0 3000	100.0	200	500
1,1-Dichloroethene	FB	Ave	4606 497917	20546 1567791	49059	97439	238677	1.00 100	4.00 300	10.0	20.0	50.0
Acetone	TBA d1 0	Ave	1553 158404	6589 474779	15034	31244	73950	2.00 200	8.00 600	20.0	40.0	100

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Freon 113	FB	Ave	4369 576843	24145 1845815	55617	117039	287848	1.00 100	4.00 300	10.0	20.0	50.0
2-Propanol	TBA d10	Ave	3395 259786	11093 822268	26485	58306	120145	5.00 500	20.0 1500	50.0	100	250
Methyl iodide	FB	Ave	8680 886200	37621 2776493	86625	171401	428285	1.00 100	4.00 300	10.0	20.0	50.0
Carbon disulfide	FB	Ave	13696 1483164	62683 4647443	143759	290347	706658	1.00 100	4.00 300	10.0	20.0	50.0
Allyl chloride	FB	Ave	10114 1156176	48463 3532929	110743	227092	552289	1.00 100	4.00 300	10.0	20.0	50.0
Methyl acetate	FB	Ave	4786 683765	25614 2020695	65606	132255	327291	1.00 100	4.00 300	10.0	20.0	50.0
Methylene Chloride	FB	Ave	5701 565692	24116 1734092	55654	111706	271975	1.00 100	4.00 300	10.0	20.0	50.0
t-Butyl alcohol	TBA d10	Ave	6516 463070	20189 1345261	45276	93047	213380	5.00 500	20.0 1500	50.0	100	250
Acrylonitrile	FB	Ave	8519 794406	34386 2431297	80584	154666	381941	2.50 250	10.0 750	25.0	50.0	125
trans-1,2-Dichloroethene	FB	Ave	5046 561408	24390 1755391	52506	108010	268873	1.00 100	4.00 300	10.0	20.0	50.0
Methyl tert-butyl ether	FB	Ave	19672 2037346	84362 6176357	193238	399806	975356	1.00 100	4.00 300	10.0	20.0	50.0
n-Hexane	FB	Ave	9528 963304	41095 3008767	89261	188220	476844	1.00 100	4.00 300	10.0	20.0	50.0
1,1-Dichloroethane	FB	Ave	11295 1182733	50660 3685345	117490	236508	578375	1.00 100	4.00 300	10.0	20.0	50.0
Isopropyl ether	FB	Ave	20615 2209174	92812 6749791	215613	436661	1074348	1.00 100	4.00 300	10.0	20.0	50.0
2-Chloro-1,3-butadiene	FB	Ave	10673 1187836	50083 3671637	115907	231146	570598	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl t-butyl ether	FB	Ave	21234 2139614	87012 6466006	201442	411251	1010801	1.00 100	4.00 300	10.0	20.0	50.0
cis-1,2-Dichloroethene	FB	Ave	5869 635209	26313 1950866	62573	123471	302418	1.00 100	4.00 300	10.0	20.0	50.0
2-Butanone (MEK)	FB	Ave	11940 909058	35979 2778945	89838	174989	436327	2.00 200	8.00 600	20.0	40.0	100
2,2-Dichloropropane	FB	Ave	10555 1092217	47223 3375758	111686	215866	525743	1.00 100	4.00 300	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

Analy Batch No.: 484275

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Propionitrile	TBA01	Ave	7105 651148	25970 1982057	63426	127668	309276	5.00 500	20.0 1500	50.0	100	250
Methyl acrylate	FB	Ave	5835 900823	33734 2780215	81560	177662	425998	1.00 100	4.00 300	10.0	20.0	50.0
Methacrylonitrile	FB	Ave	8968 847238	35186 2625322	80970	166639	405579	2.50 250	10.0 750	25.0	50.0	125
Bromochloromethane	FB	Ave	2663 293518	11493 897342	26642	55239	138914	1.00 100	4.00 300	10.0	20.0	50.0
Tetrahydrofuran	TBA01	Ave	5323 546009	22205 1650470	50167	106563	258816	5.00 500	20.0 1500	50.0	100	250
Chloroform	FB	Ave	11758 1099947	47570 3362631	107958	216008	527114	1.00 100	4.00 300	10.0	20.0	50.0
1,1,1-Trichloroethane	FB	Ave	9253 1023956	44307 3186175	98164	198733	489208	1.00 100	4.00 300	10.0	20.0	50.0
Cyclohexane	FB	Ave	12589 1233527	51218 3880900	115269	242987	606799	1.00 100	4.00 300	10.0	20.0	50.0
1,1-Dichloropropene	FB	Ave	8313 929590	38614 2887460	89622	180397	441740	1.00 100	4.00 300	10.0	20.0	50.0
Carbon tetrachloride	FB	Ave	7600 896533	36239 2811272	84258	171279	426920	1.00 100	4.00 300	10.0	20.0	50.0
Isobutyl alcohol	TBA01	Ave	4377 437520	15993 1281677	39159	83285	197756	12.5 1250	50.0 3750	125	250	625
Benzene	FB	Ave	23489 2514986	106579 7866002	243348	492784	1199400	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dichloroethane	FB	Ave	10192 1008545	41329 3083307	97087	197423	488152	1.00 100	4.00 300	10.0	20.0	50.0
t-Amyl methyl ether	FB	Ave	19522 1984845	79948 5995261	188646	388499	959443	1.00 100	4.00 300	10.0	20.0	50.0
n-Heptane	FB	Ave	11572 958611	41409 2999143	88898	190584	463263	1.00 100	4.00 300	10.0	20.0	50.0
n-Butanol	TBA01	Ave	3426 328172	13168 938840	27685	59955	142819	12.5 1250	50.0 3750	125	250	625
Trichloroethene	FB	Ave	6000 649000	27481 2016982	62031	126914	309973	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl acrylate	FB	Ave	8828 1125091	40522 3430902	96814	216386	526228	1.000 100.0	4.00 300	10.00	20.0	50.0
Methylcyclohexane	FB	Ave	9403	46509	106923	222588	550471	1.00	4.00	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
			1148692	3599091				100	300			
1,2-Dichloropropane	FB	Ave	6272 692199	28461 2146329	64772	134074	326985	1.00 100	4.00 300	10.0	20.0	50.0
t-Amyl ethyl ether	FB	Ave	9942 1049118	42423 3222564	99103	199305	498899	1.00 100	4.00 300	10.0	20.0	50.0
Dibromomethane	FB	Ave	3991 405063	16466 1238865	38945	77654	193494	1.00 100	4.00 300	10.0	20.0	50.0
1,4-Dioxane	TBA d10	Ave	++++ 75666	2128 209533	6171	13936	34290	++++ 1250	50.0 3750	125	250	625
Methyl methacrylate	FB	Ave	6103 589571	22915 1811871	53683	113000	275259	1.00 100	4.00 300	10.0	20.0	50.0
Bromodichloromethane	FB	Ave	7736 841981	33212 2613700	79752	161755	401387	1.00 100	4.00 300	10.0	20.0	50.0
2-Nitropropane	TBA d10	Ave	15525 1700188	66587 5192535	156530	331321	806453	5.00 500	20.0 1500	50.0	100	250
2-Chloroethyl vinyl ether	FB	Ave	4468 504140	18631 1558015	45645	97680	239243	1.00 100	4.00 300	10.0	20.0	50.0
cis-1,3-Dichloropropene	FB	Ave	10112 1112102	42497 3463385	103180	211290	522860	1.00 100	4.00 300	10.0	20.0	50.0
4-Methyl-2-pentanone (MIBK)	FB	Ave	19586 1990514	76626 5931382	187987	391410	933616	2.00 200	8.00 600	20.0	40.0	100
Toluene	CBZ d5	Ave	14473 1632499	68181 5085324	156192	311404	770218	1.00 100	4.00 300	10.0	20.0	50.0
trans-1,3-Dichloropropene	CBZ d5	Ave	9377 1054858	39811 3277735	96997	198700	490575	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl methacrylate	CBZ d5	Ave	9868 1077428	41405 3234769	98648	203342	506296	1.00 100	4.00 300	10.0	20.0	50.0
1,1,2-Trichloroethane	CBZ d5	Ave	5514 550987	22321 1690702	51545	103992	265934	1.00 100	4.00 300	10.0	20.0	50.0
Tetrachloroethene	CBZ d5	Ave	5977 666697	27385 2100228	63056	127385	317438	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Dichloropropane	CBZ d5	Ave	10029 1026115	41342 3132908	95720	195217	485201	1.00 100	4.00 300	10.0	20.0	50.0
2-Hexanone	CBZ d5	Ave	14628 1446683	59475 4318552	137638	281899	673641	2.00 200	8.00 600	20.0	40.0	100
Dibromochloromethane	CBZ d5	Ave	5897 635342	23484 1980985	56290	116590	297466	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dibromoethane (EDB)	CBZ d5	Ave	5355 588479	23810 1813665	54980	113033	280191	1.00 100	4.00 300	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Chlorobenzene	CBZd5	Ave	15119 1719105	69828 5408377	161619	332387	817075	1.00 100	4.00 300	10.0	20.0	50.0
1-Chlorohexane	CBZd5	Ave	8089 881474	36742 2808120	81723	171451	419182	1.00 100	4.00 300	10.0	20.0	50.0
1,1,1,2-Tetrachloroethane	CBZd5	Ave	5185 615024	23579 1916700	54988	114710	290735	1.00 100	4.00 300	10.0	20.0	50.0
Ethylbenzene	CBZd5	Ave	29824 3187705	128869 9967675	306995	611588	1521665	1.00 100	4.00 300	10.0	20.0	50.0
m&p-Xylene	CBZd5	Ave	20810 2447138	96195 7816823	230540	461201	1168006	2.00 200	8.00 600	20.0	40.0	100
o-Xylene	CBZd5	Ave	9775 1206858	48757 3873174	110867	229460	574056	1.00 100	4.00 300	10.0	20.0	50.0
n-Butyl acrylate	CBZd5	Ave	13439 1671299	60133 5187219	149793	325243	794370	1.00 100	4.00 300	10.0	20.0	50.0
Styrene	CBZd5	Ave	16816 2008145	76860 6476087	184317	377409	941841	1.00 100	4.00 300	10.0	20.0	50.0
Bromoform	CBZd5	Ave	4247 475200	16953 1490264	42798	87201	217950	1.00 100	4.00 300	10.0	20.0	50.0
Isopropylbenzene	CBZd5	Ave	25392 2975336	118740 9331574	276504	571035	1413342	1.00 100	4.00 300	10.0	20.0	50.0
Cyclohexanone	TBA d1 0	Ave	15672 432443	65889 1113234	74913	150753	188365	50.0 1250	200 3750	250	500	625
Bromobenzene	DCBd4	Ave	6505 708856	27907 2247597	67371	137219	336870	1.00 100	4.00 300	10.0	20.0	50.0
1,1,2,2-Tetrachloroethane	DCBd4	Ave	8877 900923	36341 2763092	82694	173766	421856	1.00 100	4.00 300	10.0	20.0	50.0
1,2,3-Trichloropropane	DCBd4	Ave	2597 270686	11093 831754	25374	53345	128777	1.00 100	4.00 300	10.0	20.0	50.0
trans-1,4-Dichloro-2-butene	DCBd4	Ave	8896 948108	34539 2912327	85937	182886	445178	2.50 250	10.0 750	25.0	50.0	125
N-Propylbenzene	DCBd4	Ave	30164 3707069	146056 10881999	341874	707570	1767935	1.00 100	4.00 300	10.0	20.0	50.0
2-Chlorotoluene	DCBd4	Ave	6097 711350	28652 2213808	64949	133501	336001	1.00 100	4.00 300	10.0	20.0	50.0
4-Chlorotoluene	DCBd4	Ave	5930 738909	29585 2362247	68186	137577	350122	1.00 100	4.00 300	10.0	20.0	50.0
1,3,5-Trimethylbenzene	DCBd4	Ave	20723 2638628	103266 8483815	236565	494325	1254370	1.00 100	4.00 300	10.0	20.0	50.0
tert-Butylbenzene	DCBd4	Ave	4360	19579	47962	99105	253338	1.00	4.00	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
			532183	1700630				100	300			
1,2,4-Trimethylbenzene	DCBd4	Ave	22143 2657800	102186 8425470	239790	497660	1255978	1.00 100	4.00 300	10.0	20.0	50.0
sec-Butylbenzene	DCBd4	Ave	24158 3251459	123249 9951344	291084	601692	1536543	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Dichlorobenzene	DCBd4	Ave	11441 1351511	52603 4296052	123380	256818	644822	1.00 100	4.00 300	10.0	20.0	50.0
p-Isopropyltoluene	DCBd4	Ave	21883 2827433	106731 8945305	249194	519916	1330733	1.00 100	4.00 300	10.0	20.0	50.0
1,4-Dichlorobenzene	DCBd4	Ave	11927 1370693	53929 4360782	124829	259579	649946	1.00 100	4.00 300	10.0	20.0	50.0
1,2,3-Trimethylbenzene	DCBd4	Ave	22745 2663401	104656 8359468	243625	508883	1276926	1.00 100	4.00 300	10.0	20.0	50.0
Benzyl chloride	DCBd4	Ave	17462 2044357	74639 6282403	181843	384868	954619	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Diethylbenzene	DCBd4	Ave	12600 1594387	61797 5092155	142482	292892	755290	1.00 100	4.00 300	10.0	20.0	50.0
1,4-Diethylbenzene	DCBd4	Ave	12810 1672435	61482 5396583	147598	308467	793491	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dichlorobenzene	DCBd4	Ave	10924 1321346	49285 4258886	120151	248798	620904	1.00 100	4.00 300	10.0	20.0	50.0
n-Butylbenzene	DCBd4	Ave	10430 1363710	50940 4453237	125377	252904	649201	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Diethylbenzene	DCBd4	Ave	10908 1325801	50980 4244509	120691	247409	624679	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dibromo-3-Chloropropane	DCBd4	Ave	2169 244056	9292 732825	22375	47429	112778	1.00 100	4.00 300	10.0	20.0	50.0
1,3,5-Trichlorobenzene	DCBd4	Ave	7588 934856	34569 2866099	82926	170809	439116	1.00 100	4.00 300	10.0	20.0	50.0
1,2,4-Trichlorobenzene	DCBd4	Ave	6416 889462	32127 2661062	77279	160708	407522	1.00 100	4.00 300	10.0	20.0	50.0
Hexachlorobutadiene	DCBd4	Ave	3026 382754	14449 1124039	32860	69609	179744	1.00 100	4.00 300	10.0	20.0	50.0
2-Ethylhexyl acrylate	DCBd4	Ave	7418 1060908	30776 3136888	81389	182801	469426	1.000 100.0	4.00 300	10.00	20.0	50.0
Naphthalene	DCBd4	Ave	23891 3005097	108648 8774225	255109	549441	1374359	1.00 100	4.00 300	10.0	20.0	50.0
1,2,3-Trichlorobenzene	DCBd4	Ave	6546 842413	29689 2475387	70702	150608	380694	1.00 100	4.00 300	10.0	20.0	50.0
2-Methylnaphthalene	DCBd4	Ave	10501	47062	111708	257735	662857	1.00	4.00	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
			1522842	4311586				100	300			
Dibromofluoromethane (Surr)	FB	Ave	245806 247919	256525 274475	256619	246230	256159	50.0 50.0	50.0 50.0	50.0	50.0	50.0
1,2-Dichloroethane-d4 (Surr)	FB	Ave	388523 383964	404830 422486	407949	391789	399899	50.0 50.0	50.0 50.0	50.0	50.0	50.0
Toluene-d8 (Surr)	CBZd5	Ave	1073764 1100866	1111785 1210489	1130441	1078229	1132849	50.0 50.0	50.0 50.0	50.0	50.0	50.0
4-Bromofluorobenzene (Surr)	CBZd5	Ave	403741 414480	423989 462824	432081	409044	431641	50.0 50.0	50.0 50.0	50.0	50.0	50.0

Curve Type Legend:

Ave = Average ISTD

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-484275/12	EN18X12.D
Level 2	IC 410-484275/13	EN18X13.D
Level 3	IC 410-484275/14	EN18X14.D
Level 4	IC 410-484275/15	EN18X15.D
Level 5	ICIS 410-484275/16	EN18X16.D
Level 6	IC 410-484275/17	EN18X17.D
Level 7	IC 410-484275/18	EN18X18.D

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Dichlorodifluoromethane	-1.4 -5.6	9.0	0.1	2.1	-1.2	-3.0	50 30	30	30	30	30	30
Chloromethane	7.3 -7.5	10.6	-3.7	3.2	-6.0	-4.0	50 30	30	30	30	30	30
1,3-Butadiene	-5.4 -6.6	14.0	-0.8	3.3	-1.5	-3.1	50 30	30	30	30	30	30
Vinyl chloride	-13.0 -3.6	14.3	2.1	4.1	-3.4	-0.5	50 30	30	30	30	30	30
Bromomethane	6.3 -6.5	9.8	-3.7	0.4	-3.2	-3.1	50 30	30	30	30	30	30
Chloroethane	13.8 -8.3	7.7	-3.1	1.6	-6.7	-4.9	50 30	30	30	30	30	30
Dichlorofluoromethane	11.5 -11.2	12.0	-0.8	0.7	-6.4	-5.9	50 30	30	30	30	30	30
n-Pentane	-7.3 -1.4	8.3	-4.7	3.8	-1.7	3.1	50 30	30	30	30	30	30
Trichlorofluoromethane	-4.0 -5.8	10.7	-1.3	4.2	-1.2	-2.5	50 30	30	30	30	30	30
Ethyl ether	1.5 -3.9	-1.8	-0.5	4.9	-3.3	3.2	50 30	30	30	30	30	30
Freon 123a	9.3 -10.3	14.8	-3.8	1.6	-5.5	-6.0	50 30	30	30	30	30	30
Acrolein	11.4 0.0	-4.9	-4.0	0.0	-5.1	2.5	50 30	30	30	30	30	30
1,1-Dichloroethene	-3.3 -1.8	3.9	-1.8	2.4	-3.1	3.7	50 30	30	30	30	30	30
Acetone	4.1 -2.8	6.5	-4.0	1.7	-6.2	0.6	50 30	30	30	30	30	30
Freon 113	-19.8 1.1	6.7	-2.7	7.5	2.2	5.1	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
2-Propanol	27.3 -5.8	0.3	-5.4	6.2	-14.8	-7.7	50 30	30	30	30	30	30
Methyl iodide	1.4 -3.3	5.8	-3.5	0.2	-3.3	2.7	50 30	30	30	30	30	30
Carbon disulfide	-3.4 -2.2	6.5	-3.4	2.4	-3.6	3.8	50 30	30	30	30	30	30
Allyl chloride	-7.3 -3.4	6.9	-3.3	4.1	-2.1	5.1	50 30	30	30	30	30	30
Methyl acetate	-22.0 -1.8	0.5	1.9	7.8	3.1	10.5	50 30	30	30	30	30	30
Methylene Chloride	3.8 -5.8	5.7	-3.4	1.8	-4.2	2.2	50 30	30	30	30	30	30
t-Butyl alcohol	39.3 -12.2	4.1	-7.8	-3.4	-13.7	-6.2	50 30	30	30	30	30	30
Acrylonitrile	8.9 -7.3	5.9	-1.8	-1.0	-5.5	0.8	50 30	30	30	30	30	30
trans-1,2-Dichloroethene	-5.4 -1.8	10.1	-6.2	1.3	-2.5	4.4	50 30	30	30	30	30	30
Methyl tert-butyl ether	1.3 -5.1	4.6	-5.1	3.0	-2.9	4.1	50 30	30	30	30	30	30
n-Hexane	2.4 -3.5	6.4	-8.5	1.3	-0.9	2.8	50 30	30	30	30	30	30
1,1-Dichloroethane	-1.7 -4.3	6.2	-2.5	3.0	-2.7	2.1	50 30	30	30	30	30	30
Isopropyl ether	-2.7 -4.9	5.6	-2.9	3.2	-1.9	3.5	50 30	30	30	30	30	30
2-Chloro-1,3-butadiene	-5.6 -3.1	6.7	-2.2	2.3	-2.4	4.3	50 30	30	30	30	30	30
Ethyl t-butyl ether	4.6 -4.9	3.3	-5.4	1.4	-3.7	4.6	50 30	30	30	30	30	30
cis-1,2-Dichloroethene	-2.9 -3.7	4.8	-1.3	2.2	-3.3	4.3	50 30	30	30	30	30	30
2-Butanone (MEK)	31.2 -8.9	-4.7	-5.8	-3.7	-7.2	-0.8	50 30	30	30	30	30	30
2,2-Dichloropropane	-0.8 -5.3	6.9	0.1	1.6	-4.4	1.9	50 30	30	30	30	30	30
Propionitrile	13.8 -3.0	0.4	-3.2	-0.6	-6.2	-1.1	50 30	30	30	30	30	30
Methyl acrylate	-27.2 3.5	1.4	-3.0	10.9	2.8	11.5	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Methacrylonitrile	9.0 -4.8	3.0	-6.2	1.4	-4.6	2.2	50 30	30	30	30	30	30
Bromochloromethane	-2.0 -1.4	1.9	-6.5	1.8	-1.1	7.2	50 30	30	30	30	30	30
Tetrahydrofuran	4.2 -1.3	4.9	-6.4	1.4	-4.1	1.3	50 30	30	30	30	30	30
Chloroform	9.1 -6.9	6.3	-4.5	0.3	-5.4	1.3	50 30	30	30	30	30	30
1,1,1-Trichloroethane	-5.3 -2.7	9.3	-4.2	1.8	-3.1	4.1	50 30	30	30	30	30	30
Cyclohexane	5.4 -3.1	3.3	-8.0	1.8	-1.8	2.5	50 30	30	30	30	30	30
1,1-Dichloropropene	-5.5 -2.1	5.7	-2.8	2.6	-2.9	4.9	50 30	30	30	30	30	30
Carbon tetrachloride	-9.0 0.4	4.5	-3.8	2.6	-1.2	6.5	50 30	30	30	30	30	30
Isobutyl alcohol	10.2 -1.5	-2.9	-6.1	1.8	-5.8	4.3	50 30	30	30	30	30	30
Benzene	-2.5 -2.6	6.6	-3.7	2.4	-3.7	3.6	50 30	30	30	30	30	30
1,2-Dichloroethane	5.0 -5.2	2.6	-4.6	1.8	-2.7	3.1	50 30	30	30	30	30	30
t-Amyl methyl ether	3.2 -5.4	1.9	-4.9	2.8	-1.8	4.2	50 30	30	30	30	30	30
n-Heptane	20.9 -6.5	4.2	-11.4	-0.3	-6.4	-0.6	50 30	30	30	30	30	30
n-Butanol	15.1 -3.6	6.7	-11.4	-2.1	-9.2	4.5	50 30	30	30	30	30	30
Trichloroethene	-3.1 -2.8	6.9	-4.5	2.6	-3.2	4.0	50 30	30	30	30	30	30
Ethyl acrylate	-12.0 2.0	-2.7	-8.0	7.9	1.5	11.3	50 30	30	30	30	30	30
Methylcyclohexane	-11.9 0.6	4.9	-4.5	4.4	-0.3	6.8	50 30	30	30	30	30	30
1,2-Dichloropropane	-3.7 -1.7	5.2	-5.2	3.0	-2.9	5.4	50 30	30	30	30	30	30
t-Amyl ethyl ether	0.5 -2.8	3.3	-4.5	0.8	-2.5	5.2	50 30	30	30	30	30	30
Dibromomethane	3.4 -4.2	2.8	-3.8	0.7	-3.0	4.2	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.: _____

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
1,4-Dioxane	++++ 1.5	-18.6	-6.8	7.3	2.9	13.7	30	50	30	30	30	30
Methyl methacrylate	9.6 -2.9	-0.9	-8.1	1.6	-4.4	5.1	50 30	30	30	30	30	30
Bromodichloromethane	-2.2 -1.4	1.2	-3.8	2.4	-1.8	5.7	50 30	30	30	30	30	30
2-Nitropropane	-1.0 1.1	2.4	-5.0	2.6	-2.7	2.7	50 30	30	30	30	30	30
2-Chloroethyl vinyl ether	-3.7 0.2	-3.3	-6.2	5.4	-0.3	7.8	50 30	30	30	30	30	30
cis-1,3-Dichloropropene	-2.0 0.1	-0.8	-4.7	2.5	-2.0	6.9	50 30	30	30	30	30	30
4-Methyl-2-pentanone (MIBK)	4.6 -5.5	-1.4	-4.3	4.6	-3.6	5.5	50 30	30	30	30	30	30
Toluene	-4.8 -1.9	7.2	-2.6	1.7	-4.1	4.4	50 30	30	30	30	30	30
trans-1,3-Dichloropropene	-2.2 0.3	-0.8	-4.1	2.9	-3.1	6.9	50 30	30	30	30	30	30
Ethyl methacrylate	0.5 -3.4	0.7	-4.8	2.8	-2.4	6.6	50 30	30	30	30	30	30
1,1,2-Trichloroethane	6.5 -4.2	3.0	-5.6	-0.3	-2.8	3.4	50 30	30	30	30	30	30
Tetrachloroethene	-3.8 -0.8	5.3	-3.7	1.8	-3.2	4.3	50 30	30	30	30	30	30
1,3-Dichloropropane	4.8 -4.0	3.2	-5.2	1.2	-4.0	4.1	50 30	30	30	30	30	30
2-Hexanone	7.4 -7.0	4.3	-4.2	2.7	-6.4	3.2	50 30	30	30	30	30	30
Dibromochloromethane	2.6 1.1	-2.4	-7.2	0.7	-2.0	7.4	50 30	30	30	30	30	30
1,2-Dibromoethane (EDB)	-1.9 -2.5	4.2	-4.5	2.8	-2.8	4.7	50 30	30	30	30	30	30
Chlorobenzene	-5.2 -0.5	4.6	-3.9	3.4	-3.0	4.7	50 30	30	30	30	30	30
1-Chlorohexane	-2.1 -0.4	6.2	-6.3	3.0	-4.0	3.6	50 30	30	30	30	30	30
1,1,1,2-Tetrachloroethane	-6.5 1.4	1.5	-6.0	2.7	-0.8	7.7	50 30	30	30	30	30	30
Ethylbenzene	-0.2 -2.1	3.1	-2.6	1.6	-3.6	3.7	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
m&p-Xylene	-7.4 2.0	2.2	-2.8	1.8	-1.6	5.8	50 30	30	30	30	30	30
o-Xylene	-11.5 2.9	5.5	-4.8	3.2	-1.6	6.2	50 30	30	30	30	30	30
n-Butyl acrylate	-10.1 1.8	-3.9	-5.0	8.0	0.6	8.6	50 30	30	30	30	30	30
Styrene	-7.8 4.1	0.6	-4.2	2.7	-2.3	6.9	50 30	30	30	30	30	30
Bromoform	-0.2 2.7	-4.9	-4.7	1.7	-3.1	8.5	50 30	30	30	30	30	30
Isopropylbenzene	-7.1 0.1	3.8	-4.1	3.7	-2.1	5.7	50 30	30	30	30	30	30
Cyclohexanone	4.7 -9.1	6.2	-4.6	-2.1	-4.7	9.5	50 30	30	30	30	30	30
Bromobenzene	-0.1 -4.6	2.5	-2.0	4.0	-3.6	3.9	50 30	30	30	30	30	30
1,1,2,2-Tetrachloroethane	7.0 -8.0	4.7	-5.6	3.4	-5.3	3.7	50 30	30	30	30	30	30
1,2,3-Trichloropropane	3.4 -8.4	5.7	-4.2	4.9	-4.4	3.0	50 30	30	30	30	30	30
trans-1,4-Dichloro-2-butene	4.3 -5.7	-3.2	-4.6	5.8	-2.8	6.1	50 30	30	30	30	30	30
N-Propylbenzene	-8.5 -8.8	5.9	-1.8	6.0	-0.1	7.4	50 30	30	30	30	30	30
2-Chlorotoluene	-4.9 -4.5	6.9	-4.0	2.9	-2.3	6.0	50 30	30	30	30	30	30
4-Chlorotoluene	-10.5 -1.4	6.8	-2.5	2.6	-1.5	6.5	50 30	30	30	30	30	30
1,3,5-Trimethylbenzene	-11.7 -0.1	5.2	-4.5	4.0	-0.4	7.4	50 30	30	30	30	30	30
tert-Butylbenzene	-7.5 -0.3	-0.6	-3.6	3.9	0.2	7.9	50 30	30	30	30	30	30
1,2,4-Trimethylbenzene	-6.6 -1.8	3.1	-4.2	3.7	-1.3	7.1	50 30	30	30	30	30	30
sec-Butylbenzene	-14.6 -2.8	4.1	-2.6	5.0	1.2	9.7	50 30	30	30	30	30	30
1,3-Dichlorobenzene	-6.0 -2.4	3.4	-4.0	4.2	-1.3	6.1	50 30	30	30	30	30	30
p-Isopropyltoluene	-11.6 -0.1	3.1	-4.6	3.8	0.2	9.1	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 484275
Environment Testing, LLC

SDG No.:

Instrument ID: 15648 GC Column: DB-624 20m ID: 0.18 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/18/2024 15:16 Calibration End Date: 03/18/2024 17:16 Calibration ID: 59728

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
1,4-Dichlorobenzene	-3.7 -2.7	4.1	-4.5	3.5	-2.2	5.7	50 30	30	30	30	30	30
1,2,3-Trimethylbenzene	-5.4 -3.9	4.1	-4.0	4.5	-1.0	5.8	50 30	30	30	30	30	30
Benzyl chloride	-3.2 -3.7	-1.0	-4.5	5.4	-1.3	8.3	50 30	30	30	30	30	30
1,3-Diethylbenzene	-10.7 -0.2	4.8	-4.3	2.6	-0.2	8.0	50 30	30	30	30	30	30
1,4-Diethylbenzene	-12.4 2.0	0.5	-4.4	4.1	1.1	9.2	50 30	30	30	30	30	30
1,2-Dichlorobenzene	-7.1 0.1	0.2	-3.2	4.5	-1.6	7.3	50 30	30	30	30	30	30
n-Butylbenzene	-13.5 2.1	1.0	-1.5	3.6	0.3	8.0	50 30	30	30	30	30	30
1,2-Diethylbenzene	-7.8 -0.8	3.1	-3.3	3.3	-1.6	7.1	50 30	30	30	30	30	30
1,2-Dibromo-3-Chloropropane	-0.8 -7.4	1.6	-3.1	7.1	-3.9	6.6	50 30	30	30	30	30	30
1,3,5-Trichlorobenzene	-7.1 -3.0	1.2	-3.8	3.3	0.2	9.3	50 30	30	30	30	30	30
1,2,4-Trichlorobenzene	-14.9 -2.5	1.9	-2.9	5.2	0.7	12.6	50 30	30	30	30	30	30
Hexachlorobutadiene	-8.5 -6.0	4.5	-5.8	4.0	1.3	10.6	50 30	30	30	30	30	30
2-Ethylhexyl acrylate	-12.1 2.7	-12.8	-8.6	7.0	3.7	20.1	50 30	30	30	30	30	30
Naphthalene	-7.0 -5.6	1.2	-5.9	5.7	-0.2	11.8	50 30	30	30	30	30	30
1,2,3-Trichlorobenzene	-7.9 -3.8	-0.1	-5.8	4.6	-0.2	13.2	50 30	30	30	30	30	30
2-Methylnaphthalene	-12.4 -0.6	-6.1	-11.7	6.2	3.1	21.4	50 30	30	30	30	30	30
Dibromofluoromethane (Surr)	-0.2 -0.2	0.4	-0.6	0.1	0.6	-0.1	50 30	30	30	30	30	30
1,2-Dichloroethane-d4 (Surr)	0.5 -2.2	0.9	0.6	1.5	0.1	-1.4	50 30	30	30	30	30	30
Toluene-d8 (Surr)	0.4 -0.4	-0.7	0.2	0.1	0.3	0.0	50 30	30	30	30	30	30
4-Bromofluorobenzene (Surr)	-0.6 0.3	-0.3	0.9	0.0	0.6	-0.9	50 30	30	30	30	30	30

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D
 Lims ID: IC v1
 Client ID:
 Sample Type: IC Calib Level: 1
 Inject. Date: 18-Mar-2024 15:16:30 ALS Bottle#: 12 Worklist Smp#: 12
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-012
 Misc. Info.: LG 1
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub75
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:28:07 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 17:54:52

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.092	1.116	-0.024	98	10032	1.00	0.9859	
4 Chloromethane	50	1.207	1.226	-0.019	98	10237	1.00	1.07	
5 Butadiene	39	1.256	1.268	-0.012	89	10147	1.00	0.9456	M
6 Vinyl chloride	62	1.281	1.287	-0.006	97	7706	1.00	0.8695	
8 Bromomethane	94	1.445	1.457	-0.012	95	5837	1.00	1.06	
9 Chloroethane	64	1.470	1.482	-0.012	97	5907	1.00	1.14	
10 Dichlorofluoromethane	67	1.585	1.598	-0.013	96	15564	1.00	1.12	
11 Pentane	43	1.640	1.652	-0.012	94	10369	1.00	0.9266	
12 Trichlorofluoromethane	101	1.653	1.665	-0.013	52	10607	1.00	0.9604	
14 Ethyl ether	59	1.750	1.768	-0.018	92	5352	1.00	1.02	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.768	1.799	-0.031	85	8853	1.00	1.09	
16 Acrolein	56	1.835	1.854	-0.019	95	19425	10.0	11.1	
17 1,1-Dichloroethene	96	1.915	1.933	-0.018	94	4606	1.00	0.9669	
18 Acetone	58	1.939	1.951	-0.012	89	1553	2.00	2.08	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.945	1.963	-0.018	60	4369	1.00	0.8017	
20 Isopropyl alcohol	45	2.024	2.037	-0.013	34	3395	5.00	6.36	M
21 Iodomethane	142	2.030	2.037	-0.007	98	8680	1.00	1.01	
22 Carbon disulfide	76	2.079	2.091	-0.012	100	13696	1.00	0.9656	
25 3-Chloro-1-propene	41	2.159	2.177	-0.019	88	10114	1.00	0.9265	
26 Methyl acetate	43	2.177	2.177	0.000	97	4786	1.00	0.7795	M
27 Methylene Chloride	84	2.256	2.268	-0.012	35	5701	1.00	1.04	
* 28 t-Butyl alcohol-d10 (IS)	65	2.256	2.268	-0.012	98	208339	250.0	250.0	
29 2-Methyl-2-propanol	59	2.335	2.335	0.000	49	6516	5.00	6.96	
30 Acrylonitrile	53	2.445	2.445	0.000	92	8519	2.50	2.72	
32 trans-1,2-Dichloroethene	96	2.476	2.488	-0.012	93	5046	1.00	0.9458	
31 Methyl tert-butyl ether	73	2.476	2.494	-0.018	97	19672	1.00	1.01	
33 Hexane	57	2.713	2.725	-0.012	93	9528	1.00	1.02	
34 1,1-Dichloroethane	63	2.829	2.841	-0.012	95	11295	1.00	0.9826	
36 Isopropyl ether	45	2.902	2.921	-0.019	92	20615	1.00	0.9735	
37 2-Chloro-1,3-butadiene	53	2.921	2.927	-0.006	81	10673	1.00	0.9440	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.238	3.244	-0.006	98	21234	1.00	1.05	
40 cis-1,2-Dichloroethene	96	3.359	3.366	-0.007	86	5869	1.00	0.9706	
39 2-Butanone (MEK)	43	3.366	3.372	-0.006	58	11940	2.00	2.62	M
41 2,2-Dichloropropane	77	3.359	3.378	-0.019	59	10555	1.00	0.99	
42 Propionitrile	54	3.427	3.427	0.000	90	7105	5.00	5.69	
186 Methyl acrylate	55	3.463	3.475	-0.012	65	5835	1.00	0.7281	
44 Methacrylonitrile	67	3.567	3.567	0.000	86	8968	2.50	2.73	
45 Chlorobromomethane	128	3.567	3.585	-0.018	93	2663	1.00	0.9804	
46 Tetrahydrofuran	71	3.628	3.628	0.000	93	5323	5.00	5.21	
47 Chloroform	83	3.652	3.664	-0.012	96	11758	1.00	1.09	
\$ 48 Dibromofluoromethane (Surr)	113	3.805	3.817	-0.012	93	245806	50.0	49.9	
49 1,1,1-Trichloroethane	97	3.847	3.847	0.000	64	9253	1.00	0.9474	
51 Cyclohexane	56	3.890	3.902	-0.012	93	12589	1.00	1.05	
52 1,1-Dichloropropene	75	3.987	4.000	-0.013	86	8313	1.00	0.9450	
53 Carbon tetrachloride	117	3.994	4.006	-0.012	73	7600	1.00	0.9097	
54 Isobutyl alcohol	41	4.122	4.128	-0.006	32	4377	12.5	13.8	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.128	4.134	-0.006	97	388523	50.0	50.3	
56 Benzene	78	4.183	4.195	-0.013	96	23489	1.00	0.9749	
57 1,2-Dichloroethane	62	4.201	4.207	-0.006	91	10192	1.00	1.05	
59 Tert-amyl methyl ether	73	4.317	4.323	-0.006	94	19522	1.00	1.03	
* 60 Fluorobenzene (IS)	96	4.463	4.469	-0.006	97	1045068	50.0	50.0	
61 n-Heptane	43	4.481	4.487	-0.006	36	11572	1.00	1.21	
62 n-Butanol	56	4.804	4.792	0.012	76	3426	12.5	14.4	
63 Trichloroethene	95	4.835	4.835	0.000	91	6000	1.00	0.9690	
195 Ethyl acrylate	55	4.963	4.969	-0.006	97	8828	1.00	0.8798	
64 Methylcyclohexane	83	5.030	5.036	-0.006	86	9403	1.00	0.8808	
65 1,2-Dichloropropane	63	5.048	5.054	-0.006	84	6272	1.00	0.9625	
66 2-ethoxy-2-methyl butane	87	5.121	5.127	-0.006	92	9942	1.00	1.00	
67 Dibromomethane	93	5.164	5.170	-0.006	90	3991	1.00	1.03	
68 1,4-Dioxane	88	5.201	5.194	0.007	0	217	12.5	4.30	M
69 Methyl methacrylate	69	5.213	5.207	0.006	94	6103	1.00	1.10	
71 Dichlorobromomethane	83	5.347	5.347	0.000	96	7736	1.00	0.9782	
72 2-Nitropropane	41	5.572	5.579	-0.007	99	15525	5.00	4.95	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	92	4468	1.00	0.9630	
74 cis-1,3-Dichloropropene	75	5.822	5.822	0.000	88	10112	1.00	0.9797	
75 4-Methyl-2-pentanone (MIBK)	43	5.999	5.999	0.000	98	19586	2.00	2.09	
\$ 77 Toluene-d8 (Surr)	98	6.103	6.103	0.000	95	1073764	50.0	50.2	
S 76 1,2-Dichloroethene, Total	100				0			1.92	
78 Toluene	92	6.176	6.176	0.000	97	14473	1.00	0.9522	
79 trans-1,3-Dichloropropene	75	6.432	6.426	0.006	97	9377	1.00	0.9782	
81 Ethyl methacrylate	69	6.560	6.560	0.000	93	9868	1.00	1.00	
82 1,1,2-Trichloroethane	97	6.609	6.615	-0.006	93	5514	1.00	1.06	
83 Tetrachloroethene	166	6.761	6.767	-0.006	95	5977	1.00	0.9625	
84 1,3-Dichloropropane	76	6.792	6.792	0.000	95	10029	1.00	1.05	
86 2-Hexanone	43	6.920	6.914	0.006	97	14628	2.00	2.15	
87 Chlorodibromomethane	129	7.036	7.036	0.000	87	5897	1.00	1.03	
89 Ethylene Dibromide	107	7.139	7.145	-0.006	97	5355	1.00	0.9810	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	90	763724	50.0	50.0	
91 Chlorobenzene	112	7.664	7.670	-0.006	94	15119	1.00	0.9478	
92 1-Chlorohexane	91	7.682	7.682	0.000	89	8089	1.00	0.9785	
94 1,1,1,2-Tetrachloroethane	131	7.755	7.761	-0.006	92	5185	1.00	0.9347	
95 Ethylbenzene	91	7.792	7.792	0.000	99	29824	1.00	1.00	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	99	20810	2.00	1.85	
97 o-Xylene	106	8.261	8.261	0.000	97	9775	1.00	0.8854	
274 n-Butyl acrylate	55	8.273	8.267	0.006	84	13439	1.00	0.8994	
98 Styrene	104	8.279	8.273	0.006	94	16816	1.00	0.9216	
99 Bromoform	173	8.413	8.413	0.000	88	4247	1.00	1.00	
100 Isopropylbenzene	105	8.584	8.584	0.000	96	25392	1.00	0.9288	
101 Cyclohexanone	55	8.639	8.639	0.000	93	15672	50.0	52.4	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	85	403741	50.0	49.7	
104 Bromobenzene	156	8.810	8.810	0.000	97	6505	1.00	1.00	
105 1,1,2,2-Tetrachloroethane	83	8.828	8.828	0.000	93	8877	1.00	1.07	
106 1,2,3-Trichloropropane	110	8.858	8.852	0.006	89	2597	1.00	1.03	
107 trans-1,4-Dichloro-2-butene	53	8.877	8.877	0.000	85	8896	2.50	2.61	
108 N-Propylbenzene	91	8.919	8.925	-0.006	99	30164	1.00	0.9146	
109 2-Chlorotoluene	126	8.974	8.974	0.000	95	6097	1.00	0.9511	
111 4-Chlorotoluene	126	9.066	9.066	0.000	97	5930	1.00	0.8951	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	93	20723	1.00	0.8830	
113 tert-Butylbenzene	134	9.310	9.316	-0.006	93	4360	1.00	0.9252	
115 1,2,4-Trimethylbenzene	105	9.352	9.346	0.006	98	22143	1.00	0.9340	
116 sec-Butylbenzene	105	9.474	9.480	-0.006	96	24158	1.00	0.8535	
117 1,3-Dichlorobenzene	146	9.547	9.547	0.000	95	11441	1.00	0.9400	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	47	21883	1.00	0.8843	a
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	97	423421	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	93	11927	1.00	0.9626	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	99	22745	1.00	0.9458	
122 Benzyl chloride	91	9.712	9.712	0.000	99	17462	1.00	0.9683	
123 1,3-Diethylbenzene	119	9.809	9.809	0.000	95	12600	1.00	0.8934	
124 p-Diethylbenzene	119	9.864	9.864	0.000	94	12810	1.00	0.8756	
125 1,2-Dichlorobenzene	146	9.877	9.877	0.000	94	10924	1.00	0.9286	
126 n-Butylbenzene	92	9.883	9.883	0.000	97	10430	1.00	0.8649	
162 o-diethylbenzene	119	9.944	9.944	0.000	93	10908	1.00	0.9223	
S 163 1,3-Dichloropropene, Total	100				0			1.96	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	74	2169	1.00	0.99	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	92	7588	1.00	0.9289	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	92	6416	1.00	0.8505	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	91	3026	1.00	0.9152	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	82	7418	1.00	0.8788	
168 Naphthalene	128	11.132	11.126	0.006	99	23891	1.00	0.9304	
S 169 Xylenes, Total	106				0			2.74	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	92	6546	1.00	0.9207	
171 2-Methylnaphthalene	142	11.852	11.846	0.006	93	10501	1.00	0.8763	
S 194 Total Diethylbenzene	1				0			2.69	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

MSV_4ppbEE_00574

Amount Added: 12.50

Units: mL

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent

Report Date: 18-Mar-2024 19:28:08

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D

Injection Date: 18-Mar-2024 15:16:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC v1

Worklist Smp#: 12

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 12

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



03/30/2024

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D
Injection Date: 18-Mar-2024 15:16:30 Instrument ID: 15648
Lims ID: IC v1
Client ID:
Operator ID: jml01693 ALS Bottle#: 12 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

5 Butadiene, CAS: 106-99-0

Signal: 1


RT: 1.26
Area: 11248
Amount: 1.025597
Amount Units: ug/l

Processing Integration Results



RT: 1.26
Area: 10147
Amount: 0.945623
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:53:23 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D
Injection Date: 18-Mar-2024 15:16:30 Instrument ID: 15648
Lims ID: IC v1
Client ID:
Operator ID: jml01693 ALS Bottle#: 12 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

20 Isopropyl alcohol, CAS: 67-63-0

Signal: 1


RT: 2.02
Area: 3829
Amount: 7.013723
Amount Units: ug/l

Processing Integration Results



RT: 2.02
Area: 3395
Amount: 6.363282
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:03:16 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D
Injection Date: 18-Mar-2024 15:16:30 Instrument ID: 15648
Lims ID: IC v1
Client ID:
Operator ID: jml01693 ALS Bottle#: 12 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

26 Methyl acetate, CAS: 79-20-9

Signal: 1


RT: 2.18
Area: 7277
Amount: 1.120308
Amount Units: ug/l

Processing Integration Results



RT: 2.18
Area: 4786
Amount: 0.779520
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:53:52 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D

Injection Date: 18-Mar-2024 15:16:30

Instrument ID: 15648

Lims ID: IC v1

Client ID:

Operator ID: jml01693

ALS Bottle#:

12

Worklist Smp#: 12

Purge Vol: 5.000 mL

Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)


Detector: MS Quad

39 2-Butanone (MEK), CAS: 78-93-3

Signal: 1


RT: 3.37
Area: 9135
Amount: 2.100669
Amount Units: ug/l

Processing Integration Results



RT: 3.37
Area: 11940
Amount: 2.624769
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:54:03 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D
Injection Date: 18-Mar-2024 15:16:30 Instrument ID: 15648
Lims ID: IC v1
Client ID:
Operator ID: jml01693 ALS Bottle#: 12 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

68 1,4-Dioxane, CAS: 123-91-1

Signal: 1


Not Detected
Expected RT: 5.19

Processing Integration Results



RT: 5.20
Area: 217
Amount: 4.300817
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:54:13 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X12.D

Injection Date: 18-Mar-2024 15:16:30

Instrument ID: 15648

Lims ID: IC v1

Client ID:

Operator ID: jml01693

ALS Bottle#:

12

Worklist Smp#: 12

Purge Vol: 5.000 mL

Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)


Detector: MS Quad

118 4-Isopropyltoluene, CAS: 99-87-6

Signal: 1


RT: 9.66
Area: 2464
Amount: 0.960855
Amount Units: ug/l

Processing Integration Results



RT: 9.59
Area: 21883
Amount: 0.884277
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:54:41 -04:00:00 (UTC)

Audit Action: Assigned Compound ID

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X13.D
 Lims ID: IC v4
 Client ID:
 Sample Type: IC Calib Level: 2
 Inject. Date: 18-Mar-2024 15:36:30 ALS Bottle#: 13 Worklist Smp#: 13
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-013
 Misc. Info.: LG 4
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub75
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:28:24 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 17:56:28

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.098	1.116	-0.018	99	46048	4.00	4.36	M
4 Chloromethane	50	1.208	1.226	-0.018	99	43810	4.00	4.42	M
5 Butadiene	39	1.256	1.268	-0.012	93	50799	4.00	4.56	M
6 Vinyl chloride	62	1.275	1.287	-0.012	98	42040	4.00	4.57	
8 Bromomethane	94	1.439	1.457	-0.018	93	25023	4.00	4.39	
9 Chloroethane	64	1.470	1.482	-0.012	98	23197	4.00	4.31	
10 Dichlorofluoromethane	67	1.586	1.598	-0.012	97	64889	4.00	4.48	
11 Pentane	43	1.634	1.652	-0.018	95	50319	4.00	4.33	
12 Trichlorofluoromethane	101	1.653	1.665	-0.012	95	50752	4.00	4.43	
14 Ethyl ether	59	1.756	1.768	-0.012	93	21487	4.00	3.93	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.762	1.799	-0.037	92	38597	4.00	4.59	
16 Acrolein	56	1.842	1.854	-0.012	98	68783	40.0	38.1	
17 1,1-Dichloroethene	96	1.921	1.933	-0.012	94	20546	4.00	4.16	
18 Acetone	58	1.939	1.951	-0.012	98	6589	8.00	8.52	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.957	1.963	-0.006	93	24145	4.00	4.27	
20 Isopropyl alcohol	45	2.024	2.037	-0.013	33	11093	20.0	20.1	
21 Iodomethane	142	2.024	2.037	-0.013	99	37621	4.00	4.23	
22 Carbon disulfide	76	2.079	2.091	-0.012	99	62683	4.00	4.26	
25 3-Chloro-1-propene	41	2.159	2.177	-0.018	84	48463	4.00	4.28	
26 Methyl acetate	43	2.171	2.177	-0.006	68	25614	4.00	4.02	
27 Methylene Chloride	84	2.256	2.268	-0.012	74	24116	4.00	4.23	
* 28 t-Butyl alcohol-d10 (IS)	65	2.256	2.268	-0.012	95	215929	250.0	250.0	
29 2-Methyl-2-propanol	59	2.323	2.335	-0.012	98	20189	20.0	20.8	
30 Acrylonitrile	53	2.439	2.445	-0.006	97	34386	10.0	10.6	
32 trans-1,2-Dichloroethene	96	2.476	2.488	-0.012	94	24390	4.00	4.41	
31 Methyl tert-butyl ether	73	2.488	2.494	-0.006	98	84362	4.00	4.19	
33 Hexane	57	2.713	2.725	-0.012	95	41095	4.00	4.26	
34 1,1-Dichloroethane	63	2.829	2.841	-0.012	97	50660	4.00	4.25	
36 Isopropyl ether	45	2.902	2.921	-0.019	93	92812	4.00	4.22	
37 2-Chloro-1,3-butadiene	53	2.915	2.927	-0.013	95	50083	4.00	4.27	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.232	3.244	-0.012	98	87012	4.00	4.13	
40 cis-1,2-Dichloroethene	96	3.360	3.366	-0.006	86	26313	4.00	4.19	
39 2-Butanone (MEK)	43	3.366	3.372	-0.006	71	35979	8.00	7.62	
41 2,2-Dichloropropane	77	3.366	3.378	-0.012	69	47223	4.00	4.28	
42 Propionitrile	54	3.414	3.427	-0.013	93	25970	20.0	20.1	
186 Methyl acrylate	55	3.475	3.475	0.000	98	33734	4.00	4.06	
44 Methacrylonitrile	67	3.561	3.567	-0.006	92	35186	10.0	10.3	
45 Chlorobromomethane	128	3.579	3.585	-0.006	93	11493	4.00	4.08	
46 Tetrahydrofuran	71	3.622	3.628	-0.006	88	22205	20.0	21.0	
47 Chloroform	83	3.658	3.664	-0.006	96	47570	4.00	4.25	
\$ 48 Dibromofluoromethane (Surr)	113	3.811	3.817	-0.006	92	256525	50.0	50.2	
49 1,1,1-Trichloroethane	97	3.835	3.847	-0.012	97	44307	4.00	4.37	
51 Cyclohexane	56	3.896	3.902	-0.006	97	51218	4.00	4.13	M
52 1,1-Dichloropropene	75	3.987	4.000	-0.013	89	38614	4.00	4.23	
53 Carbon tetrachloride	117	4.000	4.006	-0.006	80	36239	4.00	4.18	
54 Isobutyl alcohol	41	4.122	4.128	-0.006	31	15993	50.0	48.5	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.122	4.134	-0.012	97	404830	50.0	50.5	
56 Benzene	78	4.189	4.195	-0.006	97	106579	4.00	4.26	
57 1,2-Dichloroethane	62	4.201	4.207	-0.006	96	41329	4.00	4.10	
59 Tert-amyl methyl ether	73	4.317	4.323	-0.006	96	79948	4.00	4.07	
* 60 Fluorobenzene (IS)	96	4.463	4.469	-0.006	97	1084543	50.0	50.0	
61 n-Heptane	43	4.481	4.487	-0.006	95	41409	4.00	4.17	
62 n-Butanol	56	4.792	4.792	0.000	93	13168	50.0	53.4	
63 Trichloroethene	95	4.835	4.835	0.000	94	27481	4.00	4.28	
195 Ethyl acrylate	55	4.963	4.969	-0.006	98	40522	4.00	3.89	
64 Methylcyclohexane	83	5.030	5.036	-0.006	90	46509	4.00	4.20	
65 1,2-Dichloropropane	63	5.048	5.054	-0.006	75	28461	4.00	4.21	
66 2-ethoxy-2-methyl butane	87	5.121	5.127	-0.006	91	42423	4.00	4.13	
67 Dibromomethane	93	5.164	5.170	-0.006	95	16466	4.00	4.11	
68 1,4-Dioxane	88	5.207	5.194	0.013	30	2128	50.0	40.7	
69 Methyl methacrylate	69	5.201	5.207	-0.006	93	22915	4.00	3.97	
71 Dichlorobromomethane	83	5.341	5.347	-0.006	97	33212	4.00	4.05	
72 2-Nitropropane	41	5.573	5.579	-0.006	98	66587	20.0	20.5	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	95	18631	4.00	3.87	
74 cis-1,3-Dichloropropene	75	5.822	5.822	0.000	89	42497	4.00	3.97	
75 4-Methyl-2-pentanone (MIBK)	43	5.999	5.999	0.000	99	76626	8.00	7.89	
\$ 77 Toluene-d8 (Surr)	98	6.103	6.103	0.000	96	1111785	50.0	49.7	
S 76 1,2-Dichloroethene, Total	100				0			8.60	
78 Toluene	92	6.170	6.176	-0.006	98	68181	4.00	4.29	
79 trans-1,3-Dichloropropene	75	6.420	6.426	-0.006	98	39811	4.00	3.97	
81 Ethyl methacrylate	69	6.560	6.560	0.000	91	41405	4.00	4.03	
82 1,1,2-Trichloroethane	97	6.615	6.615	0.000	93	22321	4.00	4.12	
83 Tetrachloroethene	166	6.761	6.767	-0.006	94	27385	4.00	4.21	
84 1,3-Dichloropropane	76	6.786	6.792	-0.006	97	41342	4.00	4.13	
86 2-Hexanone	43	6.914	6.914	0.000	98	59475	8.00	8.34	
87 Chlorodibromomethane	129	7.036	7.036	0.000	91	23484	4.00	3.90	
89 Ethylene Dibromide	107	7.145	7.145	0.000	97	23810	4.00	4.17	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	90	799247	50.0	50.0	
91 Chlorobenzene	112	7.670	7.670	0.000	94	69828	4.00	4.18	
92 1-Chlorohexane	91	7.682	7.682	0.000	90	36742	4.00	4.25	
94 1,1,1,2-Tetrachloroethane	131	7.755	7.761	-0.006	93	23579	4.00	4.06	
95 Ethylbenzene	91	7.792	7.792	0.000	99	128869	4.00	4.12	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	98	96195	8.00	8.18	
97 o-Xylene	106	8.261	8.261	0.000	98	48757	4.00	4.22	
274 n-Butyl acrylate	55	8.267	8.267	0.000	94	60133	4.00	3.85	
98 Styrene	104	8.273	8.273	0.000	94	76860	4.00	4.02	
99 Bromoform	173	8.413	8.413	0.000	93	16953	4.00	3.81	
100 Isopropylbenzene	105	8.584	8.584	0.000	97	118740	4.00	4.15	
101 Cyclohexanone	55	8.633	8.639	-0.006	96	65889	200.0	212.4	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	86	423989	50.0	49.9	
104 Bromobenzene	156	8.810	8.810	0.000	98	27907	4.00	4.10	
105 1,1,2,2-Tetrachloroethane	83	8.828	8.828	0.000	93	36341	4.00	4.19	
106 1,2,3-Trichloropropane	110	8.852	8.852	0.000	89	11093	4.00	4.23	
107 trans-1,4-Dichloro-2-butene	53	8.877	8.877	0.000	92	34539	10.0	9.68	
108 N-Propylbenzene	91	8.919	8.925	-0.006	99	146056	4.00	4.24	
109 2-Chlorotoluene	126	8.974	8.974	0.000	95	28652	4.00	4.28	
111 4-Chlorotoluene	126	9.066	9.066	0.000	99	29585	4.00	4.27	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	93	103266	4.00	4.21	
113 tert-Butylbenzene	134	9.310	9.316	-0.006	94	19579	4.00	3.97	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	98	102186	4.00	4.12	
116 sec-Butylbenzene	105	9.474	9.480	-0.006	95	123249	4.00	4.17	
117 1,3-Dichlorobenzene	146	9.547	9.547	0.000	98	52603	4.00	4.13	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	96	106731	4.00	4.13	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	98	442623	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	92	53929	4.00	4.16	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	100	104656	4.00	4.16	
122 Benzyl chloride	91	9.712	9.712	0.000	99	74639	4.00	3.96	
123 1,3-Diethylbenzene	119	9.810	9.809	0.001	97	61797	4.00	4.19	
124 p-Diethylbenzene	119	9.864	9.864	0.000	93	61482	4.00	4.02	
125 1,2-Dichlorobenzene	146	9.877	9.877	0.001	95	49285	4.00	4.01	
126 n-Butylbenzene	92	9.883	9.883	0.000	96	50940	4.00	4.04	
162 o-diethylbenzene	119	9.944	9.944	0.000	97	50980	4.00	4.12	
S 163 1,3-Dichloropropene, Total	100				0			7.94	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	75	9292	4.00	4.06	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	34569	4.00	4.05	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	93	32127	4.00	4.07	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	96	14449	4.00	4.18	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	85	30776	4.00	3.49	
168 Naphthalene	128	11.132	11.126	0.006	98	108648	4.00	4.05	
S 169 Xylenes, Total	106				0			12.4	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	94	29689	4.00	3.99	
171 2-Methylnaphthalene	142	11.852	11.846	0.006	92	47062	4.00	3.76	
S 194 Total Diethylbenzene	1				0			12.3	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00175	Amount Added: 4.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 32.00	Units: uL	
MSV_CCV_VOC#3_00171	Amount Added: 3.20	Units: uL	
MSV_CCV_2CEVE_00167	Amount Added: 4.00	Units: uL	
MSV_CCV_GASES_00723	Amount Added: 2.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 4.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 4.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 18-Mar-2024 19:28:24

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X13.D

Injection Date: 18-Mar-2024 15:36:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC v4

Worklist Smp#: 13

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 13

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X13.D
Injection Date: 18-Mar-2024 15:36:30 Instrument ID: 15648
Lims ID: IC v4
Client ID:
Operator ID: jml01693 ALS Bottle#: 13 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.10
Area: 46151
Amount: 4.375889
Amount Units: ug/l

Processing Integration Results



RT: 1.10
Area: 46048
Amount: 4.360513
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:55:20 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X13.D
Injection Date: 18-Mar-2024 15:36:30 Instrument ID: 15648
Lims ID: IC v4
Client ID:
Operator ID: jml01693 ALS Bottle#: 13 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.21
Area: 47140
Amount: 4.386300
Amount Units: ug/l

Processing Integration Results



RT: 1.21
Area: 43810
Amount: 4.423093
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:55:26 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X13.D
Injection Date: 18-Mar-2024 15:36:30 Instrument ID: 15648
Lims ID: IC v4
Client ID:
Operator ID: jml01693 ALS Bottle#: 13 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

5 Butadiene, CAS: 106-99-0

Signal: 1


RT: 1.26
Area: 53333
Amount: 4.754104
Amount Units: ug/l

Processing Integration Results



RT: 1.26
Area: 50799
Amount: 4.561770
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:55:40 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X13.D
Injection Date: 18-Mar-2024 15:36:30 Instrument ID: 15648
Lims ID: IC v4
Client ID:
Operator ID: jml01693 ALS Bottle#: 13 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

51 Cyclohexane, CAS: 110-82-7

Signal: 1


RT: 3.90
Area: 49321
Amount: 3.999405
Amount Units: ug/l

Processing Integration Results



RT: 3.90
Area: 51218
Amount: 4.130539
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:56:02 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X14.D
 Lims ID: IC v10
 Client ID:
 Sample Type: IC Calib Level: 3
 Inject. Date: 18-Mar-2024 15:56:30 ALS Bottle#: 14 Worklist Smp#: 14
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-014
 Misc. Info.: LG 10
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub75
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:28:40 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 17:57:57

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.110	1.116	-0.006	99	106804	10.0	10.0	
4 Chloromethane	50	1.220	1.226	-0.006	99	96435	10.0	9.63	
5 Butadiene	39	1.262	1.268	-0.006	91	111614	10.0	9.92	M
6 Vinyl chloride	62	1.281	1.287	-0.006	98	94930	10.0	10.2	
8 Bromomethane	94	1.457	1.457	0.000	93	55477	10.0	9.63	
9 Chloroethane	64	1.482	1.482	0.000	99	52764	10.0	9.69	
10 Dichlorofluoromethane	67	1.598	1.598	0.000	97	145175	10.0	9.92	
11 Pentane	43	1.646	1.652	-0.006	96	111838	10.0	9.53	
12 Trichlorofluoromethane	101	1.665	1.665	0.000	96	114278	10.0	9.87	
14 Ethyl ether	59	1.762	1.768	-0.006	94	55055	10.0	9.96	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.793	1.799	-0.006	93	81709	10.0	9.62	
16 Acrolein	56	1.848	1.854	-0.006	98	175703	100.0	96.0	
17 1,1-Dichloroethene	96	1.927	1.933	-0.006	95	49059	10.0	9.82	
18 Acetone	58	1.945	1.951	-0.006	98	15034	20.0	19.2	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.957	1.963	-0.006	93	55617	10.0	9.73	
20 Isopropyl alcohol	45	2.036	2.037	-0.001	34	26485	50.0	47.3	
21 Iodomethane	142	2.036	2.037	-0.001	100	86625	10.0	9.65	
22 Carbon disulfide	76	2.091	2.091	0.000	99	143759	10.0	9.66	
25 3-Chloro-1-propene	41	2.171	2.177	-0.006	84	110743	10.0	9.67	
26 Methyl acetate	43	2.177	2.177	0.000	97	65606	10.0	10.2	
27 Methylene Chloride	84	2.262	2.268	-0.006	98	55654	10.0	9.66	
* 28 t-Butyl alcohol-d10 (IS)	65	2.262	2.268	-0.006	94	218688	250.0	250.0	
29 2-Methyl-2-propanol	59	2.335	2.335	0.000	99	45276	50.0	46.1	
30 Acrylonitrile	53	2.439	2.445	-0.006	99	80584	25.0	24.6	
32 trans-1,2-Dichloroethene	96	2.482	2.488	-0.006	93	52506	10.0	9.38	
31 Methyl tert-butyl ether	73	2.494	2.494	0.000	98	193238	10.0	9.49	
33 Hexane	57	2.719	2.725	-0.006	94	89261	10.0	9.15	
34 1,1-Dichloroethane	63	2.835	2.841	-0.006	96	117490	10.0	9.75	
36 Isopropyl ether	45	2.914	2.921	-0.007	93	215613	10.0	9.71	
37 2-Chloro-1,3-butadiene	53	2.920	2.927	-0.007	95	115907	10.0	9.78	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.237	3.244	-0.007	98	201442	10.0	9.46	
40 cis-1,2-Dichloroethene	96	3.359	3.366	-0.007	86	62573	10.0	9.87	
39 2-Butanone (MEK)	43	3.372	3.372	0.000	76	89838	20.0	18.8	
41 2,2-Dichloropropane	77	3.372	3.378	-0.006	73	111686	10.0	10.0	
42 Propionitrile	54	3.426	3.427	-0.001	95	63426	50.0	48.4	
186 Methyl acrylate	55	3.469	3.475	-0.006	99	81560	10.0	9.70	
44 Methacrylonitrile	67	3.567	3.567	0.000	93	80970	25.0	23.5	
45 Chlorobromomethane	128	3.585	3.585	0.000	91	26642	10.0	9.35	
46 Tetrahydrofuran	71	3.628	3.628	0.000	94	50167	50.0	46.8	
47 Chloroform	83	3.664	3.664	0.000	96	107958	10.0	9.55	
\$ 48 Dibromofluoromethane (Surr)	113	3.811	3.817	-0.006	92	256619	50.0	49.7	
49 1,1,1-Trichloroethane	97	3.841	3.847	-0.006	97	98164	10.0	9.58	
51 Cyclohexane	56	3.896	3.902	-0.006	97	115269	10.0	9.20	
52 1,1-Dichloropropene	75	3.993	4.000	-0.007	89	89622	10.0	9.72	
53 Carbon tetrachloride	117	4.000	4.006	-0.006	79	84258	10.0	9.62	
54 Isobutyl alcohol	41	4.128	4.128	0.000	35	39159	125.0	117.4	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.128	4.134	-0.006	98	407949	50.0	50.3	
56 Benzene	78	4.195	4.195	0.000	98	243348	10.0	9.63	
57 1,2-Dichloroethane	62	4.201	4.207	-0.006	98	97087	10.0	9.54	
59 Tert-amyl methyl ether	73	4.323	4.323	0.000	96	188646	10.0	9.51	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	97	1095963	50.0	50.0	
61 n-Heptane	43	4.487	4.487	0.000	94	88898	10.0	8.86	
62 n-Butanol	56	4.792	4.792	0.000	97	27685	125.0	110.8	
63 Trichloroethene	95	4.835	4.835	0.000	95	62031	10.0	9.55	
195 Ethyl acrylate	55	4.969	4.969	0.000	98	96814	10.0	9.20	
64 Methylcyclohexane	83	5.030	5.036	-0.006	93	106923	10.0	9.55	
65 1,2-Dichloropropane	63	5.054	5.054	0.000	89	64772	10.0	9.48	
66 2-ethoxy-2-methyl butane	87	5.121	5.127	-0.006	90	99103	10.0	9.55	
67 Dibromomethane	93	5.170	5.170	0.000	94	38945	10.0	9.62	
68 1,4-Dioxane	88	5.201	5.194	0.006	30	6171	125.0	116.5	M
69 Methyl methacrylate	69	5.207	5.207	0.000	92	53683	10.0	9.19	
71 Dichlorobromomethane	83	5.347	5.347	0.000	97	79752	10.0	9.62	
72 2-Nitropropane	41	5.578	5.579	-0.001	99	156530	50.0	47.5	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	93	45645	10.0	9.38	
74 cis-1,3-Dichloropropene	75	5.816	5.822	-0.006	89	103180	10.0	9.53	
75 4-Methyl-2-pentanone (MIBK)	43	5.999	5.999	0.000	99	187987	20.0	19.1	
\$ 77 Toluene-d8 (Surr)	98	6.103	6.103	0.000	95	1130441	50.0	50.1	
S 76 1,2-Dichloroethene, Total	100				0			19.3	
78 Toluene	92	6.170	6.176	-0.006	97	156192	10.0	9.74	
79 trans-1,3-Dichloropropene	75	6.426	6.426	0.000	99	96997	10.0	9.59	
81 Ethyl methacrylate	69	6.560	6.560	0.000	92	98648	10.0	9.52	
82 1,1,2-Trichloroethane	97	6.615	6.615	0.000	93	51545	10.0	9.44	
83 Tetrachloroethene	166	6.767	6.767	0.000	94	63056	10.0	9.63	
84 1,3-Dichloropropane	76	6.792	6.792	0.000	97	95720	10.0	9.48	
86 2-Hexanone	43	6.914	6.914	0.000	98	137638	20.0	19.2	
87 Chlorodibromomethane	129	7.036	7.036	0.000	90	56290	10.0	9.28	
89 Ethylene Dibromide	107	7.139	7.145	-0.006	98	54980	10.0	9.55	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	89	805493	50.0	50.0	
91 Chlorobenzene	112	7.670	7.670	0.000	92	161619	10.0	9.61	
92 1-Chlorohexane	91	7.682	7.682	0.000	90	81723	10.0	9.37	
94 1,1,1,2-Tetrachloroethane	131	7.755	7.761	-0.006	93	54988	10.0	9.40	
95 Ethylbenzene	91	7.791	7.792	-0.001	99	306995	10.0	9.74	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	99	230540	20.0	19.4	
97 o-Xylene	106	8.261	8.261	0.000	95	110867	10.0	9.52	
274 n-Butyl acrylate	55	8.267	8.267	0.000	94	149793	10.0	9.50	
98 Styrene	104	8.273	8.273	0.000	94	184317	10.0	9.58	
99 Bromoform	173	8.413	8.413	0.000	95	42798	10.0	9.53	
100 Isopropylbenzene	105	8.584	8.584	0.000	97	276504	10.0	9.59	
101 Cyclohexanone	55	8.633	8.639	-0.006	94	74913	250.0	238.5	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	85	432081	50.0	50.4	
104 Bromobenzene	156	8.810	8.810	0.000	99	67371	10.0	9.80	
105 1,1,2,2-Tetrachloroethane	83	8.828	8.828	0.000	93	82694	10.0	9.44	
106 1,2,3-Trichloropropane	110	8.852	8.852	0.000	91	25374	10.0	9.58	
107 trans-1,4-Dichloro-2-butene	53	8.877	8.877	0.000	91	85937	25.0	23.9	
108 N-Propylbenzene	91	8.919	8.925	-0.006	99	341874	10.0	9.82	
109 2-Chlorotoluene	126	8.974	8.974	0.000	95	64949	10.0	9.60	
111 4-Chlorotoluene	126	9.066	9.066	0.000	99	68186	10.0	9.75	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	94	236565	10.0	9.55	
113 tert-Butylbenzene	134	9.316	9.316	0.000	94	47962	10.0	9.64	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	99	239790	10.0	9.58	
116 sec-Butylbenzene	105	9.474	9.480	-0.006	96	291084	10.0	9.74	
117 1,3-Dichlorobenzene	146	9.547	9.547	0.000	97	123380	10.0	9.60	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	96	249194	10.0	9.54	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	98	446918	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	95	124829	10.0	9.55	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	99	243625	10.0	9.60	
122 Benzyl chloride	91	9.712	9.712	0.000	100	181843	10.0	9.55	
123 1,3-Diethylbenzene	119	9.809	9.809	0.000	95	142482	10.0	9.57	
124 p-Diethylbenzene	119	9.864	9.864	0.000	95	147598	10.0	9.56	
125 1,2-Dichlorobenzene	146	9.876	9.877	0.000	95	120151	10.0	9.68	
126 n-Butylbenzene	92	9.883	9.883	0.000	95	125377	10.0	9.85	
162 o-diethylbenzene	119	9.943	9.944	-0.001	98	120691	10.0	9.67	
S 163 1,3-Dichloropropene, Total	100				0			19.1	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	75	22375	10.0	9.69	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	82926	10.0	9.62	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	93	77279	10.0	9.71	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	96	32860	10.0	9.42	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	85	81389	10.0	9.14	
168 Naphthalene	128	11.132	11.126	0.006	98	255109	10.0	9.41	
S 169 Xylenes, Total	106				0			29.0	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	94	70702	10.0	9.42	
171 2-Methylnaphthalene	142	11.846	11.846	0.000	92	111708	10.0	8.83	
S 194 Total Diethylbenzene	1				0			28.8	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00175	Amount Added: 2.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 8.00	Units: uL	
MSV_CCV_VOC#3_00171	Amount Added: 1.60	Units: uL	
MSV_CCV_2CEVE_00167	Amount Added: 2.00	Units: uL	
MSV_CCV_GASES_00723	Amount Added: 1.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 2.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 2.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 18-Mar-2024 19:28:41

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X14.D

Injection Date: 18-Mar-2024 15:56:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC v10

Worklist Smp#: 14

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 14

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X14.D
Injection Date: 18-Mar-2024 15:56:30 Instrument ID: 15648
Lims ID: IC v10
Client ID:
Operator ID: jml01693 ALS Bottle#: 14 Worklist Smp#: 14
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

5 Butadiene, CAS: 106-99-0

Signal: 1


RT: 1.26
Area: 111048
Amount: 9.875339
Amount Units: ug/l

Processing Integration Results



RT: 1.26
Area: 111614
Amount: 9.918541
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:57:11 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X14.D
Injection Date: 18-Mar-2024 15:56:30 Instrument ID: 15648
Lims ID: IC v10
Client ID:
Operator ID: jml01693 ALS Bottle#: 14 Worklist Smp#: 14
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

68 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 5.20
Area: 6171
Amount: 113.4578
Amount Units: ug/l

Processing Integration Results



RT: 5.20
Area: 6171
Amount: 116.5178
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:57:41 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X15.D
 Lims ID: IC v20
 Client ID:
 Sample Type: IC Calib Level: 4
 Inject. Date: 18-Mar-2024 16:16:30 ALS Bottle#: 15 Worklist Smp#: 15
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-015
 Misc. Info.: LG 20
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub75
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:28:57 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 17:59:08

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.104	1.104	0.000	99	207583	20.0	20.4	M
4 Chloromethane	50	1.214	1.214	0.000	99	196885	20.0	20.6	
5 Butadiene	39	1.262	1.262	0.000	98	221551	20.0	20.7	
6 Vinyl chloride	62	1.274	1.274	0.000	98	184311	20.0	20.8	
8 Bromomethane	94	1.451	1.451	0.000	93	110193	20.0	20.1	
9 Chloroethane	64	1.470	1.470	0.000	99	105324	20.0	20.3	M
10 Dichlorofluoromethane	67	1.591	1.591	0.000	98	280869	20.0	20.1	
11 Pentane	43	1.640	1.640	0.000	95	232007	20.0	20.8	
12 Trichlorofluoromethane	101	1.659	1.659	0.000	98	229849	20.0	20.8	
14 Ethyl ether	59	1.756	1.756	0.000	93	110530	20.0	21.0	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.780	1.780	0.000	95	164396	20.0	20.3	
16 Acrolein	56	1.841	1.841	0.000	98	359083	200.0	200.1	
17 1,1-Dichloroethene	96	1.921	1.921	0.000	94	97439	20.0	20.5	
18 Acetone	58	1.945	1.945	0.000	98	31244	40.0	40.7	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.957	1.957	0.000	94	117039	20.0	21.5	
20 Isopropyl alcohol	45	2.024	2.024	0.000	42	58306	100.0	106.2	
21 Iodomethane	142	2.030	2.030	0.000	99	171401	20.0	20.0	
22 Carbon disulfide	76	2.085	2.085	0.000	100	290347	20.0	20.5	
25 3-Chloro-1-propene	41	2.165	2.165	0.000	85	227092	20.0	20.8	
26 Methyl acetate	43	2.171	2.171	0.000	99	132255	20.0	21.6	
27 Methylene Chloride	84	2.262	2.262	0.000	98	111706	20.0	20.4	
* 28 t-Butyl alcohol-d10 (IS)	65	2.274	2.274	0.000	93	214425	250.0	250.0	
29 2-Methyl-2-propanol	59	2.329	2.329	0.000	99	93047	100.0	96.6	
30 Acrylonitrile	53	2.439	2.439	0.000	98	154666	50.0	49.5	
32 trans-1,2-Dichloroethene	96	2.475	2.475	0.000	93	108010	20.0	20.3	
31 Methyl tert-butyl ether	73	2.482	2.482	0.000	98	399806	20.0	20.6	
33 Hexane	57	2.719	2.719	0.000	95	188220	20.0	20.3	
34 1,1-Dichloroethane	63	2.835	2.835	0.000	97	236508	20.0	20.6	
36 Isopropyl ether	45	2.908	2.908	0.000	93	436661	20.0	20.6	
37 2-Chloro-1,3-butadiene	53	2.920	2.920	0.000	96	231146	20.0	20.5	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.238	3.238	0.000	98	411251	20.0	20.3	
40 cis-1,2-Dichloroethene	96	3.359	3.359	0.000	87	123471	20.0	20.4	
39 2-Butanone (MEK)	43	3.372	3.372	0.000	91	174989	40.0	38.5	
41 2,2-Dichloropropane	77	3.372	3.372	0.000	91	215866	20.0	20.3	
42 Propionitrile	54	3.420	3.420	0.000	96	127668	100.0	99.4	
186 Methyl acrylate	55	3.469	3.469	0.000	99	177662	20.0	22.2	
44 Methacrylonitrile	67	3.561	3.561	0.000	93	166639	50.0	50.7	
45 Chlorobromomethane	128	3.579	3.579	0.000	92	55239	20.0	20.4	
46 Tetrahydrofuran	71	3.622	3.622	0.000	93	106563	100.0	101.4	
47 Chloroform	83	3.658	3.658	0.000	96	216008	20.0	20.1	
\$ 48 Dibromofluoromethane (Surr)	113	3.811	3.811	0.000	93	246230	50.0	50.0	
49 1,1,1-Trichloroethane	97	3.841	3.841	0.000	97	198733	20.0	20.4	
51 Cyclohexane	56	3.896	3.896	0.000	96	242987	20.0	20.4	
52 1,1-Dichloropropene	75	3.987	3.987	0.000	89	180397	20.0	20.5	
53 Carbon tetrachloride	117	4.000	4.000	0.000	94	171279	20.0	20.5	
54 Isobutyl alcohol	41	4.128	4.128	0.000	44	83285	250.0	254.6	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.128	4.128	0.000	97	391789	50.0	50.7	
56 Benzene	78	4.189	4.189	0.000	98	492784	20.0	20.5	
57 1,2-Dichloroethane	62	4.201	4.201	0.000	98	197423	20.0	20.4	
59 Tert-amyl methyl ether	73	4.317	4.317	0.000	96	388499	20.0	20.6	
* 60 Fluorobenzene (IS)	96	4.463	4.463	0.000	97	1044012	50.0	50.0	
61 n-Heptane	43	4.481	4.481	0.000	95	190584	20.0	19.9	
62 n-Butanol	56	4.786	4.786	0.000	93	59955	250.0	244.7	
63 Trichloroethene	95	4.835	4.835	0.000	96	126914	20.0	20.5	
195 Ethyl acrylate	55	4.963	4.963	0.000	98	216386	20.0	21.6	
64 Methylcyclohexane	83	5.030	5.030	0.000	93	222588	20.0	20.9	
65 1,2-Dichloropropane	63	5.048	5.048	0.000	91	134074	20.0	20.6	
66 2-ethoxy-2-methyl butane	87	5.121	5.121	0.000	91	199305	20.0	20.2	
67 Dibromomethane	93	5.170	5.170	0.000	96	77654	20.0	20.1	
68 1,4-Dioxane	88	5.201	5.201	0.000	30	13936	250.0	268.4	
69 Methyl methacrylate	69	5.201	5.201	0.000	93	113000	20.0	20.3	
71 Dichlorobromomethane	83	5.341	5.341	0.000	98	161755	20.0	20.5	
72 2-Nitropropane	41	5.572	5.572	0.000	98	331321	100.0	102.6	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	93	97680	20.0	21.1	
74 cis-1,3-Dichloropropene	75	5.816	5.816	0.000	89	211290	20.0	20.5	
75 4-Methyl-2-pentanone (MIBK)	43	5.999	5.999	0.000	99	391410	40.0	41.8	
\$ 77 Toluene-d8 (Surr)	98	6.103	6.103	0.000	95	1078229	50.0	50.1	
S 76 1,2-Dichloroethene, Total	100				0			40.7	
78 Toluene	92	6.170	6.170	0.000	97	311404	20.0	20.3	
79 trans-1,3-Dichloropropene	75	6.420	6.420	0.000	99	198700	20.0	20.6	
81 Ethyl methacrylate	69	6.560	6.560	0.000	91	203342	20.0	20.6	
82 1,1,2-Trichloroethane	97	6.615	6.615	0.000	94	103992	20.0	19.9	
83 Tetrachloroethene	166	6.767	6.767	0.000	94	127385	20.0	20.4	
84 1,3-Dichloropropane	76	6.792	6.792	0.000	97	195217	20.0	20.2	
86 2-Hexanone	43	6.914	6.914	0.000	98	281899	40.0	41.1	
87 Chlorodibromomethane	129	7.036	7.036	0.000	90	116590	20.0	20.1	
89 Ethylene Dibromide	107	7.145	7.145	0.000	98	113033	20.0	20.6	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	89	769177	50.0	50.0	
91 Chlorobenzene	112	7.670	7.670	0.000	93	332387	20.0	20.7	
92 1-Chlorohexane	91	7.682	7.682	0.000	92	171451	20.0	20.6	
94 1,1,1,2-Tetrachloroethane	131	7.755	7.755	0.000	93	114710	20.0	20.5	
95 Ethylbenzene	91	7.791	7.791	0.000	99	611588	20.0	20.3	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	99	461201	40.0	40.7	
97 o-Xylene	106	8.261	8.261	0.000	95	229460	20.0	20.6	
274 n-Butyl acrylate	55	8.267	8.267	0.000	95	325243	20.0	21.6	
98 Styrene	104	8.273	8.273	0.000	94	377409	20.0	20.5	
99 Bromoform	173	8.413	8.413	0.000	95	87201	20.0	20.3	
100 Isopropylbenzene	105	8.584	8.584	0.000	97	571035	20.0	20.7	
101 Cyclohexanone	55	8.633	8.633	0.000	95	150753	500.0	489.5	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	86	409044	50.0	50.0	
104 Bromobenzene	156	8.810	8.810	0.000	98	137219	20.0	20.8	
105 1,1,2,2-Tetrachloroethane	83	8.828	8.828	0.000	96	173766	20.0	20.7	
106 1,2,3-Trichloropropane	110	8.852	8.852	0.000	90	53345	20.0	21.0	
107 trans-1,4-Dichloro-2-butene	53	8.877	8.877	0.000	93	182886	50.0	52.9	
108 N-Propylbenzene	91	8.919	8.919	0.000	99	707570	20.0	21.2	
109 2-Chlorotoluene	126	8.974	8.974	0.000	95	133501	20.0	20.6	
111 4-Chlorotoluene	126	9.060	9.060	0.000	99	137577	20.0	20.5	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	94	494325	20.0	20.8	
113 tert-Butylbenzene	134	9.309	9.309	0.000	94	99105	20.0	20.8	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	98	497660	20.0	20.7	
116 sec-Butylbenzene	105	9.480	9.480	0.000	95	601692	20.0	21.0	
117 1,3-Dichlorobenzene	146	9.541	9.541	0.000	96	256818	20.0	20.8	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	97	519916	20.0	20.8	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	97	428680	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	93	259579	20.0	20.7	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	99	508883	20.0	20.9	
122 Benzyl chloride	91	9.712	9.712	0.000	99	384868	20.0	21.1	
123 1,3-Diethylbenzene	119	9.809	9.809	0.000	95	292892	20.0	20.5	
124 p-Diethylbenzene	119	9.864	9.864	0.000	94	308467	20.0	20.8	
125 1,2-Dichlorobenzene	146	9.876	9.876	0.000	95	248798	20.0	20.9	
126 n-Butylbenzene	92	9.883	9.883	0.000	97	252904	20.0	20.7	
162 o-diethylbenzene	119	9.944	9.944	0.000	98	247409	20.0	20.7	
S 163 1,3-Dichloropropene, Total	100				0			41.1	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	75	47429	20.0	21.4	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	170809	20.0	20.7	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	94	160708	20.0	21.0	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	97	69609	20.0	20.8	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	85	182801	20.0	21.4	
168 Naphthalene	128	11.132	11.132	0.000	98	549441	20.0	21.1	
S 169 Xylenes, Total	106				0			61.4	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	93	150608	20.0	20.9	
171 2-Methylnaphthalene	142	11.846	11.846	0.000	92	257735	20.0	21.2	
S 194 Total Diethylbenzene	1				0			62.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00175	Amount Added: 4.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 16.00	Units: uL	
MSV_CCV_VOC#3_00171	Amount Added: 3.20	Units: uL	
MSV_CCV_2CEVE_00167	Amount Added: 4.00	Units: uL	
MSV_CCV_GASES_00723	Amount Added: 2.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 4.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 4.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 18-Mar-2024 19:28:58

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X15.D

Injection Date: 18-Mar-2024 16:16:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC v20

Worklist Smp#: 15

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 15

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X15.D
Injection Date: 18-Mar-2024 16:16:30 Instrument ID: 15648
Lims ID: IC v20
Client ID:
Operator ID: jml01693 ALS Bottle#: 15 Worklist Smp#: 15
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.21
Area: 270548
Amount: 26.443997
Amount Units: ug/l

Processing Integration Results



RT: 1.21
Area: 196885
Amount: 20.649365
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:58:20 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X15.D
Injection Date: 18-Mar-2024 16:16:30 Instrument ID: 15648
Lims ID: IC v20
Client ID:
Operator ID: jml01693 ALS Bottle#: 15 Worklist Smp#: 15
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

18 Acetone, CAS: 67-64-1

Signal: 1


RT: 1.95
Area: 29919
Amount: 39.195773
Amount Units: ug/l

Processing Integration Results



RT: 1.95
Area: 31244
Amount: 40.696508
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:58:37 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X16.D
 Lims ID: ICIS v50
 Client ID:
 Sample Type: ICIS Calib Level: 5
 Inject. Date: 18-Mar-2024 16:36:30 ALS Bottle#: 16 Worklist Smp#: 16
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-016
 Misc. Info.: LG 50
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub75
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:29:02 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 17:51:16

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.116	1.116	0.000	99	519618	50.0	49.4	M
4 Chloromethane	50	1.226	1.226	0.000	99	463983	50.0	47.0	
5 Butadiene	39	1.268	1.268	0.000	97	546682	50.0	49.3	
6 Vinyl chloride	62	1.287	1.287	0.000	98	442389	50.0	48.3	
8 Bromomethane	94	1.457	1.457	0.000	92	274984	50.0	48.4	
9 Chloroethane	64	1.482	1.482	0.000	99	250269	50.0	46.6	
10 Dichlorofluoromethane	67	1.598	1.598	0.000	97	675552	50.0	46.8	
11 Pentane	43	1.652	1.652	0.000	95	568657	50.0	49.2	
12 Trichlorofluoromethane	101	1.665	1.665	0.000	98	563866	50.0	49.4	
14 Ethyl ether	59	1.768	1.768	0.000	95	263559	50.0	48.3	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.799	1.799	0.000	94	395535	50.0	47.2	
16 Acrolein	56	1.854	1.854	0.000	98	874967	500.0	474.7	
17 1,1-Dichloroethene	96	1.933	1.933	0.000	94	238677	50.0	48.5	
18 Acetone	58	1.951	1.951	0.000	98	73950	100.0	93.8	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.963	1.963	0.000	94	287848	50.0	51.1	
20 Isopropyl alcohol	45	2.037	2.037	0.000	40	120145	250.0	213.1	
21 Iodomethane	142	2.037	2.037	0.000	99	428285	50.0	48.4	
22 Carbon disulfide	76	2.091	2.091	0.000	100	706658	50.0	48.2	
25 3-Chloro-1-propene	41	2.177	2.177	0.000	85	552289	50.0	48.9	
26 Methyl acetate	43	2.177	2.177	0.000	99	327291	50.0	51.6	
27 Methylene Chloride	84	2.268	2.268	0.000	98	271975	50.0	47.9	
* 28 t-Butyl alcohol-d10 (IS)	65	2.268	2.268	0.000	39	220202	250.0	250.0	
29 2-Methyl-2-propanol	59	2.335	2.335	0.000	98	213380	250.0	215.7	
30 Acrylonitrile	53	2.445	2.445	0.000	97	381941	125.0	118.1	
32 trans-1,2-Dichloroethene	96	2.488	2.488	0.000	94	268873	50.0	48.7	
31 Methyl tert-butyl ether	73	2.494	2.494	0.000	98	975356	50.0	48.6	
33 Hexane	57	2.725	2.725	0.000	96	476844	50.0	49.6	
34 1,1-Dichloroethane	63	2.841	2.841	0.000	97	578375	50.0	48.7	
36 Isopropyl ether	45	2.921	2.921	0.000	92	1074348	50.0	49.1	
37 2-Chloro-1,3-butadiene	53	2.927	2.927	0.000	96	570598	50.0	48.8	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.244	3.244	0.000	98	1010801	50.0	48.2	
40 cis-1,2-Dichloroethene	96	3.366	3.366	0.000	86	302418	50.0	48.4	
39 2-Butanone (MEK)	43	3.372	3.372	0.000	99	436327	100.0	92.8	
41 2,2-Dichloropropane	77	3.378	3.378	0.000	91	525743	50.0	47.8	
42 Propionitrile	54	3.427	3.427	0.000	96	309276	250.0	234.4	
186 Methyl acrylate	55	3.475	3.475	0.000	99	425998	50.0	51.4	
44 Methacrylonitrile	67	3.567	3.567	0.000	94	405579	125.0	119.2	
45 Chlorobromomethane	128	3.585	3.585	0.000	93	138914	50.0	49.5	
46 Tetrahydrofuran	71	3.628	3.628	0.000	94	258816	250.0	239.7	
47 Chloroform	83	3.664	3.664	0.000	96	527114	50.0	47.3	
\$ 48 Dibromofluoromethane (Surr)	113	3.817	3.817	0.000	92	256159	50.0	50.3	
49 1,1,1-Trichloroethane	97	3.847	3.847	0.000	97	489208	50.0	48.4	
51 Cyclohexane	56	3.902	3.902	0.000	96	606799	50.0	49.1	
52 1,1-Dichloropropene	75	4.000	4.000	0.000	90	441740	50.0	48.6	
53 Carbon tetrachloride	117	4.006	4.006	0.000	96	426920	50.0	49.4	
54 Isobutyl alcohol	41	4.128	4.128	0.000	68	197756	625.0	588.6	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.134	4.134	0.000	97	399899	50.0	50.0	
56 Benzene	78	4.195	4.195	0.000	98	1199400	50.0	48.1	
57 1,2-Dichloroethane	62	4.207	4.207	0.000	98	488152	50.0	48.6	
59 Tert-amyl methyl ether	73	4.323	4.323	0.000	96	959443	50.0	49.1	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	97	1080528	50.0	50.0	
61 n-Heptane	43	4.487	4.487	0.000	97	463263	50.0	46.8	
62 n-Butanol	56	4.792	4.792	0.000	94	142819	625.0	567.5	
63 Trichloroethene	95	4.835	4.835	0.000	96	309973	50.0	48.4	
195 Ethyl acrylate	55	4.969	4.969	0.000	99	526228	50.0	50.7	
64 Methylcyclohexane	83	5.036	5.036	0.000	90	550471	50.0	49.9	
65 1,2-Dichloropropane	63	5.054	5.054	0.000	90	326985	50.0	48.5	
66 2-ethoxy-2-methyl butane	87	5.127	5.127	0.000	91	498899	50.0	48.8	
67 Dibromomethane	93	5.170	5.170	0.000	95	193494	50.0	48.5	
68 1,4-Dioxane	88	5.194	5.194	0.000	28	34290	625.0	643.0	M
69 Methyl methacrylate	69	5.207	5.207	0.000	92	275259	50.0	47.8	
71 Dichlorobromomethane	83	5.347	5.347	0.000	97	401387	50.0	49.1	
72 2-Nitropropane	41	5.579	5.579	0.000	99	806453	250.0	243.2	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	93	239243	50.0	49.9	
74 cis-1,3-Dichloropropene	75	5.822	5.822	0.000	90	522860	50.0	49.0	
75 4-Methyl-2-pentanone (MIBK)	43	5.999	5.999	0.000	99	933616	100.0	96.4	
\$ 77 Toluene-d8 (Surr)	98	6.103	6.103	0.000	95	1132849	50.0	50.1	
78 Toluene	92	6.176	6.176	0.000	97	770218	50.0	48.0	
79 trans-1,3-Dichloropropene	75	6.426	6.426	0.000	99	490575	50.0	48.4	
81 Ethyl methacrylate	69	6.560	6.560	0.000	92	506296	50.0	48.8	
82 1,1,2-Trichloroethane	97	6.615	6.615	0.000	93	265934	50.0	48.6	
83 Tetrachloroethene	166	6.767	6.767	0.000	94	317438	50.0	48.4	
84 1,3-Dichloropropane	76	6.792	6.792	0.000	97	485201	50.0	48.0	
86 2-Hexanone	43	6.914	6.914	0.000	98	673641	100.0	93.6	
87 Chlorodibromomethane	129	7.036	7.036	0.000	90	297466	50.0	49.0	
89 Ethylene Dibromide	107	7.145	7.145	0.000	99	280191	50.0	48.6	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	89	806749	50.0	50.0	
91 Chlorobenzene	112	7.670	7.670	0.000	91	817075	50.0	48.5	
92 1-Chlorohexane	91	7.682	7.682	0.000	91	419182	50.0	48.0	
94 1,1,1,2-Tetrachloroethane	131	7.761	7.761	0.000	94	290735	50.0	49.6	
95 Ethylbenzene	91	7.792	7.792	0.000	99	1521665	50.0	48.2	
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	99	1168006	100.0	98.4	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
97 o-Xylene	106	8.261	8.261	0.000	96	574056	50.0	49.2	
274 n-Butyl acrylate	55	8.267	8.267	0.000	94	794370	50.0	50.3	
98 Styrene	104	8.273	8.273	0.000	91	941841	50.0	48.9	
99 Bromoform	173	8.413	8.413	0.000	94	217950	50.0	48.5	
100 Isopropylbenzene	105	8.584	8.584	0.000	97	1413342	50.0	48.9	
101 Cyclohexanone	55	8.639	8.639	0.000	96	188365	625.0	595.5	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	86	431641	50.0	50.3	
104 Bromobenzene	156	8.810	8.810	0.000	99	336870	50.0	48.2	
105 1,1,2,2-Tetrachloroethane	83	8.828	8.828	0.000	96	421856	50.0	47.4	
106 1,2,3-Trichloropropane	110	8.852	8.852	0.000	89	128777	50.0	47.8	
107 trans-1,4-Dichloro-2-butene	53	8.877	8.877	0.000	94	445178	125.0	121.5	
108 N-Propylbenzene	91	8.925	8.925	0.000	99	1767935	50.0	50.0	
109 2-Chlorotoluene	126	8.974	8.974	0.000	95	336001	50.0	48.8	
111 4-Chlorotoluene	126	9.066	9.066	0.000	99	350122	50.0	49.3	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	93	1254370	50.0	49.8	
113 tert-Butylbenzene	134	9.316	9.316	0.000	94	253338	50.0	50.1	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	99	1255978	50.0	49.4	
116 sec-Butylbenzene	105	9.480	9.480	0.000	95	1536543	50.0	50.6	
117 1,3-Dichlorobenzene	146	9.547	9.547	0.000	97	644822	50.0	49.4	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	97	1330733	50.0	50.1	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	96	454380	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	93	649946	50.0	48.9	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	100	1276926	50.0	49.5	
122 Benzyl chloride	91	9.712	9.712	0.000	99	954619	50.0	49.3	
123 1,3-Diethylbenzene	119	9.809	9.809	0.000	95	755290	50.0	49.9	
124 p-Diethylbenzene	119	9.864	9.864	0.000	93	793491	50.0	50.5	
125 1,2-Dichlorobenzene	146	9.877	9.877	0.000	95	620904	50.0	49.2	
126 n-Butylbenzene	92	9.883	9.883	0.000	97	649201	50.0	50.2	
162 o-diethylbenzene	119	9.944	9.944	0.000	97	624679	50.0	49.2	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	78	112778	50.0	48.0	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	439116	50.0	50.1	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	93	407522	50.0	50.3	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	95	179744	50.0	50.7	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	84	469426	50.0	51.8	
168 Naphthalene	128	11.126	11.126	0.000	98	1374359	50.0	49.9	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	95	380694	50.0	49.9	
171 2-Methylnaphthalene	142	11.846	11.846	0.000	92	662857	50.0	51.5	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00175	Amount Added: 5.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 10.00	Units: uL	
MSV_CCV_VOC#3_00171	Amount Added: 4.00	Units: uL	
MSV_CCV_2CEVE_00167	Amount Added: 5.00	Units: uL	
MSV_CCV_GASES_00723	Amount Added: 2.50	Units: uL	
MSV_CCV_EE_00006	Amount Added: 5.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 5.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 18-Mar-2024 19:29:03

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X16.D

Injection Date: 18-Mar-2024 16:36:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: ICIS v50

Worklist Smp#: 16

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 16

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X16.D
Injection Date: 18-Mar-2024 16:36:30 Instrument ID: 15648
Lims ID: ICIS v50
Client ID:
Operator ID: jml01693 ALS Bottle#: 16 Worklist Smp#: 16
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.23
Area: 659523
Amount: 67.571667
Amount Units: ug/l

Processing Integration Results



RT: 1.23
Area: 463983
Amount: 47.018156
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:51:08 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X16.D
Injection Date: 18-Mar-2024 16:36:30 Instrument ID: 15648
Lims ID: ICIS v50
Client ID:
Operator ID: jml01693 ALS Bottle#: 16 Worklist Smp#: 16
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

68 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 5.20
Area: 33816
Amount: 650.7992
Amount Units: ug/l

Processing Integration Results



RT: 5.19
Area: 34290
Amount: 642.9956
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:47:44 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X17.D
 Lims ID: IC v100
 Client ID:
 Sample Type: IC Calib Level: 6
 Inject. Date: 18-Mar-2024 16:56:30 ALS Bottle#: 17 Worklist Smp#: 17
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-017
 Misc. Info.: LG 100
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub75
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:29:11 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 18:00:19

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.110	1.116	-0.006	99	994884	100.0	97.0	M
4 Chloromethane	50	1.226	1.226	0.000	99	923092	100.0	96.0	M
5 Butadiene	39	1.269	1.268	0.000	97	1047434	100.0	96.9	
6 Vinyl chloride	62	1.287	1.287	0.000	98	888899	100.0	99.5	
8 Bromomethane	94	1.457	1.457	0.000	92	536276	100.0	96.9	
9 Chloroethane	64	1.482	1.482	0.000	99	497322	100.0	95.1	
10 Dichlorofluoromethane	67	1.598	1.598	0.000	98	1322632	100.0	94.1	
11 Pentane	43	1.646	1.652	-0.006	95	1161976	100.0	103.1	
12 Trichlorofluoromethane	101	1.665	1.665	0.000	98	1084771	100.0	97.5	
14 Ethyl ether	59	1.768	1.768	0.000	94	548140	100.0	103.2	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.793	1.799	-0.006	95	766834	100.0	94.0	
16 Acrolein	56	1.848	1.854	-0.006	99	1886705	999.9	1025.1	
17 1,1-Dichloroethene	96	1.927	1.933	-0.006	94	497917	100.0	103.7	
18 Acetone	58	1.945	1.951	-0.006	98	158404	200.0	201.2	M
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.963	1.963	0.000	93	576843	100.0	105.1	
20 Isopropyl alcohol	45	2.031	2.037	-0.006	43	259786	500.0	461.4	
21 Iodomethane	142	2.037	2.037	0.000	100	886200	100.0	102.7	
22 Carbon disulfide	76	2.092	2.091	0.001	100	1483164	100.0	103.8	
25 3-Chloro-1-propene	41	2.171	2.177	-0.006	86	1156176	100.0	105.1	
26 Methyl acetate	43	2.177	2.177	0.000	99	683765	100.0	110.5	
27 Methylene Chloride	84	2.268	2.268	0.000	98	565692	100.0	102.2	
* 28 t-Butyl alcohol-d10 (IS)	65	2.274	2.268	0.006	32	219866	250.0	250.0	
29 2-Methyl-2-propanol	59	2.341	2.335	0.006	99	463070	500.0	468.9	
30 Acrylonitrile	53	2.445	2.445	0.000	97	794406	250.0	252.0	
32 trans-1,2-Dichloroethene	96	2.488	2.488	0.000	94	561408	100.0	104.4	
31 Methyl tert-butyl ether	73	2.494	2.494	0.000	98	2037346	100.0	104.1	
33 Hexane	57	2.719	2.725	-0.006	95	963304	100.0	102.8	
34 1,1-Dichloroethane	63	2.841	2.841	0.000	97	1182733	100.0	102.1	
36 Isopropyl ether	45	2.915	2.921	-0.006	92	2209174	100.0	103.5	
37 2-Chloro-1,3-butadiene	53	2.927	2.927	0.000	95	1187836	100.0	104.3	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.244	3.244	0.000	98	2139614	100.0	104.6	
40 cis-1,2-Dichloroethene	96	3.366	3.366	0.000	86	635209	100.0	104.3	
39 2-Butanone (MEK)	43	3.372	3.372	0.000	100	909058	200.0	198.3	
41 2,2-Dichloropropane	77	3.378	3.378	0.000	90	1092217	100.0	101.9	
42 Propionitrile	54	3.421	3.427	-0.006	95	651148	500.0	494.3	
186 Methyl acrylate	55	3.475	3.475	0.000	99	900823	100.0	111.6	
44 Methacrylonitrile	67	3.567	3.567	0.000	93	847238	250.0	255.5	
45 Chlorobromomethane	128	3.585	3.585	0.000	94	293518	100.0	107.2	
46 Tetrahydrofuran	71	3.628	3.628	0.000	92	546009	500.0	506.5	
47 Chloroform	83	3.664	3.664	0.000	96	1099947	100.0	101.3	
\$ 48 Dibromofluoromethane (Surr)	113	3.811	3.817	-0.006	93	247919	50.0	50.0	
49 1,1,1-Trichloroethane	97	3.847	3.847	0.000	97	1023956	100.0	104.1	
51 Cyclohexane	56	3.908	3.902	0.006	96	1233527	100.0	102.5	
52 1,1-Dichloropropene	75	3.994	4.000	-0.006	91	929590	100.0	104.9	
53 Carbon tetrachloride	117	4.006	4.006	0.000	97	896533	100.0	106.5	
54 Isobutyl alcohol	41	4.128	4.128	0.000	92	437520	1250.0	1304.2	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.134	4.134	0.000	98	383964	50.0	49.3	
56 Benzene	78	4.195	4.195	0.000	98	2514986	100.0	103.6	
57 1,2-Dichloroethane	62	4.207	4.207	0.000	98	1008545	100.0	103.1	
59 Tert-amyl methyl ether	73	4.323	4.323	0.000	96	1984845	100.0	104.2	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	98	1053021	50.0	50.0	
61 n-Heptane	43	4.487	4.487	0.000	94	958611	100.0	99.4	
62 n-Butanol	56	4.792	4.792	0.000	92	328172	1250.0	1306.1	
63 Trichloroethene	95	4.835	4.835	0.000	97	649000	100.0	104.0	
195 Ethyl acrylate	55	4.963	4.969	-0.006	99	1125091	100.0	111.3	
64 Methylcyclohexane	83	5.036	5.036	0.000	93	1148692	100.0	106.8	
65 1,2-Dichloropropane	63	5.054	5.054	0.000	90	692199	100.0	105.4	
66 2-ethoxy-2-methyl butane	87	5.128	5.127	0.001	91	1049118	100.0	105.2	
67 Dibromomethane	93	5.170	5.170	0.000	96	405063	100.0	104.2	
68 1,4-Dioxane	88	5.201	5.194	0.007	30	75666	1250.0	1421.0	
69 Methyl methacrylate	69	5.207	5.207	0.000	92	589571	100.0	105.1	
71 Dichlorobromomethane	83	5.347	5.347	0.000	98	841981	100.0	105.7	
72 2-Nitropropane	41	5.579	5.579	0.000	99	1700188	500.0	513.4	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	93	504140	100.0	107.8	
74 cis-1,3-Dichloropropene	75	5.822	5.822	0.000	90	1112102	100.0	106.9	
75 4-Methyl-2-pentanone (MIBK)	43	5.999	5.999	0.000	99	1990514	200.0	211.0	
\$ 77 Toluene-d8 (Surr)	98	6.103	6.103	0.000	95	1100866	50.0	50.0	
S 76 1,2-Dichloroethene, Total	100				0			208.7	
78 Toluene	92	6.176	6.176	0.000	97	1632499	100.0	104.4	
79 trans-1,3-Dichloropropene	75	6.426	6.426	0.000	100	1054858	100.0	106.9	
81 Ethyl methacrylate	69	6.560	6.560	0.000	92	1077428	100.0	106.6	
82 1,1,2-Trichloroethane	97	6.615	6.615	0.000	94	550987	100.0	103.4	
83 Tetrachloroethene	166	6.767	6.767	0.000	94	666697	100.0	104.3	
84 1,3-Dichloropropane	76	6.792	6.792	0.000	97	1026115	100.0	104.1	
86 2-Hexanone	43	6.914	6.914	0.000	98	1446683	200.0	206.4	
87 Chlorodibromomethane	129	7.036	7.036	0.000	90	635342	100.0	107.4	
89 Ethylene Dibromide	107	7.145	7.145	0.000	98	588479	100.0	104.7	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	88	786031	50.0	50.0	
91 Chlorobenzene	112	7.670	7.670	0.000	91	1719105	100.0	104.7	
92 1-Chlorohexane	91	7.682	7.682	0.000	93	881474	100.0	103.6	
94 1,1,1,2-Tetrachloroethane	131	7.761	7.761	0.000	94	615024	100.0	107.7	
95 Ethylbenzene	91	7.792	7.792	0.000	99	3187705	100.0	103.7	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	99	2447138	200.0	211.5	
97 o-Xylene	106	8.261	8.261	0.000	98	1206858	100.0	106.2	
274 n-Butyl acrylate	55	8.267	8.267	0.000	95	1671299	100.0	108.7	
98 Styrene	104	8.273	8.273	0.000	91	2008145	100.0	106.9	
99 Bromoform	173	8.413	8.413	0.000	95	475200	100.0	108.5	
100 Isopropylbenzene	105	8.590	8.584	0.006	97	2975336	100.0	105.7	
101 Cyclohexanone	55	8.633	8.639	-0.006	94	432443	1250.0	1369.3	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	86	414480	50.0	49.6	
104 Bromobenzene	156	8.810	8.810	0.000	99	708856	100.0	103.9	
105 1,1,2,2-Tetrachloroethane	83	8.828	8.828	0.000	95	900923	100.0	103.7	
106 1,2,3-Trichloropropane	110	8.852	8.852	0.000	88	270686	100.0	103.0	
107 trans-1,4-Dichloro-2-butene	53	8.877	8.877	0.000	94	948108	250.0	265.3	
108 N-Propylbenzene	91	8.926	8.925	0.001	99	3707069	100.0	107.4	
109 2-Chlorotoluene	126	8.974	8.974	0.000	95	711350	100.0	106.0	
111 4-Chlorotoluene	126	9.066	9.066	0.000	99	738909	100.0	106.5	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	94	2638628	100.0	107.4	
113 tert-Butylbenzene	134	9.316	9.316	0.000	94	532183	100.0	107.9	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	99	2657800	100.0	107.1	
116 sec-Butylbenzene	105	9.480	9.480	0.000	95	3251459	100.0	109.7	
117 1,3-Dichlorobenzene	146	9.547	9.547	0.000	97	1351511	100.0	106.1	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	97	2827433	100.0	109.1	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	95	443273	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	93	1370693	100.0	105.7	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	99	2663401	100.0	105.8	
122 Benzyl chloride	91	9.712	9.712	0.000	99	2044357	100.0	108.3	
123 1,3-Diethylbenzene	119	9.810	9.809	0.001	95	1594387	100.0	108.0	
124 p-Diethylbenzene	119	9.864	9.864	0.000	93	1672435	100.0	109.2	
125 1,2-Dichlorobenzene	146	9.877	9.877	0.001	95	1321346	100.0	107.3	
126 n-Butylbenzene	92	9.883	9.883	0.000	97	1363710	100.0	108.0	
162 o-diethylbenzene	119	9.950	9.944	0.006	97	1325801	100.0	107.1	
S 163 1,3-Dichloropropene, Total	100				0			213.9	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	79	244056	100.0	106.6	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	934856	100.0	109.3	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	93	889462	100.0	112.6	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	95	382754	100.0	110.6	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	85	1060908	100.0	120.1	
168 Naphthalene	128	11.132	11.126	0.006	98	3005097	100.0	111.8	
S 169 Xylenes, Total	106				0			317.7	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	94	842413	100.0	113.2	
171 2-Methylnaphthalene	142	11.846	11.846	0.000	92	1522842	100.0	121.4	
S 194 Total Diethylbenzene	1				0			324.3	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00175	Amount Added: 5.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 10.00	Units: uL	
MSV_CCV_VOC#3_00171	Amount Added: 4.00	Units: uL	
MSV_CCV_2CEVE_00167	Amount Added: 5.00	Units: uL	
MSV_CCV_GASES_00723	Amount Added: 2.50	Units: uL	
MSV_CCV_EE_00006	Amount Added: 5.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 5.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 18-Mar-2024 19:29:12

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X17.D

Injection Date: 18-Mar-2024 16:56:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC v100

Worklist Smp#: 17

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 17

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X17.D
Injection Date: 18-Mar-2024 16:56:30 Instrument ID: 15648
Lims ID: IC v100
Client ID:
Operator ID: jml01693 ALS Bottle#: 17 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.11
Area: 983899
Amount: 96.116289
Amount Units: ug/l

Processing Integration Results



RT: 1.11
Area: 994884
Amount: 97.030673
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:59:28 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X17.D
Injection Date: 18-Mar-2024 16:56:30 Instrument ID: 15648
Lims ID: IC v100
Client ID:
Operator ID: jml01693 ALS Bottle#: 17 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.23
Area: 982624
Amount: 100.3849
Amount Units: ug/l

Processing Integration Results



RT: 1.23
Area: 923092
Amount: 95.985915
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:59:35 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X17.D
Injection Date: 18-Mar-2024 16:56:30 Instrument ID: 15648
Lims ID: IC v100
Client ID:
Operator ID: jml01693 ALS Bottle#: 17 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

18 Acetone, CAS: 67-64-1

Signal: 1


RT: 1.95
Area: 158867
Amount: 201.7247
Amount Units: ug/l

Processing Integration Results



RT: 1.95
Area: 158404
Amount: 201.2213
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 17:59:50 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Lims ID: IC v300
 Client ID:
 Sample Type: IC Calib Level: 7
 Inject. Date: 18-Mar-2024 17:16:30 ALS Bottle#: 18 Worklist Smp#: 18
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-018
 Misc. Info.: LG 300
 Operator ID: jml01693 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub75
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:29:17 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 18:02:14

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.110	1.116	-0.006	99	3219911	300.0	283.2	M
4 Chloromethane	50	1.220	1.226	-0.006	98	2960580	300.0	277.6	M
5 Butadiene	39	1.269	1.268	0.001	96	3360716	300.0	280.3	
6 Vinyl chloride	62	1.281	1.287	-0.006	98	2864482	300.0	289.3	
8 Bromomethane	94	1.458	1.457	0.001	92	1720909	300.0	280.5	
9 Chloroethane	64	1.482	1.482	0.000	99	1594608	300.0	275.0	
10 Dichlorofluoromethane	67	1.598	1.598	0.000	98	4151591	300.0	266.3	
11 Pentane	43	1.646	1.652	-0.006	95	3697113	300.0	295.7	
12 Trichlorofluoromethane	101	1.665	1.665	0.000	98	3487269	300.0	282.6	
14 Ethyl ether	59	1.762	1.768	-0.006	94	1698216	300.0	288.3	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.793	1.799	-0.006	95	2434008	300.0	269.0	
16 Acrolein	56	1.848	1.854	-0.006	98	5706740	2999.7	2998.9	
17 1,1-Dichloroethene	96	1.927	1.933	-0.006	95	1567791	300.0	294.6	
18 Acetone	58	1.939	1.951	-0.012	98	474779	600.0	583.3	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.964	1.963	0.001	94	1845815	300.0	303.2	
20 Isopropyl alcohol	45	2.031	2.037	-0.006	97	822268	1500.0	1412.4	
21 Iodomethane	142	2.037	2.037	0.000	99	2776493	300.0	290.2	
22 Carbon disulfide	76	2.085	2.091	-0.006	100	4647443	300.0	293.3	
25 3-Chloro-1-propene	41	2.171	2.177	-0.006	87	3532929	300.0	289.7	
26 Methyl acetate	43	2.171	2.177	-0.006	98	2020695	300.0	294.6	
27 Methylene Chloride	84	2.262	2.268	-0.006	98	1734092	300.0	282.5	
* 28 t-Butyl alcohol-d10 (IS)	65	2.274	2.268	0.006	33	227328	250.0	250.0	
29 2-Methyl-2-propanol	59	2.341	2.335	0.006	99	1345261	1500.0	1317.4	
30 Acrylonitrile	53	2.439	2.445	-0.006	97	2431297	750.0	695.5	
32 trans-1,2-Dichloroethene	96	2.482	2.488	-0.006	94	1755391	300.0	294.5	
31 Methyl tert-butyl ether	73	2.488	2.494	-0.006	98	6176357	300.0	284.7	
33 Hexane	57	2.719	2.725	-0.006	95	3008767	300.0	289.5	
34 1,1-Dichloroethane	63	2.835	2.841	-0.006	97	3685345	300.0	287.0	
36 Isopropyl ether	45	2.915	2.921	-0.006	92	6749791	300.0	285.3	
37 2-Chloro-1,3-butadiene	53	2.921	2.927	-0.006	95	3671637	300.0	290.7	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.244	3.244	0.000	98	6466006	300.0	285.2	
40 cis-1,2-Dichloroethene	96	3.360	3.366	-0.006	86	1950866	300.0	288.8	
39 2-Butanone (MEK)	43	3.372	3.372	0.000	99	2778945	600.0	546.8	
41 2,2-Dichloropropane	77	3.384	3.378	0.006	92	3375758	300.0	284.0	
42 Propionitrile	54	3.421	3.427	-0.006	95	1982057	1500.0	1455.1	
186 Methyl acrylate	55	3.469	3.475	-0.006	99	2780215	300.0	310.5	
44 Methacrylonitrile	67	3.567	3.567	0.000	95	2625322	750.0	714.0	
45 Chlorobromomethane	128	3.585	3.585	0.000	94	897342	300.0	295.7	
46 Tetrahydrofuran	71	3.622	3.628	-0.006	94	1650470	1500.0	1480.9	
47 Chloroform	83	3.664	3.664	0.000	96	3362631	300.0	279.2	
\$ 48 Dibromofluoromethane (Surr)	113	3.811	3.817	-0.006	92	274475	50.0	49.9	
49 1,1,1-Trichloroethane	97	3.847	3.847	0.000	98	3186175	300.0	292.0	
51 Cyclohexane	56	3.908	3.902	0.006	95	3880900	300.0	290.7	
52 1,1-Dichloropropene	75	3.994	4.000	-0.006	91	2887460	300.0	293.8	
53 Carbon tetrachloride	117	4.006	4.006	0.000	97	2811272	300.0	301.2	
54 Isobutyl alcohol	41	4.128	4.128	0.000	93	1281677	3750.0	3695.1	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.128	4.134	-0.006	96	422486	50.0	48.9	
56 Benzene	78	4.195	4.195	0.000	98	7866002	300.0	292.2	
57 1,2-Dichloroethane	62	4.207	4.207	0.000	98	3083307	300.0	284.4	
59 Tert-amyl methyl ether	73	4.329	4.323	0.006	97	5995261	300.0	283.8	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	98	1167570	50.0	50.0	
61 n-Heptane	43	4.481	4.487	-0.006	94	2999143	300.0	280.5	
62 n-Butanol	56	4.792	4.792	0.000	93	938840	3750.0	3613.9	
63 Trichloroethene	95	4.835	4.835	0.000	97	2016982	300.0	291.6	
195 Ethyl acrylate	55	4.969	4.969	0.000	99	3430902	300.0	306.0	
64 Methylcyclohexane	83	5.042	5.036	0.006	94	3599091	300.0	301.8	
65 1,2-Dichloropropane	63	5.054	5.054	0.000	90	2146329	300.0	294.8	
66 2-ethoxy-2-methyl butane	87	5.128	5.127	0.001	91	3222564	300.0	291.5	
67 Dibromomethane	93	5.170	5.170	0.000	96	1238865	300.0	287.3	
68 1,4-Dioxane	88	5.201	5.194	0.007	82	209533	3750.0	3805.9	M
69 Methyl methacrylate	69	5.213	5.207	0.006	92	1811871	300.0	291.2	
71 Dichlorobromomethane	83	5.347	5.347	0.000	98	2613700	300.0	295.8	
72 2-Nitropropane	41	5.585	5.579	0.006	99	5192535	1500.0	1516.5	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	94	1558015	300.0	300.6	
74 cis-1,3-Dichloropropene	75	5.823	5.822	0.000	90	3463385	300.0	300.4	
75 4-Methyl-2-pentanone (MIBK)	43	6.005	5.999	0.006	99	5931382	600.0	567.1	
\$ 77 Toluene-d8 (Surr)	98	6.109	6.103	0.006	95	1210489	50.0	49.8	
S 76 1,2-Dichloroethene, Total	100				0			583.3	
78 Toluene	92	6.176	6.176	0.000	97	5085324	300.0	294.4	
79 trans-1,3-Dichloropropene	75	6.426	6.426	0.000	99	3277735	300.0	300.9	
81 Ethyl methacrylate	69	6.566	6.560	0.006	91	3234769	300.0	289.8	
82 1,1,2-Trichloroethane	97	6.615	6.615	0.000	94	1690702	300.0	287.4	
83 Tetrachloroethene	166	6.767	6.767	0.000	95	2100228	300.0	297.6	
84 1,3-Dichloropropane	76	6.798	6.792	0.006	97	3132908	300.0	288.0	
86 2-Hexanone	43	6.920	6.914	0.006	98	4318552	600.0	558.0	
87 Chlorodibromomethane	129	7.036	7.036	0.000	90	1980985	300.0	303.2	
89 Ethylene Dibromide	107	7.145	7.145	0.000	99	1813665	300.0	292.4	
* 90 Chlorobenzene-d5 (IS)	117	7.645	7.639	0.006	88	867843	50.0	50.0	
91 Chlorobenzene	112	7.670	7.670	0.000	91	5408377	300.0	298.4	
92 1-Chlorohexane	91	7.682	7.682	0.000	93	2808120	300.0	298.9	
94 1,1,1,2-Tetrachloroethane	131	7.761	7.761	0.000	94	1916700	300.0	304.1	
95 Ethylbenzene	91	7.798	7.792	0.006	99	9967675	300.0	293.6	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	96	7816823	600.0	612.0	e
97 o-Xylene	106	8.267	8.261	0.006	98	3873174	300.0	308.7	
274 n-Butyl acrylate	55	8.267	8.267	0.000	96	5187219	300.1	305.5	
98 Styrene	104	8.279	8.273	0.006	93	6476087	300.0	312.3	
99 Bromoform	173	8.413	8.413	0.000	95	1490264	300.0	308.1	
100 Isopropylbenzene	105	8.590	8.584	0.006	97	9331574	300.0	300.4	
101 Cyclohexanone	55	8.639	8.639	0.000	93	1113234	3749.9	3409.2	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	86	462824	50.0	50.1	
104 Bromobenzene	156	8.810	8.810	0.000	99	2247597	300.0	286.1	
105 1,1,2,2-Tetrachloroethane	83	8.834	8.828	0.006	96	2763092	300.0	276.1	
106 1,2,3-Trichloropropane	110	8.859	8.852	0.006	88	831754	300.0	274.7	
107 trans-1,4-Dichloro-2-butene	53	8.883	8.877	0.006	95	2912327	750.0	707.5	
108 N-Propylbenzene	91	8.926	8.925	0.001	97	10881999	300.0	273.6	e
109 2-Chlorotoluene	126	8.980	8.974	0.006	95	2213808	300.0	286.4	a
111 4-Chlorotoluene	126	9.066	9.066	0.000	99	2362247	300.0	295.7	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	94	8483815	300.0	299.7	
113 tert-Butylbenzene	134	9.316	9.316	0.000	94	1700630	300.0	299.2	
115 1,2,4-Trimethylbenzene	105	9.352	9.346	0.006	98	8425470	300.0	294.7	
116 sec-Butylbenzene	105	9.480	9.480	0.000	96	9951344	300.0	291.5	e
117 1,3-Dichlorobenzene	146	9.547	9.547	0.000	97	4296052	300.0	292.7	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	97	8945305	300.0	299.7	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	92	510659	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.614	9.608	0.006	96	4360782	300.0	291.8	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	99	8359468	300.0	288.2	
122 Benzyl chloride	91	9.712	9.712	0.000	99	6282403	300.0	288.9	
123 1,3-Diethylbenzene	119	9.810	9.809	0.001	95	5092155	300.0	299.4	
124 p-Diethylbenzene	119	9.871	9.864	0.006	94	5396583	300.0	305.9	
125 1,2-Dichlorobenzene	146	9.877	9.877	0.001	95	4258886	300.0	300.2	
126 n-Butylbenzene	92	9.883	9.883	0.000	98	4453237	300.0	306.2	
162 o-diethylbenzene	119	9.950	9.944	0.006	97	4244509	300.0	297.6	
S 163 1,3-Dichloropropene, Total	100				0			601.3	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	79	732825	300.0	277.8	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	2866099	300.0	290.9	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	94	2661062	300.0	292.5	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	95	1124039	300.0	281.9	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	84	3136888	299.9	308.1	
168 Naphthalene	128	11.132	11.126	0.006	98	8774225	300.0	283.3	
S 169 Xylenes, Total	106				0			920.7	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	95	2475387	300.0	288.7	
171 2-Methylnaphthalene	142	11.852	11.846	0.006	92	4311586	300.0	298.3	
S 194 Total Diethylbenzene	1				0			902.8	

QC Flag Legend

Processing Flags

e - Potential Peak Saturated

Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

MSV_CCV_VOC#1_00175	Amount Added: 15.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 30.00	Units: uL	
MSV_CCV_VOC#3_00171	Amount Added: 12.00	Units: uL	
MSV_CCV_2CEVE_00167	Amount Added: 15.00	Units: uL	
MSV_CCV_GASES_00723	Amount Added: 7.50	Units: uL	
MSV_CCV_EE_00006	Amount Added: 15.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 15.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 18-Mar-2024 19:29:18

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D

Injection Date: 18-Mar-2024 17:16:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: IC v300

Worklist Smp#: 18

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 18

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Injection Date: 18-Mar-2024 17:16:30 Instrument ID: 15648
Lims ID: IC v300
Client ID:
Operator ID: jml01693 ALS Bottle#: 18 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.11
Area: 3217459
Amount: 283.0403
Amount Units: ug/l

Processing Integration Results



RT: 1.11
Area: 3219911
Amount: 283.2269
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:00:48 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Injection Date: 18-Mar-2024 17:16:30 Instrument ID: 15648
Lims ID: IC v300
Client ID:
Operator ID: jml01693 ALS Bottle#: 18 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.22
Area: 3162135
Amount: 293.9040
Amount Units: ug/l

Processing Integration Results



RT: 1.22
Area: 2960580
Amount: 277.6473
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:00:54 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Injection Date: 18-Mar-2024 17:16:30 Instrument ID: 15648
Lims ID: IC v300
Client ID:
Operator ID: jml01693 ALS Bottle#: 18 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

68 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 5.13
Area: 383930
Amount: 6790.5188
Amount Units: ug/l

Processing Integration Results



RT: 5.20
Area: 209533
Amount: 3805.9340
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:01:20 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Injection Date: 18-Mar-2024 17:16:30 Instrument ID: 15648
Lims ID: IC v300
Client ID:
Operator ID: jml01693 ALS Bottle#: 18 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

109 2-Chlorotoluene, CAS: 95-49-8

Signal: 1


Not Detected
Expected RT: 8.97

Processing Integration Results



RT: 8.98
Area: 2213808
Amount: 286.3568
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:01:30 -04:00:00 (UTC)

Audit Action: Assigned Compound ID

Audit Reason: Incomplete Integration

Calibration

/ Dichlorodifluoromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4869

Error Coefficients

Relative Standard Deviation: 4.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.479969	50.0	1045068.0	0.479969	Y
2	IC 410-484275/13	4.0	2.122922	50.0	1084543.0	0.53073	Y
3	IC 410-484275/14	10.0	4.87261	50.0	1095963.0	0.487261	Y
4	IC 410-484275/15	20.0	9.9416	50.0	1044012.0	0.49708	Y
5	ICIS 410-484275/16	50.0	24.044634	50.0	1080528.0	0.480893	Y
6	IC 410-484275/17	100.0	47.239514	50.0	1053021.0	0.472395	Y
7	IC 410-484275/18	300.0	137.88942	50.0	1167570.0	0.459631	Y



Calibration

/ Chloromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4566

Error Coefficients

Relative Standard Deviation: 7.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.489777	50.0	1045068.0	0.489777	Y
2	IC 410-484275/13	4.0	2.019745	50.0	1084543.0	0.504936	Y
3	IC 410-484275/14	10.0	4.399555	50.0	1095963.0	0.439956	Y
4	IC 410-484275/15	20.0	9.42925	50.0	1044012.0	0.471462	Y
5	ICIS 410-484275/16	50.0	21.470198	50.0	1080528.0	0.429404	Y
6	IC 410-484275/17	100.0	43.830655	50.0	1053021.0	0.438307	Y
7	IC 410-484275/18	300.0	126.783833	50.0	1167570.0	0.422613	Y



Calibration

/ Butadiene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5134

Error Coefficients

Relative Standard Deviation: 7.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.485471	50.0	1045068.0	0.485471	Y
2	IC 410-484275/13	4.0	2.341954	50.0	1084543.0	0.585489	Y
3	IC 410-484275/14	10.0	5.092051	50.0	1095963.0	0.509205	Y
4	IC 410-484275/15	20.0	10.610558	50.0	1044012.0	0.530528	Y
5	ICIS 410-484275/16	50.0	25.296984	50.0	1080528.0	0.50594	Y
6	IC 410-484275/17	100.0	49.734716	50.0	1053021.0	0.497347	Y
7	IC 410-484275/18	300.0	143.919251	50.0	1167570.0	0.479731	Y



Calibration

/ Vinyl chloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.424

Error Coefficients

Relative Standard Deviation: 8.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.368684	50.0	1045068.0	0.368684	Y
2	IC 410-484275/13	4.0	1.938144	50.0	1084543.0	0.484536	Y
3	IC 410-484275/14	10.0	4.330894	50.0	1095963.0	0.433089	Y
4	IC 410-484275/15	20.0	8.827054	50.0	1044012.0	0.441353	Y
5	ICIS 410-484275/16	50.0	20.470964	50.0	1080528.0	0.409419	Y
6	IC 410-484275/17	100.0	42.207088	50.0	1053021.0	0.422071	Y
7	IC 410-484275/18	300.0	122.668534	50.0	1167570.0	0.408895	Y



Calibration

/ Bromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2628

Error Coefficients

Relative Standard Deviation: 5.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.279264	50.0	1045068.0	0.279264	Y
2	IC 410-484275/13	4.0	1.15362	50.0	1084543.0	0.288405	Y
3	IC 410-484275/14	10.0	2.53097	50.0	1095963.0	0.253097	Y
4	IC 410-484275/15	20.0	5.277382	50.0	1044012.0	0.263869	Y
5	ICIS 410-484275/16	50.0	12.72452	50.0	1080528.0	0.25449	Y
6	IC 410-484275/17	100.0	25.46369	50.0	1053021.0	0.254637	Y
7	IC 410-484275/18	300.0	73.696181	50.0	1167570.0	0.245654	Y



Calibration

/ Chloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2483

Error Coefficients

Relative Standard Deviation: 8.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.282613	50.0	1045068.0	0.282613	Y
2	IC 410-484275/13	4.0	1.069437	50.0	1084543.0	0.267359	Y
3	IC 410-484275/14	10.0	2.407198	50.0	1095963.0	0.24072	Y
4	IC 410-484275/15	20.0	5.044195	50.0	1044012.0	0.25221	Y
5	ICIS 410-484275/16	50.0	11.580866	50.0	1080528.0	0.231617	Y
6	IC 410-484275/17	100.0	23.614059	50.0	1053021.0	0.236141	Y
7	IC 410-484275/18	300.0	68.287469	50.0	1167570.0	0.227625	Y



Calibration


/ Dichlorofluoromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.6676
Error Coefficients	

Relative Standard Deviation: 8.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.744641	50.0	1045068.0	0.744641	Y
2	IC 410-484275/13	4.0	2.991537	50.0	1084543.0	0.747884	Y
3	IC 410-484275/14	10.0	6.623171	50.0	1095963.0	0.662317	Y
4	IC 410-484275/15	20.0	13.451426	50.0	1044012.0	0.672571	Y
5	ICIS 410-484275/16	50.0	31.260273	50.0	1080528.0	0.625205	Y
6	IC 410-484275/17	100.0	62.801786	50.0	1053021.0	0.628018	Y
7	IC 410-484275/18	300.0	177.78767	50.0	1167570.0	0.592626	Y



Calibration


/ Pentane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.5354
Error Coefficients	

Relative Standard Deviation: 5.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.496092	50.0	1045068.0	0.496092	Y
2	IC 410-484275/13	4.0	2.319825	50.0	1084543.0	0.579956	Y
3	IC 410-484275/14	10.0	5.102271	50.0	1095963.0	0.510227	Y
4	IC 410-484275/15	20.0	11.111319	50.0	1044012.0	0.555566	Y
5	ICIS 410-484275/16	50.0	26.313848	50.0	1080528.0	0.526277	Y
6	IC 410-484275/17	100.0	55.173449	50.0	1053021.0	0.551734	Y
7	IC 410-484275/18	300.0	158.325111	50.0	1167570.0	0.52775	Y



Calibration

/ Trichlorofluoromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5284

Error Coefficients

Relative Standard Deviation: 5.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.507479	50.0	1045068.0	0.507479	Y
2	IC 410-484275/13	4.0	2.339787	50.0	1084543.0	0.584947	Y
3	IC 410-484275/14	10.0	5.213588	50.0	1095963.0	0.521359	Y
4	IC 410-484275/15	20.0	11.007967	50.0	1044012.0	0.550398	Y
5	ICIS 410-484275/16	50.0	26.092151	50.0	1080528.0	0.521843	Y
6	IC 410-484275/17	100.0	51.507567	50.0	1053021.0	0.515076	Y
7	IC 410-484275/18	300.0	149.338755	50.0	1167570.0	0.497796	Y



Calibration

/ Ethyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2523

Error Coefficients

Relative Standard Deviation: 3.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.000139	0.25606	50.0	1045068.0	0.256024	Y
2	IC 410-484275/13	4.000554	0.990602	50.0	1084543.0	0.247616	Y
3	IC 410-484275/14	10.001386	2.511718	50.0	1095963.0	0.251137	Y
4	IC 410-484275/15	20.002772	5.293522	50.0	1044012.0	0.264639	Y
5	ICIS 410-484275/16	50.00693	12.195843	50.0	1080528.0	0.243883	Y
6	IC 410-484275/17	100.01386	26.027021	50.0	1053021.0	0.260234	Y
7	IC 410-484275/18	300.04158	72.724376	50.0	1167570.0	0.242381	Y



Calibration

/ 1,2-Dichloro-1,1,2-trifluoroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3875

Error Coefficients

Relative Standard Deviation: 9.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.423561	50.0	1045068.0	0.423561	Y
2	IC 410-484275/13	4.0	1.779413	50.0	1084543.0	0.444853	Y
3	IC 410-484275/14	10.0	3.727726	50.0	1095963.0	0.372773	Y
4	IC 410-484275/15	20.0	7.873281	50.0	1044012.0	0.393664	Y
5	ICIS 410-484275/16	50.0	18.302857	50.0	1080528.0	0.366057	Y
6	IC 410-484275/17	100.0	36.411145	50.0	1053021.0	0.364111	Y
7	IC 410-484275/18	300.0	104.233922	50.0	1167570.0	0.347446	Y



Calibration

/ Acrolein

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 2.093

Error Coefficients

Relative Standard Deviation: 5.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	9.999153	23.309366	250.0	208339.0	2.331134	Y
2	IC 410-484275/13	39.99661	79.63613	250.0	215929.0	1.991072	Y
3	IC 410-484275/14	99.991525	200.860358	250.0	218688.0	2.008774	Y
4	IC 410-484275/15	199.98305	418.658039	250.0	214425.0	2.093468	Y
5	ICIS 410-484275/16	499.957626	993.368589	250.0	220202.0	1.986906	Y
6	IC 410-484275/17	999.915252	2145.289631	250.0	219866.0	2.145471	Y
7	IC 410-484275/18	2999.745756	6275.887704	250.0	227328.0	2.09214	Y



Calibration

/ 1,1-Dichloroethene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.2279

Error Coefficients

Relative Standard Deviation: 3.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.220368	50.0	1045068.0	0.220368	Y
2	IC 410-484275/13	4.0	0.947219	50.0	1084543.0	0.236805	Y
3	IC 410-484275/14	10.0	2.238169	50.0	1095963.0	0.223817	Y
4	IC 410-484275/15	20.0	4.666565	50.0	1044012.0	0.233328	Y
5	ICIS 410-484275/16	50.0	11.044462	50.0	1080528.0	0.220889	Y
6	IC 410-484275/17	100.0	23.642311	50.0	1053021.0	0.236423	Y
7	IC 410-484275/18	300.0	67.139058	50.0	1167570.0	0.223797	Y



Calibration

/ Acetone

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.8951

Error Coefficients

Relative Standard Deviation: 4.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.0	1.863549	250.0	208339.0	0.931775	Y
2	IC 410-484275/13	8.0	7.628665	250.0	215929.0	0.953583	Y
3	IC 410-484275/14	20.0	17.186585	250.0	218688.0	0.859329	Y
4	IC 410-484275/15	40.0	36.427655	250.0	214425.0	0.910691	Y
5	ICIS 410-484275/16	100.0	83.957003	250.0	220202.0	0.83957	Y
6	IC 410-484275/17	200.0	180.114251	250.0	219866.0	0.900571	Y
7	IC 410-484275/18	600.0	522.129918	250.0	227328.0	0.870217	Y



Calibration

/ 1,1,2-Trichloro-1,2,2-trifluoroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2607

Error Coefficients

Relative Standard Deviation: 9.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.209029	50.0	1045068.0	0.209029	Y
2	IC 410-484275/13	4.0	1.113142	50.0	1084543.0	0.278285	Y
3	IC 410-484275/14	10.0	2.537358	50.0	1095963.0	0.253736	Y
4	IC 410-484275/15	20.0	5.605252	50.0	1044012.0	0.280263	Y
5	ICIS 410-484275/16	50.0	13.319784	50.0	1080528.0	0.266396	Y
6	IC 410-484275/17	100.0	27.38991	50.0	1053021.0	0.273899	Y
7	IC 410-484275/18	300.0	79.045154	50.0	1167570.0	0.263484	Y



Calibration

/ Iodomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4097

Error Coefficients

Relative Standard Deviation: 3.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.415284	50.0	1045068.0	0.415284	Y
2	IC 410-484275/13	4.0	1.734417	50.0	1084543.0	0.433604	Y
3	IC 410-484275/14	10.0	3.952004	50.0	1095963.0	0.3952	Y
4	IC 410-484275/15	20.0	8.208766	50.0	1044012.0	0.410438	Y
5	ICIS 410-484275/16	50.0	19.81832	50.0	1080528.0	0.396366	Y
6	IC 410-484275/17	100.0	42.078933	50.0	1053021.0	0.420789	Y
7	IC 410-484275/18	300.0	118.900494	50.0	1167570.0	0.396335	Y



Calibration

/ Isopropyl alcohol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.6402

Error Coefficients

Relative Standard Deviation: 13.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	5.0	4.073889	250.0	208339.0	0.814778	Y
2	IC 410-484275/13	20.0	12.843342	250.0	215929.0	0.642167	Y
3	IC 410-484275/14	50.0	30.277153	250.0	218688.0	0.605543	Y
4	IC 410-484275/15	100.0	67.97948	250.0	214425.0	0.679795	Y
5	ICIS 410-484275/16	250.0	136.403166	250.0	220202.0	0.545613	Y
6	IC 410-484275/17	500.0	295.391284	250.0	219866.0	0.590783	Y
7	IC 410-484275/18	1500.0	904.27488	250.0	227328.0	0.60285	Y



Calibration

/ Carbon disulfide

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.6786

Error Coefficients

Relative Standard Deviation: 4.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.655268	50.0	1045068.0	0.655268	Y
2	IC 410-484275/13	4.0	2.889835	50.0	1084543.0	0.722459	Y
3	IC 410-484275/14	10.0	6.55857	50.0	1095963.0	0.655857	Y
4	IC 410-484275/15	20.0	13.905348	50.0	1044012.0	0.695267	Y
5	ICIS 410-484275/16	50.0	32.699662	50.0	1080528.0	0.653993	Y
6	IC 410-484275/17	100.0	70.424237	50.0	1053021.0	0.704242	Y
7	IC 410-484275/18	300.0	199.022029	50.0	1167570.0	0.663407	Y



Calibration

/ 3-Chloro-1-propene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5223

Error Coefficients

Relative Standard Deviation: 5.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.483892	50.0	1045068.0	0.483892	Y
2	IC 410-484275/13	4.0	2.234259	50.0	1084543.0	0.558565	Y
3	IC 410-484275/14	10.0	5.052315	50.0	1095963.0	0.505231	Y
4	IC 410-484275/15	20.0	10.875929	50.0	1044012.0	0.543796	Y
5	ICIS 410-484275/16	50.0	25.556441	50.0	1080528.0	0.511129	Y
6	IC 410-484275/17	100.0	54.89805	50.0	1053021.0	0.548981	Y
7	IC 410-484275/18	300.0	151.294098	50.0	1167570.0	0.504314	Y



Calibration

/ Methyl acetate

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.2937

Error Coefficients

Relative Standard Deviation: 10.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.22898	50.0	1045068.0	0.22898	Y
2	IC 410-484275/13	4.0	1.180866	50.0	1084543.0	0.295217	Y
3	IC 410-484275/14	10.0	2.993075	50.0	1095963.0	0.299308	Y
4	IC 410-484275/15	20.0	6.333979	50.0	1044012.0	0.316699	Y
5	ICIS 410-484275/16	50.0	15.144957	50.0	1080528.0	0.302899	Y
6	IC 410-484275/17	100.0	32.466826	50.0	1053021.0	0.324668	Y
7	IC 410-484275/18	300.0	86.534212	50.0	1167570.0	0.288447	Y



Calibration

/ Methylene Chloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2629

Error Coefficients

Relative Standard Deviation: 4.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.272757	50.0	1045068.0	0.272757	Y
2	IC 410-484275/13	4.0	1.111805	50.0	1084543.0	0.277951	Y
3	IC 410-484275/14	10.0	2.539046	50.0	1095963.0	0.253905	Y
4	IC 410-484275/15	20.0	5.349843	50.0	1044012.0	0.267492	Y
5	ICIS 410-484275/16	50.0	12.585282	50.0	1080528.0	0.251706	Y
6	IC 410-484275/17	100.0	26.860433	50.0	1053021.0	0.268604	Y
7	IC 410-484275/18	300.0	74.26073	50.0	1167570.0	0.247536	Y



Calibration


/ 2-Methyl-2-propanol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.123
Error Coefficients	

Relative Standard Deviation: 18.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	5.0	7.818987	250.0	208339.0	1.563797	Y
2	IC 410-484275/13	20.0	23.374581	250.0	215929.0	1.168729	Y
3	IC 410-484275/14	50.0	51.75867	250.0	218688.0	1.035173	Y
4	IC 410-484275/15	100.0	108.484319	250.0	214425.0	1.084843	Y
5	ICIS 410-484275/16	250.0	242.254839	250.0	220202.0	0.969019	Y
6	IC 410-484275/17	500.0	526.536618	250.0	219866.0	1.053073	Y
7	IC 410-484275/18	1500.0	1479.427303	250.0	227328.0	0.986285	Y



Calibration

/ Acrylonitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.1497

Error Coefficients

Relative Standard Deviation: 5.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.5	0.407581	50.0	1045068.0	0.163032	Y
2	IC 410-484275/13	10.0	1.585276	50.0	1084543.0	0.158528	Y
3	IC 410-484275/14	25.0	3.676401	50.0	1095963.0	0.147056	Y
4	IC 410-484275/15	50.0	7.40729	50.0	1044012.0	0.148146	Y
5	ICIS 410-484275/16	125.0	17.673813	50.0	1080528.0	0.141391	Y
6	IC 410-484275/17	250.0	37.72033	50.0	1053021.0	0.150881	Y
7	IC 410-484275/18	750.0	104.117826	50.0	1167570.0	0.138824	Y



Calibration

/ trans-1,2-Dichloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2552

Error Coefficients

Relative Standard Deviation: 5.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.24142	50.0	1045068.0	0.24142	Y
2	IC 410-484275/13	4.0	1.124437	50.0	1084543.0	0.281109	Y
3	IC 410-484275/14	10.0	2.395428	50.0	1095963.0	0.239543	Y
4	IC 410-484275/15	20.0	5.172833	50.0	1044012.0	0.258642	Y
5	ICIS 410-484275/16	50.0	12.441741	50.0	1080528.0	0.248835	Y
6	IC 410-484275/17	100.0	26.657018	50.0	1053021.0	0.26657	Y
7	IC 410-484275/18	300.0	75.172838	50.0	1167570.0	0.250576	Y



Calibration

/ Methyl tert-butyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.9292

Error Coefficients

Relative Standard Deviation: 4.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.941183	50.0	1045068.0	0.941183	Y
2	IC 410-484275/13	4.0	3.889288	50.0	1084543.0	0.972322	Y
3	IC 410-484275/14	10.0	8.8159	50.0	1095963.0	0.88159	Y
4	IC 410-484275/15	20.0	19.147577	50.0	1044012.0	0.957379	Y
5	ICIS 410-484275/16	50.0	45.133305	50.0	1080528.0	0.902666	Y
6	IC 410-484275/17	100.0	96.738147	50.0	1053021.0	0.967381	Y
7	IC 410-484275/18	300.0	264.496219	50.0	1167570.0	0.881654	Y



Calibration


/ Hexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4451
Error Coefficients	

Relative Standard Deviation: 4.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.455856	50.0	1045068.0	0.455856	Y
2	IC 410-484275/13	4.0	1.894577	50.0	1084543.0	0.473644	Y
3	IC 410-484275/14	10.0	4.072263	50.0	1095963.0	0.407226	Y
4	IC 410-484275/15	20.0	9.014264	50.0	1044012.0	0.450713	Y
5	ICIS 410-484275/16	50.0	22.065324	50.0	1080528.0	0.441306	Y
6	IC 410-484275/17	100.0	45.740018	50.0	1053021.0	0.4574	Y
7	IC 410-484275/18	300.0	128.847392	50.0	1167570.0	0.429491	Y



Calibration


/ 1,1-Dichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.5499
Error Coefficients	

Relative Standard Deviation: 3.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.540395	50.0	1045068.0	0.540395	Y
2	IC 410-484275/13	4.0	2.335546	50.0	1084543.0	0.583886	Y
3	IC 410-484275/14	10.0	5.360126	50.0	1095963.0	0.536013	Y
4	IC 410-484275/15	20.0	11.326881	50.0	1044012.0	0.566344	Y
5	ICIS 410-484275/16	50.0	26.763536	50.0	1080528.0	0.535271	Y
6	IC 410-484275/17	100.0	56.159041	50.0	1053021.0	0.56159	Y
7	IC 410-484275/18	300.0	157.821158	50.0	1167570.0	0.526071	Y



Calibration

/ Isopropyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.013

Error Coefficients

Relative Standard Deviation: 4.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.986299	50.0	1045068.0	0.986299	Y
2	IC 410-484275/13	4.0	4.278853	50.0	1084543.0	1.069713	Y
3	IC 410-484275/14	10.0	9.836692	50.0	1095963.0	0.983669	Y
4	IC 410-484275/15	20.0	20.912643	50.0	1044012.0	1.045632	Y
5	ICIS 410-484275/16	50.0	49.714029	50.0	1080528.0	0.994281	Y
6	IC 410-484275/17	100.0	104.896958	50.0	1053021.0	1.04897	Y
7	IC 410-484275/18	300.0	289.052948	50.0	1167570.0	0.96351	Y



Calibration

/ 2-Chloro-1,3-butadiene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5409

Error Coefficients

Relative Standard Deviation: 4.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.510637	50.0	1045068.0	0.510637	Y
2	IC 410-484275/13	4.0	2.308945	50.0	1084543.0	0.577236	Y
3	IC 410-484275/14	10.0	5.287907	50.0	1095963.0	0.528791	Y
4	IC 410-484275/15	20.0	11.070083	50.0	1044012.0	0.553504	Y
5	ICIS 410-484275/16	50.0	26.403666	50.0	1080528.0	0.528073	Y
6	IC 410-484275/17	100.0	56.401344	50.0	1053021.0	0.564013	Y
7	IC 410-484275/18	300.0	157.234127	50.0	1167570.0	0.524114	Y



Calibration

/ Tert-butyl ethyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.971

Error Coefficients

Relative Standard Deviation: 4.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.015915	50.0	1045068.0	1.015915	Y
2	IC 410-484275/13	4.0	4.011459	50.0	1084543.0	1.002865	Y
3	IC 410-484275/14	10.0	9.190183	50.0	1095963.0	0.919018	Y
4	IC 410-484275/15	20.0	19.695703	50.0	1044012.0	0.984785	Y
5	ICIS 410-484275/16	50.0	46.773476	50.0	1080528.0	0.93547	Y
6	IC 410-484275/17	100.0	101.59408	50.0	1053021.0	1.015941	Y
7	IC 410-484275/18	300.0	276.900143	50.0	1167570.0	0.923	Y



Calibration

/ 2,2-Dichloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.509

Error Coefficients

Relative Standard Deviation: 4.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.504991	50.0	1045068.0	0.504991	Y
2	IC 410-484275/13	4.0	2.177092	50.0	1084543.0	0.544273	Y
3	IC 410-484275/14	10.0	5.095336	50.0	1095963.0	0.509534	Y
4	IC 410-484275/15	20.0	10.338291	50.0	1044012.0	0.516915	Y
5	ICIS 410-484275/16	50.0	24.32806	50.0	1080528.0	0.486561	Y
6	IC 410-484275/17	100.0	51.861121	50.0	1053021.0	0.518611	Y
7	IC 410-484275/18	300.0	144.563409	50.0	1167570.0	0.481878	Y



Calibration

/ cis-1,2-Dichloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2893

Error Coefficients

Relative Standard Deviation: 3.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.280795	50.0	1045068.0	0.280795	Y
2	IC 410-484275/13	4.0	1.213092	50.0	1084543.0	0.303273	Y
3	IC 410-484275/14	10.0	2.854704	50.0	1095963.0	0.28547	Y
4	IC 410-484275/15	20.0	5.913294	50.0	1044012.0	0.295665	Y
5	ICIS 410-484275/16	50.0	13.993992	50.0	1080528.0	0.27988	Y
6	IC 410-484275/17	100.0	30.161269	50.0	1053021.0	0.301613	Y
7	IC 410-484275/18	300.0	83.543856	50.0	1167570.0	0.27848	Y



Calibration

/ 2-Butanone (MEK)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2176

Error Coefficients

Relative Standard Deviation: 14.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.0	0.571255	50.0	1045068.0	0.285627	Y
2	IC 410-484275/13	8.0	1.658717	50.0	1084543.0	0.20734	Y
3	IC 410-484275/14	20.0	4.098587	50.0	1095963.0	0.204929	Y
4	IC 410-484275/15	40.0	8.380603	50.0	1044012.0	0.209515	Y
5	ICIS 410-484275/16	100.0	20.190453	50.0	1080528.0	0.201905	Y
6	IC 410-484275/17	200.0	43.164286	50.0	1053021.0	0.215821	Y
7	IC 410-484275/18	600.0	119.005499	50.0	1167570.0	0.198342	Y



Calibration


/ Propionitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.498
Error Coefficients	

Relative Standard Deviation: 6.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	5.0	8.525768	250.0	208339.0	1.705154	Y
2	IC 410-484275/13	20.0	30.067754	250.0	215929.0	1.503388	Y
3	IC 410-484275/14	50.0	72.507408	250.0	218688.0	1.450148	Y
4	IC 410-484275/15	100.0	148.849248	250.0	214425.0	1.488492	Y
5	ICIS 410-484275/16	250.0	351.127601	250.0	220202.0	1.40451	Y
6	IC 410-484275/17	500.0	740.391875	250.0	219866.0	1.480784	Y
7	IC 410-484275/18	1500.0	2179.732589	250.0	227328.0	1.453155	Y



Calibration

/ Methyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3834

Error Coefficients

Relative Standard Deviation: 13.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.00014	0.279168	50.0	1045068.0	0.279129	Y
2	IC 410-484275/13	4.00056	1.555217	50.0	1084543.0	0.38875	Y
3	IC 410-484275/14	10.0014	3.720929	50.0	1095963.0	0.372041	Y
4	IC 410-484275/15	20.0028	8.508619	50.0	1044012.0	0.425371	Y
5	ICIS 410-484275/16	50.007	19.712492	50.0	1080528.0	0.394195	Y
6	IC 410-484275/17	100.014	42.773269	50.0	1053021.0	0.427673	Y
7	IC 410-484275/18	300.042	119.059885	50.0	1167570.0	0.396811	Y



Calibration

/ Methacrylonitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.1575

Error Coefficients

Relative Standard Deviation: 5.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.5	0.429063	50.0	1045068.0	0.171625	Y
2	IC 410-484275/13	10.0	1.622158	50.0	1084543.0	0.162216	Y
3	IC 410-484275/14	25.0	3.694012	50.0	1095963.0	0.14776	Y
4	IC 410-484275/15	50.0	7.980703	50.0	1044012.0	0.159614	Y
5	ICIS 410-484275/16	125.0	18.76763	50.0	1080528.0	0.150141	Y
6	IC 410-484275/17	250.0	40.228922	50.0	1053021.0	0.160916	Y
7	IC 410-484275/18	750.0	112.42675	50.0	1167570.0	0.149902	Y



Calibration

/ Chlorobromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.13

Error Coefficients

Relative Standard Deviation: 4.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.127408	50.0	1045068.0	0.127408	Y
2	IC 410-484275/13	4.0	0.529855	50.0	1084543.0	0.132464	Y
3	IC 410-484275/14	10.0	1.215461	50.0	1095963.0	0.121546	Y
4	IC 410-484275/15	20.0	2.645516	50.0	1044012.0	0.132276	Y
5	ICIS 410-484275/16	50.0	6.428061	50.0	1080528.0	0.128561	Y
6	IC 410-484275/17	100.0	13.936949	50.0	1053021.0	0.139369	Y
7	IC 410-484275/18	300.0	38.42776	50.0	1167570.0	0.128093	Y



Calibration

/ Tetrahydrofuran

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.226

Error Coefficients

Relative Standard Deviation: 4.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	5.0	6.387426	250.0	208339.0	1.277485	Y
2	IC 410-484275/13	20.0	25.708682	250.0	215929.0	1.285434	Y
3	IC 410-484275/14	50.0	57.349969	250.0	218688.0	1.146999	Y
4	IC 410-484275/15	100.0	124.242742	250.0	214425.0	1.242427	Y
5	ICIS 410-484275/16	250.0	293.839293	250.0	220202.0	1.175357	Y
6	IC 410-484275/17	500.0	620.842923	250.0	219866.0	1.241686	Y
7	IC 410-484275/18	1500.0	1815.075574	250.0	227328.0	1.21005	Y



Calibration

/ Chloroform

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5158

Error Coefficients

Relative Standard Deviation: 6.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.562547	50.0	1045068.0	0.562547	Y
2	IC 410-484275/13	4.0	2.19309	50.0	1084543.0	0.548272	Y
3	IC 410-484275/14	10.0	4.925258	50.0	1095963.0	0.492526	Y
4	IC 410-484275/15	20.0	10.345092	50.0	1044012.0	0.517255	Y
5	ICIS 410-484275/16	50.0	24.391501	50.0	1080528.0	0.48783	Y
6	IC 410-484275/17	100.0	52.228161	50.0	1053021.0	0.522282	Y
7	IC 410-484275/18	300.0	144.001259	50.0	1167570.0	0.480004	Y



Calibration

/ Dibromofluoromethane (Surr)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2356

Error Coefficients

Relative Standard Deviation: 0.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	50.0	11.760287	50.0	1045068.0	0.235206	Y
2	IC 410-484275/13	50.0	11.82641	50.0	1084543.0	0.236528	Y
3	IC 410-484275/14	50.0	11.707466	50.0	1095963.0	0.234149	Y
4	IC 410-484275/15	50.0	11.792489	50.0	1044012.0	0.23585	Y
5	ICIS 410-484275/16	50.0	11.853418	50.0	1080528.0	0.237068	Y
6	IC 410-484275/17	50.0	11.771798	50.0	1053021.0	0.235436	Y
7	IC 410-484275/18	50.0	11.754113	50.0	1167570.0	0.235082	Y



Calibration

/ 1,1,1-Trichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4673

Error Coefficients

Relative Standard Deviation: 5.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.442698	50.0	1045068.0	0.442698	Y
2	IC 410-484275/13	4.0	2.042658	50.0	1084543.0	0.510664	Y
3	IC 410-484275/14	10.0	4.478436	50.0	1095963.0	0.447844	Y
4	IC 410-484275/15	20.0	9.517755	50.0	1044012.0	0.475888	Y
5	ICIS 410-484275/16	50.0	22.637451	50.0	1080528.0	0.452749	Y
6	IC 410-484275/17	100.0	48.619923	50.0	1053021.0	0.486199	Y
7	IC 410-484275/18	300.0	136.44471	50.0	1167570.0	0.454816	Y



Calibration

/ Cyclohexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5717

Error Coefficients

Relative Standard Deviation: 4.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.602305	50.0	1045068.0	0.602305	Y
2	IC 410-484275/13	4.0	2.361271	50.0	1084543.0	0.590318	Y
3	IC 410-484275/14	10.0	5.2588	50.0	1095963.0	0.52588	Y
4	IC 410-484275/15	20.0	11.637175	50.0	1044012.0	0.581859	Y
5	ICIS 410-484275/16	50.0	28.078819	50.0	1080528.0	0.561576	Y
6	IC 410-484275/17	100.0	58.570864	50.0	1053021.0	0.585709	Y
7	IC 410-484275/18	300.0	166.195603	50.0	1167570.0	0.553985	Y



Calibration

/ 1,1-Dichloropropene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4209

Error Coefficients

Relative Standard Deviation: 4.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.397725	50.0	1045068.0	0.397725	Y
2	IC 410-484275/13	4.0	1.780197	50.0	1084543.0	0.445049	Y
3	IC 410-484275/14	10.0	4.088733	50.0	1095963.0	0.408873	Y
4	IC 410-484275/15	20.0	8.639604	50.0	1044012.0	0.43198	Y
5	ICIS 410-484275/16	50.0	20.440933	50.0	1080528.0	0.408819	Y
6	IC 410-484275/17	100.0	44.139196	50.0	1053021.0	0.441392	Y
7	IC 410-484275/18	300.0	123.652543	50.0	1167570.0	0.412175	Y



Calibration

/ Carbon tetrachloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3997

Error Coefficients

Relative Standard Deviation: 5.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.363613	50.0	1045068.0	0.363613	Y
2	IC 410-484275/13	4.0	1.670704	50.0	1084543.0	0.417676	Y
3	IC 410-484275/14	10.0	3.844017	50.0	1095963.0	0.384402	Y
4	IC 410-484275/15	20.0	8.202923	50.0	1044012.0	0.410146	Y
5	ICIS 410-484275/16	50.0	19.755157	50.0	1080528.0	0.395103	Y
6	IC 410-484275/17	100.0	42.569569	50.0	1053021.0	0.425696	Y
7	IC 410-484275/18	300.0	120.38987	50.0	1167570.0	0.4013	Y



Calibration


/ 1,2-Dichloroethane-d4 (Surr)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3699

Error Coefficients	
Relative Standard Deviation:	1.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	50.0	18.588408	50.0	1045068.0	0.371768	Y
2	IC 410-484275/13	50.0	18.663621	50.0	1084543.0	0.373272	Y
3	IC 410-484275/14	50.0	18.61144	50.0	1095963.0	0.372229	Y
4	IC 410-484275/15	50.0	18.763625	50.0	1044012.0	0.375273	Y
5	ICIS 410-484275/16	50.0	18.504796	50.0	1080528.0	0.370096	Y
6	IC 410-484275/17	50.0	18.231545	50.0	1053021.0	0.364631	Y
7	IC 410-484275/18	50.0	18.092534	50.0	1167570.0	0.361851	Y



Calibration

/ Isobutyl alcohol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3814

Error Coefficients

Relative Standard Deviation: 5.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	12.5	5.252257	250.0	208339.0	0.420181	Y
2	IC 410-484275/13	50.0	18.516503	250.0	215929.0	0.37033	Y
3	IC 410-484275/14	125.0	44.765831	250.0	218688.0	0.358127	Y
4	IC 410-484275/15	250.0	97.102717	250.0	214425.0	0.388411	Y
5	ICIS 410-484275/16	625.0	224.51658	250.0	220202.0	0.359227	Y
6	IC 410-484275/17	1250.0	497.484832	250.0	219866.0	0.397988	Y
7	IC 410-484275/18	3750.0	1409.501909	250.0	227328.0	0.375867	Y



Calibration

/ Benzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.153

Error Coefficients

Relative Standard Deviation: 4.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.123802	50.0	1045068.0	1.123802	Y
2	IC 410-484275/13	4.0	4.913544	50.0	1084543.0	1.228386	Y
3	IC 410-484275/14	10.0	11.102017	50.0	1095963.0	1.110202	Y
4	IC 410-484275/15	20.0	23.600495	50.0	1044012.0	1.180025	Y
5	ICIS 410-484275/16	50.0	55.500644	50.0	1080528.0	1.110013	Y
6	IC 410-484275/17	100.0	119.417656	50.0	1053021.0	1.194177	Y
7	IC 410-484275/18	300.0	336.853551	50.0	1167570.0	1.122845	Y



Calibration

/ 1,2-Dichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4643

Error Coefficients

Relative Standard Deviation: 4.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.487624	50.0	1045068.0	0.487624	Y
2	IC 410-484275/13	4.0	1.905365	50.0	1084543.0	0.476341	Y
3	IC 410-484275/14	10.0	4.429301	50.0	1095963.0	0.44293	Y
4	IC 410-484275/15	20.0	9.455016	50.0	1044012.0	0.472751	Y
5	ICIS 410-484275/16	50.0	22.588586	50.0	1080528.0	0.451772	Y
6	IC 410-484275/17	100.0	47.888171	50.0	1053021.0	0.478882	Y
7	IC 410-484275/18	300.0	132.039492	50.0	1167570.0	0.440132	Y



Calibration

/ Tert-amyl methyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.9047

Error Coefficients

Relative Standard Deviation: 4.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.934006	50.0	1045068.0	0.934006	Y
2	IC 410-484275/13	4.0	3.685792	50.0	1084543.0	0.921448	Y
3	IC 410-484275/14	10.0	8.606404	50.0	1095963.0	0.86064	Y
4	IC 410-484275/15	20.0	18.60606	50.0	1044012.0	0.930303	Y
5	ICIS 410-484275/16	50.0	44.396952	50.0	1080528.0	0.887939	Y
6	IC 410-484275/17	100.0	94.245271	50.0	1053021.0	0.942453	Y
7	IC 410-484275/18	300.0	256.740966	50.0	1167570.0	0.855803	Y



Calibration


/ n-Heptane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4578
Error Coefficients	

Relative Standard Deviation: 10.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.553648	50.0	1045068.0	0.553648	Y
2	IC 410-484275/13	4.0	1.909053	50.0	1084543.0	0.477263	Y
3	IC 410-484275/14	10.0	4.055703	50.0	1095963.0	0.40557	Y
4	IC 410-484275/15	20.0	9.127481	50.0	1044012.0	0.456374	Y
5	ICIS 410-484275/16	50.0	21.436881	50.0	1080528.0	0.428738	Y
6	IC 410-484275/17	100.0	45.517183	50.0	1053021.0	0.455172	Y
7	IC 410-484275/18	300.0	128.435254	50.0	1167570.0	0.428118	Y



Calibration

/ n-Butanol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2857

Error Coefficients

Relative Standard Deviation: 9.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	12.5	4.111088	250.0	208339.0	0.328887	Y
2	IC 410-484275/13	50.0	15.245752	250.0	215929.0	0.304915	Y
3	IC 410-484275/14	125.0	31.64897	250.0	218688.0	0.253192	Y
4	IC 410-484275/15	250.0	69.902064	250.0	214425.0	0.279608	Y
5	ICIS 410-484275/16	625.0	162.145439	250.0	220202.0	0.259433	Y
6	IC 410-484275/17	1250.0	373.15001	250.0	219866.0	0.29852	Y
7	IC 410-484275/18	3750.0	1032.472903	250.0	227328.0	0.275326	Y



Calibration

/ Trichloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2962

Error Coefficients

Relative Standard Deviation: 4.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.287063	50.0	1045068.0	0.287063	Y
2	IC 410-484275/13	4.0	1.266939	50.0	1084543.0	0.316735	Y
3	IC 410-484275/14	10.0	2.829977	50.0	1095963.0	0.282998	Y
4	IC 410-484275/15	20.0	6.078187	50.0	1044012.0	0.303909	Y
5	ICIS 410-484275/16	50.0	14.343589	50.0	1080528.0	0.286872	Y
6	IC 410-484275/17	100.0	30.8161	50.0	1053021.0	0.308161	Y
7	IC 410-484275/18	300.0	86.375207	50.0	1167570.0	0.287917	Y



Calibration


/ Ethyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4801
Error Coefficients	

Relative Standard Deviation: 8.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	0.999919	0.422365	50.0	1045068.0	0.422399	Y
2	IC 410-484275/13	3.999676	1.86816	50.0	1084543.0	0.467078	Y
3	IC 410-484275/14	9.99919	4.416846	50.0	1095963.0	0.44172	Y
4	IC 410-484275/15	19.99838	10.363195	50.0	1044012.0	0.518202	Y
5	ICIS 410-484275/16	49.99595	24.350503	50.0	1080528.0	0.48705	Y
6	IC 410-484275/17	99.9919	53.422059	50.0	1053021.0	0.534264	Y
7	IC 410-484275/18	299.9757	146.924895	50.0	1167570.0	0.489789	Y



Calibration


/ Methylcyclohexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.5108
Error Coefficients	

Relative Standard Deviation: 6.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.449875	50.0	1045068.0	0.449875	Y
2	IC 410-484275/13	4.0	2.144175	50.0	1084543.0	0.536044	Y
3	IC 410-484275/14	10.0	4.878039	50.0	1095963.0	0.487804	Y
4	IC 410-484275/15	20.0	10.660222	50.0	1044012.0	0.533011	Y
5	ICIS 410-484275/16	50.0	25.472315	50.0	1080528.0	0.509446	Y
6	IC 410-484275/17	100.0	54.542692	50.0	1053021.0	0.545427	Y
7	IC 410-484275/18	300.0	154.127418	50.0	1167570.0	0.513758	Y



Calibration

/ 1,2-Dichloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3118

Error Coefficients

Relative Standard Deviation: 4.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.300076	50.0	1045068.0	0.300076	Y
2	IC 410-484275/13	4.0	1.312119	50.0	1084543.0	0.32803	Y
3	IC 410-484275/14	10.0	2.955027	50.0	1095963.0	0.295503	Y
4	IC 410-484275/15	20.0	6.421095	50.0	1044012.0	0.321055	Y
5	ICIS 410-484275/16	50.0	15.130797	50.0	1080528.0	0.302616	Y
6	IC 410-484275/17	100.0	32.867293	50.0	1053021.0	0.328673	Y
7	IC 410-484275/18	300.0	91.914361	50.0	1167570.0	0.306381	Y



Calibration

/ 2-ethoxy-2-methyl butane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4734

Error Coefficients

Relative Standard Deviation: 3.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.475663	50.0	1045068.0	0.475663	Y
2	IC 410-484275/13	4.0	1.955801	50.0	1084543.0	0.48895	Y
3	IC 410-484275/14	10.0	4.521275	50.0	1095963.0	0.452127	Y
4	IC 410-484275/15	20.0	9.545149	50.0	1044012.0	0.477257	Y
5	ICIS 410-484275/16	50.0	23.085889	50.0	1080528.0	0.461718	Y
6	IC 410-484275/17	100.0	49.814676	50.0	1053021.0	0.498147	Y
7	IC 410-484275/18	300.0	138.003032	50.0	1167570.0	0.46001	Y



Calibration

/ Dibromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.1847

Error Coefficients

Relative Standard Deviation: 3.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.190945	50.0	1045068.0	0.190945	Y
2	IC 410-484275/13	4.0	0.759122	50.0	1084543.0	0.18978	Y
3	IC 410-484275/14	10.0	1.776748	50.0	1095963.0	0.177675	Y
4	IC 410-484275/15	20.0	3.719019	50.0	1044012.0	0.185951	Y
5	ICIS 410-484275/16	50.0	8.953678	50.0	1080528.0	0.179074	Y
6	IC 410-484275/17	100.0	19.233377	50.0	1053021.0	0.192334	Y
7	IC 410-484275/18	300.0	53.053136	50.0	1167570.0	0.176844	Y



Calibration


/ 1,4-Dioxane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.06054
Error Coefficients	

Relative Standard Deviation: 11.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	12.5	0.260393	250.0	208339.0	0.020831	N
2	IC 410-484275/13	50.0	2.463773	250.0	215929.0	0.049275	Y
3	IC 410-484275/14	125.0	7.054571	250.0	218688.0	0.056437	Y
4	IC 410-484275/15	250.0	16.248105	250.0	214425.0	0.064992	Y
5	ICIS 410-484275/16	625.0	38.930164	250.0	220202.0	0.062288	Y
6	IC 410-484275/17	1250.0	86.036495	250.0	219866.0	0.068829	Y
7	IC 410-484275/18	3750.0	230.430259	250.0	227328.0	0.061448	Y



Calibration

/ Methyl methacrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2664

Error Coefficients

Relative Standard Deviation: 6.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.291991	50.0	1045068.0	0.291991	Y
2	IC 410-484275/13	4.0	1.056436	50.0	1084543.0	0.264109	Y
3	IC 410-484275/14	10.0	2.449125	50.0	1095963.0	0.244912	Y
4	IC 410-484275/15	20.0	5.411815	50.0	1044012.0	0.270591	Y
5	ICIS 410-484275/16	50.0	12.737245	50.0	1080528.0	0.254745	Y
6	IC 410-484275/17	100.0	27.994266	50.0	1053021.0	0.279943	Y
7	IC 410-484275/18	300.0	77.591536	50.0	1167570.0	0.258638	Y



Calibration

/ Dichlorobromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3784

Error Coefficients

Relative Standard Deviation: 3.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.370119	50.0	1045068.0	0.370119	Y
2	IC 410-484275/13	4.0	1.531152	50.0	1084543.0	0.382788	Y
3	IC 410-484275/14	10.0	3.638444	50.0	1095963.0	0.363844	Y
4	IC 410-484275/15	20.0	7.746798	50.0	1044012.0	0.38734	Y
5	ICIS 410-484275/16	50.0	18.573651	50.0	1080528.0	0.371473	Y
6	IC 410-484275/17	100.0	39.979307	50.0	1053021.0	0.399793	Y
7	IC 410-484275/18	300.0	111.929049	50.0	1167570.0	0.373097	Y



Calibration

/ 2-Nitropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 3.765

Error Coefficients

Relative Standard Deviation: 3.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	5.0	18.629493	250.0	208339.0	3.725899	Y
2	IC 410-484275/13	20.0	77.093628	250.0	215929.0	3.854681	Y
3	IC 410-484275/14	50.0	178.942146	250.0	218688.0	3.578843	Y
4	IC 410-484275/15	100.0	386.290078	250.0	214425.0	3.862901	Y
5	ICIS 410-484275/16	250.0	915.583192	250.0	220202.0	3.662333	Y
6	IC 410-484275/17	500.0	1933.209318	250.0	219866.0	3.866419	Y
7	IC 410-484275/18	1500.0	5710.399731	250.0	227328.0	3.806933	Y



Calibration

/ 2-Chloroethyl vinyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.222

Error Coefficients

Relative Standard Deviation: 5.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.213766	50.0	1045068.0	0.213766	Y
2	IC 410-484275/13	4.0	0.858933	50.0	1084543.0	0.214733	Y
3	IC 410-484275/14	10.0	2.082415	50.0	1095963.0	0.208242	Y
4	IC 410-484275/15	20.0	4.678107	50.0	1044012.0	0.233905	Y
5	ICIS 410-484275/16	50.0	11.070652	50.0	1080528.0	0.221413	Y
6	IC 410-484275/17	100.0	23.937794	50.0	1053021.0	0.239378	Y
7	IC 410-484275/18	300.0	66.720411	50.0	1167570.0	0.222401	Y



Calibration

/ cis-1,3-Dichloropropene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4938

Error Coefficients

Relative Standard Deviation: 3.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.483796	50.0	1045068.0	0.483796	Y
2	IC 410-484275/13	4.0	1.959212	50.0	1084543.0	0.489803	Y
3	IC 410-484275/14	10.0	4.707276	50.0	1095963.0	0.470728	Y
4	IC 410-484275/15	20.0	10.119137	50.0	1044012.0	0.505957	Y
5	ICIS 410-484275/16	50.0	24.194653	50.0	1080528.0	0.483893	Y
6	IC 410-484275/17	100.0	52.80531	50.0	1053021.0	0.528053	Y
7	IC 410-484275/18	300.0	148.315947	50.0	1167570.0	0.494386	Y



Calibration

/ 4-Methyl-2-pentanone (MIBK)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4479

Error Coefficients

Relative Standard Deviation: 4.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.0	0.937068	50.0	1045068.0	0.468534	Y
2	IC 410-484275/13	8.0	3.53264	50.0	1084543.0	0.44158	Y
3	IC 410-484275/14	20.0	8.576339	50.0	1095963.0	0.428817	Y
4	IC 410-484275/15	40.0	18.745474	50.0	1044012.0	0.468637	Y
5	ICIS 410-484275/16	100.0	43.201842	50.0	1080528.0	0.432018	Y
6	IC 410-484275/17	200.0	94.514449	50.0	1053021.0	0.472572	Y
7	IC 410-484275/18	600.0	254.005413	50.0	1167570.0	0.423342	Y



Calibration

/ Toluene-d8 (Surr)

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 1.4

Error Coefficients

Relative Standard Deviation: 0.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	50.0	70.297909	50.0	763724.0	1.405958	Y
2	IC 410-484275/13	50.0	69.552028	50.0	799247.0	1.391041	Y
3	IC 410-484275/14	50.0	70.170753	50.0	805493.0	1.403415	Y
4	IC 410-484275/15	50.0	70.089784	50.0	769177.0	1.401796	Y
5	ICIS 410-484275/16	50.0	70.210747	50.0	806749.0	1.404215	Y
6	IC 410-484275/17	50.0	70.026882	50.0	786031.0	1.400538	Y
7	IC 410-484275/18	50.0	69.741244	50.0	867843.0	1.394825	Y



Calibration


/ Toluene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.995

Error Coefficients	
Relative Standard Deviation:	
	4.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.947528	50.0	763724.0	0.947528	Y
2	IC 410-484275/13	4.0	4.265327	50.0	799247.0	1.066332	Y
3	IC 410-484275/14	10.0	9.695429	50.0	805493.0	0.969543	Y
4	IC 410-484275/15	20.0	20.242675	50.0	769177.0	1.012134	Y
5	ICIS 410-484275/16	50.0	47.735913	50.0	806749.0	0.954718	Y
6	IC 410-484275/17	100.0	103.844441	50.0	786031.0	1.038444	Y
7	IC 410-484275/18	300.0	292.986404	50.0	867843.0	0.976621	Y



Calibration


/ trans-1,3-Dichloropropene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.6276
Error Coefficients	

Relative Standard Deviation: 3.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.6139	50.0	763724.0	0.6139	Y
2	IC 410-484275/13	4.0	2.490532	50.0	799247.0	0.622633	Y
3	IC 410-484275/14	10.0	6.020971	50.0	805493.0	0.602097	Y
4	IC 410-484275/15	20.0	12.916403	50.0	769177.0	0.64582	Y
5	ICIS 410-484275/16	50.0	30.404438	50.0	806749.0	0.608089	Y
6	IC 410-484275/17	100.0	67.10028	50.0	786031.0	0.671003	Y
7	IC 410-484275/18	300.0	188.843777	50.0	867843.0	0.629479	Y



Calibration

/ Ethyl methacrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.643

Error Coefficients

Relative Standard Deviation: 3.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.646045	50.0	763724.0	0.646045	Y
2	IC 410-484275/13	4.0	2.590251	50.0	799247.0	0.647563	Y
3	IC 410-484275/14	10.0	6.123455	50.0	805493.0	0.612345	Y
4	IC 410-484275/15	20.0	13.218154	50.0	769177.0	0.660908	Y
5	ICIS 410-484275/16	50.0	31.378781	50.0	806749.0	0.627576	Y
6	IC 410-484275/17	100.0	68.535974	50.0	786031.0	0.68536	Y
7	IC 410-484275/18	300.0	186.368329	50.0	867843.0	0.621228	Y



Calibration

/ 1,1,2-Trichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.339

Error Coefficients

Relative Standard Deviation: 4.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.360994	50.0	763724.0	0.360994	Y
2	IC 410-484275/13	4.0	1.396377	50.0	799247.0	0.349094	Y
3	IC 410-484275/14	10.0	3.199593	50.0	805493.0	0.319959	Y
4	IC 410-484275/15	20.0	6.759953	50.0	769177.0	0.337998	Y
5	ICIS 410-484275/16	50.0	16.48183	50.0	806749.0	0.329637	Y
6	IC 410-484275/17	100.0	35.048681	50.0	786031.0	0.350487	Y
7	IC 410-484275/18	300.0	97.408287	50.0	867843.0	0.324694	Y



Calibration

/ Tetrachloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4066

Error Coefficients

Relative Standard Deviation: 3.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.391306	50.0	763724.0	0.391306	Y
2	IC 410-484275/13	4.0	1.713175	50.0	799247.0	0.428294	Y
3	IC 410-484275/14	10.0	3.914125	50.0	805493.0	0.391412	Y
4	IC 410-484275/15	20.0	8.280604	50.0	769177.0	0.41403	Y
5	ICIS 410-484275/16	50.0	19.673901	50.0	806749.0	0.393478	Y
6	IC 410-484275/17	100.0	42.409078	50.0	786031.0	0.424091	Y
7	IC 410-484275/18	300.0	121.002762	50.0	867843.0	0.403343	Y



Calibration

/ 1,3-Dichloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.6268

Error Coefficients

Relative Standard Deviation: 4.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.656585	50.0	763724.0	0.656585	Y
2	IC 410-484275/13	4.0	2.586309	50.0	799247.0	0.646577	Y
3	IC 410-484275/14	10.0	5.941703	50.0	805493.0	0.59417	Y
4	IC 410-484275/15	20.0	12.689992	50.0	769177.0	0.6345	Y
5	ICIS 410-484275/16	50.0	30.071373	50.0	806749.0	0.601427	Y
6	IC 410-484275/17	100.0	65.271917	50.0	786031.0	0.652719	Y
7	IC 410-484275/18	300.0	180.499699	50.0	867843.0	0.601666	Y




Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4459

Error Coefficients	
Relative Standard Deviation: 5.7	

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.0	0.957676	50.0	763724.0	0.478838	Y
2	IC 410-484275/13	8.0	3.72069	50.0	799247.0	0.465086	Y
3	IC 410-484275/14	20.0	8.543712	50.0	805493.0	0.427186	Y
4	IC 410-484275/15	40.0	18.324716	50.0	769177.0	0.458118	Y
5	ICIS 410-484275/16	100.0	41.750346	50.0	806749.0	0.417503	Y
6	IC 410-484275/17	200.0	92.024551	50.0	786031.0	0.460123	Y
7	IC 410-484275/18	600.0	248.80952	50.0	867843.0	0.414683	Y



Calibration

/ Chlorodibromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3764

Error Coefficients

Relative Standard Deviation: 4.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.386069	50.0	763724.0	0.386069	Y
2	IC 410-484275/13	4.0	1.469133	50.0	799247.0	0.367283	Y
3	IC 410-484275/14	10.0	3.494133	50.0	805493.0	0.349413	Y
4	IC 410-484275/15	20.0	7.57888	50.0	769177.0	0.378944	Y
5	ICIS 410-484275/16	50.0	18.436094	50.0	806749.0	0.368722	Y
6	IC 410-484275/17	100.0	40.414564	50.0	786031.0	0.404146	Y
7	IC 410-484275/18	300.0	114.132683	50.0	867843.0	0.380442	Y



Calibration


/ Ethylene Dibromide

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3574
Error Coefficients	

Relative Standard Deviation: 3.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.350585	50.0	763724.0	0.350585	Y
2	IC 410-484275/13	4.0	1.489527	50.0	799247.0	0.372382	Y
3	IC 410-484275/14	10.0	3.412817	50.0	805493.0	0.341282	Y
4	IC 410-484275/15	20.0	7.347659	50.0	769177.0	0.367383	Y
5	ICIS 410-484275/16	50.0	17.365438	50.0	806749.0	0.347309	Y
6	IC 410-484275/17	100.0	37.433575	50.0	786031.0	0.374336	Y
7	IC 410-484275/18	300.0	104.49269	50.0	867843.0	0.348309	Y



Calibration

/ Chlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.044

Error Coefficients

Relative Standard Deviation: 4.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.989821	50.0	763724.0	0.989821	Y
2	IC 410-484275/13	4.0	4.368362	50.0	799247.0	1.09209	Y
3	IC 410-484275/14	10.0	10.032303	50.0	805493.0	1.00323	Y
4	IC 410-484275/15	20.0	21.606665	50.0	769177.0	1.080333	Y
5	ICIS 410-484275/16	50.0	50.639976	50.0	806749.0	1.0128	Y
6	IC 410-484275/17	100.0	109.353512	50.0	786031.0	1.093535	Y
7	IC 410-484275/18	300.0	311.598815	50.0	867843.0	1.038663	Y



Calibration

/ 1-Chlorohexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5412

Error Coefficients

Relative Standard Deviation: 4.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.529576	50.0	763724.0	0.529576	Y
2	IC 410-484275/13	4.0	2.298538	50.0	799247.0	0.574635	Y
3	IC 410-484275/14	10.0	5.072856	50.0	805493.0	0.507286	Y
4	IC 410-484275/15	20.0	11.145094	50.0	769177.0	0.557255	Y
5	ICIS 410-484275/16	50.0	25.979704	50.0	806749.0	0.519594	Y
6	IC 410-484275/17	100.0	56.071198	50.0	786031.0	0.560712	Y
7	IC 410-484275/18	300.0	161.787328	50.0	867843.0	0.539291	Y



Calibration

/ 1,1,1,2-Tetrachloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3632

Error Coefficients

Relative Standard Deviation: 5.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.339455	50.0	763724.0	0.339455	Y
2	IC 410-484275/13	4.0	1.475076	50.0	799247.0	0.368769	Y
3	IC 410-484275/14	10.0	3.413313	50.0	805493.0	0.341331	Y
4	IC 410-484275/15	20.0	7.456671	50.0	769177.0	0.372834	Y
5	ICIS 410-484275/16	50.0	18.018925	50.0	806749.0	0.360379	Y
6	IC 410-484275/17	100.0	39.122121	50.0	786031.0	0.391221	Y
7	IC 410-484275/18	300.0	110.42896	50.0	867843.0	0.368097	Y



Calibration


/ Ethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.956
Error Coefficients	

Relative Standard Deviation: 2.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.952538	50.0	763724.0	1.952538	Y
2	IC 410-484275/13	4.0	8.061901	50.0	799247.0	2.015475	Y
3	IC 410-484275/14	10.0	19.056342	50.0	805493.0	1.905634	Y
4	IC 410-484275/15	20.0	39.755999	50.0	769177.0	1.9878	Y
5	ICIS 410-484275/16	50.0	94.308453	50.0	806749.0	1.886169	Y
6	IC 410-484275/17	100.0	202.772219	50.0	786031.0	2.027722	Y
7	IC 410-484275/18	300.0	574.2787	50.0	867843.0	1.914262	Y



Calibration

/ m-Xylene & p-Xylene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.7359

Error Coefficients

Relative Standard Deviation: 4.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.0	1.362403	50.0	763724.0	0.681202	Y
2	IC 410-484275/13	8.0	6.017852	50.0	799247.0	0.752231	Y
3	IC 410-484275/14	20.0	14.310491	50.0	805493.0	0.715525	Y
4	IC 410-484275/15	40.0	29.980161	50.0	769177.0	0.749504	Y
5	ICIS 410-484275/16	100.0	72.389678	50.0	806749.0	0.723897	Y
6	IC 410-484275/17	200.0	155.664217	50.0	786031.0	0.778321	Y
7	IC 410-484275/18	600.0	450.359282	50.0	867843.0	0.750599	Y



Calibration

/ o-Xylene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.7228

Error Coefficients

Relative Standard Deviation: 6.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.639956	50.0	763724.0	0.639956	Y
2	IC 410-484275/13	4.0	3.050183	50.0	799247.0	0.762546	Y
3	IC 410-484275/14	10.0	6.881934	50.0	805493.0	0.688193	Y
4	IC 410-484275/15	20.0	14.915943	50.0	769177.0	0.745797	Y
5	ICIS 410-484275/16	50.0	35.578352	50.0	806749.0	0.711567	Y
6	IC 410-484275/17	100.0	76.76911	50.0	786031.0	0.767691	Y
7	IC 410-484275/18	300.0	223.149464	50.0	867843.0	0.743832	Y



Calibration

/ n-Butyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.9783

Error Coefficients

Relative Standard Deviation: 6.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.000464	0.879834	50.0	763724.0	0.879426	Y
2	IC 410-484275/13	4.001854	3.761853	50.0	799247.0	0.940028	Y
3	IC 410-484275/14	10.004636	9.298219	50.0	805493.0	0.929391	Y
4	IC 410-484275/15	20.009272	21.142273	50.0	769177.0	1.056624	Y
5	ICIS 410-484275/16	50.02318	49.232785	50.0	806749.0	0.984199	Y
6	IC 410-484275/17	100.04636	106.312537	50.0	786031.0	1.062633	Y
7	IC 410-484275/18	300.13908	298.856994	50.0	867843.0	0.995728	Y



Calibration


/ Styrene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.195
Error Coefficients	

Relative Standard Deviation: 5.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.100921	50.0	763724.0	1.100921	Y
2	IC 410-484275/13	4.0	4.808276	50.0	799247.0	1.202069	Y
3	IC 410-484275/14	10.0	11.441254	50.0	805493.0	1.144125	Y
4	IC 410-484275/15	20.0	24.5333	50.0	769177.0	1.226665	Y
5	ICIS 410-484275/16	50.0	58.372617	50.0	806749.0	1.167452	Y
6	IC 410-484275/17	100.0	127.739555	50.0	786031.0	1.277396	Y
7	IC 410-484275/18	300.0	373.113973	50.0	867843.0	1.243713	Y



Calibration


/ Bromoform

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.2787
Error Coefficients	

Relative Standard Deviation: 4.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.278045	50.0	763724.0	0.278045	Y
2	IC 410-484275/13	4.0	1.060561	50.0	799247.0	0.26514	Y
3	IC 410-484275/14	10.0	2.656634	50.0	805493.0	0.265663	Y
4	IC 410-484275/15	20.0	5.668461	50.0	769177.0	0.283423	Y
5	ICIS 410-484275/16	50.0	13.507919	50.0	806749.0	0.270158	Y
6	IC 410-484275/17	100.0	30.227815	50.0	786031.0	0.302278	Y
7	IC 410-484275/18	300.0	85.86023	50.0	867843.0	0.286201	Y



Calibration

/ Isopropylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.79

Error Coefficients

Relative Standard Deviation: 4.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.662381	50.0	763724.0	1.662381	Y
2	IC 410-484275/13	4.0	7.428242	50.0	799247.0	1.85706	Y
3	IC 410-484275/14	10.0	17.16365	50.0	805493.0	1.716365	Y
4	IC 410-484275/15	20.0	37.11987	50.0	769177.0	1.855993	Y
5	ICIS 410-484275/16	50.0	87.594903	50.0	806749.0	1.751898	Y
6	IC 410-484275/17	100.0	189.263273	50.0	786031.0	1.892633	Y
7	IC 410-484275/18	300.0	537.630309	50.0	867843.0	1.792101	Y



Calibration


/ Cyclohexanone

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3591
Error Coefficients	

Relative Standard Deviation: 6.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	49.998492	18.805888	250.0	208339.0	0.376129	Y
2	IC 410-484275/13	199.993968	76.285492	250.0	215929.0	0.381439	Y
3	IC 410-484275/14	249.99246	85.63913	250.0	218688.0	0.342567	Y
4	IC 410-484275/15	499.98492	175.764253	250.0	214425.0	0.351539	Y
5	ICIS 410-484275/16	624.98115	213.854779	250.0	220202.0	0.342178	Y
6	IC 410-484275/17	1249.9623	491.711997	250.0	219866.0	0.393381	Y
7	IC 410-484275/18	3749.8869	1224.25966	250.0	227328.0	0.326479	Y



Calibration

/ 4-Bromofluorobenzene (Surr)

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.5319

Error Coefficients

Relative Standard Deviation: 0.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	50.0	26.432389	50.0	763724.0	0.528648	Y
2	IC 410-484275/13	50.0	26.524278	50.0	799247.0	0.530486	Y
3	IC 410-484275/14	50.0	26.820903	50.0	805493.0	0.536418	Y
4	IC 410-484275/15	50.0	26.589719	50.0	769177.0	0.531794	Y
5	ICIS 410-484275/16	50.0	26.751877	50.0	806749.0	0.535038	Y
6	IC 410-484275/17	50.0	26.365372	50.0	786031.0	0.527307	Y
7	IC 410-484275/18	50.0	26.665192	50.0	867843.0	0.533304	Y



Calibration

/ Bromobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.7692

Error Coefficients

Relative Standard Deviation: 3.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.768148	50.0	423421.0	0.768148	Y
2	IC 410-484275/13	4.0	3.152457	50.0	442623.0	0.788114	Y
3	IC 410-484275/14	10.0	7.537289	50.0	446918.0	0.753729	Y
4	IC 410-484275/15	20.0	16.004829	50.0	428680.0	0.800241	Y
5	ICIS 410-484275/16	50.0	37.069193	50.0	454380.0	0.741384	Y
6	IC 410-484275/17	100.0	79.957047	50.0	443273.0	0.79957	Y
7	IC 410-484275/18	300.0	220.068284	50.0	510659.0	0.733561	Y



Calibration

/ 1,1,2,2-Tetrachloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.9799

Error Coefficients

Relative Standard Deviation: 6.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.048247	50.0	423421.0	1.048247	Y
2	IC 410-484275/13	4.0	4.105187	50.0	442623.0	1.026297	Y
3	IC 410-484275/14	10.0	9.251585	50.0	446918.0	0.925159	Y
4	IC 410-484275/15	20.0	20.267566	50.0	428680.0	1.013378	Y
5	ICIS 410-484275/16	50.0	46.421057	50.0	454380.0	0.928421	Y
6	IC 410-484275/17	100.0	101.621687	50.0	443273.0	1.016217	Y
7	IC 410-484275/18	300.0	270.54179	50.0	510659.0	0.901806	Y



Calibration

/ 1,2,3-Trichloropropane

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.2964

Error Coefficients

Relative Standard Deviation: 5.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.306669	50.0	423421.0	0.306669	Y
2	IC 410-484275/13	4.0	1.253098	50.0	442623.0	0.313275	Y
3	IC 410-484275/14	10.0	2.838776	50.0	446918.0	0.283878	Y
4	IC 410-484275/15	20.0	6.222007	50.0	428680.0	0.3111	Y
5	ICIS 410-484275/16	50.0	14.170628	50.0	454380.0	0.283413	Y
6	IC 410-484275/17	100.0	30.532651	50.0	443273.0	0.305327	Y
7	IC 410-484275/18	300.0	81.439277	50.0	510659.0	0.271464	Y



Calibration

/ trans-1,4-Dichloro-2-butene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4031

Error Coefficients

Relative Standard Deviation: 5.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	2.5	1.050491	50.0	423421.0	0.420196	Y
2	IC 410-484275/13	10.0	3.901627	50.0	442623.0	0.390163	Y
3	IC 410-484275/14	25.0	9.614404	50.0	446918.0	0.384576	Y
4	IC 410-484275/15	50.0	21.331296	50.0	428680.0	0.426626	Y
5	ICIS 410-484275/16	125.0	48.987411	50.0	454380.0	0.391899	Y
6	IC 410-484275/17	250.0	106.944028	50.0	443273.0	0.427776	Y
7	IC 410-484275/18	750.0	285.153791	50.0	510659.0	0.380205	Y



Calibration


/ N-Propylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	3.895
Error Coefficients	

Relative Standard Deviation: 6.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	3.56194	50.0	423421.0	3.56194	Y
2	IC 410-484275/13	4.0	16.498917	50.0	442623.0	4.124729	Y
3	IC 410-484275/14	10.0	38.247956	50.0	446918.0	3.824796	Y
4	IC 410-484275/15	20.0	82.528926	50.0	428680.0	4.126446	Y
5	ICIS 410-484275/16	50.0	194.543664	50.0	454380.0	3.890873	Y
6	IC 410-484275/17	100.0	418.147394	50.0	443273.0	4.181474	Y
7	IC 410-484275/18	300.0	1065.485872	50.0	510659.0	3.55162	Y



Calibration

/ 2-Chlorotoluene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.757

Error Coefficients

Relative Standard Deviation: 5.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.719969	50.0	423421.0	0.719969	Y
2	IC 410-484275/13	4.0	3.236614	50.0	442623.0	0.809154	Y
3	IC 410-484275/14	10.0	7.266322	50.0	446918.0	0.726632	Y
4	IC 410-484275/15	20.0	15.571172	50.0	428680.0	0.778559	Y
5	ICIS 410-484275/16	50.0	36.973568	50.0	454380.0	0.739471	Y
6	IC 410-484275/17	100.0	80.238363	50.0	443273.0	0.802384	Y
7	IC 410-484275/18	300.0	216.759912	50.0	510659.0	0.722533	Y



Calibration

/ 4-Chlorotoluene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.7823

Error Coefficients

Relative Standard Deviation: 6.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.700249	50.0	423421.0	0.700249	Y
2	IC 410-484275/13	4.0	3.342009	50.0	442623.0	0.835502	Y
3	IC 410-484275/14	10.0	7.628469	50.0	446918.0	0.762847	Y
4	IC 410-484275/15	20.0	16.046585	50.0	428680.0	0.802329	Y
5	ICIS 410-484275/16	50.0	38.527444	50.0	454380.0	0.770549	Y
6	IC 410-484275/17	100.0	83.346944	50.0	443273.0	0.833469	Y
7	IC 410-484275/18	300.0	231.293975	50.0	510659.0	0.77098	Y



Calibration

/ 1,3,5-Trimethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 2.771

Error Coefficients

Relative Standard Deviation: 6.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	2.447092	50.0	423421.0	2.447092	Y
2	IC 410-484275/13	4.0	11.665232	50.0	442623.0	2.916308	Y
3	IC 410-484275/14	10.0	26.466265	50.0	446918.0	2.646626	Y
4	IC 410-484275/15	20.0	57.656644	50.0	428680.0	2.882832	Y
5	ICIS 410-484275/16	50.0	138.030943	50.0	454380.0	2.760619	Y
6	IC 410-484275/17	100.0	297.630129	50.0	443273.0	2.976301	Y
7	IC 410-484275/18	300.0	830.673209	50.0	510659.0	2.768911	Y



Calibration

/ tert-Butylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5565

Error Coefficients

Relative Standard Deviation: 4.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.514854	50.0	423421.0	0.514854	Y
2	IC 410-484275/13	4.0	2.211702	50.0	442623.0	0.552925	Y
3	IC 410-484275/14	10.0	5.365861	50.0	446918.0	0.536586	Y
4	IC 410-484275/15	20.0	11.559322	50.0	428680.0	0.577966	Y
5	ICIS 410-484275/16	50.0	27.877327	50.0	454380.0	0.557547	Y
6	IC 410-484275/17	100.0	60.028808	50.0	443273.0	0.600288	Y
7	IC 410-484275/18	300.0	166.51327	50.0	510659.0	0.555044	Y



Calibration

/ 1,2,4-Trimethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 2.8

Error Coefficients

Relative Standard Deviation: 4.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	2.614773	50.0	423421.0	2.614773	Y
2	IC 410-484275/13	4.0	11.543232	50.0	442623.0	2.885808	Y
3	IC 410-484275/14	10.0	26.827069	50.0	446918.0	2.682707	Y
4	IC 410-484275/15	20.0	58.045628	50.0	428680.0	2.902281	Y
5	ICIS 410-484275/16	50.0	138.207888	50.0	454380.0	2.764158	Y
6	IC 410-484275/17	100.0	299.792679	50.0	443273.0	2.997927	Y
7	IC 410-484275/18	300.0	824.960492	50.0	510659.0	2.749868	Y



Calibration


/ sec-Butylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	3.342
Error Coefficients	

Relative Standard Deviation: 7.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	2.852716	50.0	423421.0	2.852716	Y
2	IC 410-484275/13	4.0	13.922571	50.0	442623.0	3.480643	Y
3	IC 410-484275/14	10.0	32.565706	50.0	446918.0	3.256571	Y
4	IC 410-484275/15	20.0	70.179621	50.0	428680.0	3.508981	Y
5	ICIS 410-484275/16	50.0	169.081276	50.0	454380.0	3.381626	Y
6	IC 410-484275/17	100.0	366.755814	50.0	443273.0	3.667558	Y
7	IC 410-484275/18	300.0	974.362931	50.0	510659.0	3.247876	Y



Calibration

/ 1,3-Dichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.437

Error Coefficients

Relative Standard Deviation: 4.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.351019	50.0	423421.0	1.351019	Y
2	IC 410-484275/13	4.0	5.94219	50.0	442623.0	1.485548	Y
3	IC 410-484275/14	10.0	13.803427	50.0	446918.0	1.380343	Y
4	IC 410-484275/15	20.0	29.954512	50.0	428680.0	1.497726	Y
5	ICIS 410-484275/16	50.0	70.956248	50.0	454380.0	1.419125	Y
6	IC 410-484275/17	100.0	152.446799	50.0	443273.0	1.524468	Y
7	IC 410-484275/18	300.0	420.638038	50.0	510659.0	1.402127	Y



Calibration

/ 4-Isopropyltoluene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 2.922

Error Coefficients

Relative Standard Deviation: 6.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	2.584071	50.0	423421.0	2.584071	Y
2	IC 410-484275/13	4.0	12.056649	50.0	442623.0	3.014162	Y
3	IC 410-484275/14	10.0	27.879164	50.0	446918.0	2.787916	Y
4	IC 410-484275/15	20.0	60.641504	50.0	428680.0	3.032075	Y
5	ICIS 410-484275/16	50.0	146.433932	50.0	454380.0	2.928679	Y
6	IC 410-484275/17	100.0	318.926824	50.0	443273.0	3.189268	Y
7	IC 410-484275/18	300.0	875.858939	50.0	510659.0	2.91953	Y



Calibration

/ 1,4-Dichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.463

Error Coefficients

Relative Standard Deviation: 4.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.408409	50.0	423421.0	1.408409	Y
2	IC 410-484275/13	4.0	6.091979	50.0	442623.0	1.522995	Y
3	IC 410-484275/14	10.0	13.965537	50.0	446918.0	1.396554	Y
4	IC 410-484275/15	20.0	30.276547	50.0	428680.0	1.513827	Y
5	ICIS 410-484275/16	50.0	71.520093	50.0	454380.0	1.430402	Y
6	IC 410-484275/17	100.0	154.610477	50.0	443273.0	1.546105	Y
7	IC 410-484275/18	300.0	426.975927	50.0	510659.0	1.423253	Y



Calibration

/ 1,2,3-Trimethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 2.84

Error Coefficients

Relative Standard Deviation: 4.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	2.685861	50.0	423421.0	2.685861	Y
2	IC 410-484275/13	4.0	11.822251	50.0	442623.0	2.955563	Y
3	IC 410-484275/14	10.0	27.256119	50.0	446918.0	2.725612	Y
4	IC 410-484275/15	20.0	59.354647	50.0	428680.0	2.967732	Y
5	ICIS 410-484275/16	50.0	140.513007	50.0	454380.0	2.81026	Y
6	IC 410-484275/17	100.0	300.424456	50.0	443273.0	3.004245	Y
7	IC 410-484275/18	300.0	818.498058	50.0	510659.0	2.728327	Y



Calibration

/ Benzyl chloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 2.129

Error Coefficients

Relative Standard Deviation: 4.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	2.062014	50.0	423421.0	2.062014	Y
2	IC 410-484275/13	4.0	8.431442	50.0	442623.0	2.10786	Y
3	IC 410-484275/14	10.0	20.344112	50.0	446918.0	2.034411	Y
4	IC 410-484275/15	20.0	44.889895	50.0	428680.0	2.244495	Y
5	ICIS 410-484275/16	50.0	105.046327	50.0	454380.0	2.100927	Y
6	IC 410-484275/17	100.0	230.597961	50.0	443273.0	2.30598	Y
7	IC 410-484275/18	300.0	615.127022	50.0	510659.0	2.050423	Y



Calibration

/ 1,3-Diethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.665

Error Coefficients

Relative Standard Deviation: 6.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.487881	50.0	423421.0	1.487881	Y
2	IC 410-484275/13	4.0	6.980771	50.0	442623.0	1.745193	Y
3	IC 410-484275/14	10.0	15.940508	50.0	446918.0	1.594051	Y
4	IC 410-484275/15	20.0	34.162079	50.0	428680.0	1.708104	Y
5	ICIS 410-484275/16	50.0	83.112153	50.0	454380.0	1.662243	Y
6	IC 410-484275/17	100.0	179.842558	50.0	443273.0	1.798426	Y
7	IC 410-484275/18	300.0	498.58663	50.0	510659.0	1.661955	Y



Calibration

/ p-Diethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.728

Error Coefficients

Relative Standard Deviation: 6.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.512679	50.0	423421.0	1.512679	Y
2	IC 410-484275/13	4.0	6.945188	50.0	442623.0	1.736297	Y
3	IC 410-484275/14	10.0	16.512873	50.0	446918.0	1.651287	Y
4	IC 410-484275/15	20.0	35.978702	50.0	428680.0	1.798935	Y
5	ICIS 410-484275/16	50.0	87.315793	50.0	454380.0	1.746316	Y
6	IC 410-484275/17	100.0	188.646162	50.0	443273.0	1.886462	Y
7	IC 410-484275/18	300.0	528.393997	50.0	510659.0	1.761313	Y



Calibration

/ 1,2-Dichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.389

Error Coefficients

Relative Standard Deviation: 4.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.289969	50.0	423421.0	1.289969	Y
2	IC 410-484275/13	4.0	5.567379	50.0	442623.0	1.391845	Y
3	IC 410-484275/14	10.0	13.442175	50.0	446918.0	1.344218	Y
4	IC 410-484275/15	20.0	29.019082	50.0	428680.0	1.450954	Y
5	ICIS 410-484275/16	50.0	68.32431	50.0	454380.0	1.366486	Y
6	IC 410-484275/17	100.0	149.044268	50.0	443273.0	1.490443	Y
7	IC 410-484275/18	300.0	416.999015	50.0	510659.0	1.389997	Y



Calibration

/ n-Butylbenzene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 1.424

Error Coefficients

Relative Standard Deviation: 6.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.231635	50.0	423421.0	1.231635	Y
2	IC 410-484275/13	4.0	5.754333	50.0	442623.0	1.438583	Y
3	IC 410-484275/14	10.0	14.026846	50.0	446918.0	1.402685	Y
4	IC 410-484275/15	20.0	29.497994	50.0	428680.0	1.4749	Y
5	ICIS 410-484275/16	50.0	71.438113	50.0	454380.0	1.428762	Y
6	IC 410-484275/17	100.0	153.822813	50.0	443273.0	1.538228	Y
7	IC 410-484275/18	300.0	436.028446	50.0	510659.0	1.453428	Y



Calibration

/ o-diethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.397

Error Coefficients

Relative Standard Deviation: 4.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.28808	50.0	423421.0	1.28808	Y
2	IC 410-484275/13	4.0	5.758851	50.0	442623.0	1.439713	Y
3	IC 410-484275/14	10.0	13.502589	50.0	446918.0	1.350259	Y
4	IC 410-484275/15	20.0	28.857073	50.0	428680.0	1.442854	Y
5	ICIS 410-484275/16	50.0	68.739711	50.0	454380.0	1.374794	Y
6	IC 410-484275/17	100.0	149.54678	50.0	443273.0	1.495468	Y
7	IC 410-484275/18	300.0	415.591324	50.0	510659.0	1.385304	Y



Calibration

/ 1,2-Dibromo-3-Chloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2583

Error Coefficients

Relative Standard Deviation: 5.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.256128	50.0	423421.0	0.256128	Y
2	IC 410-484275/13	4.0	1.049652	50.0	442623.0	0.262413	Y
3	IC 410-484275/14	10.0	2.503256	50.0	446918.0	0.250326	Y
4	IC 410-484275/15	20.0	5.531982	50.0	428680.0	0.276599	Y
5	ICIS 410-484275/16	50.0	12.410097	50.0	454380.0	0.248202	Y
6	IC 410-484275/17	100.0	27.528859	50.0	443273.0	0.275289	Y
7	IC 410-484275/18	300.0	71.752872	50.0	510659.0	0.239176	Y



Calibration


/ 1,3,5-Trichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.9646
Error Coefficients	

Relative Standard Deviation: 5.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.896035	50.0	423421.0	0.896035	Y
2	IC 410-484275/13	4.0	3.905016	50.0	442623.0	0.976254	Y
3	IC 410-484275/14	10.0	9.277541	50.0	446918.0	0.927754	Y
4	IC 410-484275/15	20.0	19.92267	50.0	428680.0	0.996133	Y
5	ICIS 410-484275/16	50.0	48.320349	50.0	454380.0	0.966407	Y
6	IC 410-484275/17	100.0	105.449238	50.0	443273.0	1.054492	Y
7	IC 410-484275/18	300.0	280.627483	50.0	510659.0	0.935425	Y



Calibration

/ 1,2,4-Trichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.8908

Error Coefficients

Relative Standard Deviation: 8.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.757638	50.0	423421.0	0.757638	Y
2	IC 410-484275/13	4.0	3.629161	50.0	442623.0	0.90729	Y
3	IC 410-484275/14	10.0	8.645769	50.0	446918.0	0.864577	Y
4	IC 410-484275/15	20.0	18.744518	50.0	428680.0	0.937226	Y
5	ICIS 410-484275/16	50.0	44.843743	50.0	454380.0	0.896875	Y
6	IC 410-484275/17	100.0	100.328917	50.0	443273.0	1.003289	Y
7	IC 410-484275/18	300.0	260.551758	50.0	510659.0	0.868506	Y



Calibration

/ Hexachlorobutadiene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3904

Error Coefficients

Relative Standard Deviation: 7.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.357328	50.0	423421.0	0.357328	Y
2	IC 410-484275/13	4.0	1.632202	50.0	442623.0	0.40805	Y
3	IC 410-484275/14	10.0	3.67629	50.0	446918.0	0.367629	Y
4	IC 410-484275/15	20.0	8.118993	50.0	428680.0	0.40595	Y
5	ICIS 410-484275/16	50.0	19.77904	50.0	454380.0	0.395581	Y
6	IC 410-484275/17	100.0	43.17362	50.0	443273.0	0.431736	Y
7	IC 410-484275/18	300.0	110.05769	50.0	510659.0	0.366859	Y



Calibration

/ 2-Ethylhexyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.9968

Error Coefficients

Relative Standard Deviation: 12.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	0.9997	0.87596	50.0	423421.0	0.876223	Y
2	IC 410-484275/13	3.9988	3.476548	50.0	442623.0	0.869398	Y
3	IC 410-484275/14	9.997	9.105585	50.0	446918.0	0.910832	Y
4	IC 410-484275/15	19.994	21.321382	50.0	428680.0	1.066389	Y
5	ICIS 410-484275/16	49.985	51.655663	50.0	454380.0	1.033423	Y
6	IC 410-484275/17	99.97	119.667564	50.0	443273.0	1.197035	Y
7	IC 410-484275/18	299.91	307.141165	50.0	510659.0	1.024111	Y



Calibration

/ Naphthalene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 3.032

Error Coefficients

Relative Standard Deviation: 6.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	2.821187	50.0	423421.0	2.821187	Y
2	IC 410-484275/13	4.0	12.273199	50.0	442623.0	3.0683	Y
3	IC 410-484275/14	10.0	28.540918	50.0	446918.0	2.854092	Y
4	IC 410-484275/15	20.0	64.085215	50.0	428680.0	3.204261	Y
5	ICIS 410-484275/16	50.0	151.234539	50.0	454380.0	3.024691	Y
6	IC 410-484275/17	100.0	338.966844	50.0	443273.0	3.389668	Y
7	IC 410-484275/18	300.0	859.108035	50.0	510659.0	2.863693	Y



Calibration

/ 1,2,3-Trichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.8395

Error Coefficients

Relative Standard Deviation: 7.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	0.77299	50.0	423421.0	0.77299	Y
2	IC 410-484275/13	4.0	3.353757	50.0	442623.0	0.838439	Y
3	IC 410-484275/14	10.0	7.909952	50.0	446918.0	0.790995	Y
4	IC 410-484275/15	20.0	17.566483	50.0	428680.0	0.878324	Y
5	ICIS 410-484275/16	50.0	41.891589	50.0	454380.0	0.837832	Y
6	IC 410-484275/17	100.0	95.021917	50.0	443273.0	0.950219	Y
7	IC 410-484275/18	300.0	242.371818	50.0	510659.0	0.807906	Y



Calibration

/ 2-Methylnaphthalene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.415

Error Coefficients

Relative Standard Deviation: 11.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-484275/12	1.0	1.240019	50.0	423421.0	1.240019	Y
2	IC 410-484275/13	4.0	5.316262	50.0	442623.0	1.329066	Y
3	IC 410-484275/14	10.0	12.497595	50.0	446918.0	1.249759	Y
4	IC 410-484275/15	20.0	30.061468	50.0	428680.0	1.503073	Y
5	ICIS 410-484275/16	50.0	72.94082	50.0	454380.0	1.458816	Y
6	IC 410-484275/17	100.0	171.772474	50.0	443273.0	1.717725	Y
7	IC 410-484275/18	300.0	422.159014	50.0	510659.0	1.407197	Y



FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 13:30 Calibration End Date: 03/25/2024 15:21 Calibration ID: 59884

Calibration Files

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-486676/3	YM25X02.D
Level 2	IC 410-486676/4	YM25X03.D
Level 3	IC 410-486676/5	YM25X04.D
Level 4	IC 410-486676/6	YM25X05.D
Level 5	IC 410-486676/7	YM25X06.D
Level 6	IC 410-486676/8	YM25X07.D

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Chlorotrifluoroethene	0.1952 0.1882	0.1675	0.0974	0.1803	0.1936	Ave		0.170 4				21.8	*	20.0			
Chlorodifluoromethane	4.4536 3.8667	4.0253	2.8185	3.9008	4.0553	Ave		3.853 4				14.2		20.0			
Freon 133a	0.3289 0.3188	0.3028	0.2317	0.3117	0.3334	Ave		0.304 6				12.3		20.0			
Ethanol	0.0802 0.0776	0.0764	0.0857	0.0861	0.0844	Ave		0.081 7				5.2		20.0			
Acetonitrile	0.9768 0.8003	0.8471	0.8334	0.7220	0.7803	Ave		0.826 7				10.4		20.0			
Vinyl acetate	0.6319 0.6350	0.5734	0.5880	0.5050	0.6070	Ave		0.590 0				8.2		20.0			
Ethyl acetate	0.3872 0.3911	0.3193	0.3583	0.3040	0.3690	Ave		0.354 8				10.1		20.0			
Isopropyl acetate	0.6759 0.7218	0.6427	0.6728	0.5765	0.6820	Ave		0.662 0				7.4		20.0			
n-Propyl acetate	0.1363 0.1586	0.1305	0.1396	0.1215	0.1460	Ave		0.138 8				9.2		20.0			
3,4-Dichloro-1-butene	0.3195 0.3935	0.3523	0.3449	0.3510	0.3763	Ave		0.356 3				7.2		20.0			
Butyl acetate	0.7281 0.7912	0.7072	0.7484	0.6448	0.7699	Ave		0.731 6				7.1		20.0			
cis-1,4-Dichloro-2-butene	0.1648 0.2288	0.1854	0.1821	0.1966	0.2137	Ave		0.195 2				11.8		20.0			
Pentachloroethane	0.2914 0.4383	0.3296	0.3498	0.3192	0.3972	Ave		0.354 2				15.3		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 13:30 Calibration End Date: 03/25/2024 15:21 Calibration ID: 59884

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-486676/3	YM25X02.D
Level 2	IC 410-486676/4	YM25X03.D
Level 3	IC 410-486676/5	YM25X04.D
Level 4	IC 410-486676/6	YM25X05.D
Level 5	IC 410-486676/7	YM25X06.D
Level 6	IC 410-486676/8	YM25X07.D

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Chlorotrifluoroethene	FB	Ave	13132 943490	28246	32083	150187	321284	4.00 300	10.0	20.0	50.0	100
Chlorodifluoromethane	TBA d1 0	Ave	28788 1982669	64035	91538	317092	675327	4.00 300	10.0	20.0	50.0	100
Freon 133a	FB	Ave	22125 1598098	51078	76320	259690	553250	4.00 300	10.0	20.0	50.0	100
Ethanol	TBA d1 0	Ave	32417 994667	60771	139176	174872	351154	250 7500	500	1000	1250	2500
Acetonitrile	TBA d1 0	Ave	31570 2051674	67377	135338	293458	649754	20.0 1500	50.0	100	250	500
Vinyl acetate	FB	Ave	42502 3183535	96704	193628	420767	1007348	4.00 300	10.0	20.0	50.0	100
Ethyl acetate	FB	Ave	26045 1960639	53862	117982	253255	612414	4.00 300	10.0	20.0	50.0	100
Isopropyl acetate	FB	Ave	45460 3618719	108398	221569	480346	1131851	4.00 300	10.0	20.0	50.0	100
n-Propyl acetate	FB	Ave	9170 795082	22017	45985	101254	242228	4.00 300	10.0	20.0	50.0	100
3,4-Dichloro-1-butene	CBZ d5	Ave	15839 1481600	44316	85097	217782	466812	4.00 300	10.0	20.0	50.0	100
Butyl acetate	CBZ d5	Ave	36074 2977840	88927	184565	399807	954487	4.00 300	10.0	20.0	50.0	100
cis-1,4-Dichloro-2-butene	CBZ d5	Ave	8166 861292	23315	44923	121974	265058	4.00 300	10.0	20.0	50.0	100
Pentachloroethane	DCB d4	Ave	9024 1010549	25861	54628	122767	302840	4.00 300	10.0	20.0	50.0	100

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
 Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 13:30 Calibration End Date: 03/25/2024 15:21 Calibration ID: 59884

Curve Type Legend:

Ave = Average ISTD

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 13:30 Calibration End Date: 03/25/2024 15:21 Calibration ID: 59884

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-486676/3	YM25X02.D
Level 2	IC 410-486676/4	YM25X03.D
Level 3	IC 410-486676/5	YM25X04.D
Level 4	IC 410-486676/6	YM25X05.D
Level 5	IC 410-486676/7	YM25X06.D
Level 6	IC 410-486676/8	YM25X07.D

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Chlorotrifluoroethene	14.6	-1.7	-42.8 *	5.8	13.6	10.5	50	30	30	30	30	30
Chlorodifluoromethane	15.6	4.5	-26.9	1.2	5.2	0.3	50	30	30	30	30	30
Freon 133a	8.0	-0.6	-23.9	2.3	9.5	4.7	50	30	30	30	30	30
Ethanol	-1.8	-6.5	4.9	5.3	3.2	-5.1	50	30	30	30	30	30
Acetonitrile	18.2	2.5	0.8	-12.7	-5.6	-3.2	50	30	30	30	30	30
Vinyl acetate	7.1	-2.8	-0.4	-14.4	2.9	7.6	50	30	30	30	30	30
Ethyl acetate	9.1	-10.0	1.0	-14.3	4.0	10.2	50	30	30	30	30	30
Isopropyl acetate	2.1	-2.9	1.6	-12.9	3.0	9.0	50	30	30	30	30	30
n-Propyl acetate	-1.8	-5.9	0.6	-12.4	5.2	14.3	50	30	30	30	30	30
3,4-Dichloro-1-butene	-10.3	-1.1	-3.2	-1.5	5.6	10.4	50	30	30	30	30	30
Butyl acetate	-0.5	-3.3	2.3	-11.9	5.2	8.1	50	30	30	30	30	30
cis-1,4-Dichloro-2-butene	-15.6	-5.1	-6.7	0.7	9.5	17.2	50	30	30	30	30	30
Pentachloroethane	-17.7	-7.0	-1.3	-9.9	12.1	23.7	50	30	30	30	30	30

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X02.D
 Lims ID: IC sm v4
 Client ID:
 Sample Type: IC Calib Level: 2
 Inject. Date: 25-Mar-2024 13:30:30 ALS Bottle#: 2 Worklist Smp#: 3
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-003
 Misc. Info.: IC 4
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub48
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:24:37 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:32:31

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.816	1.816	0.000	91	13132	4.00	4.58	
3 Chlorodifluoromethane	51	1.866	1.859	0.007	97	28788	4.00	4.62	
7 2-Chloro-1,1,1-Trifluoroethane	118	2.231	2.224	0.007	34	22125	4.00	4.32	
13 Ethanol	45	3.032	2.903	0.129	86	32417	250.0	245.4	Ma
23 Acetonitrile	41	3.711	3.689	0.022	99	31570	20.0	23.6	M
* 26 t-Butyl alcohol-d10 (IS)	65	3.954	3.940	0.014	27	403996	250.0	250.0	M
35 Vinyl acetate	43	5.048	5.027	0.021	98	42502	4.00	4.28	
44 Ethyl acetate	43	5.928	5.913	0.015	99	26045	4.00	4.37	
61 Isopropyl acetate	43	7.165	7.157	0.008	99	45460	4.00	4.08	
* 63 Fluorobenzene (IS)	96	7.493	7.486	0.007	99	840767	50.0	50.0	
75 n-Propyl acetate	61	8.480	8.473	0.007	97	9170	4.00	3.93	
130 3,4-Dichloro-1-butene	75	10.303	10.303	0.000	90	15839	4.00	3.59	
131 n-Butyl acetate	43	10.454	10.446	0.008	98	36074	4.00	3.98	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	619281	50.0	50.0	
146 cis-1,4-Dichloro-2-butene	88	11.955	11.955	0.000	0	8166	4.00	3.38	
159 Pentachloroethane	167	12.656	12.656	0.000	88	9024	4.00	3.29	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	387054	50.0	50.0	

QC Flag Legend

Processing Flags


Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 4.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 4.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 20.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 4.00	Units: uL
MSV_HP20_ISO_00010	Amount Added: 1.00	Units: uL



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X02.D
Injection Date: 25-Mar-2024 13:30:30 Instrument ID: 9355
Lims ID: IC sm v4
Client ID:
Operator ID: knk41612 ALS Bottle#: 2 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


Not Detected
Expected RT: 2.90

Processing Integration Results



Manual Integration Results

RT: 3.03
Area: 32417
Amount: 245.4487
Amount Units: ug/l



Reviewer: K4WN, 25-Mar-2024 19:31:26 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X02.D
Injection Date: 25-Mar-2024 13:30:30 Instrument ID: 9355
Lims ID: IC sm v4
Client ID:
Operator ID: knk41612 ALS Bottle#: 2 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

23 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 3.71
Area: 21916
Amount: 18.363116
Amount Units: ug/l

Processing Integration Results



RT: 3.71
Area: 31570
Amount: 23.632642
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:31:50 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X02.D
Injection Date: 25-Mar-2024 13:30:30 Instrument ID: 9355
Lims ID: IC sm v4
Client ID:
Operator ID: knk41612 ALS Bottle#: 2 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 396892
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 403996
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:31:57 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X03.D
 Lims ID: IC sm v10
 Client ID:
 Sample Type: IC Calib Level: 3
 Inject. Date: 25-Mar-2024 13:52:30 ALS Bottle#: 3 Worklist Smp#: 4
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-004
 Misc. Info.: IC 10
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub48
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:24:41 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:33:07

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.816	1.816	0.000	92	28246	10.0	9.83	
3 Chlorodifluoromethane	51	1.859	1.859	0.000	97	64035	10.0	10.4	
7 2-Chloro-1,1,1-Trifluoroethane	118	2.217	2.224	-0.007	34	51078	10.0	9.94	
13 Ethanol	45	2.903	2.903	0.000	99	60771	500.0	467.4	
23 Acetonitrile	41	3.697	3.689	0.008	100	67377	50.0	51.2	M
* 26 t-Butyl alcohol-d10 (IS)	65	3.954	3.940	0.014	27	397700	250.0	250.0	M
35 Vinyl acetate	43	5.034	5.027	0.007	97	96704	10.0	9.72	
44 Ethyl acetate	43	5.920	5.913	0.007	99	53862	10.0	9.00	
61 Isopropyl acetate	43	7.150	7.157	-0.007	98	108398	10.0	9.71	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	843324	50.0	50.0	
75 n-Propyl acetate	61	8.473	8.473	0.000	98	22017	10.0	9.41	
130 3,4-Dichloro-1-butene	75	10.304	10.303	0.001	90	44316	10.0	9.89	
131 n-Butyl acetate	43	10.447	10.446	0.001	98	88927	10.0	9.67	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	628689	50.0	50.0	
146 cis-1,4-Dichloro-2-butene	88	11.955	11.955	0.000	0	23315	10.0	9.50	
159 Pentachloroethane	167	12.656	12.656	0.000	89	25861	10.0	9.30	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	392362	50.0	50.0	

QC Flag Legend


Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 2.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 2.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 1.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 8.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 2.00	Units: uL
MSV_HP20_ISO_00010	Amount Added: 1.00	Units: uL



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X03.D
Injection Date: 25-Mar-2024 13:52:30 Instrument ID: 9355
Lims ID: IC sm v10
Client ID:
Operator ID: knk41612 ALS Bottle#: 3 Worklist Smp#: 4
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

23 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 3.70
Area: 59195
Amount: 47.386574
Amount Units: ug/l

Processing Integration Results



RT: 3.70
Area: 67377
Amount: 51.235483
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:32:55 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X03.D
Injection Date: 25-Mar-2024 13:52:30 Instrument ID: 9355
Lims ID: IC sm v10
Client ID:
Operator ID: knk41612 ALS Bottle#: 3 Worklist Smp#: 4
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 390604
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 397700
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:33:01 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X04.D
 Lims ID: IC sm v20
 Client ID:
 Sample Type: IC Calib Level: 4
 Inject. Date: 25-Mar-2024 14:14:30 ALS Bottle#: 4 Worklist Smp#: 5
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-005
 Misc. Info.: IC 20
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub48
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:24:44 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:33:55

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.809	1.809	0.000	93	32083	20.0	11.4	
3 Chlorodifluoromethane	51	1.859	1.859	0.000	97	91538	20.0	14.6	
7 2-Chloro-1,1,1-Trifluoroethane	118	2.217	2.217	0.000	35	76320	20.0	15.2	
13 Ethanol	45	2.896	2.896	0.000	96	139176	999.9	1048.7	M
23 Acetonitrile	41	3.690	3.690	0.000	100	135338	100.0	100.8	M
* 26 t-Butyl alcohol-d10 (IS)	65	3.947	3.947	0.000	26	405967	250.0	250.0	M
35 Vinyl acetate	43	5.027	5.027	0.000	97	193628	20.0	19.9	
44 Ethyl acetate	43	5.906	5.906	0.000	99	117982	20.0	20.2	
61 Isopropyl acetate	43	7.158	7.158	0.000	98	221569	20.0	20.3	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	823318	50.0	50.0	
75 n-Propyl acetate	61	8.473	8.473	0.000	99	45985	20.0	20.1	
130 3,4-Dichloro-1-butene	75	10.304	10.304	0.000	91	85097	20.0	19.4	
131 n-Butyl acetate	43	10.447	10.447	0.000	98	184565	20.0	20.5	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	616542	50.0	50.0	
146 cis-1,4-Dichloro-2-butene	88	11.955	11.955	0.000	0	44923	20.0	18.7	
159 Pentachloroethane	167	12.656	12.656	0.000	89	54628	20.0	19.7	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	390451	50.0	50.0	

QC Flag Legend


Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 4.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 4.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.00	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 16.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 4.00	Units: uL
MSV_HP20_ISO_00010	Amount Added: 1.00	Units: uL



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X04.D
Injection Date: 25-Mar-2024 14:14:30 Instrument ID: 9355
Lims ID: IC sm v20
Client ID:
Operator ID: knk41612 ALS Bottle#: 4 Worklist Smp#: 5
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


RT: 2.90
Area: 130146
Amount: 1027.1093
Amount Units: ug/l

Processing Integration Results



RT: 2.90
Area: 139176
Amount: 1048.6692
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:33:25 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X04.D
Injection Date: 25-Mar-2024 14:14:30 Instrument ID: 9355
Lims ID: IC sm v20
Client ID:
Operator ID: knk41612 ALS Bottle#: 4 Worklist Smp#: 5
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

23 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 3.69
Area: 126080
Amount: 95.901263
Amount Units: ug/l

Processing Integration Results



RT: 3.69
Area: 135338
Amount: 100.8193
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:33:41 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X04.D
Injection Date: 25-Mar-2024 14:14:30 Instrument ID: 9355
Lims ID: IC sm v20
Client ID:
Operator ID: knk41612 ALS Bottle#: 4 Worklist Smp#: 5
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 403566
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 405967
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:33:50 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X05.D
 Lims ID: IC sm v50
 Client ID:
 Sample Type: IC Calib Level: 5
 Inject. Date: 25-Mar-2024 14:37:30 ALS Bottle#: 5 Worklist Smp#: 6
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-006
 Misc. Info.: IC 50
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub48
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:24:47 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:30:09

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.816	1.816	0.000	93	150187	50.0	52.9	
3 Chlorodifluoromethane	51	1.859	1.859	0.000	97	317092	50.0	50.6	
7 2-Chloro-1,1,1-Trifluoroethane	118	2.224	2.224	0.000	36	259690	50.0	51.2	
13 Ethanol	45	2.903	2.903	0.000	99	174872	1249.9	1316.1	M
23 Acetonitrile	41	3.689	3.689	0.000	100	293458	250.0	218.4	M
* 26 t-Butyl alcohol-d10 (IS)	65	3.954	3.954	0.000	26	406440	250.0	250.0	M
35 Vinyl acetate	43	5.027	5.027	0.000	97	420767	50.0	42.8	
44 Ethyl acetate	43	5.913	5.913	0.000	99	253255	50.0	42.8	
61 Isopropyl acetate	43	7.157	7.157	0.000	98	480346	50.0	43.5	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	833161	50.0	50.0	
75 n-Propyl acetate	61	8.473	8.473	0.000	99	101254	50.0	43.8	
130 3,4-Dichloro-1-butene	75	10.303	10.303	0.000	91	217782	50.0	49.3	
131 n-Butyl acetate	43	10.446	10.446	0.000	98	399807	50.0	44.1	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	620090	50.0	50.0	
146 cis-1,4-Dichloro-2-butene	88	11.955	11.955	0.000	0	121974	50.0	50.4	
159 Pentachloroethane	167	12.656	12.656	0.000	90	122767	50.0	45.1	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	384644	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 5.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 5.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.50	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 10.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 5.00	Units: uL
MSV_HP20_ISO_00010	Amount Added: 1.00	Units: uL

Report Date: 25-Mar-2024 22:24:47

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X05.D

Injection Date: 25-Mar-2024 14:37:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC sm v50

Worklist Smp#: 6

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 5

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X05.D
Injection Date: 25-Mar-2024 14:37:30 Instrument ID: 9355
Lims ID: IC sm v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 5 Worklist Smp#: 6
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


RT: 2.90
Area: 161122
Amount: 1282.6035
Amount Units: ug/l

Processing Integration Results



RT: 2.90
Area: 174872
Amount: 1316.0995
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:34:16 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X05.D
Injection Date: 25-Mar-2024 14:37:30 Instrument ID: 9355
Lims ID: IC sm v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 5 Worklist Smp#: 6
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

23 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 3.69
Area: 283606
Amount: 218.0738
Amount Units: ug/l

Processing Integration Results



RT: 3.69
Area: 293458
Amount: 218.3556
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:34:24 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X05.D
Injection Date: 25-Mar-2024 14:37:30 Instrument ID: 9355
Lims ID: IC sm v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 5 Worklist Smp#: 6
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 394978
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 406440
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:34:30 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X06.D
 Lims ID: IC sm v100
 Client ID:
 Sample Type: IC Calib Level: 6
 Inject. Date: 25-Mar-2024 14:59:30 ALS Bottle#: 6 Worklist Smp#: 7
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-007
 Misc. Info.: IC 100
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub48
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:24:51 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:35:23

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.823	1.816	0.007	93	321284	100.0	113.6	
3 Chlorodifluoromethane	51	1.873	1.859	0.014	97	675327	100.0	105.2	
7 2-Chloro-1,1,1-Trifluoroethane	118	2.231	2.224	0.007	34	553250	100.0	109.5	
13 Ethanol	45	3.017	2.903	0.114	99	351154	2499.8	2580.1	Ma
23 Acetonitrile	41	3.690	3.689	0.001	99	649754	500.0	472.0	M
* 26 t-Butyl alcohol-d10 (IS)	65	3.968	3.954	0.014	29	416326	250.0	250.0	M
35 Vinyl acetate	43	5.027	5.027	0.000	97	1007348	100.0	102.9	
44 Ethyl acetate	43	5.913	5.913	0.000	99	612414	100.0	104.0	
61 Isopropyl acetate	43	7.157	7.157	0.000	98	1131851	100.0	103.0	
* 63 Fluorobenzene (IS)	96	7.493	7.486	0.007	99	829758	50.0	50.0	
75 n-Propyl acetate	61	8.473	8.473	0.000	99	242228	100.0	105.2	
130 3,4-Dichloro-1-butene	75	10.304	10.303	0.001	91	466812	100.1	105.7	
131 n-Butyl acetate	43	10.447	10.446	0.000	98	954487	100.0	105.2	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	619886	50.0	50.0	
146 cis-1,4-Dichloro-2-butene	88	11.955	11.955	0.000	0	265058	100.0	109.5	
159 Pentachloroethane	167	12.656	12.656	0.000	91	302840	100.0	112.1	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	381256	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 5.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 5.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 2.50	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 10.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 5.00	Units: uL
MSV_HP20_ISO_00010	Amount Added: 1.00	Units: uL

Report Date: 25-Mar-2024 22:24:52

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X06.D

Injection Date: 25-Mar-2024 14:59:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC sm v100

Worklist Smp#: 7

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 6

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X06.D
Injection Date: 25-Mar-2024 14:59:30 Instrument ID: 9355
Lims ID: IC sm v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 6 Worklist Smp#: 7
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


Not Detected
Expected RT: 2.90

Processing Integration Results



Manual Integration Results

RT: 3.02
Area: 351154
Amount: 2580.0552
Amount Units: ug/l



Reviewer: K4WN, 25-Mar-2024 19:34:51 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X06.D
Injection Date: 25-Mar-2024 14:59:30 Instrument ID: 9355
Lims ID: IC sm v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 6 Worklist Smp#: 7
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

23 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 3.69
Area: 630634
Amount: 463.8599
Amount Units: ug/l

Processing Integration Results



RT: 3.69
Area: 649754
Amount: 471.9872
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:35:11 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X06.D
Injection Date: 25-Mar-2024 14:59:30 Instrument ID: 9355
Lims ID: IC sm v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 6 Worklist Smp#: 7
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.97
Area: 412573
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.97
Area: 416326
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:35:17 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X07.D
 Lims ID: IC sm v300
 Client ID:
 Sample Type: IC Calib Level: 7
 Inject. Date: 25-Mar-2024 15:21:30 ALS Bottle#: 7 Worklist Smp#: 8
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-008
 Misc. Info.: IC 300
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub48
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:24:55 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:39:24

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116	1.816	1.816	0.000	93	943490	300.0	331.4	
3 Chlorodifluoromethane	51	1.859	1.859	0.000	97	1982669	300.0	301.0	
7 2-Chloro-1,1,1-Trifluoroethane	118	2.216	2.224	-0.008	35	1598098	300.0	314.0	
13 Ethanol	45	2.896	2.903	-0.007	99	994667	7499.5	7120.6	M
23 Acetonitrile	41	3.682	3.689	-0.007	99	2051674	1500.0	1452.1	M
* 26 t-Butyl alcohol-d10 (IS)	65	3.947	3.954	-0.007	30	427293	250.0	250.0	M
35 Vinyl acetate	43	5.012	5.027	-0.015	97	3183535	300.0	322.9	
44 Ethyl acetate	43	5.906	5.913	-0.007	99	1960639	300.0	330.7	
61 Isopropyl acetate	43	7.150	7.157	-0.007	98	3618719	300.0	327.1	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	835548	50.0	50.0	
75 n-Propyl acetate	61	8.473	8.473	0.000	99	795082	300.0	342.9	
130 3,4-Dichloro-1-butene	75	10.303	10.303	0.000	92	1481600	300.2	331.5	
131 n-Butyl acetate	43	10.446	10.446	0.000	98	2977840	300.0	324.4	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	86	627256	50.0	50.0	
146 cis-1,4-Dichloro-2-butene	88	11.955	11.955	0.000	0	861292	300.1	351.7	
159 Pentachloroethane	167	12.656	12.656	0.000	92	1010549	300.0	371.2	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	384294	50.0	50.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_V5ACE_00034	Amount Added: 15.00	Units: uL
MSV_CCV_LKB_00009	Amount Added: 15.00	Units: uL
MSV_V_SMFreon_00036	Amount Added: 7.50	Units: uL
MSV_CCV_ETOH_00005	Amount Added: 30.00	Units: uL
MSV_CCV_Penta_00046	Amount Added: 15.00	Units: uL
MSV_HP20_ISO_00010	Amount Added: 1.00	Units: uL

Report Date: 25-Mar-2024 22:24:55

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X07.D

Injection Date: 25-Mar-2024 15:21:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC sm v300

Worklist Smp#: 8

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 7

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X07.D
Injection Date: 25-Mar-2024 15:21:30 Instrument ID: 9355
Lims ID: IC sm v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 7 Worklist Smp#: 8
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

13 Ethanol, CAS: 64-17-5

Signal: 1


RT: 2.90
Area: 931484
Amount: 6809.1991
Amount Units: ug/l

Processing Integration Results



RT: 2.90
Area: 994667
Amount: 7120.6040
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:35:40 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X07.D
Injection Date: 25-Mar-2024 15:21:30 Instrument ID: 9355
Lims ID: IC sm v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 7 Worklist Smp#: 8
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

23 Acetonitrile, CAS: 75-05-8

Signal: 1


RT: 3.68
Area: 2023263
Amount: 1450.6157
Amount Units: ug/l

Processing Integration Results



RT: 3.68
Area: 2051674
Amount: 1452.1027
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:35:58 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X07.D
Injection Date: 25-Mar-2024 15:21:30 Instrument ID: 9355
Lims ID: IC sm v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 7 Worklist Smp#: 8
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 421891
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 427293
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:36:03 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Calibration


/ Chlorotrifluoroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.1704
Error Coefficients	

Relative Standard Deviation: 21.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	0.780954	50.0	840767.0	0.195238	Y
2	IC 410-486676/4	10.0	1.674683	50.0	843324.0	0.167468	Y
3	IC 410-486676/5	20.0	1.948397	50.0	823318.0	0.09742	Y
4	IC 410-486676/6	50.0	9.013084	50.0	833161.0	0.180262	Y
5	IC 410-486676/7	100.0	19.360103	50.0	829758.0	0.193601	Y
6	IC 410-486676/8	300.0	56.459354	50.0	835548.0	0.188198	Y



Calibration

/ Chlorodifluoromethane

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 3.853

Error Coefficients

Relative Standard Deviation: 14.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	17.814533	250.0	403996.0	4.453633	Y
2	IC 410-486676/4	10.0	40.253332	250.0	397700.0	4.025333	Y
3	IC 410-486676/5	20.0	56.370345	250.0	405967.0	2.818517	Y
4	IC 410-486676/6	50.0	195.042319	250.0	406440.0	3.900846	Y
5	IC 410-486676/7	100.0	405.527759	250.0	416326.0	4.055278	Y
6	IC 410-486676/8	300.0	1160.017248	250.0	427293.0	3.866724	Y



Calibration

/ 2-Chloro-1,1,1-Trifluoroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3046

Error Coefficients

Relative Standard Deviation: 12.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	1.315763	50.0	840767.0	0.328941	Y
2	IC 410-486676/4	10.0	3.028373	50.0	843324.0	0.302837	Y
3	IC 410-486676/5	20.0	4.634904	50.0	823318.0	0.231745	Y
4	IC 410-486676/6	50.0	15.584623	50.0	833161.0	0.311692	Y
5	IC 410-486676/7	100.0	33.338033	50.0	829758.0	0.33338	Y
6	IC 410-486676/8	300.0	95.631729	50.0	835548.0	0.318772	Y



Calibration


/ Ethanol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.08173
Error Coefficients	

Relative Standard Deviation: 5.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	249.984	20.060223	250.0	403996.0	0.080246	Y
2	IC 410-486676/4	499.968	38.201534	250.0	397700.0	0.076408	Y
3	IC 410-486676/5	999.936	85.706474	250.0	405967.0	0.085712	Y
4	IC 410-486676/6	1249.92	107.563232	250.0	406440.0	0.086056	Y
5	IC 410-486676/7	2499.84	210.864803	250.0	416326.0	0.084351	Y
6	IC 410-486676/8	7499.52	581.958399	250.0	427293.0	0.077599	Y



Calibration


/ Acetonitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.8267
Error Coefficients	

Relative Standard Deviation: 10.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	20.0	19.536085	250.0	403996.0	0.976804	Y
2	IC 410-486676/4	50.0	42.354161	250.0	397700.0	0.847083	Y
3	IC 410-486676/5	100.0	83.342981	250.0	405967.0	0.83343	Y
4	IC 410-486676/6	250.0	180.505118	250.0	406440.0	0.72202	Y
5	IC 410-486676/7	500.0	390.171404	250.0	416326.0	0.780343	Y
6	IC 410-486676/8	1500.0	1200.390598	250.0	427293.0	0.80026	Y



Calibration

/ Vinyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.59

Error Coefficients

Relative Standard Deviation: 8.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	2.527573	50.0	840767.0	0.631893	Y
2	IC 410-486676/4	10.0	5.733502	50.0	843324.0	0.57335	Y
3	IC 410-486676/5	20.0	11.759004	50.0	823318.0	0.58795	Y
4	IC 410-486676/6	50.0	25.251242	50.0	833161.0	0.505025	Y
5	IC 410-486676/7	100.0	60.701313	50.0	829758.0	0.607013	Y
6	IC 410-486676/8	300.0	190.505812	50.0	835548.0	0.635019	Y



Calibration


/ Ethyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3548
Error Coefficients	

Relative Standard Deviation: 10.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	1.548883	50.0	840767.0	0.387221	Y
2	IC 410-486676/4	10.0	3.193435	50.0	843324.0	0.319343	Y
3	IC 410-486676/5	20.0	7.165032	50.0	823318.0	0.358252	Y
4	IC 410-486676/6	50.0	15.198443	50.0	833161.0	0.303969	Y
5	IC 410-486676/7	100.0	36.903169	50.0	829758.0	0.369032	Y
6	IC 410-486676/8	300.0	117.326533	50.0	835548.0	0.391088	Y



Calibration

/ Isopropyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.662

Error Coefficients

Relative Standard Deviation: 7.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	2.703484	50.0	840767.0	0.675871	Y
2	IC 410-486676/4	10.0	6.42683	50.0	843324.0	0.642683	Y
3	IC 410-486676/5	20.0	13.455858	50.0	823318.0	0.672793	Y
4	IC 410-486676/6	50.0	28.826721	50.0	833161.0	0.576534	Y
5	IC 410-486676/7	100.0	68.203681	50.0	829758.0	0.682037	Y
6	IC 410-486676/8	300.0	216.547643	50.0	835548.0	0.721825	Y



Calibration

/ n-Propyl acetate

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.1388

Error Coefficients

Relative Standard Deviation: 9.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	0.545335	50.0	840767.0	0.136334	Y
2	IC 410-486676/4	10.0	1.30537	50.0	843324.0	0.130537	Y
3	IC 410-486676/5	20.0	2.792663	50.0	823318.0	0.139633	Y
4	IC 410-486676/6	50.0	6.076497	50.0	833161.0	0.12153	Y
5	IC 410-486676/7	100.0	14.596304	50.0	829758.0	0.145963	Y
6	IC 410-486676/8	300.0	47.578475	50.0	835548.0	0.158595	Y



Calibration


/ 3,4-Dichloro-1-butene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3563
Error Coefficients	

Relative Standard Deviation: 7.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.002102	1.278822	50.0	619281.0	0.319538	Y
2	IC 410-486676/4	10.005254	3.524477	50.0	628689.0	0.352263	Y
3	IC 410-486676/5	20.010508	6.901152	50.0	616542.0	0.344876	Y
4	IC 410-486676/6	50.02627	17.560515	50.0	620090.0	0.351026	Y
5	IC 410-486676/7	100.05254	37.653052	50.0	619886.0	0.376333	Y
6	IC 410-486676/8	300.15762	118.1017	50.0	627256.0	0.393466	Y



Calibration


/ n-Butyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.7316
Error Coefficients	

Relative Standard Deviation: 7.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	2.912571	50.0	619281.0	0.728143	Y
2	IC 410-486676/4	10.0	7.072416	50.0	628689.0	0.707242	Y
3	IC 410-486676/5	20.0	14.967756	50.0	616542.0	0.748388	Y
4	IC 410-486676/6	50.0	32.23782	50.0	620090.0	0.644756	Y
5	IC 410-486676/7	100.0	76.988914	50.0	619886.0	0.769889	Y
6	IC 410-486676/8	300.0	237.370388	50.0	627256.0	0.791235	Y



Calibration


/ cis-1,4-Dichloro-2-butene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.1952
Error Coefficients	

Relative Standard Deviation: 11.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0014	0.659313	50.0	619281.0	0.164771	Y
2	IC 410-486676/4	10.0035	1.854255	50.0	628689.0	0.185361	Y
3	IC 410-486676/5	20.007	3.643142	50.0	616542.0	0.182093	Y
4	IC 410-486676/6	50.0175	9.835185	50.0	620090.0	0.196635	Y
5	IC 410-486676/7	100.035	21.379576	50.0	619886.0	0.213721	Y
6	IC 410-486676/8	300.105	68.655541	50.0	627256.0	0.228772	Y



Calibration

/ Pentachloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3542

Error Coefficients

Relative Standard Deviation: 15.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/3	4.0	1.165729	50.0	387054.0	0.291432	Y
2	IC 410-486676/4	10.0	3.295554	50.0	392362.0	0.329555	Y
3	IC 410-486676/5	20.0	6.9955	50.0	390451.0	0.349775	Y
4	IC 410-486676/6	50.0	15.958523	50.0	384644.0	0.31917	Y
5	IC 410-486676/7	100.0	39.716096	50.0	381256.0	0.397161	Y
6	IC 410-486676/8	300.0	131.481236	50.0	384294.0	0.438271	Y



FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.:

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

Calibration Files

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-486676/12	YM25X11.D
Level 2	IC 410-486676/13	YM25X12.D
Level 3	IC 410-486676/14	YM25X21.D
Level 4	IC 410-486676/15	YM25X14.D
Level 5	ICIS 410-486676/16	YM25X15.D
Level 6	IC 410-486676/17	YM25X16.D
Level 7	IC 410-486676/18	YM25X17.D

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Dichlorodifluoromethane	0.4013 0.5117	0.4542 0.4841	0.5236	0.4432	0.4553	Ave		0.467 6			0.1000	9.0		20.0			
Chloromethane	0.4756 0.5220	0.4904 0.5050	0.5172	0.5206	0.4708	Ave		0.500 2			0.1000	4.3		20.0			
Vinyl chloride	0.3937 0.4935	0.4583 0.4764	0.4930	0.4820	0.4458	Ave		0.463 2			0.1000	7.6		20.0			
1,3-Butadiene	0.4391 0.4573	0.4594 0.4313	0.5006	0.4436	0.4064	Ave		0.448 2				6.5		20.0			
Bromomethane	0.2943 0.3266	0.3058 0.3107	0.3367	0.3239	0.3009	Ave		0.314 1			0.1000	4.9		20.0			
Chloroethane	0.1965 0.2278	0.2149 0.2213	0.2337	0.2269	0.2047	Ave		0.218 0			0.1000	6.2		20.0			
Dichlorofluoromethane	0.7237 0.6533	0.6203 0.6348	0.6716	0.6505	0.5945	Ave		0.649 8			0.1000	6.3		20.0			
Trichlorofluoromethane	0.3933 0.5187	0.4625 0.4967	0.5167	0.4712	0.4577	Ave		0.473 8			0.1000	9.1		20.0			
n-Pentane	0.3921 0.3929	0.3798 0.3898	0.3555	0.3997	0.3708	Ave		0.382 9				4.0		20.0			
Ethyl ether	0.1882 0.2061	0.1936 0.2036	0.1966	0.2005	0.2090	Ave		0.199 7				3.7		20.0			
Freon 123a	0.3096 0.3024	0.3183 0.3026	0.3111	0.3032	0.2813	Ave		0.304 1				3.8		20.0			
Acrolein	1.0596 1.0909	0.9796 1.0036	1.0143	1.0773	1.0492	Ave		1.039 2				3.9		20.0			
1,1-Dichloroethene	0.1724 0.2151	0.2104 0.2152	0.1975	0.2173	0.2087	Ave		0.205 3			0.1000	7.7		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Acetone	0.5146 0.5795	0.4785 0.5514	0.5532	0.5988	0.5708	Ave		0.549 5			0.1000	7.4		20.0			
Freon 113	0.2158 0.2815	0.2671 0.2743	0.2522	0.2847	0.2635	Ave		0.262 7			0.1000	8.9		20.0			
2-Propanol	0.4837 0.4669	0.4247 0.3805	0.4663	0.6188	0.6293	Ave		0.495 7				19.0		20.0			
Methyl iodide	0.3931 0.4540	0.4412 0.4508	0.4109	0.4611	0.4396	Ave		0.435 8				5.7		20.0			
Carbon disulfide	0.7479 0.8299	0.7716 0.8357	0.7334	0.8203	0.7763	Ave		0.787 9			0.1000	5.2		20.0			
Methyl acetate	0.2942 0.3163	0.2849 0.2975	0.2743	0.3304	0.3511	Ave		0.307 n			0.1000	8.8		20.0			
Allyl chloride	0.4429 0.3478	0.3754 0.3421	0.3136	0.3441	0.3441	Ave		0.358 6				11.5		20.0			
Methylene Chloride	0.2357 0.2580	0.2446 0.2557	0.2285	0.2610	0.2539	Ave		0.248 2			0.1000	5.0		20.0			
t-Butyl alcohol	1.2328 1.0070	0.8651 0.8301	0.9210	1.1760	1.2379	Ave		1.038 5				16.9		20.0			
Acrylonitrile	0.1611 0.1758	0.1475 0.1622	0.1473	0.1873	0.1879	Ave		0.167 n				10.2		20.0			
Methyl tert-butyl ether	0.9693 0.9549	0.8884 0.8817	0.8568	0.9983	0.9922	Ave		0.934 5			0.1000	6.2		20.0			
trans-1,2-Dichloroethene	0.1822 0.2297	0.2243 0.2193	0.2103	0.2349	0.2263	Ave		0.218 1			0.1000	8.1		20.0			
n-Hexane	0.3001 0.3248	0.3066 0.3115	0.3073	0.3365	0.3076	Ave		0.313 5				4.0		20.0			
1,1-Dichloroethane	0.3632 0.4058	0.3955 0.3932	0.3660	0.4207	0.4157	Ave		0.394 3			0.2000	5.7		20.0			
Isopropyl ether	0.7940 0.8253	0.7528 0.7841	0.7079	0.8393	0.8381	Ave		0.791 6				6.1		20.0			
2-Chloro-1,3-butadiene	0.3053 0.3614	0.3470 0.3434	0.3256	0.3755	0.3615	Ave		0.345 7				6.9		20.0			
Ethyl t-butyl ether	0.8727 0.8844	0.7856 0.8340	0.7504	0.8998	0.9117	Ave		0.848 4				7.2		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
2-Butanone (MEK)	0.3726 0.2611	0.2517 0.2521	0.2280	0.2889	0.2573	Ave		0.273 1			0.1000	17.4		20.0			
cis-1,2-Dichloroethene	0.2461 0.2667	0.2529 0.2539	0.2367	0.2746	0.2713	Ave		0.257 4			0.1000	5.4		20.0			
2,2-Dichloropropane	0.3726 0.4391	0.4224 0.4327	0.3820	0.4416	0.4263	Ave		0.416 6				6.7		20.0			
Propionitrile	0.8606 0.9407	0.7510 0.8555	0.7869	0.9897	1.0915	Ave		0.896 5				13.3		20.0			
Methyl acrylate	0.3648 0.3897	0.3298 0.3981	0.3634	0.3594	0.4100	Ave		0.373 6				7.3		20.0			
Methacrylonitrile	0.1655 0.1822	0.1519 0.1667	0.1485	0.1914	0.1978	Ave		0.172 0				11.1		20.0			
Bromochloromethane	0.1188 0.1388	0.1244 0.1295	0.1197	0.1452	0.1418	Ave		0.131 2				8.2		20.0			
Tetrahydrofuran	0.8636 0.8108	0.7295 0.7200	0.6886	0.8602	0.8976	Ave		0.795 7				10.4		20.0			
Chloroform	1.9204 0.4403	0.7988 0.4044	0.4511	0.5239	0.4655	Lin1	1.495 0	0.408 8			0.2000				0.9970		0.9900
1,1,1-Trichloroethane	0.3606 0.4237	0.4027 0.4184	0.3694	0.4317	0.4147	Ave		0.403 0			0.1000	6.8		20.0			
Cyclohexane	0.3894 0.4677	0.4517 0.4702	0.4168	0.4684	0.4409	Ave		0.443 6			0.1000	6.9		20.0			
1,1-Dichloropropene	0.2559 0.3266	0.3140 0.3117	0.2848	0.3332	0.3171	Ave		0.306 2				8.8		20.0			
Carbon tetrachloride	0.2766 0.3495	0.3181 0.3500	0.2879	0.3443	0.3360	Ave		0.323 2			0.1000	9.3		20.0			
Isobutyl alcohol	+++++ 0.3360	0.2981 0.2867	0.2662	0.3659	0.4086	Ave		0.326 9				16.4		20.0			
Benzene	0.9235 1.0061	0.9576 0.9657	0.8809	1.0110	1.0043	Ave		0.964 2			0.5000	5.0		20.0			
1,2-Dichloroethane	0.3334 0.3648	0.3316 0.3379	0.3176	0.3735	0.3749	Ave		0.347 7			0.1000	6.6		20.0			
t-Amyl methyl ether	0.8794 0.9041	0.7752 0.8515	0.7473	0.9116	0.9488	Ave		0.859 7				8.6		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
n-Heptane	0.3964 0.3553	0.3463 0.3546	0.3403	0.3516	0.3339	Ave		0.354 1				5.7		20.0			
n-Butanol	0.2661 0.2601	0.1805 0.2288	0.1870	0.2729	0.3039	Ave		0.242 7				18.9		20.0			
Trichloroethene	0.2238 0.2639	0.2430 0.2586	0.2194	0.2645	0.2607	Ave		0.247 7			0.2000	7.8		20.0			
Ethyl acrylate	0.3887 0.4469	0.3727 0.4817	0.4129	0.4161	0.4413	Ave		0.422 9				8.8		20.0			
Methylcyclohexane	0.3705 0.4863	0.4418 0.4997	0.4205	0.4894	0.4612	Ave		0.452 8			0.1000	10.2		20.0			
1,2-Dichloropropane	0.2385 0.2708	0.2358 0.2671	0.2214	0.2690	0.2753	Ave		0.254 0			0.1000	8.5		20.0			
t-Amyl ethyl ether	0.4167 0.4358	0.3779 0.4376	0.3549	0.4431	0.4502	Ave		0.416 6				8.7		20.0			
Methyl methacrylate	0.2520 0.2942	0.2322 0.2780	0.2228	0.3020	0.3167	Ave		0.271 1				13.3		20.0			
1,4-Dioxane	++++ 0.0839	++++ 0.0728	0.0633	0.0929	0.0973	Ave		0.082 0			0.0050	17.1		20.0			
Dibromomethane	0.1586 0.1947	0.1614 0.1863	0.1621	0.1971	0.2013	Ave		0.180 2				10.4		20.0			
Bromodichloromethane	0.2962 0.3449	0.2856 0.3362	0.2738	0.3327	0.3507	Ave		0.317 1			0.2000	9.8		20.0			
2-Nitropropane	1.7382 1.5725	1.3394 1.3939	1.2799	1.6276	1.7855	Ave		1.533 9				13.0		20.0			
2-Chloroethyl vinyl ether	++++ 0.2043	0.1816 0.2038	0.1488	0.2100	0.2176	Ave		0.194 3				13.0		20.0			
cis-1,3-Dichloropropene	0.3641 0.4387	0.3498 0.4400	0.3399	0.4193	0.4452	Ave		0.399 6			0.2000	11.6		20.0			
4-Methyl-2-pentanone (MIBK)	0.5222 0.5437	0.4926 0.5064	0.4691	0.6387	0.5595	Ave		0.533 2			0.1000	10.4		20.0			
Toluene	0.8120 0.8723	0.7948 0.8166	0.7445	0.8751	0.8795	Ave		0.827 8			0.4000	6.1		20.0			
trans-1,3-Dichloropropene	0.4632 0.5425	0.4286 0.5104	0.4128	0.5289	0.5684	Ave		0.493 5			0.1000	12.0		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Ethyl methacrylate	0.6291 0.6634	0.5601 0.5833	0.5374	0.6937	0.7357	Ave		0.628 9				11.6		20.0			
1,1,2-Trichloroethane	0.3603 0.3503	0.2970 0.3185	0.2936	0.3631	0.3792	Ave		0.337 4			0.1000	10.1		20.0			
Tetrachloroethene	0.3161 0.3670	0.3619 0.3529	0.3241	0.3822	0.3718	Ave		0.353 7			0.2000	7.0		20.0			
1,3-Dichloropropane	0.5452 0.5671	0.4909 0.5277	0.4674	0.5792	0.5999	Ave		0.539 6				8.9		20.0			
2-Hexanone	0.5717 0.4995	0.5019 0.4485	0.4364	0.6186	0.5196	Ave		0.513 7			0.1000	12.6		20.0			
Dibromochloromethane	0.3194 0.3925	0.2904 0.3672	0.2881	0.3776	0.4098	Ave		0.349 3				14.2		20.0			
1,2-Dibromoethane (EDB)	0.3343 0.3834	0.3027 0.3529	0.3088	0.3945	0.4131	Ave		0.355 7			0.1000	12.1		20.0			
1-Chlorohexane	0.5203 0.4530	0.4476 0.4291	0.4088	0.4830	0.4610	Ave		0.457 6				7.9		20.0			
Chlorobenzene	0.9630 0.9921	0.8923 0.9268	0.8413	1.0151	1.0349	Ave		0.952 2			0.5000	7.3		20.0			
1,1,1,2-Tetrachloroethane	0.3368 0.4118	0.3358 0.3762	0.3231	0.4156	0.4382	Ave		0.376 8				12.2		20.0			
Ethylbenzene	1.7171 1.7624	1.6438 1.6365	1.5490	1.8366	1.8453	Ave		1.713 0			0.1000	6.4		20.0			
m&p-Xylene	0.6681 0.6955	0.6352 0.6478	0.6113	0.7287	0.7258	Ave		0.673 2			0.1000	6.7		20.0			
n-Butyl acrylate	0.7259 0.8158	0.7650 0.8290	0.8456	0.8138	0.8444	Ave		0.805 6				5.5		20.0			
o-Xylene	0.6710 0.7548	0.6665 0.6911	0.6445	0.7917	0.7931	Ave		0.716 1			0.3000	8.7		20.0			
Styrene	1.0955 1.1898	1.0639 1.0879	1.0032	1.2608	1.2756	Ave		1.139 5			0.3000	9.1		20.0			
Bromoform	0.2896 0.3312	0.2328 0.3051	0.2305	0.3194	0.3570	Ave		0.295 1			0.1000	16.3		20.0			
Isopropylbenzene	1.6977 1.8521	1.6347 1.6891	1.6070	1.9698	1.9505	Ave		1.771 6			0.1000	8.5		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Cyclohexanone	0.1113 0.4429	0.4114 0.4600	0.3939	0.4241	0.4362	Lin1	-16.6 3	0.462 8							1.0000		0.9900
1,1,2,2-Tetrachloroethane	1.1651 1.2195	0.9691 1.0646	0.9642	1.2907	1.3381	Ave		1.144 4			0.3000	13.1		20.0			
Bromobenzene	0.7250 0.8115	0.6790 0.7406	0.6730	0.8366	0.8523	Ave		0.759 7				9.7		20.0			
trans-1,4-Dichloro-2-butene	0.2713 0.3524	0.2378 0.3119	0.2639	0.3540	0.3865	Ave		0.311 1				17.8		20.0			
1,2,3-Trichloropropane	0.3663 0.3695	0.2976 0.3226	0.3081	0.3937	0.4090	Ave		0.352 4				12.3		20.0			
N-Propylbenzene	3.4069 3.7253	3.2324 3.3811	3.2072	3.8631	3.8328	Ave		3.521 2				8.0		20.0			
2-Chlorotoluene	0.7436 0.8011	0.6885 0.7531	0.6660	0.8222	0.8347	Ave		0.758 5				8.6		20.0			
1,3,5-Trimethylbenzene	2.4590 2.9895	2.4432 2.8074	2.4284	3.0496	3.0690	Ave		2.749 4				10.9		20.0			
4-Chlorotoluene	0.6587 0.7695	0.6605 0.7269	0.6550	0.8109	0.8147	Ave		0.728 0				9.8		20.0			
tert-Butylbenzene	0.4402 0.5786	0.4374 0.5617	0.4371	0.5561	0.5891	Ave		0.514 3				14.0		20.0			
1,2,4-Trimethylbenzene	2.7255 3.0757	2.5430 2.8380	2.5269	3.1638	3.1937	Ave		2.866 6				9.9		20.0			
sec-Butylbenzene	3.1146 3.8020	3.0764 3.4863	3.0462	3.8854	3.8875	Ave		3.471 2				11.3		20.0			
1,3-Dichlorobenzene	1.5809 1.5869	1.3603 1.4433	1.3633	1.6885	1.6885	Ave		1.530 3			0.6000	9.2		20.0			
p-Isopropyltoluene	2.8728 3.3892	2.7298 3.1113	2.7134	3.4380	3.4897	Ave		3.106 3				10.9		20.0			
1,4-Dichlorobenzene	1.6570 1.6133	1.4457 1.4740	1.4021	1.7352	1.7391	Ave		1.580 9			0.5000	8.8		20.0			
1,2,3-Trimethylbenzene	2.8990 3.3720	2.7173 3.0731	2.6569	3.4026	3.5027	Ave		3.089 1				11.1		20.0			
Benzyl chloride	2.2030 2.5645	1.8694 2.2827	1.9525	2.6265	2.7918	Ave		2.327 2				15.0		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
1,3-Diethylbenzene	1.6877 1.9893	1.6495 1.8713	1.6398	2.0473	2.0726	Ave		1.851 1				10.3		20.0			
1,4-Diethylbenzene	1.8282 2.0516	1.7158 1.9162	1.7613	2.1607	2.1567	Ave		1.941 5				9.5		20.0			
n-Butylbenzene	1.4682 1.6442	1.4124 1.5612	1.4188	1.6998	1.6993	Ave		1.557 7				8.1		20.0			
1,2-Dichlorobenzene	1.6996 1.7239	1.4853 1.5484	1.4668	1.8172	1.8557	Ave		1.656 7		0.4000		9.5		20.0			
1,2-Diethylbenzene	1.4943 1.6969	1.3156 1.6135	1.3753	1.7055	1.7563	Ave		1.565 3				11.0		20.0			
1,2-Dibromo-3-Chloropropane	0.3625 0.4039	0.2896 0.3579	0.3069	0.4182	0.4522	Ave		0.370 2		0.0500		15.9		20.0			
1,3,5-Trichlorobenzene	1.2921 1.4117	1.1554 1.3012	1.2246	1.4617	1.5009	Ave		1.335 4				9.5		20.0			
1,2,4-Trichlorobenzene	1.3590 1.4687	1.1995 1.2804	1.2505	1.5270	1.5598	Ave		1.377 8		0.2000		10.3		20.0			
2-Ethylhexyl acrylate	0.9964 1.3770	1.0131 1.3272	1.2649	1.2205	1.3580	Ave		1.222 4				12.9		20.0			
Hexachlorobutadiene	0.4338 0.5457	0.4103 0.5163	0.4711	0.5386	0.5587	Ave		0.496 4				11.8		20.0			
Naphthalene	5.4275 5.5419	4.5396 4.3393	4.7084	5.9931	6.1336	Ave		5.240 5				13.7		20.0			
1,2,3-Trichlorobenzene	1.4021 1.5050	1.2325 1.2643	1.2889	1.5839	1.6151	Ave		1.413 1				11.1		20.0			
2-Methylnaphthalene	2.8225 3.3241	2.3220 2.5585	2.7178	3.3676	3.6066	Ave		2.959 9				16.1		20.0			
Dibromofluoromethane (Surr)	0.2380 0.2358	0.2384 0.2300	0.2398	0.2433	0.2372	Ave		0.237 5				1.7		20.0			
1,2-Dichloroethane-d4 (Surr)	0.0598 0.0602	0.0602 0.0600	0.0602	0.0601	0.0618	Ave		0.060 3				1.1		20.0			
Toluene-d8 (Surr)	1.3120 1.3078	1.3128 1.2780	1.3089	1.3025	1.3011	Ave		1.303 3				0.9		20.0			
4-Bromofluorobenzene (Surr)	0.5139 0.5011	0.5258 0.5040	0.5137	0.5083	0.5108	Ave		0.511 1				1.6		20.0			

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

Analy Batch No.: 486676

SDG No.:

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-486676/12	YM25X11.D
Level 2	IC 410-486676/13	YM25X12.D
Level 3	IC 410-486676/14	YM25X21.D
Level 4	IC 410-486676/15	YM25X14.D
Level 5	ICIS 410-486676/16	YM25X15.D
Level 6	IC 410-486676/17	YM25X16.D
Level 7	IC 410-486676/18	YM25X17.D

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Dichlorodifluoromethane	FB	Ave	6541 862784	29507 2503782	85355	145195	381148	1.00 100	4.00 300	10.0	20.0	50.0
Chloromethane	FB	Ave	7752 880203	31861 2611469	84315	170569	394200	1.00 100	4.00 300	10.0	20.0	50.0
Vinyl chloride	FB	Ave	6417 832179	29771 2463627	80381	157918	373270	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Butadiene	FB	Ave	7158 771025	29845 2230749	81612	145333	340236	1.00 100	4.00 300	10.0	20.0	50.0
Bromomethane	FB	Ave	4797 550736	19864 1606598	54895	106113	251928	1.00 100	4.00 300	10.0	20.0	50.0
Chloroethane	FB	Ave	3203 384106	13961 1144414	38108	74340	171407	1.00 100	4.00 300	10.0	20.0	50.0
Dichlorofluoromethane	FB	Ave	11796 1101593	40296 3283126	109488	213115	497747	1.00 100	4.00 300	10.0	20.0	50.0
Trichlorofluoromethane	FB	Ave	6411 874630	30046 2568556	84243	154394	383161	1.00 100	4.00 300	10.0	20.0	50.0
n-Pentane	FB	Ave	6391 662538	24677 2016001	57953	130946	310463	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl ether	FB	Ave	3069 347591	12581 1052945	32051	65707	175011	1.00 100	4.00 300	10.0	20.0	50.0
Freon 123a	FB	Ave	5046 509932	20682 1565114	50711	99328	235510	1.00 100	4.00 300	10.0	20.0	50.0
Acrolein	TBA d1 0	Ave	16037 1720466	57352 4998187	148436	337249	809575	10.00 1000	40.0 3000	100.0	200	500
1,1-Dichloroethene	FB	Ave	2811 362735	13667 1113077	32202	71211	174769	1.00 100	4.00 300	10.0	20.0	50.0
Acetone	TBA d1 0	Ave	1558 182790	5604 549248	16193	37491	88100	2.00 200	8.00 600	20.0	40.0	100

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Freon 113	FB	Ave	3518 474655	17354 1418362	41109	93277	220569	1.00 100	4.00 300	10.0	20.0	50.0
2-Propanol	TBA d1 0	Ave	3661 368175	12433 947628	34123	96862	242805	5.00 500	20.0 1500	50.0	100	250
Methyl iodide	FB	Ave	6407 765467	28665 2331285	66987	151088	368044	1.00 100	4.00 300	10.0	20.0	50.0
Carbon disulfide	FB	Ave	12191 1399358	50130 4321827	119573	268759	649929	1.00 100	4.00 300	10.0	20.0	50.0
Methyl acetate	FB	Ave	4796 533374	18511 1538740	44711	108241	293946	1.00 100	4.00 300	10.0	20.0	50.0
Allyl chloride	FB	Ave	7219 586532	24387 1769142	51119	112735	288110	1.00 100	4.00 300	10.0	20.0	50.0
Methylene Chloride	FB	Ave	3842 435085	15891 1322464	37257	85521	212598	1.00 100	4.00 300	10.0	20.0	50.0
t-Butyl alcohol	TBA d1 0	Ave	9330 794109	25326 2067188	67401	184074	477646	5.00 500	20.0 1500	50.0	100	250
Acrylonitrile	FB	Ave	6564 741234	23949 2097462	60048	153396	393252	2.50 250	10.0 750	25.0	50.0	125
Methyl tert-butyl ether	FB	Ave	15801 1610177	57714 4559938	139685	327066	830689	1.00 100	4.00 300	10.0	20.0	50.0
trans-1,2-Dichloroethene	FB	Ave	2970 387251	14571 1134168	34293	76972	189436	1.00 100	4.00 300	10.0	20.0	50.0
n-Hexane	FB	Ave	4892 547702	19917 1611084	50103	110250	257557	1.00 100	4.00 300	10.0	20.0	50.0
1,1-Dichloroethane	FB	Ave	5920 684192	25692 2033428	59669	137834	348053	1.00 100	4.00 300	10.0	20.0	50.0
Isopropyl ether	FB	Ave	12942 1391542	48904 4055280	115409	274980	701696	1.00 100	4.00 300	10.0	20.0	50.0
2-Chloro-1,3-butadiene	FB	Ave	4977 609342	22542 1775756	53082	123026	302688	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl t-butyl ether	FB	Ave	14226 1491267	51036 4313124	122343	294814	763290	1.00 100	4.00 300	10.0	20.0	50.0
2-Butanone (MEK)	FB	Ave	12148 880646	32702 2607326	74335	189317	430824	2.00 200	8.00 600	20.0	40.0	100
cis-1,2-Dichloroethene	FB	Ave	4011 449668	16429 1313272	38584	89961	227100	1.00 100	4.00 300	10.0	20.0	50.0
2,2-Dichloropropane	FB	Ave	6073 740332	27441 2237861	62275	144677	356879	1.00 100	4.00 300	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Propionitrile	TBA01	Ave	6513 741822	21986 2130507	57589	154914	421146	5.00 500	20.0 1500	50.0	100	250
Methyl acrylate	FB	Ave	5948 657117	21432 2059283	59258	117766	343308	1.00 100	4.00 300	10.0	20.0	50.0
Methacrylonitrile	FB	Ave	6746 768251	24671 2155197	60542	156784	414060	2.50 250	10.0 750	25.0	50.0	125
Bromochloromethane	FB	Ave	1937 234049	8083 669563	19515	47564	118747	1.00 100	4.00 300	10.0	20.0	50.0
Tetrahydrofuran	TBA01	Ave	6536 639419	21356 1793161	50390	134649	346310	5.00 500	20.0 1500	50.0	100	250
Chloroform	FB	Lin1	31303 742420	51895 2091409	73541	171665	389727	1.00 100	4.00 300	10.0	20.0	50.0
1,1,1-Trichloroethane	FB	Ave	5878 714513	26163 2164000	60228	141431	347220	1.00 100	4.00 300	10.0	20.0	50.0
Cyclohexane	FB	Ave	6347 788674	29347 2431484	67943	153468	369100	1.00 100	4.00 300	10.0	20.0	50.0
1,1-Dichloropropene	FB	Ave	4171 550682	20399 1612046	46436	109166	265446	1.00 100	4.00 300	10.0	20.0	50.0
Carbon tetrachloride	FB	Ave	4509 589319	20668 1810017	46939	112818	281303	1.00 100	4.00 300	10.0	20.0	50.0
Isobutyl alcohol	TBA01	Ave	++++ 662445	21818 1785017	48694	143181	394118	++++ 1250	50.0 3750	125	250	625
Benzene	FB	Ave	15054 1696460	62209 4994480	143616	331243	840837	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dichloroethane	FB	Ave	5435 615152	21542 1747751	51778	122365	313895	1.00 100	4.00 300	10.0	20.0	50.0
t-Amyl methyl ether	FB	Ave	14334 1524424	50365 4403807	121836	298682	794360	1.00 100	4.00 300	10.0	20.0	50.0
n-Heptane	FB	Ave	6462 599162	22496 1834078	55479	115196	279512	1.00 100	4.00 300	10.0	20.0	50.0
n-Butanol	TBA01	Ave	5035 512728	13209 1424241	34213	106791	293150	12.5 1250	50.0 3750	125	250	625
Trichloroethene	FB	Ave	3648 445011	15788 1337457	35771	86662	218269	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl acrylate	FB	Ave	6335 753518	24208 2491166	67312	136305	369476	1.000 100.0	4.00 300	10.00	20.0	50.0
Methylcyclohexane	FB	Ave	6039	28700	68555	160362	386108	1.00	4.00	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.:

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
			820000	2584427				100	300			
1,2-Dichloropropane	FB	Ave	3887 456704	15320 1381361	36088	88132	230463	1.00 100	4.00 300	10.0	20.0	50.0
t-Amyl ethyl ether	FB	Ave	6792 734918	24548 2263368	57859	145164	376955	1.00 100	4.00 300	10.0	20.0	50.0
Methyl methacrylate	FB	Ave	4108 496057	15087 1437627	36331	98951	265148	1.00 100	4.00 300	10.0	20.0	50.0
1,4-Dioxane	TBA d10	Ave	++++ 165362	++++ 453011	11582	36356	93834	++++ 1250	++++ 3750	125	250	625
Dibromomethane	FB	Ave	2586 328300	10485 963611	26432	64586	168522	1.00 100	4.00 300	10.0	20.0	50.0
Bromodichloromethane	FB	Ave	4828 581530	18555 1738854	44633	108991	293578	1.00 100	4.00 300	10.0	20.0	50.0
2-Nitropropane	TBA d10	Ave	13155 1240101	39212 3471405	93664	254772	688931	5.00 500	20.0 1500	50.0	100	250
2-Chloroethyl vinyl ether	FB	Ave	++++ 344436	11800 1054000	24259	68797	182170	++++ 100	4.00 300	10.0	20.0	50.0
cis-1,3-Dichloropropene	FB	Ave	5935 739808	22727 2275508	55415	137374	372756	1.00 100	4.00 300	10.0	20.0	50.0
4-Methyl-2-pentanone (MIBK)	FB	Ave	17026 1833685	64011 5237375	152949	418515	936801	2.00 200	8.00 600	20.0	40.0	100
Toluene	CBZ d5	Ave	9812 1121258	38431 3377124	90610	217322	559462	1.00 100	4.00 300	10.0	20.0	50.0
trans-1,3-Dichloropropene	CBZ d5	Ave	5598 697349	20723 2110757	50233	131345	361531	1.00 100	4.00 300	10.0	20.0	50.0
Ethyl methacrylate	CBZ d5	Ave	7602 852723	27085 2412137	65407	172280	467932	1.00 100	4.00 300	10.0	20.0	50.0
1,1,2-Trichloroethane	CBZ d5	Ave	4354 450273	14362 1317366	35736	90188	241194	1.00 100	4.00 300	10.0	20.0	50.0
Tetrachloroethene	CBZ d5	Ave	3820 471702	17501 1459663	39443	94930	236489	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Dichloropropane	CBZ d5	Ave	6588 728945	23739 2182543	56881	143833	381557	1.00 100	4.00 300	10.0	20.0	50.0
2-Hexanone	CBZ d5	Ave	13817 1284247	48539 3709518	106223	307262	660986	2.00 200	8.00 600	20.0	40.0	100
Dibromochloromethane	CBZ d5	Ave	3860 504488	14040 1518578	35065	93779	260643	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dibromoethane (EDB)	CBZ d5	Ave	4040 492811	14639 1459381	37580	97967	262763	1.00 100	4.00 300	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.:

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
1-Chlorohexane	CBZd5	Ave	6288 582274	21644 1774777	49749	119956	293252	1.00 100	4.00 300	10.0	20.0	50.0
Chlorobenzene	CBZd5	Ave	11637 1275223	43147 3832792	102386	252101	658298	1.00 100	4.00 300	10.0	20.0	50.0
1,1,1,2-Tetrachloroethane	CBZd5	Ave	4070 529292	16239 1555648	39326	103207	278704	1.00 100	4.00 300	10.0	20.0	50.0
Ethylbenzene	CBZd5	Ave	20750 2265443	79484 6767855	188519	456113	1173783	1.00 100	4.00 300	10.0	20.0	50.0
m&p-Xylene	CBZd5	Ave	16148 1787973	61428 5358270	148803	361936	923347	2.00 200	8.00 600	20.0	40.0	100
n-Butyl acrylate	CBZd5	Ave	8776 1049098	37009 3430124	102956	202189	537368	1.00 100	4.00 300	10.0	20.0	50.0
o-Xylene	CBZd5	Ave	8109 970262	32228 2857952	78436	196626	504494	1.00 100	4.00 300	10.0	20.0	50.0
Styrene	CBZd5	Ave	13238 1529439	51445 4499058	122095	313121	811379	1.00 100	4.00 300	10.0	20.0	50.0
Bromoform	CBZd5	Ave	3500 425719	11259 1261668	28049	79335	227066	1.00 100	4.00 300	10.0	20.0	50.0
Isopropylbenzene	CBZd5	Ave	20516 2380757	79043 6985322	195575	489194	1240666	1.00 100	4.00 300	10.0	20.0	50.0
Cyclohexanone	TBA d1 0	Lin1	8420 873243	120441 2863932	144138	331926	420783	50.0 1250	200 3750	250	500	625
1,1,2,2-Tetrachloroethane	DCBd4	Ave	8862 925406	29633 2591513	71987	195899	512261	1.00 100	4.00 300	10.0	20.0	50.0
Bromobenzene	DCBd4	Ave	5515 615848	20762 1802955	50248	126987	326298	1.00 100	4.00 300	10.0	20.0	50.0
trans-1,4-Dichloro-2-butene	DCBd4	Ave	5159 668550	18176 1898245	49262	134317	369897	2.50 250	10.0 750	25.0	50.0	125
1,2,3-Trichloropropane	DCBd4	Ave	2786 280372	9100 785308	23003	59757	156592	1.00 100	4.00 300	10.0	20.0	50.0
N-Propylbenzene	DCBd4	Ave	25914 2826935	98843 8230632	239455	586355	1467316	1.00 100	4.00 300	10.0	20.0	50.0
2-Chlorotoluene	DCBd4	Ave	5656 607927	21055 1833390	49723	124799	319534	1.00 100	4.00 300	10.0	20.0	50.0
1,3,5-Trimethylbenzene	DCBd4	Ave	18704 2268605	74711 6834012	181309	462873	1174928	1.00 100	4.00 300	10.0	20.0	50.0
4-Chlorotoluene	DCBd4	Ave	5010 583936	20196 1769490	48901	123081	311913	1.00 100	4.00 300	10.0	20.0	50.0
tert-Butylbenzene	DCBd4	Ave	3348	13374	32631	84401	225520	1.00	4.00	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
			439038	1367250				100	300			
1,2,4-Trimethylbenzene	DCBd4	Ave	20731 2333990	77761 6908525	188664	480214	1222668	1.00 100	4.00 300	10.0	20.0	50.0
sec-Butylbenzene	DCBd4	Ave	23691 2885172	94074 8486856	227431	589744	1488256	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Dichlorobenzene	DCBd4	Ave	12025 1204247	41597 3513559	101783	256284	646420	1.00 100	4.00 300	10.0	20.0	50.0
p-Isopropyltoluene	DCBd4	Ave	21852 2571927	83474 7573984	202586	521827	1335991	1.00 100	4.00 300	10.0	20.0	50.0
1,4-Dichlorobenzene	DCBd4	Ave	12604 1224297	44208 3588298	104684	263368	665776	1.00 100	4.00 300	10.0	20.0	50.0
1,2,3-Trimethylbenzene	DCBd4	Ave	22051 2558885	83093 7480874	198364	516455	1340956	1.00 100	4.00 300	10.0	20.0	50.0
Benzyl chloride	DCBd4	Ave	16757 1946122	57165 5556896	145774	398661	1068814	1.00 100	4.00 300	10.0	20.0	50.0
1,3-Diethylbenzene	DCBd4	Ave	12837 1509566	50439 4555363	122426	310752	793475	1.00 100	4.00 300	10.0	20.0	50.0
1,4-Diethylbenzene	DCBd4	Ave	13906 1556857	52466 4664619	131501	327951	825649	1.00 100	4.00 300	10.0	20.0	50.0
n-Butylbenzene	DCBd4	Ave	11168 1247694	43190 3800396	105928	258005	650560	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dichlorobenzene	DCBd4	Ave	12928 1308219	45419 3769327	109512	275815	710443	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Diethylbenzene	DCBd4	Ave	11366 1287671	40231 3927688	102684	258869	672358	1.00 100	4.00 300	10.0	20.0	50.0
1,2-Dibromo-3-Chloropropane	DCBd4	Ave	2757 306492	8855 871295	22914	63483	173129	1.00 100	4.00 300	10.0	20.0	50.0
1,3,5-Trichlorobenzene	DCBd4	Ave	9828 1071312	35331 3167517	91429	221868	574584	1.00 100	4.00 300	10.0	20.0	50.0
1,2,4-Trichlorobenzene	DCBd4	Ave	10337 1114540	36680 3116823	93364	231766	597150	1.00 100	4.00 300	10.0	20.0	50.0
2-Ethylhexyl acrylate	DCBd4	Ave	7577 1044622	30969 3229924	94413	185199	519725	1.000 100.0	4.00 300	10.00	20.0	50.0
Hexachlorobutadiene	DCBd4	Ave	3300 414145	12548 1256933	35175	81746	213897	1.00 100	4.00 300	10.0	20.0	50.0
Naphthalene	DCBd4	Ave	41284 4205472	138815 10563338	351535	909659	2348158	1.00 100	4.00 300	10.0	20.0	50.0
1,2,3-Trichlorobenzene	DCBd4	Ave	10665 1142089	37690 3077660	96228	240414	618325	1.00 100	4.00 300	10.0	20.0	50.0
2-Methylnaphthalene	DCBd4	Ave	21469	71003	202916	511150	1380718	1.00	4.00	10.0	20.0	50.0

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/L)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
			2522506	6228073				100	300			
Dibromofluoromethane (Surr)	FB	Ave	194013 198761	193591 198281	195451	199257	198615	50.0 50.0	50.0 50.0	50.0	50.0	50.0
1,2-Dichloroethane-d4 (Surr)	FB	Ave	48737 50753	48918 51677	49053	49220	51731	50.0 50.0	50.0 50.0	50.0	50.0	50.0
Toluene-d8 (Surr)	CBZd5	Ave	792749 840555	793488 880865	796478	808694	827594	50.0 50.0	50.0 50.0	50.0	50.0	50.0
4-Bromofluorobenzene (Surr)	CBZd5	Ave	310529 322090	317786 347390	312615	315577	324900	50.0 50.0	50.0 50.0	50.0	50.0	50.0

Curve Type Legend:

Ave = Average ISTD
Lin1 = Linear 1/conc ISTD

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 410-486676/12	YM25X11.D
Level 2	IC 410-486676/13	YM25X12.D
Level 3	IC 410-486676/14	YM25X21.D
Level 4	IC 410-486676/15	YM25X14.D
Level 5	ICIS 410-486676/16	YM25X15.D
Level 6	IC 410-486676/17	YM25X16.D
Level 7	IC 410-486676/18	YM25X17.D

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Dichlorodifluoromethane	-14.2 3.5	-2.9	12.0	-5.2	-2.6	9.4	50 30	30	30	30	30	30
Chloromethane	-4.9 0.9	-2.0	3.4	4.1	-5.9	4.4	50 30	30	30	30	30	30
Vinyl chloride	-15.0 2.8	-1.1	6.4	4.0	-3.8	6.5	50 30	30	30	30	30	30
1,3-Butadiene	-2.0 -3.8	2.5	11.7	-1.0	-9.3	2.0	50 30	30	30	30	30	30
Bromomethane	-6.3 -1.1	-2.7	7.2	3.1	-4.2	4.0	50 30	30	30	30	30	30
Chloroethane	-9.9 1.5	-1.4	7.2	4.1	-6.1	4.5	50 30	30	30	30	30	30
Dichlorofluoromethane	11.4 -2.3	-4.5	3.4	0.1	-8.5	0.5	50 30	30	30	30	30	30
Trichlorofluoromethane	-17.0 4.8	-2.4	9.1	-0.5	-3.4	9.5	50 30	30	30	30	30	30
n-Pentane	2.4 1.8	-0.8	-7.2	4.4	-3.2	2.6	50 30	30	30	30	30	30
Ethyl ether	-5.7 2.0	-3.0	-1.6	0.4	4.7	3.2	50 30	30	30	30	30	30
Freon 123a	1.8 -0.5	4.7	2.3	-0.3	-7.5	-0.5	50 30	30	30	30	30	30
Acrolein	2.0 -3.4	-5.7	-2.4	3.7	1.0	5.0	50 30	30	30	30	30	30
1,1-Dichloroethene	-16.0 4.9	2.5	-3.8	5.9	1.7	4.8	50 30	30	30	30	30	30
Acetone	-6.4 0.3	-12.9	0.7	9.0	3.9	5.4	50 30	30	30	30	30	30
Freon 113	-17.8 4.4	1.7	-4.0	8.4	0.3	7.1	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
2-Propanol	-2.4 -23.2	-14.3	-5.9	24.8	26.9	-5.8	50 30	30	30	30	30	30
Methyl iodide	-9.8 3.4	1.2	-5.7	5.8	0.9	4.2	50 30	30	30	30	30	30
Carbon disulfide	-5.1 6.1	-2.1	-6.9	4.1	-1.5	5.3	50 30	30	30	30	30	30
Methyl acetate	-4.1 -3.1	-7.2	-10.7	7.6	14.4	3.0	50 30	30	30	30	30	30
Allyl chloride	23.5 -4.6	4.7	-12.6	-4.0	-4.0	-3.0	50 30	30	30	30	30	30
Methylene Chloride	-5.0 3.0	-1.5	-7.9	5.2	2.3	4.0	50 30	30	30	30	30	30
t-Butyl alcohol	18.7 -20.1	-16.7	-11.3	13.2	19.2	-3.0	50 30	30	30	30	30	30
Acrylonitrile	-3.6 -2.9	-11.7	-11.8	12.1	12.5	5.3	50 30	30	30	30	30	30
Methyl tert-butyl ether	3.7 -5.6	-4.9	-8.3	6.8	6.2	2.2	50 30	30	30	30	30	30
trans-1,2-Dichloroethene	-16.5 0.5	2.8	-3.6	7.7	3.7	5.3	50 30	30	30	30	30	30
n-Hexane	-4.3 -0.6	-2.2	-2.0	7.3	-1.9	3.6	50 30	30	30	30	30	30
1,1-Dichloroethane	-7.9 -0.3	0.3	-7.2	6.7	5.4	2.9	50 30	30	30	30	30	30
Isopropyl ether	0.3 -0.9	-4.9	-10.6	6.0	5.9	4.2	50 30	30	30	30	30	30
2-Chloro-1,3-butadiene	-11.7 -0.7	0.4	-5.8	8.6	4.6	4.5	50 30	30	30	30	30	30
Ethyl t-butyl ether	2.9 -1.7	-7.4	-11.5	6.1	7.5	4.2	50 30	30	30	30	30	30
2-Butanone (MEK)	36.4 -7.7	-7.8	-16.5	5.8	-5.8	-4.4	50 30	30	30	30	30	30
cis-1,2-Dichloroethene	-4.4 -1.4	-1.8	-8.1	6.7	5.4	3.6	50 30	30	30	30	30	30
2,2-Dichloropropane	-10.6 3.9	1.4	-8.3	6.0	2.3	5.4	50 30	30	30	30	30	30
Propionitrile	-4.0 -4.6	-16.2	-12.2	10.4	21.7	4.9	50 30	30	30	30	30	30
Methyl acrylate	-2.3 6.6	-11.7	-2.7	-3.8	9.7	4.3	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Methacrylonitrile	-3.8 -3.1	-11.7	-13.6	11.3	15.0	5.9	50 30	30	30	30	30	30
Bromochloromethane	-9.4 -1.3	-5.2	-8.7	10.7	8.1	5.8	50 30	30	30	30	30	30
Tetrahydrofuran	8.5 -9.5	-8.3	-13.5	8.1	12.8	1.9	50 30	30	30	30	30	30
Chloroform	4.1 -2.3	4.0	-26.2	9.9	6.6	4.0	50 30	30	30	30	30	30
1,1,1-Trichloroethane	-10.5 3.8	-0.1	-8.3	7.1	2.9	5.1	50 30	30	30	30	30	30
Cyclohexane	-12.2 6.0	1.8	-6.0	5.6	-0.6	5.4	50 30	30	30	30	30	30
1,1-Dichloropropene	-16.4 1.8	2.6	-7.0	8.8	3.6	6.7	50 30	30	30	30	30	30
Carbon tetrachloride	-14.4 8.3	-1.6	-10.9	6.5	4.0	8.1	50 30	30	30	30	30	30
Isobutyl alcohol	++++ -12.3	-8.8	-18.6	11.9	25.0	2.8	30	50	30	30	30	30
Benzene	-4.2 0.2	-0.7	-8.6	4.9	4.2	4.3	50 30	30	30	30	30	30
1,2-Dichloroethane	-4.1 -2.8	-4.6	-8.7	7.4	7.8	4.9	50 30	30	30	30	30	30
t-Amyl methyl ether	2.3 -1.0	-9.8	-13.1	6.0	10.4	5.2	50 30	30	30	30	30	30
n-Heptane	12.0 0.2	-2.2	-3.9	-0.7	-5.7	0.4	50 30	30	30	30	30	30
n-Butanol	9.6 -5.8	-25.7	-23.0	12.4	25.2	7.1	50 30	30	30	30	30	30
Trichloroethene	-9.7 4.4	-1.9	-11.4	6.8	5.2	6.5	50 30	30	30	30	30	30
Ethyl acrylate	-8.1 13.9	-11.9	-2.4	-1.6	4.4	5.7	50 30	30	30	30	30	30
Methylcyclohexane	-18.2 10.4	-2.4	-7.1	8.1	1.9	7.4	50 30	30	30	30	30	30
1,2-Dichloropropane	-6.1 5.2	-7.2	-12.8	5.9	8.4	6.6	50 30	30	30	30	30	30
t-Amyl ethyl ether	0.0 5.1	-9.3	-14.8	6.4	8.1	4.6	50 30	30	30	30	30	30
Methyl methacrylate	-7.1 2.5	-14.4	-17.8	11.4	16.8	8.5	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.:

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
1,4-Dioxane	++++ -11.3	++++	-22.8	13.3	18.6	2.3	30		50	30	30	30
Dibromomethane	-12.0 3.4	-10.5	-10.0	9.4	11.7	8.0	50 30	30	30	30	30	30
Bromodichloromethane	-6.6 6.0	-9.9	-13.7	4.9	10.6	8.7	50 30	30	30	30	30	30
2-Nitropropane	13.3 -9.1	-12.7	-16.6	6.1	16.4	2.5	50 30	30	30	30	30	30
2-Chloroethyl vinyl ether	++++ 4.9	-6.5	-23.4	8.0	12.0	5.1	30	50	30	30	30	30
cis-1,3-Dichloropropene	-8.9 10.1	-12.5	-14.9	4.9	11.4	9.8	50 30	30	30	30	30	30
4-Methyl-2-pentanone (MIBK)	-2.0 -5.0	-7.6	-12.0	19.8	4.9	2.0	50 30	30	30	30	30	30
Toluene	-1.9 -1.4	-4.0	-10.1	5.7	6.2	5.4	50 30	30	30	30	30	30
trans-1,3-Dichloropropene	-6.1 3.4	-13.2	-16.4	7.2	15.2	9.9	50 30	30	30	30	30	30
Ethyl methacrylate	0.0 -7.3	-10.9	-14.5	10.3	17.0	5.5	50 30	30	30	30	30	30
1,1,2-Trichloroethane	6.8 -5.6	-12.0	-13.0	7.6	12.4	3.8	50 30	30	30	30	30	30
Tetrachloroethene	-10.6 -0.2	2.3	-8.4	8.1	5.1	3.7	50 30	30	30	30	30	30
1,3-Dichloropropane	1.0 -2.2	-9.0	-13.4	7.3	11.2	5.1	50 30	30	30	30	30	30
2-Hexanone	11.3 -12.7	-2.3	-15.1	20.4	1.1	-2.8	50 30	30	30	30	30	30
Dibromochloromethane	-8.5 5.1	-16.9	-17.5	8.1	17.3	12.4	50 30	30	30	30	30	30
1,2-Dibromoethane (EDB)	-6.0 -0.8	-14.9	-13.2	10.9	16.1	7.8	50 30	30	30	30	30	30
1-Chlorohexane	13.7 -6.2	-2.2	-10.7	5.6	0.8	-1.0	50 30	30	30	30	30	30
Chlorobenzene	1.1 -2.7	-6.3	-11.6	6.6	8.7	4.2	50 30	30	30	30	30	30
1,1,1,2-Tetrachloroethane	-10.6 -0.2	-10.9	-14.2	10.3	16.3	9.3	50 30	30	30	30	30	30
Ethylbenzene	0.2 -4.5	-4.0	-9.6	7.2	7.7	2.9	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.:

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
m&p-Xylene	-0.8 -3.8	-5.6	-9.2	8.2	7.8	3.3	50 30	30	30	30	30	30
n-Butyl acrylate	-9.9 2.9	-5.0	5.0	1.0	4.8	1.3	50 30	30	30	30	30	30
o-Xylene	-6.3 -3.5	-6.9	-10.0	10.6	10.8	5.4	50 30	30	30	30	30	30
Styrene	-3.9 -4.5	-6.6	-12.0	10.6	11.9	4.4	50 30	30	30	30	30	30
Bromoform	-1.9 3.4	-21.1	-21.9	8.3	21.0	12.2	50 30	30	30	30	30	30
Isopropylbenzene	-4.2 -4.7	-7.7	-9.3	11.2	10.1	4.5	50 30	30	30	30	30	30
Cyclohexanone	-4.1 0.4	6.9	-0.5	-1.2	0.0	-1.4	50 30	30	30	30	30	30
1,1,2,2-Tetrachloroethane	1.8 -7.0	-15.3	-15.8	12.8	16.9	6.6	50 30	30	30	30	30	30
Bromobenzene	-4.6 -2.5	-10.6	-11.4	10.1	12.2	6.8	50 30	30	30	30	30	30
trans-1,4-Dichloro-2-butene	-12.8 0.3	-23.6	-15.2	13.8	24.2	13.3	50 30	30	30	30	30	30
1,2,3-Trichloropropane	3.9 -8.5	-15.6	-12.6	11.7	16.1	4.8	50 30	30	30	30	30	30
N-Propylbenzene	-3.2 -4.0	-8.2	-8.9	9.7	8.8	5.8	50 30	30	30	30	30	30
2-Chlorotoluene	-2.0 -0.7	-9.2	-12.2	8.4	10.0	5.6	50 30	30	30	30	30	30
1,3,5-Trimethylbenzene	-10.6 2.1	-11.1	-11.7	10.9	11.6	8.7	50 30	30	30	30	30	30
4-Chlorotoluene	-9.5 -0.2	-9.3	-10.0	11.4	11.9	5.7	50 30	30	30	30	30	30
tert-Butylbenzene	-14.4 9.2	-15.0	-15.0	8.1	14.5	12.5	50 30	30	30	30	30	30
1,2,4-Trimethylbenzene	-4.9 -1.0	-11.3	-11.9	10.4	11.4	7.3	50 30	30	30	30	30	30
sec-Butylbenzene	-10.3 0.4	-11.4	-12.2	11.9	12.0	9.5	50 30	30	30	30	30	30
1,3-Dichlorobenzene	3.3 -5.7	-11.1	-10.9	10.3	10.3	3.7	50 30	30	30	30	30	30
p-Isopropyltoluene	-7.5 0.2	-12.1	-12.6	10.7	12.3	9.1	50 30	30	30	30	30	30

FORM VI
GC/MS VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1 Analy Batch No.: 486676
Environment Testing, LLC

SDG No.: _____

Instrument ID: 9355 GC Column: R-624SilMS 3 ID: 0.25 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/25/2024 16:50 Calibration End Date: 03/25/2024 20:33 Calibration ID: 59886

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
1,4-Dichlorobenzene	4.8 -6.8	-8.6	-11.3	9.8	10.0	2.1	50 30	30	30	30	30	30
1,2,3-Trimethylbenzene	-6.2 -0.5	-12.0	-14.0	10.1	13.4	9.2	50 30	30	30	30	30	30
Benzyl chloride	-5.3 -1.9	-19.7	-16.1	12.9	20.0	10.2	50 30	30	30	30	30	30
1,3-Diethylbenzene	-8.8 1.1	-10.9	-11.4	10.6	12.0	7.5	50 30	30	30	30	30	30
1,4-Diethylbenzene	-5.8 -1.3	-11.6	-9.3	11.3	11.1	5.7	50 30	30	30	30	30	30
n-Butylbenzene	-5.7 0.2	-9.3	-8.9	9.1	9.1	5.6	50 30	30	30	30	30	30
1,2-Dichlorobenzene	2.6 -6.5	-10.3	-11.5	9.7	12.0	4.1	50 30	30	30	30	30	30
1,2-Diethylbenzene	-4.5 3.1	-16.0	-12.1	9.0	12.2	8.4	50 30	30	30	30	30	30
1,2-Dibromo-3-Chloropropane	-2.1 -3.3	-21.8	-17.1	13.0	22.2	9.1	50 30	30	30	30	30	30
1,3,5-Trichlorobenzene	-3.2 -2.6	-13.5	-8.3	9.5	12.4	5.7	50 30	30	30	30	30	30
1,2,4-Trichlorobenzene	-1.4 -7.1	-12.9	-9.2	10.8	13.2	6.6	50 30	30	30	30	30	30
2-Ethylhexyl acrylate	-18.5 8.6	-17.1	3.5	-0.2	11.1	12.6	50 30	30	30	30	30	30
Hexachlorobutadiene	-12.6 4.0	-17.3	-5.1	8.5	12.6	9.9	50 30	30	30	30	30	30
Naphthalene	3.6 -17.2	-13.4	-10.2	14.4	17.0	5.8	50 30	30	30	30	30	30
1,2,3-Trichlorobenzene	-0.8 -10.5	-12.8	-8.8	12.1	14.3	6.5	50 30	30	30	30	30	30
2-Methylnaphthalene	-4.6 -13.6	-21.6	-8.2	13.8	21.8	12.3	50 30	30	30	30	30	30
Dibromofluoromethane (Surr)	0.2 -3.1	0.4	1.0	2.4	-0.1	-0.7	50 30	30	30	30	30	30
1,2-Dichloroethane-d4 (Surr)	-0.9 -0.6	-0.1	-0.2	-0.4	2.4	-0.2	50 30	30	30	30	30	30
Toluene-d8 (Surr)	0.7 -1.9	0.7	0.4	-0.1	-0.2	0.3	50 30	30	30	30	30	30
4-Bromofluorobenzene (Surr)	0.6 -1.4	2.9	0.5	-0.6	-0.1	-1.9	50 30	30	30	30	30	30

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
 Lims ID: IC v1
 Client ID:
 Sample Type: IC Calib Level: 1
 Inject. Date: 25-Mar-2024 16:50:30 ALS Bottle#: 11 Worklist Smp#: 12
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-012
 Misc. Info.: IC 1
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub95
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:24:58 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:48:15

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.852	1.852	0.000	90	6541	1.00	0.8581	
4 Chloromethane	50	2.031	2.038	-0.007	94	7752	1.00	0.9507	
6 Vinyl chloride	62	2.145	2.138	0.007	90	6417	1.00	0.8498	
5 Butadiene	39	2.145	2.145	0.000	92	7158	1.00	0.9797	
8 Bromomethane	94	2.452	2.460	-0.008	94	4797	1.00	0.9369	
9 Chloroethane	64	2.524	2.531	-0.007	1	3203	1.00	0.9014	
10 Dichlorofluoromethane	67	2.753	2.753	0.000	95	11796	1.00	1.11	M
11 Trichlorofluoromethane	101	2.824	2.831	-0.007	59	6411	1.00	0.8301	
12 Pentane	43	2.839	2.846	-0.007	96	6391	1.00	1.02	
14 Ethyl ether	59	3.046	3.046	0.000	85	3069	1.00	0.9430	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.125	3.125	0.000	75	5046	1.00	1.02	
16 Acrolein	56	3.196	3.189	0.007	98	16037	10.0	10.2	
17 1,1-Dichloroethene	96	3.339	3.339	0.000	94	2811	1.00	0.8402	
18 Acetone	58	3.353	3.346	0.007	91	1558	2.00	1.87	a
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.375	3.382	-0.007	85	3518	1.00	0.8215	
20 Isopropyl alcohol	45	3.496	3.496	0.000	26	3661	5.00	4.88	
21 Iodomethane	142	3.525	3.525	0.000	98	6407	1.00	0.9019	
22 Carbon disulfide	76	3.639	3.639	0.000	99	12191	1.00	0.9492	M
24 Methyl acetate	43	3.761	3.747	0.014	44	4796	1.00	0.9585	
25 3-Chloro-1-propene	41	3.782	3.782	0.000	89	7219	1.00	1.24	M
* 26 t-Butyl alcohol-d10 (IS)	65	3.947	3.954	-0.007	82	378418	250.0	250.0	M
27 Methylene Chloride	84	3.961	3.954	0.007	83	3842	1.00	0.9496	
28 2-Methyl-2-propanol	59	4.090	4.068	0.022	91	9330	5.00	5.94	
29 Acrylonitrile	53	4.269	4.247	0.022	94	6564	2.50	2.41	
30 Methyl tert-butyl ether	73	4.347	4.347	0.000	96	15801	1.00	1.04	
31 trans-1,2-Dichloroethene	96	4.362	4.362	0.000	69	2970	1.00	0.8352	
33 Hexane	57	4.805	4.791	0.014	90	4892	1.00	0.9573	
34 1,1-Dichloroethane	63	5.019	5.019	0.000	87	5920	1.00	0.9211	
36 Isopropyl ether	45	5.091	5.077	0.014	87	12942	1.00	1.00	
37 2-Chloro-1,3-butadiene	53	5.148	5.134	0.014	93	4977	1.00	0.8833	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.627	5.634	-0.007	97	14226	1.00	1.03	
40 2-Butanone (MEK)	43	5.856	5.820	0.036	52	12148	2.00	2.73	M
41 cis-1,2-Dichloroethene	96	5.870	5.856	0.014	77	4011	1.00	0.9558	
42 2,2-Dichloropropane	77	5.877	5.892	-0.015	67	6073	1.00	0.8942	
43 Propionitrile	54	5.928	5.892	0.036	91	6513	5.00	4.80	
45 Methyl acrylate	55	6.013	5.970	0.043	92	5948	1.00	0.9767	
46 Methacrylonitrile	67	6.128	6.121	0.007	88	6746	2.50	2.41	
S 47 1,2-Dichloroethene, Total	100				0			1.79	
48 Chlorobromomethane	128	6.206	6.199	0.007	93	1937	1.00	0.9059	
49 Tetrahydrofuran	71	6.235	6.221	0.014	89	6536	5.00	5.43	
51 Chloroform	83	6.357	6.349	0.008	93	31303	1.00	1.04	
\$ 52 Dibromofluoromethane (Surr)	113	6.571	6.578	-0.007	93	194013	50.0	50.1	
53 1,1,1-Trichloroethane	97	6.592	6.592	0.000	36	5878	1.00	0.8947	
54 Cyclohexane	56	6.707	6.707	0.000	80	6347	1.00	0.8778	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	91	4171	1.00	0.8357	
56 Carbon tetrachloride	117	6.828	6.814	0.014	92	4509	1.00	0.8558	
57 Isobutyl alcohol	41	6.950	6.943	0.007	89	9648	12.5	19.5	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.036	7.036	0.000	84	48737	50.0	49.6	
59 Benzene	78	7.072	7.072	0.000	91	15054	1.00	0.9578	
60 1,2-Dichloroethane	62	7.143	7.143	0.000	81	5435	1.00	0.9590	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	97	14334	1.00	1.02	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	815032	50.0	50.0	
64 n-Heptane	43	7.508	7.508	0.000	50	6462	1.00	1.12	
66 n-Butanol	56	7.865	7.837	0.028	76	5035	12.5	13.7	M
67 Trichloroethene	95	7.980	7.980	0.000	94	3648	1.00	0.9035	
68 Ethyl acrylate	55	8.115	8.087	0.028	94	6335	1.00	0.9190	
69 Methylcyclohexane	83	8.287	8.301	-0.014	89	6039	1.00	0.8182	
70 1,2-Dichloropropane	63	8.309	8.309	0.000	67	3887	1.00	0.9389	
71 2-ethoxy-2-methyl butane	87	8.330	8.323	0.007	93	6792	1.00	1.00	
72 Methyl methacrylate	69	8.401	8.387	0.014	85	4108	1.00	0.9295	
73 1,4-Dioxane	88	8.416	8.402	0.014	0	249	12.5	2.01	M
74 Dibromomethane	93	8.430	8.423	0.007	94	2586	1.00	0.8802	
76 Dichlorobromomethane	83	8.659	8.659	0.000	95	4828	1.00	0.9339	
77 2-Nitropropane	41	8.909	8.902	0.007	98	13155	5.00	5.67	
78 2-Chloroethyl vinyl ether	63	9.038	9.024	0.014	79	2436	1.00	0.7690	
79 cis-1,3-Dichloropropene	75	9.231	9.224	0.007	92	5935	1.00	0.9112	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	17026	2.00	1.96	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	93	792749	50.0	50.3	
82 Toluene	92	9.624	9.624	0.000	98	9812	1.00	0.9808	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	91	5598	1.00	0.9386	
84 Ethyl methacrylate	69	9.960	9.953	0.007	86	7602	1.00	1.00	
S 125 1,3-Dichloropropene, Total	100				0			1.85	
126 1,1,2-Trichloroethane	97	10.103	10.096	0.007	86	4354	1.00	1.07	
127 Tetrachloroethene	166	10.196	10.196	0.000	95	3820	1.00	0.8937	
128 1,3-Dichloropropane	76	10.268	10.261	0.007	90	6588	1.00	1.01	
129 2-Hexanone	43	10.325	10.311	0.014	96	13817	2.00	2.23	M
132 Chlorodibromomethane	129	10.489	10.489	0.000	88	3860	1.00	0.9145	
133 Ethylene Dibromide	107	10.611	10.604	0.007	93	4040	1.00	0.9400	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	604218	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	92	6288	1.00	1.14	
136 Chlorobenzene	112	11.069	11.069	0.000	95	11637	1.00	1.01	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	87	4070	1.00	0.8939	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
138 Ethylbenzene	91	11.161	11.154	0.007	99	20750	1.00	1.00	
S 139 Xylenes, Total	106				0			2.92	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	16148	2.00	1.98	
141 n-Butyl acrylate	55	11.569	11.555	0.014	96	8776	1.00	0.9014	
142 o-Xylene	106	11.605	11.605	0.000	97	8109	1.00	0.9371	
143 Styrene	104	11.626	11.626	0.000	95	13238	1.00	0.9613	
144 Bromoform	173	11.784	11.784	0.000	94	3500	1.00	0.9815	
145 Isopropylbenzene	105	11.912	11.912	0.000	95	20516	1.00	0.9583	
147 Cyclohexanone	55	11.984	11.977	0.007	90	8420	50.0	47.9	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.062	12.062	0.000	91	310529	50.0	50.3	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	96	8862	1.00	1.02	
150 Bromobenzene	156	12.177	12.177	0.000	95	5515	1.00	0.9543	
151 trans-1,4-Dichloro-2-butene	53	12.184	12.177	0.007	88	5159	2.50	2.18	
152 1,2,3-Trichloropropane	110	12.205	12.198	0.007	82	2786	1.00	1.04	
153 N-Propylbenzene	91	12.248	12.248	0.000	98	25914	1.00	0.9675	
154 2-Chlorotoluene	126	12.320	12.320	0.000	97	5656	1.00	0.9804	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	94	18704	1.00	0.8944	
156 4-Chlorotoluene	126	12.420	12.413	0.007	96	5010	1.00	0.9047	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	3348	1.00	0.8559	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	97	20731	1.00	0.9507	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	23691	1.00	0.8973	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	97	12025	1.00	1.03	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	96	21852	1.00	0.9248	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	380321	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.970	12.963	0.007	96	12604	1.00	1.05	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	94	22051	1.00	0.9385	
167 Benzyl chloride	91	13.042	13.035	0.007	98	16757	1.00	0.9466	
168 1,3-Diethylbenzene	119	13.106	13.099	0.007	93	12837	1.00	0.9117	
169 p-Diethylbenzene	119	13.178	13.178	0.000	95	13906	1.00	0.9416	
170 n-Butylbenzene	92	13.199	13.192	0.007	97	11168	1.00	0.9426	
171 1,2-Dichlorobenzene	146	13.228	13.221	0.007	97	12928	1.00	1.03	
172 o-diethylbenzene	119	13.249	13.249	0.000	95	11366	1.00	0.9546	
175 1,2-Dibromo-3-Chloropropane	75	13.771	13.764	0.007	80	2757	1.00	0.9791	
176 1,3,5-Trichlorobenzene	180	13.907	13.900	0.007	95	9828	1.00	0.9676	
177 1,2,4-Trichlorobenzene	180	14.329	14.322	0.007	94	10337	1.00	0.9863	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	80	7577	1.00	0.8149	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	95	3300	1.00	0.8740	
180 Naphthalene	128	14.508	14.501	0.007	97	41284	1.00	1.04	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	94	10665	1.00	0.99	
182 2-Methylnaphthalene	142	15.266	15.259	0.007	92	21469	1.00	0.9536	
S 211 Total Diethylbenzene	1				0			2.81	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

MSV_4ppbEE_00576

Amount Added: 12.50

Units: mL

MSV_HP20_ISSS_00129

Amount Added: 1.00

Units: uL

Run Reagent

Report Date: 25-Mar-2024 22:24:59

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D

Injection Date: 25-Mar-2024 16:50:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC v1

Worklist Smp#: 12

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 11

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

10 Dichlorofluoromethane, CAS: 75-43-4

Signal: 1


RT: 2.75
Area: 11413
Amount: 1.091005
Amount Units: ug/l

Processing Integration Results



RT: 2.75
Area: 11796
Amount: 1.113653
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:46:43 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

18 Acetone, CAS: 67-64-1

Signal: 1


Not Detected
Expected RT: 3.35

Processing Integration Results



RT: 3.35
Area: 1558
Amount: 1.872971
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:46:51 -04:00:00 (UTC)

Audit Action: Assigned Compound ID

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

22 Carbon disulfide, CAS: 75-15-0

Signal: 1


RT: 3.64
Area: 5767
Amount: 1.414263
Amount Units: ug/l

Processing Integration Results



RT: 3.64
Area: 12191
Amount: 0.949246
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:47:03 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

25 3-Chloro-1-propene, CAS: 107-05-1

Signal: 1


RT: 3.78
Area: 6509
Amount: 1.115807
Amount Units: ug/l

Processing Integration Results



RT: 3.78
Area: 7219
Amount: 1.235116
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:47:10 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 367533
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 378418
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:47:17 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

40 2-Butanone (MEK), CAS: 78-93-3

Signal: 1


RT: 5.86
Area: 10859
Amount: 2.460405
Amount Units: ug/l

Processing Integration Results



RT: 5.86
Area: 12148
Amount: 2.728837
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:47:27 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

66 n-Butanol, CAS: 71-36-3

Signal: 1


RT: 7.87
Area: 5147
Amount: 13.442164
Amount Units: ug/l

Processing Integration Results



RT: 7.87
Area: 5035
Amount: 13.703035
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:47:39 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

73 1,4-Dioxane, CAS: 123-91-1


Signal: 1

Not Detected
Expected RT: 8.40

Processing Integration Results



Manual Integration Results



RT: 8.42
Area: 249
Amount: 2.005491
Amount Units: ug/l

Reviewer: K4WN, 25-Mar-2024 19:47:45 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X11.D
Injection Date: 25-Mar-2024 16:50:30 Instrument ID: 9355
Lims ID: IC v1
Client ID:
Operator ID: knk41612 ALS Bottle#: 11 Worklist Smp#: 12
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

129 2-Hexanone, CAS: 591-78-6

Signal: 1


RT: 10.32
Area: 14189
Amount: 2.233730
Amount Units: ug/l

Processing Integration Results



RT: 10.32
Area: 13817
Amount: 2.225572
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:48:01 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X12.D
 Lims ID: IC v4
 Client ID:
 Sample Type: IC Calib Level: 2
 Inject. Date: 25-Mar-2024 17:12:30 ALS Bottle#: 12 Worklist Smp#: 13
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-013
 Misc. Info.: IC 4
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub95
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:25:13 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:49:59

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.859	1.852	0.007	99	29507	4.00	3.89	
4 Chloromethane	50	2.038	2.038	0.000	100	31861	4.00	3.92	
6 Vinyl chloride	62	2.145	2.138	0.007	98	29771	4.00	3.96	
5 Butadiene	39	2.145	2.145	0.000	95	29845	4.00	4.10	M
8 Bromomethane	94	2.467	2.460	0.007	92	19864	4.00	3.89	
9 Chloroethane	64	2.531	2.531	0.000	97	13961	4.00	3.94	
10 Dichlorofluoromethane	67	2.760	2.753	0.007	97	40296	4.00	3.82	
11 Trichlorofluoromethane	101	2.831	2.831	0.000	95	30046	4.00	3.90	
12 Pentane	43	2.853	2.846	0.007	96	24677	4.00	3.97	M
14 Ethyl ether	59	3.046	3.046	0.000	93	12581	4.00	3.88	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.117	3.125	-0.008	90	20682	4.00	4.19	
16 Acrolein	56	3.196	3.189	0.007	98	57352	40.0	37.7	
17 1,1-Dichloroethene	96	3.346	3.339	0.007	98	13667	4.00	4.10	
18 Acetone	58	3.361	3.346	0.015	93	5604	8.00	6.97	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.375	3.382	-0.007	92	17354	4.00	4.07	
20 Isopropyl alcohol	45	3.504	3.496	0.008	95	12433	20.0	17.1	
21 Iodomethane	142	3.525	3.525	0.000	99	28665	4.00	4.05	
22 Carbon disulfide	76	3.647	3.639	0.008	99	50130	4.00	3.92	
24 Methyl acetate	43	3.761	3.747	0.014	95	18511	4.00	3.71	
25 3-Chloro-1-propene	41	3.782	3.782	0.000	88	24387	4.00	4.19	
* 26 t-Butyl alcohol-d10 (IS)	65	3.947	3.954	-0.007	90	365952	250.0	250.0	M
27 Methylene Chloride	84	3.961	3.954	0.007	90	15891	4.00	3.94	
28 2-Methyl-2-propanol	59	4.054	4.068	-0.014	97	25326	20.0	16.7	
29 Acrylonitrile	53	4.269	4.247	0.022	100	23949	10.0	8.83	
30 Methyl tert-butyl ether	73	4.347	4.347	0.000	95	57714	4.00	3.80	
31 trans-1,2-Dichloroethene	96	4.369	4.362	0.007	98	14571	4.00	4.11	
33 Hexane	57	4.798	4.791	0.007	93	19917	4.00	3.91	
34 1,1-Dichloroethane	63	5.027	5.019	0.008	95	25692	4.00	4.01	
36 Isopropyl ether	45	5.077	5.077	0.000	93	48904	4.00	3.80	
37 2-Chloro-1,3-butadiene	53	5.148	5.134	0.014	92	22542	4.00	4.02	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.620	5.634	-0.014	97	51036	4.00	3.70	
40 2-Butanone (MEK)	43	5.835	5.820	0.015	99	32702	8.00	7.37	
41 cis-1,2-Dichloroethene	96	5.863	5.856	0.007	82	16429	4.00	3.93	
42 2,2-Dichloropropane	77	5.885	5.892	-0.007	80	27441	4.00	4.06	
43 Propionitrile	54	5.913	5.892	0.021	92	21986	20.0	16.8	
45 Methyl acrylate	55	5.999	5.970	0.029	98	21432	4.00	3.53	
46 Methacrylonitrile	67	6.128	6.121	0.007	91	24671	10.0	8.83	
S 47 1,2-Dichloroethene, Total	100				0			8.04	
48 Chlorobromomethane	128	6.213	6.199	0.014	79	8083	4.00	3.79	
49 Tetrahydrofuran	71	6.228	6.221	0.007	89	21356	20.0	18.3	
51 Chloroform	83	6.356	6.349	0.007	93	51895	4.00	4.16	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.578	0.000	93	193591	50.0	50.2	
53 1,1,1-Trichloroethane	97	6.585	6.592	-0.007	98	26163	4.00	4.00	
54 Cyclohexane	56	6.714	6.707	0.007	91	29347	4.00	4.07	
55 1,1-Dichloropropene	75	6.821	6.814	0.007	92	20399	4.00	4.10	
56 Carbon tetrachloride	117	6.821	6.814	0.007	92	20668	4.00	3.94	
57 Isobutyl alcohol	41	6.943	6.943	0.000	91	21818	50.0	45.6	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.036	7.036	0.000	83	48918	50.0	49.9	
59 Benzene	78	7.079	7.072	0.007	95	62209	4.00	3.97	
60 1,2-Dichloroethane	62	7.150	7.143	0.007	97	21542	4.00	3.81	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	97	50365	4.00	3.61	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	812080	50.0	50.0	
64 n-Heptane	43	7.508	7.508	0.000	91	22496	4.00	3.91	M
66 n-Butanol	56	7.851	7.837	0.014	88	13209	50.0	37.2	
67 Trichloroethene	95	7.980	7.980	0.000	97	15788	4.00	3.92	
68 Ethyl acrylate	55	8.101	8.087	0.014	98	24208	4.00	3.52	
69 Methylcyclohexane	83	8.294	8.301	-0.007	90	28700	4.00	3.90	
70 1,2-Dichloropropane	63	8.309	8.309	-0.001	80	15320	4.00	3.71	
71 2-ethoxy-2-methyl butane	87	8.323	8.323	0.000	93	24548	4.00	3.63	
72 Methyl methacrylate	69	8.394	8.387	0.007	89	15087	4.00	3.43	
73 1,4-Dioxane	88	8.416	8.402	0.014	39	2759	50.0	23.0	
74 Dibromomethane	93	8.430	8.423	0.007	96	10485	4.00	3.58	
76 Dichlorobromomethane	83	8.659	8.659	0.000	98	18555	4.00	3.60	
77 2-Nitropropane	41	8.902	8.902	0.000	98	39212	20.0	17.5	
78 2-Chloroethyl vinyl ether	63	9.038	9.024	0.014	91	11800	4.00	3.74	
79 cis-1,3-Dichloropropene	75	9.224	9.224	0.000	94	22727	4.00	3.50	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	64011	8.00	7.39	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	94	793488	50.0	50.4	
82 Toluene	92	9.624	9.624	0.000	96	38431	4.00	3.84	
83 trans-1,3-Dichloropropene	75	9.896	9.889	0.007	93	20723	4.00	3.47	
84 Ethyl methacrylate	69	9.960	9.953	0.007	89	27085	4.00	3.56	
S 125 1,3-Dichloropropene, Total	100				0			6.98	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	92	14362	4.00	3.52	
127 Tetrachloroethene	166	10.203	10.196	0.007	97	17501	4.00	4.09	
128 1,3-Dichloropropane	76	10.268	10.261	0.007	91	23739	4.00	3.64	
129 2-Hexanone	43	10.318	10.311	0.007	97	48539	8.00	7.82	
132 Chlorodibromomethane	129	10.489	10.489	0.000	90	14040	4.00	3.33	
133 Ethylene Dibromide	107	10.611	10.604	0.007	97	14639	4.00	3.40	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	86	604419	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	97	21644	4.00	3.91	
136 Chlorobenzene	112	11.069	11.069	-0.001	95	43147	4.00	3.75	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	93	16239	4.00	3.57	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
138 Ethylbenzene	91	11.161	11.154	0.007	98	79484	4.00	3.84	
S 139 Xylenes, Total	106				0			11.3	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	100	61428	8.00	7.55	
141 n-Butyl acrylate	55	11.562	11.555	0.007	96	37009	4.00	3.80	
142 o-Xylene	106	11.612	11.605	0.007	96	32228	4.00	3.72	
143 Styrene	104	11.626	11.626	0.000	94	51445	4.00	3.73	
144 Bromoform	173	11.791	11.784	0.007	96	11259	4.00	3.16	
145 Isopropylbenzene	105	11.912	11.912	0.000	95	79043	4.00	3.69	
147 Cyclohexanone	55	11.977	11.977	0.000	93	120441	200.0	213.7	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.062	12.062	0.000	90	317786	50.0	51.4	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	95	29633	4.00	3.39	
150 Bromobenzene	156	12.177	12.177	0.000	96	20762	4.00	3.57	
151 trans-1,4-Dichloro-2-butene	53	12.184	12.177	0.007	90	18176	10.0	7.64	
152 1,2,3-Trichloropropane	110	12.205	12.198	0.007	85	9100	4.00	3.38	
153 N-Propylbenzene	91	12.248	12.248	0.000	99	98843	4.00	3.67	
154 2-Chlorotoluene	126	12.320	12.320	0.000	97	21055	4.00	3.63	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	93	74711	4.00	3.55	
156 4-Chlorotoluene	126	12.420	12.413	0.007	96	20196	4.00	3.63	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	13374	4.00	3.40	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	97	77761	4.00	3.55	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	94074	4.00	3.55	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	41597	4.00	3.56	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	83474	4.00	3.52	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	382237	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.970	12.963	0.007	96	44208	4.00	3.66	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	97	83093	4.00	3.52	
167 Benzyl chloride	91	13.042	13.035	0.007	99	57165	4.00	3.21	
168 1,3-Diethylbenzene	119	13.106	13.099	0.007	96	50439	4.00	3.56	
169 p-Diethylbenzene	119	13.178	13.178	0.000	94	52466	4.00	3.53	
170 n-Butylbenzene	92	13.199	13.192	0.007	98	43190	4.00	3.63	
171 1,2-Dichlorobenzene	146	13.228	13.221	0.007	99	45419	4.00	3.59	
172 o-diethylbenzene	119	13.249	13.249	0.000	94	40231	4.00	3.36	
175 1,2-Dibromo-3-Chloropropane	75	13.771	13.764	0.007	84	8855	4.00	3.13	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	35331	4.00	3.46	
177 1,2,4-Trichlorobenzene	180	14.329	14.322	0.007	95	36680	4.00	3.48	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	82	30969	4.00	3.31	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	96	12548	4.00	3.31	
180 Naphthalene	128	14.508	14.501	0.007	97	138815	4.00	3.46	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	37690	4.00	3.49	
182 2-Methylnaphthalene	142	15.266	15.259	0.007	92	71003	4.00	3.14	
S 211 Total Diethylbenzene	1				0			10.5	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00176	Amount Added: 4.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 32.00	Units: uL	
MSV_CCV_VOC#3_00172	Amount Added: 3.20	Units: uL	
MSV_CCV_2CEVE_00168	Amount Added: 4.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 4.00	Units: uL	
MSV_CCV_GASES_00760	Amount Added: 2.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 4.00	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 25-Mar-2024 22:25:13

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X12.D

Injection Date: 25-Mar-2024 17:12:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC v4

Worklist Smp#: 13

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 12

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X12.D
Injection Date: 25-Mar-2024 17:12:30 Instrument ID: 9355
Lims ID: IC v4
Client ID:
Operator ID: knk41612 ALS Bottle#: 12 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

5 Butadiene, CAS: 106-99-0

Signal: 1


RT: 2.15
Area: 33979
Amount: 4.777118
Amount Units: ug/l

Processing Integration Results



RT: 2.15
Area: 29845
Amount: 4.099522
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:48:48 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X12.D
Injection Date: 25-Mar-2024 17:12:30 Instrument ID: 9355
Lims ID: IC v4
Client ID:
Operator ID: knk41612 ALS Bottle#: 12 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

12 Pentane, CAS: 109-66-0

Signal: 1


RT: 2.85
Area: 29945
Amount: 4.712169
Amount Units: ug/l

Processing Integration Results



RT: 2.85
Area: 24677
Amount: 3.967594
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:49:06 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X12.D
Injection Date: 25-Mar-2024 17:12:30 Instrument ID: 9355
Lims ID: IC v4
Client ID:
Operator ID: knk41612 ALS Bottle#: 12 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 358563
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 365952
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:49:16 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X12.D
Injection Date: 25-Mar-2024 17:12:30 Instrument ID: 9355
Lims ID: IC v4
Client ID:
Operator ID: knk41612 ALS Bottle#: 12 Worklist Smp#: 13
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

64 n-Heptane, CAS: 142-82-5

Signal: 1


RT: 7.51
Area: 21166
Amount: 3.816056
Amount Units: ug/l

Processing Integration Results



RT: 7.51
Area: 22496
Amount: 3.912004
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:49:38 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Lims ID: IC v10
 Client ID:
 Sample Type: IC Calib Level: 3
 Inject. Date: 25-Mar-2024 20:33:30 ALS Bottle#: 21 Worklist Smp#: 14
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-014
 Misc. Info.: IC 10
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub95
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:25:29 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 22:01:34

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.866	1.852	0.014	99	85355	10.0	11.2	M
4 Chloromethane	50	2.045	2.038	0.007	99	84315	10.0	10.3	
6 Vinyl chloride	62	2.152	2.138	0.014	98	80381	10.0	10.6	
5 Butadiene	39	2.159	2.145	0.014	92	81612	10.0	11.2	
8 Bromomethane	94	2.467	2.460	0.007	91	54895	10.0	10.7	
9 Chloroethane	64	2.538	2.531	0.007	99	38108	10.0	10.7	
10 Dichlorofluoromethane	67	2.767	2.753	0.014	97	109488	10.0	10.3	
11 Trichlorofluoromethane	101	2.839	2.831	0.008	97	84243	10.0	10.9	
12 Pentane	43	2.860	2.846	0.014	97	57953	10.0	9.28	
14 Ethyl ether	59	3.053	3.046	0.007	90	32051	10.0	9.85	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.139	3.125	0.014	90	50711	10.0	10.2	
16 Acrolein	56	3.211	3.189	0.022	98	148436	100.0	97.6	
17 1,1-Dichloroethene	96	3.354	3.339	0.015	98	32202	10.0	9.62	
18 Acetone	58	3.361	3.346	0.015	91	16193	20.0	20.1	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.389	3.382	0.007	93	41109	10.0	9.60	M
20 Isopropyl alcohol	45	3.511	3.496	0.015	95	34123	50.0	47.0	
21 Iodomethane	142	3.547	3.525	0.022	99	66987	10.0	9.43	
22 Carbon disulfide	76	3.647	3.639	0.008	99	119573	10.0	9.31	
24 Methyl acetate	43	3.768	3.747	0.021	97	44711	10.0	8.93	
25 3-Chloro-1-propene	41	3.790	3.782	0.008	91	51119	10.0	8.74	
* 26 t-Butyl alcohol-d10 (IS)	65	3.954	3.954	0.000	91	365901	250.0	250.0	
27 Methylene Chloride	84	3.976	3.954	0.022	92	37257	10.0	9.21	
28 2-Methyl-2-propanol	59	4.076	4.068	0.008	99	67401	50.0	44.3	
29 Acrylonitrile	53	4.276	4.247	0.029	97	60048	25.0	22.1	
30 Methyl tert-butyl ether	73	4.355	4.347	0.008	96	139685	10.0	9.17	
31 trans-1,2-Dichloroethene	96	4.376	4.362	0.014	99	34293	10.0	9.64	
33 Hexane	57	4.805	4.791	0.014	93	50103	10.0	9.80	
34 1,1-Dichloroethane	63	5.034	5.019	0.015	96	59669	10.0	9.28	
36 Isopropyl ether	45	5.091	5.077	0.014	93	115409	10.0	8.94	
37 2-Chloro-1,3-butadiene	53	5.148	5.134	0.014	92	53082	10.0	9.42	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.635	5.634	0.000	97	122343	10.0	8.85	
40 2-Butanone (MEK)	43	5.842	5.820	0.022	100	74335	20.0	16.7	
41 cis-1,2-Dichloroethene	96	5.878	5.856	0.022	82	38584	10.0	9.19	
42 2,2-Dichloropropane	77	5.899	5.892	0.007	90	62275	10.0	9.17	
43 Propionitrile	54	5.921	5.892	0.028	95	57589	50.0	43.9	
45 Methyl acrylate	55	5.992	5.970	0.022	99	59258	10.0	9.73	M
46 Methacrylonitrile	67	6.128	6.121	0.007	90	60542	25.0	21.6	
S 47 1,2-Dichloroethene, Total	100				0			18.8	
48 Chlorobromomethane	128	6.214	6.199	0.015	95	19515	10.0	9.13	
49 Tetrahydrofuran	71	6.235	6.221	0.014	91	50390	50.0	43.3	
51 Chloroform	83	6.364	6.349	0.015	93	73541	10.0	7.38	
\$ 52 Dibromofluoromethane (Surr)	113	6.585	6.578	0.007	93	195451	50.0	50.5	
53 1,1,1-Trichloroethane	97	6.600	6.592	0.008	98	60228	10.0	9.17	
54 Cyclohexane	56	6.721	6.707	0.014	90	67943	10.0	9.40	
55 1,1-Dichloropropene	75	6.821	6.814	0.007	94	46436	10.0	9.30	
56 Carbon tetrachloride	117	6.821	6.814	0.007	87	46939	10.0	8.91	
57 Isobutyl alcohol	41	6.950	6.943	0.007	94	48694	125.0	101.8	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.050	7.036	0.014	87	49053	50.0	49.9	
59 Benzene	78	7.086	7.072	0.014	95	143616	10.0	9.14	
60 1,2-Dichloroethane	62	7.150	7.143	0.007	97	51778	10.0	9.13	
62 Tert-amyl methyl ether	73	7.279	7.272	0.007	98	121836	10.0	8.69	
* 63 Fluorobenzene (IS)	96	7.494	7.486	0.008	99	815146	50.0	50.0	
64 n-Heptane	43	7.515	7.508	0.007	93	55479	10.0	9.61	
66 n-Butanol	56	7.858	7.837	0.021	90	34213	125.0	96.3	
67 Trichloroethene	95	7.987	7.980	0.007	98	35771	10.0	8.86	
68 Ethyl acrylate	55	8.094	8.087	0.007	99	67312	10.0	9.76	
69 Methylcyclohexane	83	8.302	8.301	0.001	93	68555	10.0	9.29	
70 1,2-Dichloropropane	63	8.309	8.309	0.000	83	36088	10.0	8.72	
71 2-ethoxy-2-methyl butane	87	8.330	8.323	0.007	93	57859	10.0	8.52	
72 Methyl methacrylate	69	8.394	8.387	0.007	89	36331	10.0	8.22	
73 1,4-Dioxane	88	8.409	8.402	0.007	35	11582	125.0	96.5	M
74 Dibromomethane	93	8.423	8.423	0.000	95	26432	10.0	9.00	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	44633	10.0	8.63	
77 2-Nitropropane	41	8.909	8.902	0.007	99	93664	50.0	41.7	
78 2-Chloroethyl vinyl ether	63	9.031	9.024	0.007	93	24259	10.0	7.66	
79 cis-1,3-Dichloropropene	75	9.231	9.224	0.007	95	55415	10.0	8.51	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	152949	20.0	17.6	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	93	796478	50.0	50.2	
82 Toluene	92	9.624	9.624	0.000	98	90610	10.0	8.99	
83 trans-1,3-Dichloropropene	75	9.896	9.889	0.007	94	50233	10.0	8.36	
84 Ethyl methacrylate	69	9.960	9.953	0.007	89	65407	10.0	8.55	
S 125 1,3-Dichloropropene, Total	100				0			16.9	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	90	35736	10.0	8.70	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	39443	10.0	9.16	
128 1,3-Dichloropropane	76	10.268	10.261	0.007	90	56881	10.0	8.66	
129 2-Hexanone	43	10.311	10.311	0.000	96	106223	20.0	17.0	
132 Chlorodibromomethane	129	10.490	10.489	0.001	90	35065	10.0	8.25	
133 Ethylene Dibromide	107	10.604	10.604	0.000	99	37580	10.0	8.68	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	608505	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	49749	10.0	8.93	
136 Chlorobenzene	112	11.069	11.069	0.000	96	102386	10.0	8.84	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	93	39326	10.0	8.58	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
138 Ethylbenzene	91	11.162	11.154	0.008	98	188519	10.0	9.04	
S 139 Xylenes, Total	106				0			27.2	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	148803	20.0	18.2	
141 n-Butyl acrylate	55	11.562	11.555	0.007	96	102956	10.0	10.5	
142 o-Xylene	106	11.612	11.605	0.007	96	78436	10.0	9.00	
143 Styrene	104	11.626	11.626	0.000	94	122095	10.0	8.80	
144 Bromoform	173	11.784	11.784	0.000	96	28049	10.0	7.81	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	195575	10.0	9.07	
147 Cyclohexanone	55	11.977	11.977	0.000	93	144138	250.0	248.7	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.063	12.062	0.001	90	312615	50.0	50.3	
149 1,1,2,2-Tetrachloroethane	83	12.156	12.155	0.001	94	71987	10.0	8.42	
150 Bromobenzene	156	12.177	12.177	0.000	97	50248	10.0	8.86	
151 trans-1,4-Dichloro-2-butene	53	12.184	12.177	0.007	91	49262	25.0	21.2	
152 1,2,3-Trichloropropane	110	12.206	12.198	0.008	84	23003	10.0	8.74	
153 N-Propylbenzene	91	12.248	12.248	0.000	99	239455	10.0	9.11	
154 2-Chlorotoluene	126	12.320	12.320	0.000	97	49723	10.0	8.78	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	94	181309	10.0	8.83	
156 4-Chlorotoluene	126	12.420	12.413	0.007	97	48901	10.0	9.00	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	32631	10.0	8.50	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	188664	10.0	8.81	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	227431	10.0	8.78	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	101783	10.0	8.91	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	202586	10.0	8.74	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	373304	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.971	12.963	0.008	96	104684	10.0	8.87	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	98	198364	10.0	8.60	
167 Benzyl chloride	91	13.042	13.035	0.007	99	145774	10.0	8.39	
168 1,3-Diethylbenzene	119	13.107	13.099	0.007	95	122426	10.0	8.86	
169 p-Diethylbenzene	119	13.178	13.178	0.000	94	131501	10.0	9.07	
170 n-Butylbenzene	92	13.192	13.192	0.000	97	105928	10.0	9.11	
171 1,2-Dichlorobenzene	146	13.228	13.221	0.007	98	109512	10.0	8.85	
172 o-diethylbenzene	119	13.250	13.249	0.001	95	102684	10.0	8.79	
175 1,2-Dibromo-3-Chloropropane	75	13.771	13.764	0.007	84	22914	10.0	8.29	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	91429	10.0	9.17	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	94	93364	10.0	9.08	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	81	94413	10.0	10.3	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	97	35175	10.0	9.49	
180 Naphthalene	128	14.501	14.501	0.000	97	351535	10.0	8.98	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	96228	10.0	9.12	
182 2-Methylnaphthalene	142	15.266	15.259	0.007	92	202916	10.0	9.18	
S 211 Total Diethylbenzene	1				0			26.7	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00176	Amount Added: 2.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 8.00	Units: uL	
MSV_CCV_VOC#3_00172	Amount Added: 1.60	Units: uL	
MSV_CCV_2CEVE_00168	Amount Added: 2.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 2.00	Units: uL	
MSV_CCV_GASES_00760	Amount Added: 1.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 2.00	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 25-Mar-2024 22:25:29

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D

Injection Date: 25-Mar-2024 20:33:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC v10

Worklist Smp#: 14

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 21

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Injection Date: 25-Mar-2024 20:33:30 Instrument ID: 9355
Lims ID: IC v10
Client ID:
Operator ID: knk41612 ALS Bottle#: 21 Worklist Smp#: 14
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 2.05
Area: 82858
Amount: 10.186250
Amount Units: ug/l

Processing Integration Results



RT: 2.05
Area: 84315
Amount: 10.338912
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 21:57:14 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Injection Date: 25-Mar-2024 20:33:30 Instrument ID: 9355
Lims ID: IC v10
Client ID:
Operator ID: knk41612 ALS Bottle#: 21 Worklist Smp#: 14
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 361514
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 365901
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 21:57:25 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Injection Date: 25-Mar-2024 20:33:30 Instrument ID: 9355
Lims ID: IC v10
Client ID:
Operator ID: knk41612 ALS Bottle#: 21 Worklist Smp#: 14
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

45 Methyl acrylate, CAS: 96-33-3

Signal: 1


RT: 5.99
Area: 60659
Amount: 9.926232
Amount Units: ug/l

Processing Integration Results



RT: 5.99
Area: 59258
Amount: 9.728831
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 21:57:39 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Injection Date: 25-Mar-2024 20:33:30 Instrument ID: 9355
Lims ID: IC v10
Client ID:
Operator ID: knk41612 ALS Bottle#: 21 Worklist Smp#: 14
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

73 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 8.41
Area: 11582
Amount: 96.915601
Amount Units: ug/l

Processing Integration Results



RT: 8.41
Area: 11582
Amount: 96.474613
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 21:57:51 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X14.D
 Lims ID: IC v20
 Client ID:
 Sample Type: IC Calib Level: 4
 Inject. Date: 25-Mar-2024 17:56:30 ALS Bottle#: 14 Worklist Smp#: 15
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-015
 Misc. Info.: IC 20
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub95
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:25:43 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:52:54

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.852	1.852	0.000	99	145195	20.0	19.0	
4 Chloromethane	50	2.045	2.045	0.000	99	170569	20.0	20.8	
6 Vinyl chloride	62	2.152	2.152	0.000	98	157918	20.0	20.8	
5 Butadiene	39	2.159	2.159	0.000	96	145333	20.0	19.8	
8 Bromomethane	94	2.467	2.467	0.000	91	106113	20.0	20.6	
9 Chloroethane	64	2.538	2.538	0.000	99	74340	20.0	20.8	
10 Dichlorofluoromethane	67	2.767	2.767	0.000	97	213115	20.0	20.0	
11 Trichlorofluoromethane	101	2.839	2.839	0.000	97	154394	20.0	19.9	
12 Pentane	43	2.853	2.853	0.000	96	130946	20.0	20.9	
14 Ethyl ether	59	3.053	3.053	0.000	91	65707	20.0	20.1	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.132	3.132	0.000	90	99328	20.0	19.9	
16 Acrolein	56	3.203	3.203	0.000	99	337249	200.0	207.3	
17 1,1-Dichloroethene	96	3.346	3.346	0.000	98	71211	20.0	21.2	
18 Acetone	58	3.361	3.361	0.000	100	37491	40.0	43.6	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.382	3.382	0.000	92	93277	20.0	21.7	
20 Isopropyl alcohol	45	3.511	3.511	0.000	62	96862	100.0	124.8	
21 Iodomethane	142	3.532	3.532	0.000	98	151088	20.0	21.2	
22 Carbon disulfide	76	3.647	3.647	0.000	99	268759	20.0	20.8	
24 Methyl acetate	43	3.754	3.754	0.000	97	108241	20.0	21.5	
25 3-Chloro-1-propene	41	3.790	3.790	0.000	88	112735	20.0	19.2	
* 26 t-Butyl alcohol-d10 (IS)	65	3.961	3.961	0.000	97	391329	250.0	250.0	M
27 Methylene Chloride	84	3.968	3.968	0.000	92	85521	20.0	21.0	
28 2-Methyl-2-propanol	59	4.076	4.076	0.000	99	184074	100.0	113.2	
29 Acrylonitrile	53	4.262	4.262	0.000	99	153396	50.0	56.1	
30 Methyl tert-butyl ether	73	4.347	4.347	0.000	95	327066	20.0	21.4	
31 trans-1,2-Dichloroethene	96	4.369	4.369	0.000	99	76972	20.0	21.5	
33 Hexane	57	4.805	4.805	0.000	94	110250	20.0	21.5	
34 1,1-Dichloroethane	63	5.027	5.027	0.000	96	137834	20.0	21.3	
36 Isopropyl ether	45	5.084	5.084	0.000	93	274980	20.0	21.2	
37 2-Chloro-1,3-butadiene	53	5.141	5.141	0.000	92	123026	20.0	21.7	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.634	5.634	0.000	97	294814	20.0	21.2	
40 2-Butanone (MEK)	43	5.835	5.835	0.000	100	189317	40.0	42.3	
41 cis-1,2-Dichloroethene	96	5.870	5.870	0.000	82	89961	20.0	21.3	
42 2,2-Dichloropropane	77	5.892	5.892	0.000	88	144677	20.0	21.2	
43 Propionitrile	54	5.906	5.906	0.000	95	154914	100.0	110.4	
45 Methyl acrylate	55	5.978	5.978	0.000	100	117766	20.0	19.2	M
46 Methacrylonitrile	67	6.135	6.135	0.000	91	156784	50.0	55.6	
S 47 1,2-Dichloroethene, Total	100				0			42.9	
48 Chlorobromomethane	128	6.214	6.214	0.000	93	47564	20.0	22.1	
49 Tetrahydrofuran	71	6.228	6.228	0.000	90	134649	100.0	108.1	
51 Chloroform	83	6.357	6.357	0.000	94	171665	20.0	22.0	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.578	0.000	93	199257	50.0	51.2	
53 1,1,1-Trichloroethane	97	6.593	6.593	0.000	97	141431	20.0	21.4	
54 Cyclohexane	56	6.714	6.714	0.000	91	153468	20.0	21.1	
55 1,1-Dichloropropene	75	6.821	6.821	0.000	95	109166	20.0	21.8	
56 Carbon tetrachloride	117	6.821	6.821	0.000	96	112818	20.0	21.3	
57 Isobutyl alcohol	41	6.943	6.943	0.000	94	143181	250.0	279.8	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.043	7.043	0.000	93	49220	50.0	49.8	
59 Benzene	78	7.079	7.079	0.000	97	331243	20.0	21.0	
60 1,2-Dichloroethane	62	7.150	7.150	0.000	98	122365	20.0	21.5	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	98	298682	20.0	21.2	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	819097	50.0	50.0	
64 n-Heptane	43	7.515	7.515	0.000	92	115196	20.0	19.9	
66 n-Butanol	56	7.851	7.851	0.000	90	106791	250.0	281.0	
67 Trichloroethene	95	7.980	7.980	0.000	98	86662	20.0	21.4	
68 Ethyl acrylate	55	8.094	8.094	0.000	99	136305	20.0	19.7	
69 Methylcyclohexane	83	8.301	8.301	0.000	90	160362	20.0	21.6	
70 1,2-Dichloropropane	63	8.316	8.316	0.000	82	88132	20.0	21.2	
71 2-ethoxy-2-methyl butane	87	8.323	8.323	0.000	91	145164	20.0	21.3	
72 Methyl methacrylate	69	8.394	8.394	0.000	89	98951	20.0	22.3	
73 1,4-Dioxane	88	8.402	8.402	0.000	38	36356	250.0	283.2	M
74 Dibromomethane	93	8.423	8.423	0.000	97	64586	20.0	21.9	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	108991	20.0	21.0	
77 2-Nitropropane	41	8.909	8.909	0.000	99	254772	100.0	106.1	
78 2-Chloroethyl vinyl ether	63	9.031	9.031	0.000	92	68797	20.0	21.6	
79 cis-1,3-Dichloropropene	75	9.224	9.224	0.000	95	137374	20.0	21.0	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	418515	40.0	47.9	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	93	808694	50.0	50.0	
82 Toluene	92	9.624	9.624	0.000	98	217322	20.0	21.1	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	94	131345	20.0	21.4	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	172280	20.0	22.1	
S 125 1,3-Dichloropropene, Total	100				0			42.4	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	90	90188	20.0	21.5	
127 Tetrachloroethene	166	10.196	10.196	0.000	98	94930	20.0	21.6	
128 1,3-Dichloropropane	76	10.268	10.268	0.000	91	143833	20.0	21.5	
129 2-Hexanone	43	10.311	10.311	0.000	97	307262	40.0	48.2	
132 Chlorodibromomethane	129	10.489	10.489	0.000	90	93779	20.0	21.6	
133 Ethylene Dibromide	107	10.604	10.604	0.000	98	97967	20.0	22.2	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	86	620875	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	119956	20.0	21.1	
136 Chlorobenzene	112	11.069	11.069	0.000	94	252101	20.0	21.3	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	95	103207	20.0	22.1	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
138 Ethylbenzene	91	11.162	11.162	0.000	98	456113	20.0	21.4	
S 139 Xylenes, Total	106				0			65.4	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	361936	40.0	43.3	
141 n-Butyl acrylate	55	11.555	11.555	0.000	96	202189	20.0	20.2	
142 o-Xylene	106	11.605	11.605	0.000	97	196626	20.0	22.1	
143 Styrene	104	11.626	11.626	0.000	95	313121	20.0	22.1	
144 Bromoform	173	11.784	11.784	0.000	97	79335	20.0	21.7	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	489194	20.0	22.2	
147 Cyclohexanone	55	11.977	11.977	0.000	93	331926	500.0	494.1	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.063	12.063	0.000	92	315577	50.0	49.7	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	94	195899	20.0	22.6	
150 Bromobenzene	156	12.177	12.177	0.000	97	126987	20.0	22.0	
151 trans-1,4-Dichloro-2-butene	53	12.177	12.177	0.000	93	134317	50.0	56.9	
152 1,2,3-Trichloropropane	110	12.206	12.206	0.000	84	59757	20.0	22.3	
153 N-Propylbenzene	91	12.248	12.248	0.000	99	586355	20.0	21.9	
154 2-Chlorotoluene	126	12.320	12.320	0.000	97	124799	20.0	21.7	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	93	462873	20.0	22.2	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	123081	20.0	22.3	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	84401	20.0	21.6	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	480214	20.0	22.1	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	589744	20.0	22.4	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	256284	20.0	22.1	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	521827	20.0	22.1	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	379458	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.971	12.971	0.000	93	263368	20.0	22.0	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	98	516455	20.0	22.0	
167 Benzyl chloride	91	13.042	13.042	0.000	98	398661	20.0	22.6	
168 1,3-Diethylbenzene	119	13.099	13.099	0.000	95	310752	20.0	22.1	
169 p-Diethylbenzene	119	13.178	13.178	0.000	94	327951	20.0	22.3	
170 n-Butylbenzene	92	13.192	13.192	0.000	96	258005	20.0	21.8	
171 1,2-Dichlorobenzene	146	13.228	13.228	0.000	99	275815	20.0	21.9	
172 o-diethylbenzene	119	13.249	13.249	0.000	95	258869	20.0	21.8	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	86	63483	20.0	22.6	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	221868	20.0	21.9	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	95	231766	20.0	22.2	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	82	185199	20.0	20.0	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	98	81746	20.0	21.7	
180 Naphthalene	128	14.501	14.501	0.000	97	909659	20.0	22.9	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	240414	20.0	22.4	
182 2-Methylnaphthalene	142	15.259	15.259	0.000	92	511150	20.0	22.8	
S 211 Total Diethylbenzene	1				0			66.2	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00176	Amount Added: 4.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 16.00	Units: uL	
MSV_CCV_VOC#3_00172	Amount Added: 3.20	Units: uL	
MSV_CCV_2CEVE_00168	Amount Added: 4.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 4.00	Units: uL	
MSV_CCV_GASES_00760	Amount Added: 2.00	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 4.00	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 25-Mar-2024 22:25:44

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X14.D

Injection Date: 25-Mar-2024 17:56:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC v20

Worklist Smp#: 15

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 14

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X14.D
Injection Date: 25-Mar-2024 17:56:30 Instrument ID: 9355
Lims ID: IC v20
Client ID:
Operator ID: knk41612 ALS Bottle#: 14 Worklist Smp#: 15
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.96
Area: 382924
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.96
Area: 391329
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:52:03 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X14.D
Injection Date: 25-Mar-2024 17:56:30 Instrument ID: 9355
Lims ID: IC v20
Client ID:
Operator ID: knk41612 ALS Bottle#: 14 Worklist Smp#: 15
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

45 Methyl acrylate, CAS: 96-33-3

Signal: 1


RT: 5.98
Area: 119681
Amount: 18.701875
Amount Units: ug/l

Processing Integration Results



RT: 5.98
Area: 117766
Amount: 19.241267
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:52:16 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X14.D
Injection Date: 25-Mar-2024 17:56:30 Instrument ID: 9355
Lims ID: IC v20
Client ID:
Operator ID: knk41612 ALS Bottle#: 14 Worklist Smp#: 15
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

73 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 8.40
Area: 27411
Amount: 266.3722
Amount Units: ug/l

Processing Integration Results



RT: 8.40
Area: 36356
Amount: 283.1569
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:52:37 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X15.D
 Lims ID: ICIS v50
 Client ID:
 Sample Type: ICIS Calib Level: 5
 Inject. Date: 25-Mar-2024 18:19:30 ALS Bottle#: 15 Worklist Smp#: 16
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-016
 Misc. Info.: IC 50
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub95
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:25:59 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:44:05

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.852	1.852	0.000	99	381148	50.0	48.7	M
4 Chloromethane	50	2.038	2.038	0.000	99	394200	50.0	47.1	
6 Vinyl chloride	62	2.138	2.138	0.000	98	373270	50.0	48.1	
5 Butadiene	39	2.145	2.145	0.000	94	340236	50.0	45.3	
8 Bromomethane	94	2.460	2.460	0.000	90	251928	50.0	47.9	
9 Chloroethane	64	2.531	2.531	0.000	100	171407	50.0	47.0	
10 Dichlorofluoromethane	67	2.753	2.753	0.000	97	497747	50.0	45.7	
11 Trichlorofluoromethane	101	2.831	2.831	0.000	97	383161	50.0	48.3	
12 Pentane	43	2.846	2.846	0.000	97	310463	50.0	48.4	
14 Ethyl ether	59	3.046	3.046	0.000	92	175011	50.0	52.3	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.125	3.125	0.000	91	235510	50.0	46.3	
16 Acrolein	56	3.189	3.189	0.000	99	809575	500.0	504.8	
17 1,1-Dichloroethene	96	3.339	3.339	0.000	98	174769	50.0	50.9	
18 Acetone	58	3.346	3.346	0.000	98	88100	100.0	103.9	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.382	3.382	0.000	92	220569	50.0	50.1	
20 Isopropyl alcohol	45	3.496	3.496	0.000	97	242805	250.0	317.4	M
21 Iodomethane	142	3.525	3.525	0.000	98	368044	50.0	50.4	
22 Carbon disulfide	76	3.639	3.639	0.000	99	649929	50.0	49.3	
24 Methyl acetate	43	3.747	3.747	0.000	98	293946	50.0	57.2	
25 3-Chloro-1-propene	41	3.782	3.782	0.000	89	288110	50.0	48.0	
* 26 t-Butyl alcohol-d10 (IS)	65	3.940	3.940	0.000	94	385838	250.0	250.0	M
27 Methylene Chloride	84	3.954	3.954	0.000	92	212598	50.0	51.2	
28 2-Methyl-2-propanol	59	4.068	4.068	0.000	99	477646	250.0	298.0	
29 Acrylonitrile	53	4.247	4.247	0.000	99	393252	125.0	140.6	
30 Methyl tert-butyl ether	73	4.347	4.347	0.000	95	830689	50.0	53.1	
31 trans-1,2-Dichloroethene	96	4.362	4.362	0.000	99	189436	50.0	51.9	
33 Hexane	57	4.791	4.791	0.000	95	257557	50.0	49.1	
34 1,1-Dichloroethane	63	5.019	5.019	0.000	96	348053	50.0	52.7	
36 Isopropyl ether	45	5.077	5.077	0.000	93	701696	50.0	52.9	
37 2-Chloro-1,3-butadiene	53	5.134	5.134	0.000	92	302688	50.0	52.3	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.634	5.634	0.000	98	763290	50.0	53.7	
40 2-Butanone (MEK)	43	5.820	5.820	0.000	100	430824	100.0	94.2	
41 cis-1,2-Dichloroethene	96	5.856	5.856	0.000	82	227100	50.0	52.7	
42 2,2-Dichloropropane	77	5.892	5.892	0.000	88	356879	50.0	51.2	
43 Propionitrile	54	5.892	5.892	0.000	96	421146	250.0	304.4	
45 Methyl acrylate	55	5.970	5.970	0.000	100	343308	50.0	54.9	
46 Methacrylonitrile	67	6.121	6.121	0.000	92	414060	125.0	143.7	
48 Chlorobromomethane	128	6.199	6.199	0.000	94	118747	50.0	54.1	
49 Tetrahydrofuran	71	6.221	6.221	0.000	89	346310	250.0	282.0	
51 Chloroform	83	6.349	6.349	0.000	94	389727	50.0	53.3	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.578	0.000	93	198615	50.0	49.9	
53 1,1,1-Trichloroethane	97	6.592	6.592	0.000	98	347220	50.0	51.4	
54 Cyclohexane	56	6.707	6.707	0.000	91	369100	50.0	49.7	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	95	265446	50.0	51.8	
56 Carbon tetrachloride	117	6.814	6.814	0.000	97	281303	50.0	52.0	
57 Isobutyl alcohol	41	6.943	6.943	0.000	93	394118	625.0	781.2	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.036	7.036	0.000	98	51731	50.0	51.2	
59 Benzene	78	7.072	7.072	0.000	97	840837	50.0	52.1	
60 1,2-Dichloroethane	62	7.143	7.143	0.000	98	313895	50.0	53.9	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	98	794360	50.0	55.2	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	837226	50.0	50.0	
64 n-Heptane	43	7.508	7.508	0.000	92	279512	50.0	47.1	
66 n-Butanol	56	7.837	7.837	0.000	90	293150	625.0	782.5	
67 Trichloroethene	95	7.980	7.980	0.000	99	218269	50.0	52.6	
68 Ethyl acrylate	55	8.087	8.087	0.000	99	369476	50.0	52.2	
69 Methylcyclohexane	83	8.301	8.301	0.000	92	386108	50.0	50.9	
70 1,2-Dichloropropane	63	8.309	8.309	0.000	86	230463	50.0	54.2	
71 2-ethoxy-2-methyl butane	87	8.323	8.323	0.000	91	376955	50.0	54.0	
72 Methyl methacrylate	69	8.387	8.387	0.000	90	265148	50.0	58.4	
73 1,4-Dioxane	88	8.402	8.402	0.000	38	93834	625.0	741.2	M
74 Dibromomethane	93	8.423	8.423	0.000	96	168522	50.0	55.8	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	293578	50.0	55.3	
77 2-Nitropropane	41	8.902	8.902	0.000	99	688931	250.0	291.0	
78 2-Chloroethyl vinyl ether	63	9.024	9.024	0.000	92	182170	50.0	56.0	
79 cis-1,3-Dichloropropene	75	9.224	9.224	0.000	95	372756	50.0	55.7	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	936801	100.0	104.9	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	93	827594	50.0	49.9	
82 Toluene	92	9.624	9.624	0.000	98	559462	50.0	53.1	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	94	361531	50.0	57.6	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	467932	50.0	58.5	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	91	241194	50.0	56.2	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	236489	50.0	52.6	
128 1,3-Dichloropropane	76	10.261	10.261	0.000	91	381557	50.0	55.6	
129 2-Hexanone	43	10.311	10.311	0.000	97	660986	100.0	101.1	
132 Chlorodibromomethane	129	10.489	10.489	0.000	90	260643	50.0	58.7	
133 Ethylene Dibromide	107	10.604	10.604	0.000	98	262763	50.0	58.1	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	636078	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	293252	50.0	50.4	
136 Chlorobenzene	112	11.069	11.069	0.000	94	658298	50.0	54.3	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	94	278704	50.0	58.1	
138 Ethylbenzene	91	11.154	11.154	0.000	98	1173783	50.0	53.9	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	923347	100.0	107.8	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
141 n-Butyl acrylate	55	11.555	11.555	0.000	96	537368	50.0	52.4	
142 o-Xylene	106	11.605	11.605	0.000	97	504494	50.0	55.4	
143 Styrene	104	11.626	11.626	0.000	95	811379	50.0	56.0	
144 Bromoform	173	11.784	11.784	0.000	97	227066	50.0	60.5	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	1240666	50.0	55.1	
147 Cyclohexanone	55	11.977	11.977	0.000	92	420783	625.0	625.0	a
\$ 148 4-Bromofluorobenzene (Surr)	95	12.062	12.062	0.000	91	324900	50.0	50.0	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	94	512261	50.0	58.5	
150 Bromobenzene	156	12.177	12.177	0.000	96	326298	50.0	56.1	
151 trans-1,4-Dichloro-2-butene	53	12.177	12.177	0.000	92	369897	125.0	155.3	
152 1,2,3-Trichloropropane	110	12.198	12.198	0.000	83	156592	50.0	58.0	
153 N-Propylbenzene	91	12.248	12.248	0.000	99	1467316	50.0	54.4	
154 2-Chlorotoluene	126	12.320	12.320	0.000	96	319534	50.0	55.0	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	93	1174928	50.0	55.8	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	311913	50.0	56.0	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	225520	50.0	57.3	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	1222668	50.0	55.7	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	1488256	50.0	56.0	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	646420	50.0	55.2	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	1335991	50.0	56.2	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	94	382835	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.963	12.963	0.000	94	665776	50.0	55.0	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	98	1340956	50.0	56.7	
167 Benzyl chloride	91	13.035	13.035	0.000	98	1068814	50.0	60.0	
168 1,3-Diethylbenzene	119	13.099	13.099	0.000	95	793475	50.0	56.0	
169 p-Diethylbenzene	119	13.178	13.178	0.000	94	825649	50.0	55.5	
170 n-Butylbenzene	92	13.192	13.192	0.000	97	650560	50.0	54.5	
171 1,2-Dichlorobenzene	146	13.221	13.221	0.000	99	710443	50.0	56.0	
172 o-diethylbenzene	119	13.249	13.249	0.000	95	672358	50.0	56.1	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	87	173129	50.0	61.1	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	574584	50.0	56.2	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	94	597150	50.0	56.6	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	81	519725	50.0	55.5	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	97	213897	50.0	56.3	
180 Naphthalene	128	14.501	14.501	0.000	97	2348158	50.0	58.5	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	618325	50.0	57.1	
182 2-Methylnaphthalene	142	15.259	15.259	0.000	92	1380718	50.0	60.9	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

MSV_CCV_VOC#1_00176	Amount Added: 5.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 10.00	Units: uL	
MSV_CCV_VOC#3_00172	Amount Added: 4.00	Units: uL	
MSV_CCV_2CEVE_00168	Amount Added: 5.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 5.00	Units: uL	
MSV_CCV_GASES_00760	Amount Added: 2.50	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 5.00	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 25-Mar-2024 22:26:00

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X15.D

Injection Date: 25-Mar-2024 18:19:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: ICIS v50

Worklist Smp#: 16

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 15

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X15.D
Injection Date: 25-Mar-2024 18:19:30 Instrument ID: 9355
Lims ID: ICIS v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 15 Worklist Smp#: 16
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.85
Area: 380862
Amount: 52.786663
Amount Units: ug/l

Processing Integration Results



RT: 1.85
Area: 381148
Amount: 48.679022
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:53:11 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X15.D
Injection Date: 25-Mar-2024 18:19:30 Instrument ID: 9355
Lims ID: ICIS v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 15 Worklist Smp#: 16
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

20 Isopropyl alcohol, CAS: 67-63-0

Signal: 1


RT: 3.50
Area: 238929
Amount: 300.5265
Amount Units: ug/l

Processing Integration Results



RT: 3.50
Area: 242805
Amount: 317.3513
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:02:21 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X15.D
Injection Date: 25-Mar-2024 18:19:30 Instrument ID: 9355
Lims ID: ICIS v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 15 Worklist Smp#: 16
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.94
Area: 377277
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.94
Area: 385838
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:53:29 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X15.D
Injection Date: 25-Mar-2024 18:19:30 Instrument ID: 9355
Lims ID: ICIS v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 15 Worklist Smp#: 16
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

73 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 8.40
Area: 95388
Amount: 899.8364
Amount Units: ug/l

Processing Integration Results



RT: 8.40
Area: 93834
Amount: 741.2220
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:53:49 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X15.D
Injection Date: 25-Mar-2024 18:19:30 Instrument ID: 9355
Lims ID: ICIS v50
Client ID:
Operator ID: knk41612 ALS Bottle#: 15 Worklist Smp#: 16
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) MS Quad

147 Cyclohexanone, CAS: 108-94-1

Signal: 1


RT: 12.18
Area: 5257
Amount: 159.1773
Amount Units: ug/l

Processing Integration Results



RT: 11.98
Area: 420783
Amount: 625.0247
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:43:44 -04:00:00 (UTC)

Audit Action: Assigned Compound ID

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
 Lims ID: IC v100
 Client ID:
 Sample Type: IC Calib Level: 6
 Inject. Date: 25-Mar-2024 18:41:30 ALS Bottle#: 16 Worklist Smp#: 17
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-017
 Misc. Info.: IC 100
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub95
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:26:18 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 19:56:19

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.852	1.852	0.000	99	862784	100.0	109.4	M
4 Chloromethane	50	2.038	2.038	0.000	99	880203	100.0	104.4	
6 Vinyl chloride	62	2.145	2.138	0.007	98	832179	100.0	106.5	
5 Butadiene	39	2.152	2.145	0.007	95	771025	100.0	102.0	
8 Bromomethane	94	2.460	2.460	0.000	90	550736	100.0	104.0	
9 Chloroethane	64	2.531	2.531	0.000	100	384106	100.0	104.5	
10 Dichlorofluoromethane	67	2.760	2.753	0.007	97	1101593	100.0	100.5	
11 Trichlorofluoromethane	101	2.831	2.831	0.000	96	874630	100.0	109.5	
12 Pentane	43	2.853	2.846	0.007	96	662538	100.0	102.6	
14 Ethyl ether	59	3.046	3.046	0.000	92	347591	100.0	103.2	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.117	3.125	-0.008	91	509932	100.0	99.5	
16 Acrolein	56	3.189	3.189	0.000	99	1720466	999.9	1049.7	
17 1,1-Dichloroethene	96	3.339	3.339	0.000	98	362735	100.0	104.8	
18 Acetone	58	3.346	3.346	0.000	100	182790	200.0	210.9	M
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.382	3.382	0.000	92	474655	100.0	107.1	
20 Isopropyl alcohol	45	3.496	3.496	0.000	99	368175	500.0	470.9	M
21 Iodomethane	142	3.532	3.525	0.007	98	765467	100.0	104.2	
22 Carbon disulfide	76	3.639	3.639	0.000	99	1399358	100.0	105.3	
24 Methyl acetate	43	3.747	3.747	0.000	98	533374	100.0	103.0	M
25 3-Chloro-1-propene	41	3.782	3.782	0.000	89	586532	100.0	97.0	
* 26 t-Butyl alcohol-d10 (IS)	65	3.954	3.940	0.014	97	394299	250.0	250.0	M
27 Methylene Chloride	84	3.961	3.954	0.007	92	435085	100.0	104.0	
28 2-Methyl-2-propanol	59	4.076	4.068	0.008	100	794109	500.0	484.8	
29 Acrylonitrile	53	4.247	4.247	0.000	98	741234	250.0	263.2	
30 Methyl tert-butyl ether	73	4.347	4.347	0.000	97	1610177	100.0	102.2	
31 trans-1,2-Dichloroethene	96	4.362	4.362	0.000	99	387251	100.0	105.3	
33 Hexane	57	4.791	4.791	0.000	94	547702	100.0	103.6	
34 1,1-Dichloroethane	63	5.019	5.019	0.000	96	684192	100.0	102.9	
36 Isopropyl ether	45	5.084	5.077	0.007	93	1391542	100.0	104.2	
37 2-Chloro-1,3-butadiene	53	5.134	5.134	0.000	92	609342	100.0	104.5	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.634	5.634	0.000	98	1491267	100.0	104.2	
40 2-Butanone (MEK)	43	5.820	5.820	0.000	100	880646	200.0	191.2	
41 cis-1,2-Dichloroethene	96	5.863	5.856	0.007	82	449668	100.0	103.6	
42 2,2-Dichloropropane	77	5.892	5.892	0.000	89	740332	100.0	105.4	
43 Propionitrile	54	5.892	5.892	0.000	99	741822	500.0	524.6	
45 Methyl acrylate	55	5.970	5.970	0.000	100	657117	100.0	104.3	M
46 Methacrylonitrile	67	6.121	6.121	0.000	92	768251	250.0	264.9	
S 47 1,2-Dichloroethene, Total	100				0			208.9	
48 Chlorobromomethane	128	6.206	6.199	0.007	94	234049	100.0	105.8	
49 Tetrahydrofuran	71	6.221	6.221	0.000	89	639419	500.0	509.5	
51 Chloroform	83	6.356	6.349	0.007	93	742420	100.0	104.0	
\$ 52 Dibromofluoromethane (Surr)	113	6.571	6.578	-0.007	93	198761	50.0	49.6	
53 1,1,1-Trichloroethane	97	6.600	6.592	0.008	98	714513	100.0	105.1	
54 Cyclohexane	56	6.714	6.707	0.007	91	788674	100.0	105.4	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	96	550682	100.0	106.7	
56 Carbon tetrachloride	117	6.821	6.814	0.007	97	589319	100.0	108.1	
57 Isobutyl alcohol	41	6.943	6.943	0.000	94	662445	1250.0	1284.8	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.043	7.036	0.007	84	50753	50.0	49.9	
59 Benzene	78	7.079	7.072	0.007	96	1696460	100.0	104.3	
60 1,2-Dichloroethane	62	7.143	7.143	0.000	98	615152	100.0	104.9	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	98	1524424	100.0	105.2	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	843096	50.0	50.0	
64 n-Heptane	43	7.515	7.508	0.007	92	599162	100.0	100.4	
66 n-Butanol	56	7.837	7.837	0.000	89	512728	1250.0	1339.2	
67 Trichloroethene	95	7.980	7.980	0.000	99	445011	100.0	106.5	
68 Ethyl acrylate	55	8.087	8.087	0.000	100	753518	100.0	105.7	
69 Methylcyclohexane	83	8.301	8.301	0.000	90	820000	100.0	107.4	
70 1,2-Dichloropropane	63	8.308	8.309	-0.001	85	456704	100.0	106.6	
71 2-ethoxy-2-methyl butane	87	8.323	8.323	0.000	91	734918	100.0	104.6	
72 Methyl methacrylate	69	8.387	8.387	0.000	89	496057	100.0	108.5	
73 1,4-Dioxane	88	8.401	8.402	-0.001	58	165362	1250.0	1278.2	M
74 Dibromomethane	93	8.423	8.423	0.000	96	328300	100.0	108.0	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	581530	100.0	108.7	
77 2-Nitropropane	41	8.909	8.902	0.007	98	1240101	500.0	512.6	
78 2-Chloroethyl vinyl ether	63	9.024	9.024	0.000	92	344436	100.0	105.1	
79 cis-1,3-Dichloropropene	75	9.224	9.224	0.000	95	739808	100.0	109.8	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	1833685	200.0	204.0	
\$ 81 Toluene-d8 (Surr)	98	9.545	9.546	-0.001	94	840555	50.0	50.2	
82 Toluene	92	9.624	9.624	0.000	98	1121258	100.0	105.4	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	94	697349	100.0	109.9	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	852723	100.0	105.5	
S 125 1,3-Dichloropropene, Total	100				0			219.7	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	91	450273	100.0	103.8	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	471702	100.0	103.7	
128 1,3-Dichloropropane	76	10.261	10.261	-0.001	91	728945	100.0	105.1	
129 2-Hexanone	43	10.311	10.311	0.000	97	1284247	200.0	194.5	
132 Chlorodibromomethane	129	10.489	10.489	0.000	89	504488	100.0	112.4	
133 Ethylene Dibromide	107	10.604	10.604	0.000	99	492811	100.0	107.8	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	642721	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	582274	100.0	99.0	
136 Chlorobenzene	112	11.068	11.069	-0.001	94	1275223	100.0	104.2	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	95	529292	100.0	109.3	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
138 Ethylbenzene	91	11.154	11.154	0.000	98	2265443	100.0	102.9	
S 139 Xylenes, Total	106				0			312.0	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	1787973	200.0	206.6	
141 n-Butyl acrylate	55	11.555	11.555	0.000	96	1049098	100.0	101.3	
142 o-Xylene	106	11.605	11.605	0.000	97	970262	100.0	105.4	
143 Styrene	104	11.626	11.626	0.000	95	1529439	100.0	104.4	
144 Bromoform	173	11.784	11.784	0.000	97	425719	100.0	112.2	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	2380757	100.0	104.5	
147 Cyclohexanone	55	11.977	11.977	0.000	93	873243	1250.0	1232.2	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.062	12.062	0.000	91	322090	50.0	49.0	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	94	925406	100.0	106.6	
150 Bromobenzene	156	12.177	12.177	0.000	96	615848	100.0	106.8	
151 trans-1,4-Dichloro-2-butene	53	12.177	12.177	0.000	91	668550	250.0	283.2	
152 1,2,3-Trichloropropane	110	12.198	12.198	0.000	83	280372	100.0	104.8	
153 N-Propylbenzene	91	12.248	12.248	0.000	99	2826935	100.0	105.8	
154 2-Chlorotoluene	126	12.320	12.320	0.000	97	607927	100.0	105.6	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	94	2268605	100.0	108.7	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	583936	100.0	105.7	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	439038	100.0	112.5	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	2333990	100.0	107.3	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	2885172	100.0	109.5	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	1204247	100.0	103.7	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	2571927	100.0	109.1	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	94	379428	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.963	12.963	0.000	93	1224297	100.0	102.1	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	98	2558885	100.0	109.2	
167 Benzyl chloride	91	13.035	13.035	0.000	99	1946122	100.0	110.2	
168 1,3-Diethylbenzene	119	13.099	13.099	0.000	95	1509566	100.0	107.5	
169 p-Diethylbenzene	119	13.178	13.178	0.000	94	1556857	100.0	105.7	
170 n-Butylbenzene	92	13.192	13.192	0.000	97	1247694	100.0	105.6	
171 1,2-Dichlorobenzene	146	13.221	13.221	0.000	98	1308219	100.0	104.1	
172 o-diethylbenzene	119	13.249	13.249	0.000	95	1287671	100.0	108.4	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	87	306492	100.0	109.1	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	1071312	100.0	105.7	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	94	1114540	100.0	106.6	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	81	1044622	100.0	112.6	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	98	414145	100.0	109.9	
180 Naphthalene	128	14.501	14.501	0.000	97	4205472	100.0	105.8	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	1142089	100.0	106.5	
182 2-Methylnaphthalene	142	15.259	15.259	0.000	92	2522506	100.0	112.3	
S 211 Total Diethylbenzene	1				0			321.5	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00176	Amount Added: 5.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 10.00	Units: uL	
MSV_CCV_VOC#3_00172	Amount Added: 4.00	Units: uL	
MSV_CCV_2CEVE_00168	Amount Added: 5.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 5.00	Units: uL	
MSV_CCV_GASES_00760	Amount Added: 2.50	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 5.00	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 25-Mar-2024 22:26:19

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D

Injection Date: 25-Mar-2024 18:41:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC v100

Worklist Smp#: 17

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 16

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
Injection Date: 25-Mar-2024 18:41:30 Instrument ID: 9355
Lims ID: IC v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.85
Area: 860607
Amount: 118.4344
Amount Units: ug/l

Processing Integration Results



RT: 1.85
Area: 862784
Amount: 109.4249
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:54:20 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
Injection Date: 25-Mar-2024 18:41:30 Instrument ID: 9355
Lims ID: IC v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

18 Acetone, CAS: 67-64-1

Signal: 1


RT: 3.35
Area: 180679
Amount: 214.9021
Amount Units: ug/l

Processing Integration Results



RT: 3.35
Area: 182790
Amount: 210.8930
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:54:51 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
Injection Date: 25-Mar-2024 18:41:30 Instrument ID: 9355
Lims ID: IC v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

20 Isopropyl alcohol, CAS: 67-63-0

Signal: 1


RT: 3.50
Area: 355739
Amount: 439.9023
Amount Units: ug/l

Processing Integration Results



RT: 3.50
Area: 368175
Amount: 470.8865
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:02:48 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
Injection Date: 25-Mar-2024 18:41:30 Instrument ID: 9355
Lims ID: IC v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

24 Methyl acetate, CAS: 79-20-9

Signal: 1


RT: 3.75
Area: 542688
Amount: 102.1533
Amount Units: ug/l

Processing Integration Results



RT: 3.75
Area: 533374
Amount: 103.0489
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:55:13 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
Injection Date: 25-Mar-2024 18:41:30 Instrument ID: 9355
Lims ID: IC v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 380406
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 394299
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:55:19 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
Injection Date: 25-Mar-2024 18:41:30 Instrument ID: 9355
Lims ID: IC v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

45 Methyl acrylate, CAS: 96-33-3

Signal: 1


RT: 5.97
Area: 733460
Amount: 111.5896
Amount Units: ug/l

Processing Integration Results



RT: 5.97
Area: 657117
Amount: 104.3073
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:55:50 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X16.D
Injection Date: 25-Mar-2024 18:41:30 Instrument ID: 9355
Lims ID: IC v100
Client ID:
Operator ID: knk41612 ALS Bottle#: 16 Worklist Smp#: 17
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

73 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 8.40
Area: 170971
Amount: 1594.0769
Amount Units: ug/l

Processing Integration Results



RT: 8.40
Area: 165362
Amount: 1278.2127
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:56:02 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X17.D
 Lims ID: IC v300
 Client ID:
 Sample Type: IC Calib Level: 7
 Inject. Date: 25-Mar-2024 19:03:30 ALS Bottle#: 17 Worklist Smp#: 18
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-018
 Misc. Info.: IC 300
 Operator ID: knk41612 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub95
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:26:34 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 20:04:16

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.859	1.852	0.007	99	2503782	300.0	310.6	M
4 Chloromethane	50	2.045	2.038	0.007	99	2611469	300.0	302.8	
6 Vinyl chloride	62	2.152	2.138	0.014	98	2463627	300.0	308.5	
5 Butadiene	39	2.159	2.145	0.014	93	2230749	300.0	288.7	
8 Bromomethane	94	2.467	2.460	0.007	90	1606598	300.0	296.7	
9 Chloroethane	64	2.538	2.531	0.007	100	1144414	300.0	304.6	
10 Dichlorofluoromethane	67	2.767	2.753	0.014	97	3283126	300.0	293.1	
11 Trichlorofluoromethane	101	2.839	2.831	0.008	97	2568556	300.0	314.5	
12 Pentane	43	2.853	2.846	0.007	96	2016001	300.0	305.4	
14 Ethyl ether	59	3.046	3.046	0.000	92	1052945	300.0	305.9	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.132	3.125	0.007	91	1565114	300.0	298.6	
16 Acrolein	56	3.196	3.189	0.007	99	4998187	2999.7	2896.9	
17 1,1-Dichloroethene	96	3.346	3.339	0.007	98	1113077	300.0	314.6	
18 Acetone	58	3.346	3.346	0.000	88	549248	600.0	602.0	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.389	3.382	0.007	93	1418362	300.0	313.2	
20 Isopropyl alcohol	45	3.504	3.496	0.008	97	947628	1500.0	1151.3	M
21 Iodomethane	142	3.546	3.525	0.021	98	2331285	300.0	310.3	
22 Carbon disulfide	76	3.654	3.639	0.015	99	4321827	300.0	318.2	
24 Methyl acetate	43	3.754	3.747	0.007	98	1538740	300.0	290.8	
25 3-Chloro-1-propene	41	3.790	3.782	0.008	89	1769142	300.0	286.2	
* 26 t-Butyl alcohol-d10 (IS)	65	3.968	3.940	0.028	93	415071	250.0	250.0	M
27 Methylene Chloride	84	3.968	3.954	0.014	92	1322464	300.0	309.1	
28 2-Methyl-2-propanol	59	4.068	4.068	0.000	100	2067188	1500.0	1198.9	
29 Acrylonitrile	53	4.247	4.247	0.000	98	2097462	750.0	728.5	
30 Methyl tert-butyl ether	73	4.354	4.347	0.007	95	4559938	300.0	283.1	
31 trans-1,2-Dichloroethene	96	4.369	4.362	0.007	99	1134168	300.0	301.6	
33 Hexane	57	4.798	4.791	0.007	94	1611084	300.0	298.1	
34 1,1-Dichloroethane	63	5.019	5.019	0.000	96	2033428	300.0	299.2	
36 Isopropyl ether	45	5.091	5.077	0.014	93	4055280	300.0	297.2	
37 2-Chloro-1,3-butadiene	53	5.134	5.134	0.000	92	1775756	300.0	298.0	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.642	5.634	0.008	98	4313124	300.0	294.9	
40 2-Butanone (MEK)	43	5.827	5.820	0.007	100	2607326	600.0	553.8	
41 cis-1,2-Dichloroethene	96	5.863	5.856	0.007	83	1313272	300.0	295.9	
42 2,2-Dichloropropane	77	5.899	5.892	0.007	87	2237861	300.0	311.6	
43 Propionitrile	54	5.899	5.892	0.007	97	2130507	1500.0	1431.3	
45 Methyl acrylate	55	5.978	5.970	0.008	100	2059283	300.0	319.7	M
46 Methacrylonitrile	67	6.128	6.121	0.007	92	2155197	750.0	726.8	
S 47 1,2-Dichloroethene, Total	100				0			597.5	
48 Chlorobromomethane	128	6.206	6.199	0.007	95	669563	300.0	296.1	
49 Tetrahydrofuran	71	6.228	6.221	0.007	88	1793161	1500.0	1357.3	
51 Chloroform	83	6.357	6.349	0.008	93	2091409	300.0	293.1	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.578	0.000	93	198281	50.0	48.4	
53 1,1,1-Trichloroethane	97	6.600	6.592	0.008	98	2164000	300.0	311.5	
54 Cyclohexane	56	6.721	6.707	0.014	91	2431484	300.0	318.0	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	97	1612046	300.0	305.4	
56 Carbon tetrachloride	117	6.828	6.814	0.014	97	1810017	300.0	324.9	
57 Isobutyl alcohol	41	6.943	6.943	0.000	94	1785017	3750.0	3288.8	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.043	7.036	0.007	83	51677	50.0	49.7	
59 Benzene	78	7.079	7.072	0.007	96	4994480	300.0	300.5	
60 1,2-Dichloroethane	62	7.150	7.143	0.007	98	1747751	300.0	291.6	
62 Tert-amyl methyl ether	73	7.279	7.272	0.007	98	4403807	300.0	297.1	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	861945	50.0	50.0	
64 n-Heptane	43	7.515	7.508	0.007	92	1834078	300.0	300.5	
66 n-Butanol	56	7.837	7.837	0.000	89	1424241	3750.0	3533.9	
67 Trichloroethene	95	7.980	7.980	0.000	99	1337457	300.0	313.2	
68 Ethyl acrylate	55	8.087	8.087	0.000	99	2491166	300.0	341.7	
69 Methylcyclohexane	83	8.301	8.301	0.000	90	2584427	300.0	331.1	
70 1,2-Dichloropropane	63	8.309	8.309	0.000	89	1381361	300.0	315.5	
71 2-ethoxy-2-methyl butane	87	8.330	8.323	0.007	95	2263368	300.0	315.2	
72 Methyl methacrylate	69	8.394	8.387	0.007	90	1437627	300.0	307.6	
73 1,4-Dioxane	88	8.409	8.402	0.007	54	453011	3750.0	3326.4	M
74 Dibromomethane	93	8.423	8.423	0.000	96	963611	300.0	310.1	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	1738854	300.0	318.1	
77 2-Nitropropane	41	8.909	8.902	0.007	98	3471405	1500.0	1363.1	
78 2-Chloroethyl vinyl ether	63	9.031	9.024	0.007	92	1054000	300.0	314.6	
79 cis-1,3-Dichloropropene	75	9.224	9.224	0.000	95	2275508	300.0	330.3	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	5237375	600.0	569.8	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	94	880865	50.0	49.0	
82 Toluene	92	9.624	9.624	0.000	98	3377124	300.0	295.9	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	94	2110757	300.0	310.2	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	2412137	300.0	278.2	
S 125 1,3-Dichloropropene, Total	100				0			640.6	
126 1,1,2-Trichloroethane	97	10.103	10.096	0.007	91	1317366	300.0	283.2	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	1459663	300.0	299.3	
128 1,3-Dichloropropane	76	10.268	10.261	0.007	91	2182543	300.0	293.4	
129 2-Hexanone	43	10.311	10.311	0.000	97	3709518	600.0	523.8	
132 Chlorodibromomethane	129	10.489	10.489	0.000	90	1518578	300.0	315.4	
133 Ethylene Dibromide	107	10.604	10.604	0.000	99	1459381	300.0	297.6	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	88	689271	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	1774777	300.0	281.4	
136 Chlorobenzene	112	11.069	11.069	0.000	94	3832792	300.0	292.0	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	96	1555648	300.0	299.5	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
138 Ethylbenzene	91	11.161	11.154	0.007	98	6767855	300.0	286.6	
S 139 Xylenes, Total	106				0			866.9	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	98	5358270	600.0	577.4	
141 n-Butyl acrylate	55	11.555	11.555	0.000	96	3430124	300.1	308.9	
142 o-Xylene	106	11.612	11.605	0.007	97	2857952	300.0	289.5	
143 Styrene	104	11.626	11.626	0.000	94	4499058	300.0	286.4	
144 Bromoform	173	11.784	11.784	0.000	97	1261668	300.0	310.1	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	6985322	300.0	286.0	
147 Cyclohexanone	55	11.984	11.977	0.007	92	2863932	3749.9	3763.1	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.062	12.062	0.000	90	347390	50.0	49.3	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	94	2591513	300.0	279.1	
150 Bromobenzene	156	12.177	12.177	0.000	97	1802955	300.0	292.5	
151 trans-1,4-Dichloro-2-butene	53	12.184	12.177	0.007	92	1898245	750.0	751.9	
152 1,2,3-Trichloropropane	110	12.205	12.198	0.007	84	785308	300.0	274.6	
153 N-Propylbenzene	91	12.248	12.248	0.000	98	8230632	300.0	288.1	
154 2-Chlorotoluene	126	12.327	12.320	0.007	97	1833390	300.0	297.9	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	94	6834012	300.0	306.3	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	1769490	300.0	299.5	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	1367250	300.0	327.6	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	6908525	300.0	297.0	
161 sec-Butylbenzene	105	12.792	12.792	0.000	95	8486856	300.0	301.3	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	97	3513559	300.0	283.0	
163 4-Isopropyltoluene	119	12.906	12.899	0.007	96	7573984	300.0	300.5	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	405719	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.971	12.963	0.007	93	3588298	300.0	279.7	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	98	7480874	300.0	298.4	
167 Benzyl chloride	91	13.042	13.035	0.007	99	5556896	300.0	294.3	
168 1,3-Diethylbenzene	119	13.106	13.099	0.007	94	4555363	300.0	303.3	
169 p-Diethylbenzene	119	13.178	13.178	0.000	95	4664619	300.0	296.1	
170 n-Butylbenzene	92	13.199	13.192	0.007	98	3800396	300.0	300.7	
171 1,2-Dichlorobenzene	146	13.228	13.221	0.007	98	3769327	300.0	280.4	
172 o-diethylbenzene	119	13.249	13.249	0.000	95	3927688	300.0	309.2	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	87	871295	300.0	290.1	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	3167517	300.0	292.3	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	95	3116823	300.0	278.8	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	81	3229924	299.9	325.6	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	96	1256933	300.0	312.1	
180 Naphthalene	128	14.501	14.501	0.000	98	10563338	300.0	248.4	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	3077660	300.0	268.4	
182 2-Methylnaphthalene	142	15.259	15.259	0.000	93	6228073	300.0	259.3	
S 211 Total Diethylbenzene	1				0			908.6	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_CCV_VOC#1_00176	Amount Added: 15.00	Units: uL	
MSV_CCV_CYC_00008	Amount Added: 30.00	Units: uL	
MSV_CCV_VOC#3_00172	Amount Added: 12.00	Units: uL	
MSV_CCV_2CEVE_00168	Amount Added: 15.00	Units: uL	
MSV_CCV_EE_00006	Amount Added: 15.00	Units: uL	
MSV_CCV_GASES_00760	Amount Added: 7.50	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 15.00	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 25-Mar-2024 22:26:35

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X17.D

Injection Date: 25-Mar-2024 19:03:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: IC v300

Worklist Smp#: 18

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 17

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X17.D
Injection Date: 25-Mar-2024 19:03:30 Instrument ID: 9355
Lims ID: IC v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 17 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.86
Area: 2492135
Amount: 335.3175
Amount Units: ug/l

Processing Integration Results



RT: 1.86
Area: 2503782
Amount: 310.6046
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:56:39 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X17.D
Injection Date: 25-Mar-2024 19:03:30 Instrument ID: 9355
Lims ID: IC v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 17 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

20 Isopropyl alcohol, CAS: 67-63-0

Signal: 1


RT: 3.50
Area: 1316913
Amount: 1487.0118
Amount Units: ug/l

Processing Integration Results



RT: 3.50
Area: 947628
Amount: 1151.3388
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:03:59 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X17.D
Injection Date: 25-Mar-2024 19:03:30 Instrument ID: 9355
Lims ID: IC v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 17 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.97
Area: 417087
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.97
Area: 415071
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:05:48 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X17.D
Injection Date: 25-Mar-2024 19:03:30 Instrument ID: 9355
Lims ID: IC v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 17 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm i.d.) Detector: MS Quad

45 Methyl acrylate, CAS: 96-33-3

Signal: 1


RT: 5.98
Area: 2252543
Amount: 340.8659
Amount Units: ug/l

Processing Integration Results



RT: 5.98
Area: 2059283
Amount: 319.7316
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:57:39 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X17.D
Injection Date: 25-Mar-2024 19:03:30 Instrument ID: 9355
Lims ID: IC v300
Client ID:
Operator ID: knk41612 ALS Bottle#: 17 Worklist Smp#: 18
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

73 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 8.41
Area: 437525
Amount: 3810.2798
Amount Units: ug/l

Processing Integration Results



RT: 8.41
Area: 453011
Amount: 3326.4380
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 19:58:00 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Calibration

/ Dichlorodifluoromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4676

Error Coefficients

Relative Standard Deviation: 9.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.401273	50.0	815032.0	0.401273	Y
2	IC 410-486676/13	4.0	1.816755	50.0	812080.0	0.454189	Y
3	IC 410-486676/14	10.0	5.235565	50.0	815146.0	0.523557	Y
4	IC 410-486676/15	20.0	8.863114	50.0	819097.0	0.443156	Y
5	ICIS 410-486676/16	50.0	22.762552	50.0	837226.0	0.455251	Y
6	IC 410-486676/17	100.0	51.167601	50.0	843096.0	0.511676	Y
7	IC 410-486676/18	300.0	145.240242	50.0	861945.0	0.484134	Y



Calibration

/ Chloromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5002

Error Coefficients

Relative Standard Deviation: 4.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.475564	50.0	815032.0	0.475564	Y
2	IC 410-486676/13	4.0	1.961691	50.0	812080.0	0.490423	Y
3	IC 410-486676/14	10.0	5.171773	50.0	815146.0	0.517177	Y
4	IC 410-486676/15	20.0	10.412015	50.0	819097.0	0.520601	Y
5	ICIS 410-486676/16	50.0	23.54203	50.0	837226.0	0.470841	Y
6	IC 410-486676/17	100.0	52.200639	50.0	843096.0	0.522006	Y
7	IC 410-486676/18	300.0	151.486986	50.0	861945.0	0.504957	Y



Calibration

/ Vinyl chloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4632

Error Coefficients

Relative Standard Deviation: 7.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.393666	50.0	815032.0	0.393666	Y
2	IC 410-486676/13	4.0	1.833009	50.0	812080.0	0.458252	Y
3	IC 410-486676/14	10.0	4.930466	50.0	815146.0	0.493047	Y
4	IC 410-486676/15	20.0	9.639762	50.0	819097.0	0.481988	Y
5	ICIS 410-486676/16	50.0	22.292069	50.0	837226.0	0.445841	Y
6	IC 410-486676/17	100.0	49.352565	50.0	843096.0	0.493526	Y
7	IC 410-486676/18	300.0	142.910917	50.0	861945.0	0.47637	Y



Calibration


/ Butadiene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4482
Error Coefficients	

Relative Standard Deviation: 6.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.439124	50.0	815032.0	0.439124	Y
2	IC 410-486676/13	4.0	1.837565	50.0	812080.0	0.459391	Y
3	IC 410-486676/14	10.0	5.005974	50.0	815146.0	0.500597	Y
4	IC 410-486676/15	20.0	8.871538	50.0	819097.0	0.443577	Y
5	ICIS 410-486676/16	50.0	20.319245	50.0	837226.0	0.406385	Y
6	IC 410-486676/17	100.0	45.725813	50.0	843096.0	0.457258	Y
7	IC 410-486676/18	300.0	129.40205	50.0	861945.0	0.43134	Y



Calibration


/ Bromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3141
Error Coefficients	

Relative Standard Deviation: 4.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.294283	50.0	815032.0	0.294283	Y
2	IC 410-486676/13	4.0	1.223032	50.0	812080.0	0.305758	Y
3	IC 410-486676/14	10.0	3.367188	50.0	815146.0	0.336719	Y
4	IC 410-486676/15	20.0	6.477438	50.0	819097.0	0.323872	Y
5	ICIS 410-486676/16	50.0	15.0454	50.0	837226.0	0.300908	Y
6	IC 410-486676/17	100.0	32.661524	50.0	843096.0	0.326615	Y
7	IC 410-486676/18	300.0	93.196086	50.0	861945.0	0.310654	Y



Calibration

/ Chloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.218

Error Coefficients

Relative Standard Deviation: 6.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.196495	50.0	815032.0	0.196495	Y
2	IC 410-486676/13	4.0	0.859583	50.0	812080.0	0.214896	Y
3	IC 410-486676/14	10.0	2.337495	50.0	815146.0	0.23375	Y
4	IC 410-486676/15	20.0	4.537924	50.0	819097.0	0.226896	Y
5	ICIS 410-486676/16	50.0	10.236603	50.0	837226.0	0.204732	Y
6	IC 410-486676/17	100.0	22.779494	50.0	843096.0	0.227795	Y
7	IC 410-486676/18	300.0	66.385558	50.0	861945.0	0.221285	Y



Calibration

/ Dichlorofluoromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.6498

Error Coefficients

Relative Standard Deviation: 6.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.723653	50.0	815032.0	0.723653	Y
2	IC 410-486676/13	4.0	2.481036	50.0	812080.0	0.620259	Y
3	IC 410-486676/14	10.0	6.715852	50.0	815146.0	0.671585	Y
4	IC 410-486676/15	20.0	13.009143	50.0	819097.0	0.650457	Y
5	ICIS 410-486676/16	50.0	29.725964	50.0	837226.0	0.594519	Y
6	IC 410-486676/17	100.0	65.330223	50.0	843096.0	0.653302	Y
7	IC 410-486676/18	300.0	190.448695	50.0	861945.0	0.634829	Y



Calibration

/ Trichlorofluoromethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4738

Error Coefficients

Relative Standard Deviation: 9.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.393297	50.0	815032.0	0.393297	Y
2	IC 410-486676/13	4.0	1.849941	50.0	812080.0	0.462485	Y
3	IC 410-486676/14	10.0	5.167357	50.0	815146.0	0.516736	Y
4	IC 410-486676/15	20.0	9.424647	50.0	819097.0	0.471232	Y
5	ICIS 410-486676/16	50.0	22.88277	50.0	837226.0	0.457655	Y
6	IC 410-486676/17	100.0	51.870131	50.0	843096.0	0.518701	Y
7	IC 410-486676/18	300.0	148.997674	50.0	861945.0	0.496659	Y



Calibration


/ Pentane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3829
Error Coefficients	

Relative Standard Deviation: 4.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.39207	50.0	815032.0	0.39207	Y
2	IC 410-486676/13	4.0	1.51937	50.0	812080.0	0.379843	Y
3	IC 410-486676/14	10.0	3.554762	50.0	815146.0	0.355476	Y
4	IC 410-486676/15	20.0	7.993315	50.0	819097.0	0.399666	Y
5	ICIS 410-486676/16	50.0	18.54117	50.0	837226.0	0.370823	Y
6	IC 410-486676/17	100.0	39.291967	50.0	843096.0	0.39292	Y
7	IC 410-486676/18	300.0	116.944875	50.0	861945.0	0.389816	Y



Calibration

/ Ethyl ether

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.1997

Error Coefficients

Relative Standard Deviation: 3.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.000139	0.188275	50.0	815032.0	0.188249	Y
2	IC 410-486676/13	4.000554	0.774616	50.0	812080.0	0.193627	Y
3	IC 410-486676/14	10.001386	1.965967	50.0	815146.0	0.196569	Y
4	IC 410-486676/15	20.002772	4.010941	50.0	819097.0	0.200519	Y
5	ICIS 410-486676/16	50.00693	10.451837	50.0	837226.0	0.209008	Y
6	IC 410-486676/17	100.01386	20.613963	50.0	843096.0	0.206111	Y
7	IC 410-486676/18	300.04158	61.079593	50.0	861945.0	0.20357	Y



Calibration

/ 1,2-Dichloro-1,1,2-trifluoroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3041

Error Coefficients

Relative Standard Deviation: 3.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.309558	50.0	815032.0	0.309558	Y
2	IC 410-486676/13	4.0	1.273397	50.0	812080.0	0.318349	Y
3	IC 410-486676/14	10.0	3.110547	50.0	815146.0	0.311055	Y
4	IC 410-486676/15	20.0	6.063262	50.0	819097.0	0.303163	Y
5	ICIS 410-486676/16	50.0	14.0649	50.0	837226.0	0.281298	Y
6	IC 410-486676/17	100.0	30.241633	50.0	843096.0	0.302416	Y
7	IC 410-486676/18	300.0	90.789668	50.0	861945.0	0.302632	Y



Calibration

/ Acrolein

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.039

Error Coefficients

Relative Standard Deviation: 3.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	9.999153	10.594766	250.0	378418.0	1.059566	Y
2	IC 410-486676/13	39.99661	39.180002	250.0	365952.0	0.979583	Y
3	IC 410-486676/14	99.991525	101.418143	250.0	365901.0	1.014267	Y
4	IC 410-486676/15	199.98305	215.451065	250.0	391329.0	1.077347	Y
5	ICIS 410-486676/16	499.957626	524.55629	250.0	385838.0	1.049201	Y
6	IC 410-486676/17	999.915252	1090.838425	250.0	394299.0	1.090931	Y
7	IC 410-486676/18	2999.745756	3010.440985	250.0	415071.0	1.003565	Y



Calibration

/ 1,1-Dichloroethene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.2053

Error Coefficients

Relative Standard Deviation: 7.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.172447	50.0	815032.0	0.172447	Y
2	IC 410-486676/13	4.0	0.841481	50.0	812080.0	0.21037	Y
3	IC 410-486676/14	10.0	1.975229	50.0	815146.0	0.197523	Y
4	IC 410-486676/15	20.0	4.346921	50.0	819097.0	0.217346	Y
5	ICIS 410-486676/16	50.0	10.437385	50.0	837226.0	0.208748	Y
6	IC 410-486676/17	100.0	21.512082	50.0	843096.0	0.215121	Y
7	IC 410-486676/18	300.0	64.567751	50.0	861945.0	0.215226	Y



Calibration


/ Acetone

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.5495
Error Coefficients	

Relative Standard Deviation: 7.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.0	1.029285	250.0	378418.0	0.514643	Y
2	IC 410-486676/13	8.0	3.828371	250.0	365952.0	0.478546	Y
3	IC 410-486676/14	20.0	11.063785	250.0	365901.0	0.553189	Y
4	IC 410-486676/15	40.0	23.951074	250.0	391329.0	0.598777	Y
5	ICIS 410-486676/16	100.0	57.083543	250.0	385838.0	0.570835	Y
6	IC 410-486676/17	200.0	115.895551	250.0	394299.0	0.579478	Y
7	IC 410-486676/18	600.0	330.815692	250.0	415071.0	0.551359	Y



Calibration

/ 1,1,2-Trichloro-1,2,2-trifluoroethane

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 0.2627

Error Coefficients

Relative Standard Deviation: 8.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.21582	50.0	815032.0	0.21582	Y
2	IC 410-486676/13	4.0	1.068491	50.0	812080.0	0.267123	Y
3	IC 410-486676/14	10.0	2.521573	50.0	815146.0	0.252157	Y
4	IC 410-486676/15	20.0	5.693892	50.0	819097.0	0.284695	Y
5	ICIS 410-486676/16	50.0	13.172608	50.0	837226.0	0.263452	Y
6	IC 410-486676/17	100.0	28.149523	50.0	843096.0	0.281495	Y
7	IC 410-486676/18	300.0	82.276827	50.0	861945.0	0.274256	Y



Calibration


/ Isopropyl alcohol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4957
Error Coefficients	

Relative Standard Deviation: 19.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	5.0	2.418622	250.0	378418.0	0.483724	Y
2	IC 410-486676/13	20.0	8.4936	250.0	365952.0	0.42468	Y
3	IC 410-486676/14	50.0	23.314366	250.0	365901.0	0.466287	Y
4	IC 410-486676/15	100.0	61.880157	250.0	391329.0	0.618802	Y
5	ICIS 410-486676/16	250.0	157.323151	250.0	385838.0	0.629293	Y
6	IC 410-486676/17	500.0	233.436428	250.0	394299.0	0.466873	Y
7	IC 410-486676/18	1500.0	570.762592	250.0	415071.0	0.380508	Y



Calibration

/ Iodomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4358

Error Coefficients

Relative Standard Deviation: 5.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.393052	50.0	815032.0	0.393052	Y
2	IC 410-486676/13	4.0	1.764912	50.0	812080.0	0.441228	Y
3	IC 410-486676/14	10.0	4.108896	50.0	815146.0	0.41089	Y
4	IC 410-486676/15	20.0	9.222839	50.0	819097.0	0.461142	Y
5	ICIS 410-486676/16	50.0	21.979967	50.0	837226.0	0.439599	Y
6	IC 410-486676/17	100.0	45.396195	50.0	843096.0	0.453962	Y
7	IC 410-486676/18	300.0	135.233977	50.0	861945.0	0.45078	Y



Calibration

/ Carbon disulfide

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.7879

Error Coefficients

Relative Standard Deviation: 5.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.747885	50.0	815032.0	0.747885	Y
2	IC 410-486676/13	4.0	3.086519	50.0	812080.0	0.77163	Y
3	IC 410-486676/14	10.0	7.334453	50.0	815146.0	0.733445	Y
4	IC 410-486676/15	20.0	16.40581	50.0	819097.0	0.820291	Y
5	ICIS 410-486676/16	50.0	38.81443	50.0	837226.0	0.776289	Y
6	IC 410-486676/17	100.0	82.989244	50.0	843096.0	0.829892	Y
7	IC 410-486676/18	300.0	250.702017	50.0	861945.0	0.835673	Y



Calibration


/ Methyl acetate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.307
Error Coefficients	

Relative Standard Deviation: 8.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.294222	50.0	815032.0	0.294222	Y
2	IC 410-486676/13	4.0	1.139728	50.0	812080.0	0.284932	Y
3	IC 410-486676/14	10.0	2.742515	50.0	815146.0	0.274251	Y
4	IC 410-486676/15	20.0	6.607337	50.0	819097.0	0.330367	Y
5	ICIS 410-486676/16	50.0	17.554758	50.0	837226.0	0.351095	Y
6	IC 410-486676/17	100.0	31.631866	50.0	843096.0	0.316319	Y
7	IC 410-486676/18	300.0	89.259756	50.0	861945.0	0.297533	Y



Calibration

/ 3-Chloro-1-propene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3586

Error Coefficients

Relative Standard Deviation: 11.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.442866	50.0	815032.0	0.442866	Y
2	IC 410-486676/13	4.0	1.501515	50.0	812080.0	0.375379	Y
3	IC 410-486676/14	10.0	3.135573	50.0	815146.0	0.313557	Y
4	IC 410-486676/15	20.0	6.881664	50.0	819097.0	0.344083	Y
5	ICIS 410-486676/16	50.0	17.206226	50.0	837226.0	0.344125	Y
6	IC 410-486676/17	100.0	34.784414	50.0	843096.0	0.347844	Y
7	IC 410-486676/18	300.0	102.624993	50.0	861945.0	0.342083	Y



Calibration

/ Methylene Chloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2482

Error Coefficients

Relative Standard Deviation: 5.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.235696	50.0	815032.0	0.235696	Y
2	IC 410-486676/13	4.0	0.978413	50.0	812080.0	0.244603	Y
3	IC 410-486676/14	10.0	2.285296	50.0	815146.0	0.22853	Y
4	IC 410-486676/15	20.0	5.220444	50.0	819097.0	0.261022	Y
5	ICIS 410-486676/16	50.0	12.696572	50.0	837226.0	0.253931	Y
6	IC 410-486676/17	100.0	25.802815	50.0	843096.0	0.258028	Y
7	IC 410-486676/18	300.0	76.713943	50.0	861945.0	0.255713	Y



Calibration


/ 2-Methyl-2-propanol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.039
Error Coefficients	

Relative Standard Deviation: 16.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	5.0	6.163819	250.0	378418.0	1.232764	Y
2	IC 410-486676/13	20.0	17.301449	250.0	365952.0	0.865072	Y
3	IC 410-486676/14	50.0	46.051391	250.0	365901.0	0.921028	Y
4	IC 410-486676/15	100.0	117.595425	250.0	391329.0	1.175954	Y
5	ICIS 410-486676/16	250.0	309.486106	250.0	385838.0	1.237944	Y
6	IC 410-486676/17	500.0	503.494176	250.0	394299.0	1.006988	Y
7	IC 410-486676/18	1500.0	1245.080962	250.0	415071.0	0.830054	Y



Calibration

/ Acrylonitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.167

Error Coefficients

Relative Standard Deviation: 10.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.5	0.402684	50.0	815032.0	0.161073	Y
2	IC 410-486676/13	10.0	1.474547	50.0	812080.0	0.147455	Y
3	IC 410-486676/14	25.0	3.683267	50.0	815146.0	0.147331	Y
4	IC 410-486676/15	50.0	9.363726	50.0	819097.0	0.187275	Y
5	ICIS 410-486676/16	125.0	23.485415	50.0	837226.0	0.187883	Y
6	IC 410-486676/17	250.0	43.959051	50.0	843096.0	0.175836	Y
7	IC 410-486676/18	750.0	121.670292	50.0	861945.0	0.162227	Y



Calibration

/ Methyl tert-butyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.9345

Error Coefficients

Relative Standard Deviation: 6.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.969348	50.0	815032.0	0.969348	Y
2	IC 410-486676/13	4.0	3.553468	50.0	812080.0	0.888367	Y
3	IC 410-486676/14	10.0	8.568097	50.0	815146.0	0.85681	Y
4	IC 410-486676/15	20.0	19.965035	50.0	819097.0	0.998252	Y
5	ICIS 410-486676/16	50.0	49.609604	50.0	837226.0	0.992192	Y
6	IC 410-486676/17	100.0	95.491913	50.0	843096.0	0.954919	Y
7	IC 410-486676/18	300.0	264.514441	50.0	861945.0	0.881715	Y



Calibration

/ trans-1,2-Dichloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2181

Error Coefficients

Relative Standard Deviation: 8.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.182201	50.0	815032.0	0.182201	Y
2	IC 410-486676/13	4.0	0.897141	50.0	812080.0	0.224285	Y
3	IC 410-486676/14	10.0	2.103488	50.0	815146.0	0.210349	Y
4	IC 410-486676/15	20.0	4.698589	50.0	819097.0	0.234929	Y
5	ICIS 410-486676/16	50.0	11.313313	50.0	837226.0	0.226266	Y
6	IC 410-486676/17	100.0	22.966009	50.0	843096.0	0.22966	Y
7	IC 410-486676/18	300.0	65.791205	50.0	861945.0	0.219304	Y



Calibration


/ Hexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3135
Error Coefficients	

Relative Standard Deviation: 4.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.300111	50.0	815032.0	0.300111	Y
2	IC 410-486676/13	4.0	1.226295	50.0	812080.0	0.306574	Y
3	IC 410-486676/14	10.0	3.073253	50.0	815146.0	0.307325	Y
4	IC 410-486676/15	20.0	6.729972	50.0	819097.0	0.336499	Y
5	ICIS 410-486676/16	50.0	15.38157	50.0	837226.0	0.307631	Y
6	IC 410-486676/17	100.0	32.481592	50.0	843096.0	0.324816	Y
7	IC 410-486676/18	300.0	93.456311	50.0	861945.0	0.311521	Y



Calibration

/ 1,1-Dichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3943

Error Coefficients

Relative Standard Deviation: 5.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.363176	50.0	815032.0	0.363176	Y
2	IC 410-486676/13	4.0	1.581864	50.0	812080.0	0.395466	Y
3	IC 410-486676/14	10.0	3.660019	50.0	815146.0	0.366002	Y
4	IC 410-486676/15	20.0	8.413778	50.0	819097.0	0.420689	Y
5	ICIS 410-486676/16	50.0	20.786084	50.0	837226.0	0.415722	Y
6	IC 410-486676/17	100.0	40.576162	50.0	843096.0	0.405762	Y
7	IC 410-486676/18	300.0	117.955786	50.0	861945.0	0.393186	Y



Calibration

/ Isopropyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.7916

Error Coefficients

Relative Standard Deviation: 6.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.793957	50.0	815032.0	0.793957	Y
2	IC 410-486676/13	4.0	3.011033	50.0	812080.0	0.752758	Y
3	IC 410-486676/14	10.0	7.079039	50.0	815146.0	0.707904	Y
4	IC 410-486676/15	20.0	16.785558	50.0	819097.0	0.839278	Y
5	ICIS 410-486676/16	50.0	41.906009	50.0	837226.0	0.83812	Y
6	IC 410-486676/17	100.0	82.525715	50.0	843096.0	0.825257	Y
7	IC 410-486676/18	300.0	235.240068	50.0	861945.0	0.784134	Y



Calibration


/ 2-Chloro-1,3-butadiene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3457
Error Coefficients	

Relative Standard Deviation: 6.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.305325	50.0	815032.0	0.305325	Y
2	IC 410-486676/13	4.0	1.387917	50.0	812080.0	0.346979	Y
3	IC 410-486676/14	10.0	3.255981	50.0	815146.0	0.325598	Y
4	IC 410-486676/15	20.0	7.509855	50.0	819097.0	0.375493	Y
5	ICIS 410-486676/16	50.0	18.076839	50.0	837226.0	0.361537	Y
6	IC 410-486676/17	100.0	36.137166	50.0	843096.0	0.361372	Y
7	IC 410-486676/18	300.0	103.008661	50.0	861945.0	0.343362	Y



Calibration

/ Tert-butyl ethyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.8484

Error Coefficients

Relative Standard Deviation: 7.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.872726	50.0	815032.0	0.872726	Y
2	IC 410-486676/13	4.0	3.142301	50.0	812080.0	0.785575	Y
3	IC 410-486676/14	10.0	7.504361	50.0	815146.0	0.750436	Y
4	IC 410-486676/15	20.0	17.996281	50.0	819097.0	0.899814	Y
5	ICIS 410-486676/16	50.0	45.584466	50.0	837226.0	0.911689	Y
6	IC 410-486676/17	100.0	88.439929	50.0	843096.0	0.884399	Y
7	IC 410-486676/18	300.0	250.19717	50.0	861945.0	0.833991	Y



Calibration

/ 2-Butanone (MEK)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2731

Error Coefficients

Relative Standard Deviation: 17.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.0	0.745247	50.0	815032.0	0.372623	Y
2	IC 410-486676/13	8.0	2.013472	50.0	812080.0	0.251684	Y
3	IC 410-486676/14	20.0	4.559613	50.0	815146.0	0.227981	Y
4	IC 410-486676/15	40.0	11.556446	50.0	819097.0	0.288911	Y
5	ICIS 410-486676/16	100.0	25.729254	50.0	837226.0	0.257293	Y
6	IC 410-486676/17	200.0	52.226911	50.0	843096.0	0.261135	Y
7	IC 410-486676/18	600.0	151.246657	50.0	861945.0	0.252078	Y



Calibration


/ cis-1,2-Dichloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.2574
Error Coefficients	

Relative Standard Deviation: 5.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.246064	50.0	815032.0	0.246064	Y
2	IC 410-486676/13	4.0	1.011538	50.0	812080.0	0.252885	Y
3	IC 410-486676/14	10.0	2.366693	50.0	815146.0	0.236669	Y
4	IC 410-486676/15	20.0	5.491474	50.0	819097.0	0.274574	Y
5	ICIS 410-486676/16	50.0	13.562646	50.0	837226.0	0.271253	Y
6	IC 410-486676/17	100.0	26.667663	50.0	843096.0	0.266677	Y
7	IC 410-486676/18	300.0	76.180731	50.0	861945.0	0.253936	Y



Calibration

/ 2,2-Dichloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4166

Error Coefficients

Relative Standard Deviation: 6.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.372562	50.0	815032.0	0.372562	Y
2	IC 410-486676/13	4.0	1.68955	50.0	812080.0	0.422388	Y
3	IC 410-486676/14	10.0	3.819868	50.0	815146.0	0.381987	Y
4	IC 410-486676/15	20.0	8.831494	50.0	819097.0	0.441575	Y
5	ICIS 410-486676/16	50.0	21.313182	50.0	837226.0	0.426264	Y
6	IC 410-486676/17	100.0	43.905558	50.0	843096.0	0.439056	Y
7	IC 410-486676/18	300.0	129.814605	50.0	861945.0	0.432715	Y



Calibration


/ Propionitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.8965
Error Coefficients	

Relative Standard Deviation: 13.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	5.0	4.302782	250.0	378418.0	0.860556	Y
2	IC 410-486676/13	20.0	15.019729	250.0	365952.0	0.750986	Y
3	IC 410-486676/14	50.0	39.347392	250.0	365901.0	0.786948	Y
4	IC 410-486676/15	100.0	98.966598	250.0	391329.0	0.989666	Y
5	ICIS 410-486676/16	250.0	272.877477	250.0	385838.0	1.09151	Y
6	IC 410-486676/17	500.0	470.342304	250.0	394299.0	0.940685	Y
7	IC 410-486676/18	1500.0	1283.218413	250.0	415071.0	0.855479	Y



Calibration

/ Methyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3736

Error Coefficients

Relative Standard Deviation: 7.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.00014	0.364894	50.0	815032.0	0.364843	Y
2	IC 410-486676/13	4.00056	1.319574	50.0	812080.0	0.329847	Y
3	IC 410-486676/14	10.0014	3.634809	50.0	815146.0	0.36343	Y
4	IC 410-486676/15	20.0028	7.18877	50.0	819097.0	0.359388	Y
5	ICIS 410-486676/16	50.007	20.502708	50.0	837226.0	0.409997	Y
6	IC 410-486676/17	100.014	38.970473	50.0	843096.0	0.38965	Y
7	IC 410-486676/18	300.042	119.455592	50.0	861945.0	0.39813	Y



Calibration


/ Methacrylonitrile

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.172
Error Coefficients	

Relative Standard Deviation: 11.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.5	0.413849	50.0	815032.0	0.16554	Y
2	IC 410-486676/13	10.0	1.519001	50.0	812080.0	0.1519	Y
3	IC 410-486676/14	25.0	3.713568	50.0	815146.0	0.148543	Y
4	IC 410-486676/15	50.0	9.570539	50.0	819097.0	0.191411	Y
5	ICIS 410-486676/16	125.0	24.72809	50.0	837226.0	0.197825	Y
6	IC 410-486676/17	250.0	45.5613	50.0	843096.0	0.182245	Y
7	IC 410-486676/18	750.0	125.019404	50.0	861945.0	0.166693	Y



Calibration


/ Chlorobromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.1312
Error Coefficients	

Relative Standard Deviation: 8.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.11883	50.0	815032.0	0.11883	Y
2	IC 410-486676/13	4.0	0.497673	50.0	812080.0	0.124418	Y
3	IC 410-486676/14	10.0	1.197025	50.0	815146.0	0.119702	Y
4	IC 410-486676/15	20.0	2.903441	50.0	819097.0	0.145172	Y
5	ICIS 410-486676/16	50.0	7.091693	50.0	837226.0	0.141834	Y
6	IC 410-486676/17	100.0	13.880329	50.0	843096.0	0.138803	Y
7	IC 410-486676/18	300.0	38.840239	50.0	861945.0	0.129467	Y



Calibration


/ Tetrahydrofuran

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.7957
Error Coefficients	

Relative Standard Deviation: 10.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	5.0	4.317976	250.0	378418.0	0.863595	Y
2	IC 410-486676/13	20.0	14.589345	250.0	365952.0	0.729467	Y
3	IC 410-486676/14	50.0	34.428712	250.0	365901.0	0.688574	Y
4	IC 410-486676/15	100.0	86.020331	250.0	391329.0	0.860203	Y
5	ICIS 410-486676/16	250.0	224.388215	250.0	385838.0	0.897553	Y
6	IC 410-486676/17	500.0	405.415053	250.0	394299.0	0.81083	Y
7	IC 410-486676/18	1500.0	1080.032693	250.0	415071.0	0.720022	Y



Calibration


/ Chloroform

Curve Type: Linear
Weighting: Conc
Origin: None
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	1.495
Slope:	0.4088

Error Coefficients	
Relative Standard Deviation:	13.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.920354	50.0	815032.0	1.920354	Y
2	IC 410-486676/13	4.0	3.19519	50.0	812080.0	0.798798	Y
3	IC 410-486676/14	10.0	4.51091	50.0	815146.0	0.451091	Y
4	IC 410-486676/15	20.0	10.478918	50.0	819097.0	0.523946	Y
5	ICIS 410-486676/16	50.0	23.274898	50.0	837226.0	0.465498	Y
6	IC 410-486676/17	100.0	44.029387	50.0	843096.0	0.440294	Y
7	IC 410-486676/18	300.0	121.319168	50.0	861945.0	0.404397	Y



Calibration


/ Dibromofluoromethane (Surr)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.2375
Error Coefficients	

Relative Standard Deviation: 1.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	50.0	11.902171	50.0	815032.0	0.238043	Y
2	IC 410-486676/13	50.0	11.919454	50.0	812080.0	0.238389	Y
3	IC 410-486676/14	50.0	11.988711	50.0	815146.0	0.239774	Y
4	IC 410-486676/15	50.0	12.163211	50.0	819097.0	0.243264	Y
5	ICIS 410-486676/16	50.0	11.861493	50.0	837226.0	0.23723	Y
6	IC 410-486676/17	50.0	11.787566	50.0	843096.0	0.235751	Y
7	IC 410-486676/18	50.0	11.501952	50.0	861945.0	0.230039	Y



Calibration


/ 1,1,1-Trichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.403
Error Coefficients	

Relative Standard Deviation: 6.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.360599	50.0	815032.0	0.360599	Y
2	IC 410-486676/13	4.0	1.610863	50.0	812080.0	0.402716	Y
3	IC 410-486676/14	10.0	3.694308	50.0	815146.0	0.369431	Y
4	IC 410-486676/15	20.0	8.633349	50.0	819097.0	0.431667	Y
5	ICIS 410-486676/16	50.0	20.736336	50.0	837226.0	0.414727	Y
6	IC 410-486676/17	100.0	42.374356	50.0	843096.0	0.423744	Y
7	IC 410-486676/18	300.0	125.530051	50.0	861945.0	0.418434	Y



Calibration


/ Cyclohexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4436
Error Coefficients	

Relative Standard Deviation: 6.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.389371	50.0	815032.0	0.389371	Y
2	IC 410-486676/13	4.0	1.806903	50.0	812080.0	0.451726	Y
3	IC 410-486676/14	10.0	4.167536	50.0	815146.0	0.416754	Y
4	IC 410-486676/15	20.0	9.368121	50.0	819097.0	0.468406	Y
5	ICIS 410-486676/16	50.0	22.043033	50.0	837226.0	0.440861	Y
6	IC 410-486676/17	100.0	46.772491	50.0	843096.0	0.467725	Y
7	IC 410-486676/18	300.0	141.046354	50.0	861945.0	0.470155	Y



Calibration

/ 1,1-Dichloropropene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3062

Error Coefficients

Relative Standard Deviation: 8.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.25588	50.0	815032.0	0.25588	Y
2	IC 410-486676/13	4.0	1.255972	50.0	812080.0	0.313993	Y
3	IC 410-486676/14	10.0	2.848324	50.0	815146.0	0.284832	Y
4	IC 410-486676/15	20.0	6.663802	50.0	819097.0	0.33319	Y
5	ICIS 410-486676/16	50.0	15.852709	50.0	837226.0	0.317054	Y
6	IC 410-486676/17	100.0	32.658321	50.0	843096.0	0.326583	Y
7	IC 410-486676/18	300.0	93.512115	50.0	861945.0	0.311707	Y



Calibration

/ Carbon tetrachloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3232

Error Coefficients

Relative Standard Deviation: 9.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.276615	50.0	815032.0	0.276615	Y
2	IC 410-486676/13	4.0	1.272535	50.0	812080.0	0.318134	Y
3	IC 410-486676/14	10.0	2.879177	50.0	815146.0	0.287918	Y
4	IC 410-486676/15	20.0	6.88673	50.0	819097.0	0.344337	Y
5	ICIS 410-486676/16	50.0	16.799705	50.0	837226.0	0.335994	Y
6	IC 410-486676/17	100.0	34.949697	50.0	843096.0	0.349497	Y
7	IC 410-486676/18	300.0	104.996084	50.0	861945.0	0.349987	Y




Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3269
Error Coefficients	

Relative Standard Deviation: 16.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	12.5	6.373904	250.0	378418.0	0.509912	N
2	IC 410-486676/13	50.0	14.90496	250.0	365952.0	0.298099	Y
3	IC 410-486676/14	125.0	33.269928	250.0	365901.0	0.266159	Y
4	IC 410-486676/15	250.0	91.470987	250.0	391329.0	0.365884	Y
5	ICIS 410-486676/16	625.0	255.364946	250.0	385838.0	0.408584	Y
6	IC 410-486676/17	1250.0	420.01438	250.0	394299.0	0.336012	Y
7	IC 410-486676/18	3750.0	1075.127508	250.0	415071.0	0.286701	Y



Calibration

/ 1,2-Dichloroethane-d4 (Surr)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.06032

Error Coefficients

Relative Standard Deviation: 1.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	50.0	2.989883	50.0	815032.0	0.059798	Y
2	IC 410-486676/13	50.0	3.011895	50.0	812080.0	0.060238	Y
3	IC 410-486676/14	50.0	3.008847	50.0	815146.0	0.060177	Y
4	IC 410-486676/15	50.0	3.004528	50.0	819097.0	0.060091	Y
5	ICIS 410-486676/16	50.0	3.089429	50.0	837226.0	0.061789	Y
6	IC 410-486676/17	50.0	3.009918	50.0	843096.0	0.060198	Y
7	IC 410-486676/18	50.0	2.997697	50.0	861945.0	0.059954	Y



Calibration


/ Benzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.9642
Error Coefficients	

Relative Standard Deviation: 5.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.923522	50.0	815032.0	0.923522	Y
2	IC 410-486676/13	4.0	3.830226	50.0	812080.0	0.957557	Y
3	IC 410-486676/14	10.0	8.809219	50.0	815146.0	0.880922	Y
4	IC 410-486676/15	20.0	20.220011	50.0	819097.0	1.011001	Y
5	ICIS 410-486676/16	50.0	50.215653	50.0	837226.0	1.004313	Y
6	IC 410-486676/17	100.0	100.608946	50.0	843096.0	1.006089	Y
7	IC 410-486676/18	300.0	289.721502	50.0	861945.0	0.965738	Y



Calibration

/ 1,2-Dichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3477

Error Coefficients

Relative Standard Deviation: 6.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.333422	50.0	815032.0	0.333422	Y
2	IC 410-486676/13	4.0	1.326347	50.0	812080.0	0.331587	Y
3	IC 410-486676/14	10.0	3.175995	50.0	815146.0	0.3176	Y
4	IC 410-486676/15	20.0	7.469506	50.0	819097.0	0.373475	Y
5	ICIS 410-486676/16	50.0	18.746133	50.0	837226.0	0.374923	Y
6	IC 410-486676/17	100.0	36.481729	50.0	843096.0	0.364817	Y
7	IC 410-486676/18	300.0	101.384137	50.0	861945.0	0.337947	Y



Calibration

/ Tert-amyl methyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.8597

Error Coefficients

Relative Standard Deviation: 8.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.879352	50.0	815032.0	0.879352	Y
2	IC 410-486676/13	4.0	3.100988	50.0	812080.0	0.775247	Y
3	IC 410-486676/14	10.0	7.473262	50.0	815146.0	0.747326	Y
4	IC 410-486676/15	20.0	18.232395	50.0	819097.0	0.91162	Y
5	ICIS 410-486676/16	50.0	47.439998	50.0	837226.0	0.9488	Y
6	IC 410-486676/17	100.0	90.406312	50.0	843096.0	0.904063	Y
7	IC 410-486676/18	300.0	255.457541	50.0	861945.0	0.851525	Y



Calibration


/ n-Heptane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3541
Error Coefficients	

Relative Standard Deviation: 5.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.396426	50.0	815032.0	0.396426	Y
2	IC 410-486676/13	4.0	1.385085	50.0	812080.0	0.346271	Y
3	IC 410-486676/14	10.0	3.40301	50.0	815146.0	0.340301	Y
4	IC 410-486676/15	20.0	7.03189	50.0	819097.0	0.351594	Y
5	ICIS 410-486676/16	50.0	16.692745	50.0	837226.0	0.333855	Y
6	IC 410-486676/17	100.0	35.533439	50.0	843096.0	0.355334	Y
7	IC 410-486676/18	300.0	106.391823	50.0	861945.0	0.354639	Y



Calibration


/ n-Butanol

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.2427
Error Coefficients	

Relative Standard Deviation: 18.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	12.5	3.326348	250.0	378418.0	0.266108	Y
2	IC 410-486676/13	50.0	9.023724	250.0	365952.0	0.180474	Y
3	IC 410-486676/14	125.0	23.375858	250.0	365901.0	0.187007	Y
4	IC 410-486676/15	250.0	68.223285	250.0	391329.0	0.272893	Y
5	ICIS 410-486676/16	625.0	189.943707	250.0	385838.0	0.30391	Y
6	IC 410-486676/17	1250.0	325.088321	250.0	394299.0	0.260071	Y
7	IC 410-486676/18	3750.0	857.829745	250.0	415071.0	0.228755	Y



Calibration

/ Trichloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2477

Error Coefficients

Relative Standard Deviation: 7.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.223795	50.0	815032.0	0.223795	Y
2	IC 410-486676/13	4.0	0.972072	50.0	812080.0	0.243018	Y
3	IC 410-486676/14	10.0	2.194147	50.0	815146.0	0.219415	Y
4	IC 410-486676/15	20.0	5.290094	50.0	819097.0	0.264505	Y
5	ICIS 410-486676/16	50.0	13.03525	50.0	837226.0	0.260705	Y
6	IC 410-486676/17	100.0	26.391479	50.0	843096.0	0.263915	Y
7	IC 410-486676/18	300.0	77.583663	50.0	861945.0	0.258612	Y



Calibration


/ Ethyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4229
Error Coefficients	

Relative Standard Deviation: 8.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	0.999919	0.388635	50.0	815032.0	0.388667	Y
2	IC 410-486676/13	3.999676	1.490494	50.0	812080.0	0.372654	Y
3	IC 410-486676/14	9.99919	4.128831	50.0	815146.0	0.412917	Y
4	IC 410-486676/15	19.99838	8.320443	50.0	819097.0	0.416056	Y
5	ICIS 410-486676/16	49.99595	22.065488	50.0	837226.0	0.441346	Y
6	IC 410-486676/17	99.9919	44.687556	50.0	843096.0	0.446912	Y
7	IC 410-486676/18	299.9757	144.508408	50.0	861945.0	0.481734	Y



Calibration


/ Methylcyclohexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4528
Error Coefficients	

Relative Standard Deviation: 10.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.370476	50.0	815032.0	0.370476	Y
2	IC 410-486676/13	4.0	1.767067	50.0	812080.0	0.441767	Y
3	IC 410-486676/14	10.0	4.205075	50.0	815146.0	0.420507	Y
4	IC 410-486676/15	20.0	9.788951	50.0	819097.0	0.489448	Y
5	ICIS 410-486676/16	50.0	23.058768	50.0	837226.0	0.461175	Y
6	IC 410-486676/17	100.0	48.630286	50.0	843096.0	0.486303	Y
7	IC 410-486676/18	300.0	149.918324	50.0	861945.0	0.499728	Y



Calibration

/ 1,2-Dichloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.254

Error Coefficients

Relative Standard Deviation: 8.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.238457	50.0	815032.0	0.238457	Y
2	IC 410-486676/13	4.0	0.943257	50.0	812080.0	0.235814	Y
3	IC 410-486676/14	10.0	2.213591	50.0	815146.0	0.221359	Y
4	IC 410-486676/15	20.0	5.379827	50.0	819097.0	0.268991	Y
5	ICIS 410-486676/16	50.0	13.763488	50.0	837226.0	0.27527	Y
6	IC 410-486676/17	100.0	27.084935	50.0	843096.0	0.270849	Y
7	IC 410-486676/18	300.0	80.130461	50.0	861945.0	0.267102	Y



Calibration

/ 2-ethoxy-2-methyl butane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4166

Error Coefficients

Relative Standard Deviation: 8.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.416671	50.0	815032.0	0.416671	Y
2	IC 410-486676/13	4.0	1.511427	50.0	812080.0	0.377857	Y
3	IC 410-486676/14	10.0	3.548996	50.0	815146.0	0.3549	Y
4	IC 410-486676/15	20.0	8.861222	50.0	819097.0	0.443061	Y
5	ICIS 410-486676/16	50.0	22.512141	50.0	837226.0	0.450243	Y
6	IC 410-486676/17	100.0	43.584479	50.0	843096.0	0.435845	Y
7	IC 410-486676/18	300.0	131.294224	50.0	861945.0	0.437647	Y



Calibration

/ Methyl methacrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2711

Error Coefficients

Relative Standard Deviation: 13.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.252015	50.0	815032.0	0.252015	Y
2	IC 410-486676/13	4.0	0.928911	50.0	812080.0	0.232228	Y
3	IC 410-486676/14	10.0	2.228496	50.0	815146.0	0.22285	Y
4	IC 410-486676/15	20.0	6.040249	50.0	819097.0	0.302012	Y
5	ICIS 410-486676/16	50.0	15.834912	50.0	837226.0	0.316698	Y
6	IC 410-486676/17	100.0	29.418773	50.0	843096.0	0.294188	Y
7	IC 410-486676/18	300.0	83.394358	50.0	861945.0	0.277981	Y



Calibration


/ 1,4-Dioxane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.08203
Error Coefficients	

Relative Standard Deviation: 17.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	12.5	0.164501	250.0	378418.0	0.01316	N
2	IC 410-486676/13	50.0	1.88481	250.0	365952.0	0.037696	N
3	IC 410-486676/14	125.0	7.913343	250.0	365901.0	0.063307	Y
4	IC 410-486676/15	250.0	23.225981	250.0	391329.0	0.092904	Y
5	ICIS 410-486676/16	625.0	60.798833	250.0	385838.0	0.097278	Y
6	IC 410-486676/17	1250.0	104.845561	250.0	394299.0	0.083876	Y
7	IC 410-486676/18	3750.0	272.851512	250.0	415071.0	0.07276	Y



Calibration

/ Dibromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.1802

Error Coefficients

Relative Standard Deviation: 10.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.158644	50.0	815032.0	0.158644	Y
2	IC 410-486676/13	4.0	0.645564	50.0	812080.0	0.161391	Y
3	IC 410-486676/14	10.0	1.621305	50.0	815146.0	0.16213	Y
4	IC 410-486676/15	20.0	3.942512	50.0	819097.0	0.197126	Y
5	ICIS 410-486676/16	50.0	10.064308	50.0	837226.0	0.201286	Y
6	IC 410-486676/17	100.0	19.469906	50.0	843096.0	0.194699	Y
7	IC 410-486676/18	300.0	55.897476	50.0	861945.0	0.186325	Y



Calibration

/ Dichlorobromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3171

Error Coefficients

Relative Standard Deviation: 9.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.296185	50.0	815032.0	0.296185	Y
2	IC 410-486676/13	4.0	1.142437	50.0	812080.0	0.285609	Y
3	IC 410-486676/14	10.0	2.73773	50.0	815146.0	0.273773	Y
4	IC 410-486676/15	20.0	6.653119	50.0	819097.0	0.332656	Y
5	ICIS 410-486676/16	50.0	17.532781	50.0	837226.0	0.350656	Y
6	IC 410-486676/17	100.0	34.487769	50.0	843096.0	0.344878	Y
7	IC 410-486676/18	300.0	100.868037	50.0	861945.0	0.336227	Y




Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.534
Error Coefficients	

Relative Standard Deviation: 13.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	5.0	8.690786	250.0	378418.0	1.738157	Y
2	IC 410-486676/13	20.0	26.787666	250.0	365952.0	1.339383	Y
3	IC 410-486676/14	50.0	63.995452	250.0	365901.0	1.279909	Y
4	IC 410-486676/15	100.0	162.760746	250.0	391329.0	1.627607	Y
5	ICIS 410-486676/16	250.0	446.386178	250.0	385838.0	1.785545	Y
6	IC 410-486676/17	500.0	786.26943	250.0	394299.0	1.572539	Y
7	IC 410-486676/18	1500.0	2090.85012	250.0	415071.0	1.3939	Y



Calibration


/ 2-Chloroethyl vinyl ether

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.1943
Error Coefficients	

Relative Standard Deviation: 13.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.149442	50.0	815032.0	0.149442	N
2	IC 410-486676/13	4.0	0.726529	50.0	812080.0	0.181632	Y
3	IC 410-486676/14	10.0	1.488016	50.0	815146.0	0.148802	Y
4	IC 410-486676/15	20.0	4.199564	50.0	819097.0	0.209978	Y
5	ICIS 410-486676/16	50.0	10.87938	50.0	837226.0	0.217588	Y
6	IC 410-486676/17	100.0	20.426855	50.0	843096.0	0.204269	Y
7	IC 410-486676/18	300.0	61.140792	50.0	861945.0	0.203803	Y



Calibration


/ cis-1,3-Dichloropropene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3996
Error Coefficients	

Relative Standard Deviation: 11.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.364096	50.0	815032.0	0.364096	Y
2	IC 410-486676/13	4.0	1.399308	50.0	812080.0	0.349827	Y
3	IC 410-486676/14	10.0	3.399084	50.0	815146.0	0.339908	Y
4	IC 410-486676/15	20.0	8.385698	50.0	819097.0	0.419285	Y
5	ICIS 410-486676/16	50.0	22.261373	50.0	837226.0	0.445227	Y
6	IC 410-486676/17	100.0	43.874482	50.0	843096.0	0.438745	Y
7	IC 410-486676/18	300.0	131.998445	50.0	861945.0	0.439995	Y



Calibration


/ 4-Methyl-2-pentanone (MIBK)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.5332
Error Coefficients	

Relative Standard Deviation: 10.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.0	1.044499	50.0	815032.0	0.522249	Y
2	IC 410-486676/13	8.0	3.941176	50.0	812080.0	0.492647	Y
3	IC 410-486676/14	20.0	9.381694	50.0	815146.0	0.469085	Y
4	IC 410-486676/15	40.0	25.547341	50.0	819097.0	0.638684	Y
5	ICIS 410-486676/16	100.0	55.946722	50.0	837226.0	0.559467	Y
6	IC 410-486676/17	200.0	108.747106	50.0	843096.0	0.543736	Y
7	IC 410-486676/18	600.0	303.811438	50.0	861945.0	0.506352	Y



Calibration

/ Toluene-d8 (Surr)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.303

Error Coefficients

Relative Standard Deviation: 0.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	50.0	65.60124	50.0	604218.0	1.312025	Y
2	IC 410-486676/13	50.0	65.640557	50.0	604419.0	1.312811	Y
3	IC 410-486676/14	50.0	65.445477	50.0	608505.0	1.30891	Y
4	IC 410-486676/15	50.0	65.125347	50.0	620875.0	1.302507	Y
5	ICIS 410-486676/16	50.0	65.054443	50.0	636078.0	1.301089	Y
6	IC 410-486676/17	50.0	65.390348	50.0	642721.0	1.307807	Y
7	IC 410-486676/18	50.0	63.898307	50.0	689271.0	1.277966	Y



Calibration


/ Toluene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.8278
Error Coefficients	

Relative Standard Deviation: 6.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.811959	50.0	604218.0	0.811959	Y
2	IC 410-486676/13	4.0	3.179169	50.0	604419.0	0.794792	Y
3	IC 410-486676/14	10.0	7.445296	50.0	608505.0	0.74453	Y
4	IC 410-486676/15	20.0	17.501268	50.0	620875.0	0.875063	Y
5	ICIS 410-486676/16	50.0	43.977468	50.0	636078.0	0.879549	Y
6	IC 410-486676/17	100.0	87.227428	50.0	642721.0	0.872274	Y
7	IC 410-486676/18	300.0	244.977955	50.0	689271.0	0.816593	Y



Calibration


/ trans-1,3-Dichloropropene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4935
Error Coefficients	

Relative Standard Deviation: 12.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.463243	50.0	604218.0	0.463243	Y
2	IC 410-486676/13	4.0	1.714291	50.0	604419.0	0.428573	Y
3	IC 410-486676/14	10.0	4.127575	50.0	608505.0	0.412757	Y
4	IC 410-486676/15	20.0	10.577411	50.0	620875.0	0.528871	Y
5	ICIS 410-486676/16	50.0	28.418763	50.0	636078.0	0.568375	Y
6	IC 410-486676/17	100.0	54.249744	50.0	642721.0	0.542497	Y
7	IC 410-486676/18	300.0	153.115175	50.0	689271.0	0.510384	Y



Calibration

/ Ethyl methacrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.6289

Error Coefficients

Relative Standard Deviation: 11.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.629078	50.0	604218.0	0.629078	Y
2	IC 410-486676/13	4.0	2.240581	50.0	604419.0	0.560145	Y
3	IC 410-486676/14	10.0	5.374401	50.0	608505.0	0.53744	Y
4	IC 410-486676/15	20.0	13.873968	50.0	620875.0	0.693698	Y
5	ICIS 410-486676/16	50.0	36.782596	50.0	636078.0	0.735652	Y
6	IC 410-486676/17	100.0	66.336949	50.0	642721.0	0.663369	Y
7	IC 410-486676/18	300.0	174.977404	50.0	689271.0	0.583258	Y



Calibration


/ 1,1,2-Trichloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3374
Error Coefficients	

Relative Standard Deviation: 10.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.3603	50.0	604218.0	0.3603	Y
2	IC 410-486676/13	4.0	1.188083	50.0	604419.0	0.297021	Y
3	IC 410-486676/14	10.0	2.936377	50.0	608505.0	0.293638	Y
4	IC 410-486676/15	20.0	7.262976	50.0	620875.0	0.363149	Y
5	ICIS 410-486676/16	50.0	18.959467	50.0	636078.0	0.379189	Y
6	IC 410-486676/17	100.0	35.028652	50.0	642721.0	0.350287	Y
7	IC 410-486676/18	300.0	95.562268	50.0	689271.0	0.318541	Y



Calibration

/ Tetrachloroethene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3537

Error Coefficients

Relative Standard Deviation: 7.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.316111	50.0	604218.0	0.316111	Y
2	IC 410-486676/13	4.0	1.447754	50.0	604419.0	0.361938	Y
3	IC 410-486676/14	10.0	3.240976	50.0	608505.0	0.324098	Y
4	IC 410-486676/15	20.0	7.644856	50.0	620875.0	0.382243	Y
5	ICIS 410-486676/16	50.0	18.589623	50.0	636078.0	0.371792	Y
6	IC 410-486676/17	100.0	36.695705	50.0	642721.0	0.366957	Y
7	IC 410-486676/18	300.0	105.88455	50.0	689271.0	0.352949	Y



Calibration

/ 1,3-Dichloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5396

Error Coefficients

Relative Standard Deviation: 8.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.545167	50.0	604218.0	0.545167	Y
2	IC 410-486676/13	4.0	1.963787	50.0	604419.0	0.490947	Y
3	IC 410-486676/14	10.0	4.673832	50.0	608505.0	0.467383	Y
4	IC 410-486676/15	20.0	11.583088	50.0	620875.0	0.579154	Y
5	ICIS 410-486676/16	50.0	29.992941	50.0	636078.0	0.599859	Y
6	IC 410-486676/17	100.0	56.707732	50.0	642721.0	0.567077	Y
7	IC 410-486676/18	300.0	158.322561	50.0	689271.0	0.527742	Y



Calibration

/ 2-Hexanone

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.5137

Error Coefficients

Relative Standard Deviation: 12.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.0	1.143379	50.0	604218.0	0.571689	Y
2	IC 410-486676/13	8.0	4.015344	50.0	604419.0	0.501918	Y
3	IC 410-486676/14	20.0	8.728195	50.0	608505.0	0.43641	Y
4	IC 410-486676/15	40.0	24.744272	50.0	620875.0	0.618607	Y
5	ICIS 410-486676/16	100.0	51.957936	50.0	636078.0	0.519579	Y
6	IC 410-486676/17	200.0	99.907036	50.0	642721.0	0.499535	Y
7	IC 410-486676/18	600.0	269.089952	50.0	689271.0	0.448483	Y



Calibration

/ Chlorodibromomethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3493

Error Coefficients

Relative Standard Deviation: 14.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.319421	50.0	604218.0	0.319421	Y
2	IC 410-486676/13	4.0	1.161446	50.0	604419.0	0.290361	Y
3	IC 410-486676/14	10.0	2.881242	50.0	608505.0	0.288124	Y
4	IC 410-486676/15	20.0	7.552164	50.0	620875.0	0.377608	Y
5	ICIS 410-486676/16	50.0	20.488289	50.0	636078.0	0.409766	Y
6	IC 410-486676/17	100.0	39.246267	50.0	642721.0	0.392463	Y
7	IC 410-486676/18	300.0	110.158269	50.0	689271.0	0.367194	Y



Calibration


/ Ethylene Dibromide

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3557
Error Coefficients	

Relative Standard Deviation: 12.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.334316	50.0	604218.0	0.334316	Y
2	IC 410-486676/13	4.0	1.210998	50.0	604419.0	0.302749	Y
3	IC 410-486676/14	10.0	3.087896	50.0	608505.0	0.30879	Y
4	IC 410-486676/15	20.0	7.88943	50.0	620875.0	0.394472	Y
5	ICIS 410-486676/16	50.0	20.654935	50.0	636078.0	0.413099	Y
6	IC 410-486676/17	100.0	38.337864	50.0	642721.0	0.383379	Y
7	IC 410-486676/18	300.0	105.864094	50.0	689271.0	0.35288	Y



Calibration


/ 1-Chlorohexane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.4576
Error Coefficients	

Relative Standard Deviation: 7.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.520342	50.0	604218.0	0.520342	Y
2	IC 410-486676/13	4.0	1.79048	50.0	604419.0	0.44762	Y
3	IC 410-486676/14	10.0	4.087805	50.0	608505.0	0.408781	Y
4	IC 410-486676/15	20.0	9.660238	50.0	620875.0	0.483012	Y
5	ICIS 410-486676/16	50.0	23.051575	50.0	636078.0	0.461032	Y
6	IC 410-486676/17	100.0	45.297571	50.0	642721.0	0.452976	Y
7	IC 410-486676/18	300.0	128.743049	50.0	689271.0	0.429143	Y



Calibration

/ Chlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.9522

Error Coefficients

Relative Standard Deviation: 7.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.96298	50.0	604218.0	0.96298	Y
2	IC 410-486676/13	4.0	3.569295	50.0	604419.0	0.892324	Y
3	IC 410-486676/14	10.0	8.412914	50.0	608505.0	0.841291	Y
4	IC 410-486676/15	20.0	20.302074	50.0	620875.0	1.015104	Y
5	ICIS 410-486676/16	50.0	51.746641	50.0	636078.0	1.034933	Y
6	IC 410-486676/17	100.0	99.205021	50.0	642721.0	0.99205	Y
7	IC 410-486676/18	300.0	278.032298	50.0	689271.0	0.926774	Y



Calibration


/ 1,1,1,2-Tetrachloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3768
Error Coefficients	

Relative Standard Deviation: 12.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.336799	50.0	604218.0	0.336799	Y
2	IC 410-486676/13	4.0	1.343356	50.0	604419.0	0.335839	Y
3	IC 410-486676/14	10.0	3.231362	50.0	608505.0	0.323136	Y
4	IC 410-486676/15	20.0	8.311415	50.0	620875.0	0.415571	Y
5	ICIS 410-486676/16	50.0	21.908005	50.0	636078.0	0.43816	Y
6	IC 410-486676/17	100.0	41.175876	50.0	642721.0	0.411759	Y
7	IC 410-486676/18	300.0	112.847342	50.0	689271.0	0.376158	Y



Calibration


/ Ethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.713
Error Coefficients	

Relative Standard Deviation: 6.4

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.717095	50.0	604218.0	1.717095	Y
2	IC 410-486676/13	4.0	6.57524	50.0	604419.0	1.64381	Y
3	IC 410-486676/14	10.0	15.490341	50.0	608505.0	1.549034	Y
4	IC 410-486676/15	20.0	36.731468	50.0	620875.0	1.836573	Y
5	ICIS 410-486676/16	50.0	92.267222	50.0	636078.0	1.845344	Y
6	IC 410-486676/17	100.0	176.238446	50.0	642721.0	1.762384	Y
7	IC 410-486676/18	300.0	490.942967	50.0	689271.0	1.636477	Y



Calibration


/ m-Xylene & p-Xylene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.6732
Error Coefficients	

Relative Standard Deviation: 6.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.0	1.336273	50.0	604218.0	0.668136	Y
2	IC 410-486676/13	8.0	5.081574	50.0	604419.0	0.635197	Y
3	IC 410-486676/14	20.0	12.226933	50.0	608505.0	0.611347	Y
4	IC 410-486676/15	40.0	29.147252	50.0	620875.0	0.728681	Y
5	ICIS 410-486676/16	100.0	72.581271	50.0	636078.0	0.725813	Y
6	IC 410-486676/17	200.0	139.094024	50.0	642721.0	0.69547	Y
7	IC 410-486676/18	600.0	388.691095	50.0	689271.0	0.647818	Y



Calibration

/ n-Butyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.8056

Error Coefficients

Relative Standard Deviation: 5.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.000464	0.726228	50.0	604218.0	0.725891	Y
2	IC 410-486676/13	4.001854	3.061535	50.0	604419.0	0.765029	Y
3	IC 410-486676/14	10.004636	8.45975	50.0	608505.0	0.845583	Y
4	IC 410-486676/15	20.009272	16.282585	50.0	620875.0	0.813752	Y
5	ICIS 410-486676/16	50.02318	42.240731	50.0	636078.0	0.844423	Y
6	IC 410-486676/17	100.04636	81.613795	50.0	642721.0	0.81576	Y
7	IC 410-486676/18	300.13908	248.822597	50.0	689271.0	0.829024	Y



Calibration


/ o-Xylene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.7161
Error Coefficients	

Relative Standard Deviation: 8.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.671033	50.0	604218.0	0.671033	Y
2	IC 410-486676/13	4.0	2.666031	50.0	604419.0	0.666508	Y
3	IC 410-486676/14	10.0	6.444976	50.0	608505.0	0.644498	Y
4	IC 410-486676/15	20.0	15.834588	50.0	620875.0	0.791729	Y
5	ICIS 410-486676/16	50.0	39.656614	50.0	636078.0	0.793132	Y
6	IC 410-486676/17	100.0	75.480807	50.0	642721.0	0.754808	Y
7	IC 410-486676/18	300.0	207.317006	50.0	689271.0	0.691057	Y



Calibration


/ Styrene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.14
Error Coefficients	

Relative Standard Deviation: 9.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.095466	50.0	604218.0	1.095466	Y
2	IC 410-486676/13	4.0	4.25574	50.0	604419.0	1.063935	Y
3	IC 410-486676/14	10.0	10.032374	50.0	608505.0	1.003237	Y
4	IC 410-486676/15	20.0	25.216106	50.0	620875.0	1.260805	Y
5	ICIS 410-486676/16	50.0	63.779835	50.0	636078.0	1.275597	Y
6	IC 410-486676/17	100.0	118.981564	50.0	642721.0	1.189816	Y
7	IC 410-486676/18	300.0	326.363506	50.0	689271.0	1.087878	Y



Calibration

/ Bromoform

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.2951

Error Coefficients

Relative Standard Deviation: 16.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.289631	50.0	604218.0	0.289631	Y
2	IC 410-486676/13	4.0	0.93139	50.0	604419.0	0.232848	Y
3	IC 410-486676/14	10.0	2.304747	50.0	608505.0	0.230475	Y
4	IC 410-486676/15	20.0	6.388967	50.0	620875.0	0.319448	Y
5	ICIS 410-486676/16	50.0	17.848912	50.0	636078.0	0.356978	Y
6	IC 410-486676/17	100.0	33.118492	50.0	642721.0	0.331185	Y
7	IC 410-486676/18	300.0	91.521912	50.0	689271.0	0.305073	Y



Calibration


/ Isopropylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.772
Error Coefficients	

Relative Standard Deviation: 8.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.697732	50.0	604218.0	1.697732	Y
2	IC 410-486676/13	4.0	6.538759	50.0	604419.0	1.63469	Y
3	IC 410-486676/14	10.0	16.070123	50.0	608505.0	1.607012	Y
4	IC 410-486676/15	20.0	39.395531	50.0	620875.0	1.969777	Y
5	ICIS 410-486676/16	50.0	97.524675	50.0	636078.0	1.950493	Y
6	IC 410-486676/17	100.0	185.209212	50.0	642721.0	1.852092	Y
7	IC 410-486676/18	300.0	506.718112	50.0	689271.0	1.68906	Y




Curve Type: Linear
Weighting: Conc
Origin: None
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	-16.63
Slope:	0.4628
Error Coefficients	

Relative Standard Deviation: 3.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	49.998492	5.562632	250.0	378418.0	0.111256	Y
2	IC 410-486676/13	199.993968	82.279233	250.0	365952.0	0.411409	Y
3	IC 410-486676/14	249.99246	98.481556	250.0	365901.0	0.393938	Y
4	IC 410-486676/15	499.98492	212.050474	250.0	391329.0	0.424114	Y
5	ICIS 410-486676/16	624.98115	272.642275	250.0	385838.0	0.436241	Y
6	IC 410-486676/17	1249.9623	553.668029	250.0	394299.0	0.442948	Y
7	IC 410-486676/18	3749.8869	1724.965126	250.0	415071.0	0.460005	Y



Calibration


/ 4-Bromofluorobenzene (Surr)

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.5111
Error Coefficients	

Relative Standard Deviation: 1.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	50.0	25.696768	50.0	604218.0	0.513935	Y
2	IC 410-486676/13	50.0	26.288551	50.0	604419.0	0.525771	Y
3	IC 410-486676/14	50.0	25.687135	50.0	608505.0	0.513743	Y
4	IC 410-486676/15	50.0	25.413892	50.0	620875.0	0.508278	Y
5	ICIS 410-486676/16	50.0	25.539321	50.0	636078.0	0.510786	Y
6	IC 410-486676/17	50.0	25.056751	50.0	642721.0	0.501135	Y
7	IC 410-486676/18	50.0	25.199813	50.0	689271.0	0.503996	Y



Calibration

/ 1,1,2,2-Tetrachloroethane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.144

Error Coefficients

Relative Standard Deviation: 13.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.165068	50.0	380321.0	1.165068	Y
2	IC 410-486676/13	4.0	3.87626	50.0	382237.0	0.969065	Y
3	IC 410-486676/14	10.0	9.641874	50.0	373304.0	0.964187	Y
4	IC 410-486676/15	20.0	25.813002	50.0	379458.0	1.29065	Y
5	ICIS 410-486676/16	50.0	66.903627	50.0	382835.0	1.338073	Y
6	IC 410-486676/17	100.0	121.94751	50.0	379428.0	1.219475	Y
7	IC 410-486676/18	300.0	319.372891	50.0	405719.0	1.064576	Y



Calibration


/ Bromobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.7597
Error Coefficients	

Relative Standard Deviation: 9.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.725045	50.0	380321.0	0.725045	Y
2	IC 410-486676/13	4.0	2.715854	50.0	382237.0	0.678964	Y
3	IC 410-486676/14	10.0	6.730172	50.0	373304.0	0.673017	Y
4	IC 410-486676/15	20.0	16.732682	50.0	379458.0	0.836634	Y
5	ICIS 410-486676/16	50.0	42.61601	50.0	382835.0	0.85232	Y
6	IC 410-486676/17	100.0	81.154791	50.0	379428.0	0.811548	Y
7	IC 410-486676/18	300.0	222.192577	50.0	405719.0	0.740642	Y



Calibration


/ trans-1,4-Dichloro-2-butene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.3111
Error Coefficients	

Relative Standard Deviation: 17.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	2.5	0.678243	50.0	380321.0	0.271297	Y
2	IC 410-486676/13	10.0	2.377582	50.0	382237.0	0.237758	Y
3	IC 410-486676/14	25.0	6.598108	50.0	373304.0	0.263924	Y
4	IC 410-486676/15	50.0	17.698533	50.0	379458.0	0.353971	Y
5	ICIS 410-486676/16	125.0	48.310238	50.0	382835.0	0.386482	Y
6	IC 410-486676/17	250.0	88.099719	50.0	379428.0	0.352399	Y
7	IC 410-486676/18	750.0	233.935926	50.0	405719.0	0.311915	Y



Calibration

/ 1,2,3-Trichloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3524

Error Coefficients

Relative Standard Deviation: 12.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.36627	50.0	380321.0	0.36627	Y
2	IC 410-486676/13	4.0	1.190361	50.0	382237.0	0.29759	Y
3	IC 410-486676/14	10.0	3.081001	50.0	373304.0	0.3081	Y
4	IC 410-486676/15	20.0	7.873994	50.0	379458.0	0.3937	Y
5	ICIS 410-486676/16	50.0	20.451631	50.0	382835.0	0.409033	Y
6	IC 410-486676/17	100.0	36.946667	50.0	379428.0	0.369467	Y
7	IC 410-486676/18	300.0	96.779791	50.0	405719.0	0.322599	Y



Calibration

/ N-Propylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 3.521

Error Coefficients

Relative Standard Deviation: 8.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	3.406859	50.0	380321.0	3.406859	Y
2	IC 410-486676/13	4.0	12.929544	50.0	382237.0	3.232386	Y
3	IC 410-486676/14	10.0	32.072386	50.0	373304.0	3.207239	Y
4	IC 410-486676/15	20.0	77.262174	50.0	379458.0	3.863109	Y
5	ICIS 410-486676/16	50.0	191.638173	50.0	382835.0	3.832763	Y
6	IC 410-486676/17	100.0	372.525881	50.0	379428.0	3.725259	Y
7	IC 410-486676/18	300.0	1014.326665	50.0	405719.0	3.381089	Y



Calibration


/ 2-Chlorotoluene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.7585
Error Coefficients	

Relative Standard Deviation: 8.6

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.743582	50.0	380321.0	0.743582	Y
2	IC 410-486676/13	4.0	2.754181	50.0	382237.0	0.688545	Y
3	IC 410-486676/14	10.0	6.659854	50.0	373304.0	0.665985	Y
4	IC 410-486676/15	20.0	16.444376	50.0	379458.0	0.822219	Y
5	ICIS 410-486676/16	50.0	41.7326	50.0	382835.0	0.834652	Y
6	IC 410-486676/17	100.0	80.110983	50.0	379428.0	0.80111	Y
7	IC 410-486676/18	300.0	225.943325	50.0	405719.0	0.753144	Y



Calibration


/ 1,3,5-Trimethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	2.749
Error Coefficients	

Relative Standard Deviation: 10.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	2.458975	50.0	380321.0	2.458975	Y
2	IC 410-486676/13	4.0	9.772863	50.0	382237.0	2.443216	Y
3	IC 410-486676/14	10.0	24.284363	50.0	373304.0	2.428436	Y
4	IC 410-486676/15	20.0	60.991335	50.0	379458.0	3.049567	Y
5	ICIS 410-486676/16	50.0	153.450965	50.0	382835.0	3.069019	Y
6	IC 410-486676/17	100.0	298.950657	50.0	379428.0	2.989507	Y
7	IC 410-486676/18	300.0	842.210002	50.0	405719.0	2.807367	Y



Calibration


/ 4-Chlorotoluene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.728
Error Coefficients	

Relative Standard Deviation: 9.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.658654	50.0	380321.0	0.658654	Y
2	IC 410-486676/13	4.0	2.641816	50.0	382237.0	0.660454	Y
3	IC 410-486676/14	10.0	6.549756	50.0	373304.0	0.654976	Y
4	IC 410-486676/15	20.0	16.218	50.0	379458.0	0.8109	Y
5	ICIS 410-486676/16	50.0	40.737263	50.0	382835.0	0.814745	Y
6	IC 410-486676/17	100.0	76.949513	50.0	379428.0	0.769495	Y
7	IC 410-486676/18	300.0	218.068417	50.0	405719.0	0.726895	Y



Calibration


/ tert-Butylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.5143
Error Coefficients	

Relative Standard Deviation: 14.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.440155	50.0	380321.0	0.440155	Y
2	IC 410-486676/13	4.0	1.749438	50.0	382237.0	0.43736	Y
3	IC 410-486676/14	10.0	4.370567	50.0	373304.0	0.437057	Y
4	IC 410-486676/15	20.0	11.121257	50.0	379458.0	0.556063	Y
5	ICIS 410-486676/16	50.0	29.453942	50.0	382835.0	0.589079	Y
6	IC 410-486676/17	100.0	57.855245	50.0	379428.0	0.578552	Y
7	IC 410-486676/18	300.0	168.497162	50.0	405719.0	0.561657	Y



Calibration


/ 1,2,4-Trimethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	2.867
Error Coefficients	

Relative Standard Deviation: 9.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	2.725461	50.0	380321.0	2.725461	Y
2	IC 410-486676/13	4.0	10.171831	50.0	382237.0	2.542958	Y
3	IC 410-486676/14	10.0	25.269485	50.0	373304.0	2.526949	Y
4	IC 410-486676/15	20.0	63.276305	50.0	379458.0	3.163815	Y
5	ICIS 410-486676/16	50.0	159.686027	50.0	382835.0	3.193721	Y
6	IC 410-486676/17	100.0	307.566917	50.0	379428.0	3.075669	Y
7	IC 410-486676/18	300.0	851.392836	50.0	405719.0	2.837976	Y



Calibration

/ sec-Butylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 3.471

Error Coefficients

Relative Standard Deviation: 11.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	3.114606	50.0	380321.0	3.114606	Y
2	IC 410-486676/13	4.0	12.305716	50.0	382237.0	3.076429	Y
3	IC 410-486676/14	10.0	30.461902	50.0	373304.0	3.04619	Y
4	IC 410-486676/15	20.0	77.708732	50.0	379458.0	3.885437	Y
5	ICIS 410-486676/16	50.0	194.373033	50.0	382835.0	3.887461	Y
6	IC 410-486676/17	100.0	380.200196	50.0	379428.0	3.802002	Y
7	IC 410-486676/18	300.0	1045.903199	50.0	405719.0	3.486344	Y



Calibration


/ 1,3-Dichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.53
Error Coefficients	

Relative Standard Deviation: 9.2

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.580901	50.0	380321.0	1.580901	Y
2	IC 410-486676/13	4.0	5.441258	50.0	382237.0	1.360314	Y
3	IC 410-486676/14	10.0	13.632723	50.0	373304.0	1.363272	Y
4	IC 410-486676/15	20.0	33.769745	50.0	379458.0	1.688487	Y
5	ICIS 410-486676/16	50.0	84.425405	50.0	382835.0	1.688508	Y
6	IC 410-486676/17	100.0	158.692426	50.0	379428.0	1.586924	Y
7	IC 410-486676/18	300.0	433.004	50.0	405719.0	1.443347	Y



Calibration


/ 4-Isopropyltoluene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	3.106
Error Coefficients	

Relative Standard Deviation: 10.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	2.872836	50.0	380321.0	2.872836	Y
2	IC 410-486676/13	4.0	10.919142	50.0	382237.0	2.729785	Y
3	IC 410-486676/14	10.0	27.134186	50.0	373304.0	2.713419	Y
4	IC 410-486676/15	20.0	68.75952	50.0	379458.0	3.437976	Y
5	ICIS 410-486676/16	50.0	174.486528	50.0	382835.0	3.489731	Y
6	IC 410-486676/17	100.0	338.921614	50.0	379428.0	3.389216	Y
7	IC 410-486676/18	300.0	933.402675	50.0	405719.0	3.111342	Y



Calibration

/ 1,4-Dichlorobenzene

Curve Type: Average
 Weighting: Conc_Sq
 Origin: Force
 Dependency: Response
 Calib Mode: ISTD
 Response Base: AREA
 RF Rounding: 0


Curve Coefficients

Intercept: 0
 Slope: 1.581

Error Coefficients

Relative Standard Deviation: 8.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.657021	50.0	380321.0	1.657021	Y
2	IC 410-486676/13	4.0	5.7828	50.0	382237.0	1.4457	Y
3	IC 410-486676/14	10.0	14.02128	50.0	373304.0	1.402128	Y
4	IC 410-486676/15	20.0	34.703182	50.0	379458.0	1.735159	Y
5	ICIS 410-486676/16	50.0	86.953387	50.0	382835.0	1.739068	Y
6	IC 410-486676/17	100.0	161.334561	50.0	379428.0	1.613346	Y
7	IC 410-486676/18	300.0	442.214686	50.0	405719.0	1.474049	Y



Calibration


/ 1,2,3-Trimethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	3.089
Error Coefficients	

Relative Standard Deviation: 11.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	2.898998	50.0	380321.0	2.898998	Y
2	IC 410-486676/13	4.0	10.869304	50.0	382237.0	2.717326	Y
3	IC 410-486676/14	10.0	26.568695	50.0	373304.0	2.656869	Y
4	IC 410-486676/15	20.0	68.051668	50.0	379458.0	3.402583	Y
5	ICIS 410-486676/16	50.0	175.13498	50.0	382835.0	3.5027	Y
6	IC 410-486676/17	100.0	337.202974	50.0	379428.0	3.37203	Y
7	IC 410-486676/18	300.0	921.927985	50.0	405719.0	3.073093	Y



Calibration

/ Benzyl chloride

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 2.327

Error Coefficients

Relative Standard Deviation: 15.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	2.203007	50.0	380321.0	2.203007	Y
2	IC 410-486676/13	4.0	7.477691	50.0	382237.0	1.869423	Y
3	IC 410-486676/14	10.0	19.524838	50.0	373304.0	1.952484	Y
4	IC 410-486676/15	20.0	52.53032	50.0	379458.0	2.626516	Y
5	ICIS 410-486676/16	50.0	139.591991	50.0	382835.0	2.79184	Y
6	IC 410-486676/17	100.0	256.454716	50.0	379428.0	2.564547	Y
7	IC 410-486676/18	300.0	684.820775	50.0	405719.0	2.282736	Y



Calibration

/ 1,3-Diethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.851

Error Coefficients

Relative Standard Deviation: 10.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.687653	50.0	380321.0	1.687653	Y
2	IC 410-486676/13	4.0	6.59787	50.0	382237.0	1.649467	Y
3	IC 410-486676/14	10.0	16.397628	50.0	373304.0	1.639763	Y
4	IC 410-486676/15	20.0	40.946824	50.0	379458.0	2.047341	Y
5	ICIS 410-486676/16	50.0	103.63146	50.0	382835.0	2.072629	Y
6	IC 410-486676/17	100.0	198.926542	50.0	379428.0	1.989265	Y
7	IC 410-486676/18	300.0	561.393846	50.0	405719.0	1.871313	Y



Calibration


/ p-Diethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.941
Error Coefficients	

Relative Standard Deviation: 9.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.828193	50.0	380321.0	1.828193	Y
2	IC 410-486676/13	4.0	6.86302	50.0	382237.0	1.715755	Y
3	IC 410-486676/14	10.0	17.613125	50.0	373304.0	1.761312	Y
4	IC 410-486676/15	20.0	43.213083	50.0	379458.0	2.160654	Y
5	ICIS 410-486676/16	50.0	107.833531	50.0	382835.0	2.156671	Y
6	IC 410-486676/17	100.0	205.158423	50.0	379428.0	2.051584	Y
7	IC 410-486676/18	300.0	574.858338	50.0	405719.0	1.916194	Y



Calibration

/ n-Butylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.558

Error Coefficients

Relative Standard Deviation: 8.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.468233	50.0	380321.0	1.468233	Y
2	IC 410-486676/13	4.0	5.649636	50.0	382237.0	1.412409	Y
3	IC 410-486676/14	10.0	14.1879	50.0	373304.0	1.41879	Y
4	IC 410-486676/15	20.0	33.996516	50.0	379458.0	1.699826	Y
5	ICIS 410-486676/16	50.0	84.966108	50.0	382835.0	1.699322	Y
6	IC 410-486676/17	100.0	164.417755	50.0	379428.0	1.644178	Y
7	IC 410-486676/18	300.0	468.35322	50.0	405719.0	1.561177	Y



Calibration

/ 1,2-Dichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.657

Error Coefficients

Relative Standard Deviation: 9.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.699617	50.0	380321.0	1.699617	Y
2	IC 410-486676/13	4.0	5.941209	50.0	382237.0	1.485302	Y
3	IC 410-486676/14	10.0	14.667938	50.0	373304.0	1.466794	Y
4	IC 410-486676/15	20.0	36.343284	50.0	379458.0	1.817164	Y
5	ICIS 410-486676/16	50.0	92.787101	50.0	382835.0	1.855742	Y
6	IC 410-486676/17	100.0	172.393577	50.0	379428.0	1.723936	Y
7	IC 410-486676/18	300.0	464.524338	50.0	405719.0	1.548414	Y



Calibration

/ o-diethylbenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.565

Error Coefficients

Relative Standard Deviation: 11.0

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.494264	50.0	380321.0	1.494264	Y
2	IC 410-486676/13	4.0	5.262573	50.0	382237.0	1.315643	Y
3	IC 410-486676/14	10.0	13.753402	50.0	373304.0	1.37534	Y
4	IC 410-486676/15	20.0	34.110363	50.0	379458.0	1.705518	Y
5	ICIS 410-486676/16	50.0	87.813026	50.0	382835.0	1.756261	Y
6	IC 410-486676/17	100.0	169.685817	50.0	379428.0	1.696858	Y
7	IC 410-486676/18	300.0	484.040432	50.0	405719.0	1.613468	Y



Calibration

/ 1,2-Dibromo-3-Chloropropane

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.3702

Error Coefficients

Relative Standard Deviation: 15.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.362457	50.0	380321.0	0.362457	Y
2	IC 410-486676/13	4.0	1.158313	50.0	382237.0	0.289578	Y
3	IC 410-486676/14	10.0	3.06908	50.0	373304.0	0.306908	Y
4	IC 410-486676/15	20.0	8.364957	50.0	379458.0	0.418248	Y
5	ICIS 410-486676/16	50.0	22.611438	50.0	382835.0	0.452229	Y
6	IC 410-486676/17	100.0	40.38869	50.0	379428.0	0.403887	Y
7	IC 410-486676/18	300.0	107.376657	50.0	405719.0	0.357922	Y



Calibration

/ 1,3,5-Trichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.335

Error Coefficients

Relative Standard Deviation: 9.5

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.292066	50.0	380321.0	1.292066	Y
2	IC 410-486676/13	4.0	4.621609	50.0	382237.0	1.155402	Y
3	IC 410-486676/14	10.0	12.245918	50.0	373304.0	1.224592	Y
4	IC 410-486676/15	20.0	29.234856	50.0	379458.0	1.461743	Y
5	ICIS 410-486676/16	50.0	75.043295	50.0	382835.0	1.500866	Y
6	IC 410-486676/17	100.0	141.17461	50.0	379428.0	1.411746	Y
7	IC 410-486676/18	300.0	390.358475	50.0	405719.0	1.301195	Y



Calibration

/ 1,2,4-Trichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.378

Error Coefficients

Relative Standard Deviation: 10.3

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.358984	50.0	380321.0	1.358984	Y
2	IC 410-486676/13	4.0	4.79807	50.0	382237.0	1.199518	Y
3	IC 410-486676/14	10.0	12.50509	50.0	373304.0	1.250509	Y
4	IC 410-486676/15	20.0	30.539085	50.0	379458.0	1.526954	Y
5	ICIS 410-486676/16	50.0	77.990518	50.0	382835.0	1.55981	Y
6	IC 410-486676/17	100.0	146.87108	50.0	379428.0	1.468711	Y
7	IC 410-486676/18	300.0	384.111047	50.0	405719.0	1.28037	Y



Calibration

/ 2-Ethylhexyl acrylate

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 1.222

Error Coefficients

Relative Standard Deviation: 12.9

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	0.9997	0.996132	50.0	380321.0	0.996431	Y
2	IC 410-486676/13	3.9988	4.051021	50.0	382237.0	1.013059	Y
3	IC 410-486676/14	9.997	12.645592	50.0	373304.0	1.264939	Y
4	IC 410-486676/15	19.994	24.403096	50.0	379458.0	1.220521	Y
5	ICIS 410-486676/16	49.985	67.878459	50.0	382835.0	1.357977	Y
6	IC 410-486676/17	99.97	137.657474	50.0	379428.0	1.376988	Y
7	IC 410-486676/18	299.91	398.049389	50.0	405719.0	1.327229	Y



Calibration

/ Hexachlorobutadiene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 0.4964

Error Coefficients

Relative Standard Deviation: 11.8

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	0.433844	50.0	380321.0	0.433844	Y
2	IC 410-486676/13	4.0	1.64139	50.0	382237.0	0.410348	Y
3	IC 410-486676/14	10.0	4.711308	50.0	373304.0	0.471131	Y
4	IC 410-486676/15	20.0	10.771416	50.0	379458.0	0.538571	Y
5	ICIS 410-486676/16	50.0	27.935925	50.0	382835.0	0.558719	Y
6	IC 410-486676/17	100.0	54.574913	50.0	379428.0	0.545749	Y
7	IC 410-486676/18	300.0	154.901915	50.0	405719.0	0.51634	Y




Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	5.24
Error Coefficients	

Relative Standard Deviation: 13.7

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	5.42752	50.0	380321.0	5.42752	Y
2	IC 410-486676/13	4.0	18.158237	50.0	382237.0	4.539559	Y
3	IC 410-486676/14	10.0	47.08428	50.0	373304.0	4.708428	Y
4	IC 410-486676/15	20.0	119.862936	50.0	379458.0	5.993147	Y
5	ICIS 410-486676/16	50.0	306.680162	50.0	382835.0	6.133603	Y
6	IC 410-486676/17	100.0	554.185774	50.0	379428.0	5.541858	Y
7	IC 410-486676/18	300.0	1301.804697	50.0	405719.0	4.339349	Y



Calibration


/ 1,2,3-Trichlorobenzene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	1.413
Error Coefficients	

Relative Standard Deviation: 11.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	1.402105	50.0	380321.0	1.402105	Y
2	IC 410-486676/13	4.0	4.930187	50.0	382237.0	1.232547	Y
3	IC 410-486676/14	10.0	12.888691	50.0	373304.0	1.288869	Y
4	IC 410-486676/15	20.0	31.678605	50.0	379458.0	1.58393	Y
5	ICIS 410-486676/16	50.0	80.75607	50.0	382835.0	1.615121	Y
6	IC 410-486676/17	100.0	150.501413	50.0	379428.0	1.505014	Y
7	IC 410-486676/18	300.0	379.284677	50.0	405719.0	1.264282	Y



Calibration

/ 2-Methylnaphthalene

Curve Type: Average
Weighting: Conc_Sq
Origin: Force
Dependency: Response
Calib Mode: ISTD
Response Base: AREA
RF Rounding: 0


Curve Coefficients

Intercept: 0
Slope: 2.96

Error Coefficients

Relative Standard Deviation: 16.1

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 410-486676/12	1.0	2.822484	50.0	380321.0	2.822484	Y
2	IC 410-486676/13	4.0	9.287824	50.0	382237.0	2.321956	Y
3	IC 410-486676/14	10.0	27.178385	50.0	373304.0	2.717839	Y
4	IC 410-486676/15	20.0	67.352645	50.0	379458.0	3.367632	Y
5	ICIS 410-486676/16	50.0	180.328079	50.0	382835.0	3.606562	Y
6	IC 410-486676/17	100.0	332.409047	50.0	379428.0	3.32409	Y
7	IC 410-486676/18	300.0	767.535289	50.0	405719.0	2.558451	Y



FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: ICV 410-484275/20

Calibration Date: 03/18/2024 17:57

Instrument ID: 15648

Calib Start Date: 03/18/2024 15:16

GC Column: DB-624 20m ID: 0.18 (mm)

Calib End Date: 03/18/2024 17:16

Lab File ID: EN18X20.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Dichlorodifluoromethane	Ave	0.4869	0.4336	0.1000	17.8	20.0	-10.9	30.0
Chloromethane	Ave	0.4566	0.4376	0.1000	19.2	20.0	-4.2	30.0
1,3-Butadiene	Ave	0.5134	0.4539		17.7	20.0	-11.6	30.0
Vinyl chloride	Ave	0.4240	0.4085	0.1000	19.3	20.0	-3.7	30.0
Bromomethane	Ave	0.2628	0.2670	0.1000	20.3	20.0	1.6	30.0
Chloroethane	Ave	0.2483	0.2533	0.1000	20.4	20.0	2.0	30.0
Dichlorofluoromethane	Ave	0.6676	0.6086		18.2	20.0	-8.8	30.0
n-Pentane	Ave	0.5354	0.4948		18.5	20.0	-7.6	30.0
Trichlorofluoromethane	Ave	0.5284	0.5132	0.1000	19.4	20.0	-2.9	30.0
Ethyl ether	Ave	0.2523	0.1672		13.2	20.0	-33.7*	30.0
Freon 123a	Ave	0.3875	0.3885		20.1	20.0	0.3	30.0
Acrolein	Ave	2.093	1.817		130	150	-13.2	30.0
1,1-Dichloroethene	Ave	0.2279	0.2348	0.1000	20.6	20.0	3.0	30.0
Acetone	Ave	0.8951	0.7933	0.1000	222	250	-11.4	30.0
Freon 113	Ave	0.2607	0.2317	0.1000	17.8	20.0	-11.1	30.0
2-Propanol	Ave	0.6402	0.6144		144	150	-4.0	30.0
Methyl iodide	Ave	0.4097	0.3903		19.1	20.0	-4.7	30.0
Carbon disulfide	Ave	0.6786	0.6364	0.1000	18.8	20.0	-6.2	30.0
Allyl chloride	Ave	0.5223	0.4872		18.7	20.0	-6.7	30.0
Methyl acetate	Ave	0.2937	0.3179	0.1000	21.6	20.0	8.2	30.0
Methylene Chloride	Ave	0.2629	0.2666	0.1000	20.3	20.0	1.4	30.0
t-Butyl alcohol	Ave	1.123	1.043		186	200	-7.1	30.0
Acrylonitrile	Ave	0.1497	0.1511		101	100	0.9	30.0
trans-1,2-Dichloroethene	Ave	0.2552	0.2600	0.1000	20.4	20.0	1.9	30.0
Methyl tert-butyl ether	Ave	0.9292	0.9112	0.1000	19.6	20.0	-1.9	30.0
n-Hexane	Ave	0.4451	0.4001		18.0	20.0	-10.1	30.0
1,1-Dichloroethane	Ave	0.5499	0.5564	0.2000	20.2	20.0	1.2	30.0
Isopropyl ether	Ave	1.013	0.9857		19.5	20.0	-2.7	30.0
2-Chloro-1,3-butadiene	Ave	0.5409	0.5262		19.5	20.0	-2.7	30.0
Ethyl t-butyl ether	Ave	0.9710	0.9733		20.0	20.0	0.2	30.0
cis-1,2-Dichloroethene	Ave	0.2893	0.2958	0.1000	20.5	20.0	2.3	30.0
2-Butanone (MEK)	Ave	0.2176	0.2079	0.1000	239	250	-4.5	30.0
2,2-Dichloropropane	Ave	0.5090	0.4951		19.5	20.0	-2.7	30.0
Propionitrile	Ave	1.498	1.385		139	150	-7.5	30.0
Methyl acrylate	Ave	0.3834	0.4461		23.2	20.0	16.4	30.0
Methacrylonitrile	Ave	0.1575	0.1601		152	150	1.7	30.0
Bromochloromethane	Ave	0.1300	0.1355		20.8	20.0	4.2	30.0
Tetrahydrofuran	Ave	1.226	1.135		92.6	100	-7.4	30.0
Chloroform	Ave	0.5158	0.5151	0.2000	20.0	20.0	-0.1	30.0
1,1,1-Trichloroethane	Ave	0.4673	0.4796	0.1000	20.5	20.0	2.6	30.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: ICV 410-484275/20

Calibration Date: 03/18/2024 17:57

Instrument ID: 15648

Calib Start Date: 03/18/2024 15:16

GC Column: DB-624 20m ID: 0.18 (mm)

Calib End Date: 03/18/2024 17:16

Lab File ID: EN18X20.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Cyclohexane	Ave	0.5717	0.5220	0.1000	18.3	20.0	-8.7	30.0
1,1-Dichloropropene	Ave	0.4209	0.4140		19.7	20.0	-1.6	30.0
Carbon tetrachloride	Ave	0.3997	0.4057	0.1000	20.3	20.0	1.5	30.0
Isobutyl alcohol	Ave	0.3814	0.3721		488	500	-2.5	30.0
Benzene	Ave	1.153	1.165	0.5000	20.2	20.0	1.1	30.0
1,2-Dichloroethane	Ave	0.4643	0.4627	0.1000	19.9	20.0	-0.3	30.0
t-Amyl methyl ether	Ave	0.9047	0.8883		19.6	20.0	-1.8	30.0
n-Heptane	Ave	0.4578	0.4015		17.5	20.0	-12.3	30.0
n-Butanol	Ave	0.2857	0.2697		944	1000	-5.6	30.0
Trichloroethene	Ave	0.2962	0.2942	0.2000	19.9	20.0	-0.7	30.0
Ethyl acrylate	Ave	0.4801	0.5101		21.2	20.0	6.3	30.0
Methylcyclohexane	Ave	0.5108	0.4822	0.1000	18.9	20.0	-5.6	30.0
1,2-Dichloropropane	Ave	0.3118	0.3163	0.1000	20.3	20.0	1.4	30.0
t-Amyl ethyl ether	Ave	0.4734	0.4401		18.6	20.0	-7.0	30.0
Dibromomethane	Ave	0.1847	0.1834		19.9	20.0	-0.7	30.0
1,4-Dioxane	Ave	0.0605	0.0705	0.0050	582	500	16.4	30.0
Methyl methacrylate	Ave	0.2664	0.2568		19.3	20.0	-3.6	30.0
Bromodichloromethane	Ave	0.3784	0.3813	0.2000	20.2	20.0	0.8	30.0
2-Nitropropane	Ave	3.765	3.205		17.0	20.0	-14.9	30.0
2-Chloroethyl vinyl ether	Ave	0.2220	0.2131		19.2	20.0	-4.0	30.0
cis-1,3-Dichloropropene	Ave	0.4938	0.4704	0.2000	19.1	20.0	-4.7	30.0
4-Methyl-2-pentanone (MIBK)	Ave	0.4479	0.4506	0.1000	252	250	0.6	30.0
Toluene	Ave	0.995	0.9893	0.4000	19.9	20.0	-0.6	30.0
trans-1,3-Dichloropropene	Ave	0.6276	0.6226	0.1000	19.8	20.0	-0.8	30.0
Ethyl methacrylate	Ave	0.6430	0.6199		19.3	20.0	-3.6	30.0
1,1,2-Trichloroethane	Ave	0.3390	0.3414	0.1000	20.1	20.0	0.7	30.0
Tetrachloroethene	Ave	0.4066	0.4120	0.2000	20.3	20.0	1.3	30.0
1,3-Dichloropropane	Ave	0.6268	0.6228		19.9	20.0	-0.6	30.0
2-Hexanone	Ave	0.4459	0.4404	0.1000	247	250	-1.2	30.0
Dibromochloromethane	Ave	0.3764	0.3732		19.8	20.0	-0.9	30.0
1,2-Dibromoethane (EDB)	Ave	0.3574	0.3586	0.1000	20.1	20.0	0.3	30.0
Chlorobenzene	Ave	1.044	1.057	0.5000	20.2	20.0	1.2	30.0
1-Chlorohexane	Ave	0.5412	0.5093		18.8	20.0	-5.9	30.0
1,1,1,2-Tetrachloroethane	Ave	0.3632	0.3642		20.1	20.0	0.3	30.0
Ethylbenzene	Ave	1.956	1.955	0.1000	20.0	20.0	-0.0	30.0
m&p-Xylene	Ave	0.7359	0.7419	0.1000	40.3	40.0	0.8	30.0
o-Xylene	Ave	0.7228	0.7300	0.3000	20.2	20.0	1.0	30.0
n-Butyl acrylate	Ave	0.9783	1.062		21.7	20.0	8.6	30.0
Styrene	Ave	1.195	1.211	0.3000	20.3	20.0	1.4	30.0
Bromoform	Ave	0.2787	0.2748	0.1000	19.7	20.0	-1.4	30.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.: _____

Lab Sample ID: ICV 410-484275/20

Calibration Date: 03/18/2024 17:57

Instrument ID: 15648

Calib Start Date: 03/18/2024 15:16

GC Column: DB-624 20m ID: 0.18 (mm)

Calib End Date: 03/18/2024 17:16

Lab File ID: EN18X20.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Isopropylbenzene	Ave	1.790	1.932	0.1000	21.6	20.0	8.0	30.0
Cyclohexanone	Ave	0.3591	0.2908		405	500	-19.0	30.0
Bromobenzene	Ave	0.7692	0.7691		20.0	20.0	-0.0	30.0
1,1,2,2-Tetrachloroethane	Ave	0.9799	0.9785	0.3000	20.0	20.0	-0.1	30.0
1,2,3-Trichloropropane	Ave	0.2964	0.2890		19.5	20.0	-2.5	30.0
trans-1,4-Dichloro-2-butene	Ave	0.4031	0.4041		100	100	0.2	30.0
N-Propylbenzene	Ave	3.895	4.032		20.7	20.0	3.5	30.0
2-Chlorotoluene	Ave	0.7570	0.7601		20.1	20.0	0.4	30.0
1,3,5-Trimethylbenzene	Ave	2.771	2.807		20.3	20.0	1.3	30.0
4-Chlorotoluene	Ave	0.7823	0.7828		20.0	20.0	0.0	30.0
tert-Butylbenzene	Ave	0.5565	0.5530		19.9	20.0	-0.6	30.0
1,2,4-Trimethylbenzene	Ave	2.800	2.818		20.1	20.0	0.7	30.0
sec-Butylbenzene	Ave	3.342	3.393		20.3	20.0	1.5	30.0
1,3-Dichlorobenzene	Ave	1.437	1.455	0.6000	20.2	20.0	1.2	30.0
p-Isopropyltoluene	Ave	2.922	2.890		19.8	20.0	-1.1	30.0
1,4-Dichlorobenzene	Ave	1.463	1.477	0.5000	20.2	20.0	1.0	30.0
1,2,3-Trimethylbenzene	Ave	2.840	2.763		19.5	20.0	-2.7	30.0
Benzyl chloride	Ave	2.129	2.014		18.9	20.0	-5.4	30.0
1,3-Diethylbenzene	Ave	1.665	1.657		19.9	20.0	-0.5	30.0
1,4-Diethylbenzene	Ave	1.728	1.700		19.7	20.0	-1.6	30.0
1,2-Dichlorobenzene	Ave	1.389	1.416	0.4000	20.4	20.0	1.9	30.0
n-Butylbenzene	Ave	1.424	1.387		19.5	20.0	-2.6	30.0
1,2-Diethylbenzene	Ave	1.397	1.365		19.6	20.0	-2.2	30.0
1,2-Dibromo-3-Chloropropane	Ave	0.2583	0.2485	0.0500	19.2	20.0	-3.8	30.0
1,3,5-Trichlorobenzene	Ave	0.9646	0.9645		20.0	20.0	-0.0	30.0
1,2,4-Trichlorobenzene	Ave	0.8908	0.9092	0.2000	20.4	20.0	2.1	30.0
Hexachlorobutadiene	Ave	0.3904	0.3828		19.6	20.0	-2.0	30.0
2-Ethylhexyl acrylate	Ave	0.997	1.063		21.3	20.0	6.6	30.0
Naphthalene	Ave	3.032	3.208		21.2	20.0	5.8	30.0
1,2,3-Trichlorobenzene	Ave	0.8395	0.8563		20.4	20.0	2.0	30.0
2-Methylnaphthalene	Ave	1.415	1.560		22.0	20.0	10.2	30.0
Dibromofluoromethane (Surr)	Ave	0.2356	0.2376		50.4	50.0	0.9	30.0
1,2-Dichloroethane-d4 (Surr)	Ave	0.3699	0.3660		49.5	50.0	-1.0	30.0
Toluene-d8 (Surr)	Ave	1.400	1.402		50.1	50.0	0.1	30.0
4-Bromofluorobenzene (Surr)	Ave	0.5319	0.5285		49.7	50.0	-0.6	30.0

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
 Lims ID: ICV
 Client ID:
 Sample Type: ICV
 Inject. Date: 18-Mar-2024 17:57:30 ALS Bottle#: 20 Worklist Smp#: 20
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0108929-020
 Misc. Info.: ICV
 Operator ID: jml01693 Instrument ID: 15648
 Sublist:
 Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 18-Mar-2024 19:30:13 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1626

First Level Reviewer: K4WN

Date: 18-Mar-2024 18:24:58

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.104	1.116	-0.012	99	187321	20.0	17.8	M
4 Chloromethane	50	1.220	1.226	-0.006	99	189065	20.0	19.2	M
5 Butadiene	39	1.262	1.268	-0.006	95	196107	20.0	17.7	
6 Vinyl chloride	62	1.281	1.287	-0.006	98	176477	20.0	19.3	
8 Bromomethane	94	1.457	1.457	0.000	93	115364	20.0	20.3	
9 Chloroethane	64	1.482	1.482	0.000	99	109420	20.0	20.4	
10 Dichlorofluoromethane	67	1.591	1.598	-0.007	97	262911	20.0	18.2	
11 Pentane	43	1.646	1.652	-0.006	97	213768	20.0	18.5	
12 Trichlorofluoromethane	101	1.665	1.665	0.000	97	221705	20.0	19.4	
14 Ethyl ether	59	1.762	1.768	-0.006	94	72041	20.0	13.2	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.793	1.799	-0.006	96	167833	20.0	20.1	
16 Acrolein	56	1.841	1.854	-0.013	98	262135	150.0	130.3	
17 1,1-Dichloroethene	96	1.927	1.933	-0.006	94	101448	20.0	20.6	
18 Acetone	58	1.939	1.951	-0.012	98	190679	250.0	221.6	M
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.957	1.963	-0.006	93	100097	20.0	17.8	
20 Isopropyl alcohol	45	2.024	2.037	-0.013	41	88607	150.0	143.9	M
21 Iodomethane	142	2.036	2.037	-0.001	99	168632	20.0	19.1	
22 Carbon disulfide	76	2.085	2.091	-0.006	99	274925	20.0	18.8	
25 3-Chloro-1-propene	41	2.165	2.177	-0.013	86	210488	20.0	18.7	
26 Methyl acetate	43	2.171	2.177	-0.006	99	137329	20.0	21.6	
27 Methylene Chloride	84	2.262	2.268	-0.006	98	115167	20.0	20.3	
* 28 t-Butyl alcohol-d10 (IS)	65	2.268	2.268	0.000	96	240366	250.0	250.0	
29 2-Methyl-2-propanol	59	2.335	2.335	0.000	98	200603	200.0	185.8	M
30 Acrylonitrile	53	2.439	2.445	-0.006	98	326361	100.0	100.9	M
32 trans-1,2-Dichloroethene	96	2.482	2.488	-0.006	94	112331	20.0	20.4	
31 Methyl tert-butyl ether	73	2.488	2.494	-0.006	99	393633	20.0	19.6	
33 Hexane	57	2.719	2.725	-0.006	96	172857	20.0	18.0	
34 1,1-Dichloroethane	63	2.835	2.841	-0.006	97	240358	20.0	20.2	
36 Isopropyl ether	45	2.908	2.921	-0.013	92	425821	20.0	19.5	
37 2-Chloro-1,3-butadiene	53	2.920	2.927	-0.007	96	227336	20.0	19.5	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
38 Tert-butyl ethyl ether	59	3.237	3.244	-0.007	98	420500	20.0	20.0	
40 cis-1,2-Dichloroethene	96	3.359	3.366	-0.007	84	127799	20.0	20.5	
39 2-Butanone (MEK)	43	3.365	3.372	-0.007	99	1122714	250.0	238.8	
41 2,2-Dichloropropane	77	3.372	3.378	-0.006	48	213889	20.0	19.5	
42 Propionitrile	54	3.420	3.427	-0.007	97	199789	150.0	138.7	
186 Methyl acrylate	55	3.469	3.475	-0.006	100	192397	20.0	23.2	
44 Methacrylonitrile	67	3.567	3.567	0.000	94	518619	150.0	152.5	
45 Chlorobromomethane	128	3.579	3.585	-0.006	90	58520	20.0	20.8	
46 Tetrahydrofuran	71	3.622	3.628	-0.006	94	109103	100.0	92.6	
47 Chloroform	83	3.664	3.664	0.000	96	222533	20.0	20.0	
\$ 48 Dibromofluoromethane (Surr)	113	3.811	3.817	-0.006	93	256665	50.0	50.4	
49 1,1,1-Trichloroethane	97	3.841	3.847	-0.006	97	207214	20.0	20.5	
51 Cyclohexane	56	3.896	3.902	-0.006	97	225530	20.0	18.3	
52 1,1-Dichloropropene	75	3.993	4.000	-0.007	90	178866	20.0	19.7	
53 Carbon tetrachloride	117	4.000	4.006	-0.006	97	175260	20.0	20.3	
54 Isobutyl alcohol	41	4.121	4.128	-0.007	66	178868	500.0	487.7	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.128	4.134	-0.006	97	395342	50.0	49.5	
56 Benzene	78	4.188	4.195	-0.007	98	503249	20.0	20.2	
57 1,2-Dichloroethane	62	4.201	4.207	-0.006	98	199907	20.0	19.9	
59 Tert-amyl methyl ether	73	4.317	4.323	-0.006	96	383763	20.0	19.6	
* 60 Fluorobenzene (IS)	96	4.469	4.469	0.000	97	1080038	50.0	50.0	
61 n-Heptane	43	4.481	4.487	-0.006	94	173466	20.0	17.5	
62 n-Butanol	56	4.786	4.792	-0.006	95	259343	1000.0	944.1	
63 Trichloroethene	95	4.835	4.835	0.000	96	127108	20.0	19.9	
195 Ethyl acrylate	55	4.963	4.969	-0.006	99	220281	20.0	21.2	
64 Methylcyclohexane	83	5.036	5.036	0.000	93	208335	20.0	18.9	
65 1,2-Dichloropropane	63	5.054	5.054	0.000	91	136625	20.0	20.3	
66 2-ethoxy-2-methyl butane	87	5.127	5.127	0.000	92	190130	20.0	18.6	
67 Dibromomethane	93	5.170	5.170	0.000	95	79246	20.0	19.9	
68 1,4-Dioxane	88	5.200	5.194	0.006	34	33889	500.0	582.2	M
69 Methyl methacrylate	69	5.207	5.207	0.000	93	110943	20.0	19.3	
71 Dichlorobromomethane	83	5.341	5.347	-0.006	98	164729	20.0	20.2	
72 2-Nitropropane	41	5.578	5.579	-0.001	99	61630	20.0	17.0	
73 2-Chloroethyl vinyl ether	63	5.682	5.682	0.000	93	92067	20.0	19.2	
74 cis-1,3-Dichloropropene	75	5.822	5.822	0.000	90	203239	20.0	19.1	
75 4-Methyl-2-pentanone (MIBK)	43	5.999	5.999	0.000	99	2433445	250.0	251.5	
\$ 77 Toluene-d8 (Surr)	98	6.103	6.103	0.000	95	1121182	50.0	50.1	
78 Toluene	92	6.176	6.176	0.000	97	316435	20.0	19.9	
79 trans-1,3-Dichloropropene	75	6.420	6.426	-0.006	99	199131	20.0	19.8	
81 Ethyl methacrylate	69	6.560	6.560	0.000	92	198289	20.0	19.3	
82 1,1,2-Trichloroethane	97	6.615	6.615	0.000	94	109199	20.0	20.1	
83 Tetrachloroethene	166	6.767	6.767	0.000	94	131788	20.0	20.3	
84 1,3-Dichloropropane	76	6.792	6.792	0.000	97	199221	20.0	19.9	
86 2-Hexanone	43	6.914	6.914	0.000	98	1761029	250.0	246.9	
87 Chlorodibromomethane	129	7.036	7.036	0.000	90	119357	20.0	19.8	
89 Ethylene Dibromide	107	7.145	7.145	0.000	98	114700	20.0	20.1	
* 90 Chlorobenzene-d5 (IS)	117	7.639	7.639	0.000	89	799652	50.0	50.0	
91 Chlorobenzene	112	7.670	7.670	0.000	93	338064	20.0	20.2	
92 1-Chlorohexane	91	7.682	7.682	0.000	90	162906	20.0	18.8	
94 1,1,1,2-Tetrachloroethane	131	7.755	7.761	-0.006	93	116502	20.0	20.1	
95 Ethylbenzene	91	7.791	7.792	-0.001	99	625324	20.0	20.0	
96 m-Xylene & p-Xylene	106	7.907	7.907	0.000	99	474625	40.0	40.3	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
97 o-Xylene	106	8.261	8.261	0.000	95	233513	20.0	20.2	
274 n-Butyl acrylate	55	8.267	8.267	0.000	94	340212	20.0	21.7	
98 Styrene	104	8.273	8.273	0.000	91	387338	20.0	20.3	
99 Bromoform	173	8.413	8.413	0.000	95	87897	20.0	19.7	
100 Isopropylbenzene	105	8.584	8.584	0.000	97	618025	20.0	21.6	
101 Cyclohexanone	55	8.639	8.639	0.000	95	139767	500.0	404.8	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.700	8.700	0.000	86	422581	50.0	49.7	
104 Bromobenzene	156	8.810	8.810	0.000	99	137440	20.0	20.0	
105 1,1,2,2-Tetrachloroethane	83	8.828	8.828	0.000	96	174865	20.0	20.0	
106 1,2,3-Trichloropropane	110	8.852	8.852	0.000	87	51640	20.0	19.5	
107 trans-1,4-Dichloro-2-butene	53	8.877	8.877	0.000	96	361029	100.0	100.2	
108 N-Propylbenzene	91	8.919	8.925	-0.006	99	720469	20.0	20.7	
109 2-Chlorotoluene	126	8.974	8.974	0.000	95	135824	20.0	20.1	
111 4-Chlorotoluene	126	9.066	9.066	0.000	99	139886	20.0	20.0	
110 1,3,5-Trimethylbenzene	105	9.066	9.066	0.000	94	501618	20.0	20.3	
113 tert-Butylbenzene	134	9.316	9.316	0.000	94	98828	20.0	19.9	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	99	503579	20.0	20.1	
116 sec-Butylbenzene	105	9.480	9.480	0.000	95	606337	20.0	20.3	
117 1,3-Dichlorobenzene	146	9.547	9.547	0.000	97	259942	20.0	20.2	
118 4-Isopropyltoluene	119	9.590	9.590	0.000	97	516381	20.0	19.8	
* 119 1,4-Dichlorobenzene-d4	152	9.596	9.596	0.000	97	446746	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	95	263935	20.0	20.2	
121 1,2,3-Trimethylbenzene	105	9.657	9.657	0.000	99	493698	20.0	19.5	
122 Benzyl chloride	91	9.712	9.712	0.000	99	359987	20.0	18.9	
123 1,3-Diethylbenzene	119	9.809	9.809	0.000	95	296165	20.0	19.9	
124 p-Diethylbenzene	119	9.864	9.864	0.000	92	303772	20.0	19.7	
125 1,2-Dichlorobenzene	146	9.876	9.877	0.000	95	252987	20.0	20.4	
126 n-Butylbenzene	92	9.883	9.883	-0.001	97	247804	20.0	19.5	
162 o-diethylbenzene	119	9.943	9.944	-0.001	98	243993	20.0	19.6	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	87	44415	20.0	19.2	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	172360	20.0	20.0	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	94	162467	20.0	20.4	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	95	68402	20.0	19.6	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	84	189937	20.0	21.3	
168 Naphthalene	128	11.132	11.126	0.006	98	573338	20.0	21.2	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	94	153019	20.0	20.4	
171 2-Methylnaphthalene	142	11.846	11.846	0.000	92	278787	20.0	22.0	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_LCS_VOC#1_00158	Amount Added: 50.00	Units: uL	
MSV_LCS_2CEVE_00163	Amount Added: 50.00	Units: uL	
MSV_LCS_CYC_00008	Amount Added: 50.00	Units: uL	
MSV_LCS_ACROL_00159	Amount Added: 50.00	Units: uL	
MSV_LCS_Gases_00189	Amount Added: 50.00	Units: uL	
MSV_LCS_EE_00008	Amount Added: 50.00	Units: uL	
MSV_LCS_OH_Sp_00011	Amount Added: 50.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 18-Mar-2024 19:30:17

Chrom Revision: 2.3 23-Feb-2024 16:51:14

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D

Injection Date: 18-Mar-2024 17:57:30

Instrument ID: 15648

Operator ID: jml01693

Lims ID: ICV

Worklist Smp#: 20

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 20

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
Injection Date: 18-Mar-2024 17:57:30 Instrument ID: 15648
Lims ID: ICV
Client ID:
Operator ID: jml01693 ALS Bottle#: 20 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.10
Area: 180402
Amount: 17.154416
Amount Units: ug/l

Processing Integration Results



RT: 1.10
Area: 187321
Amount: 17.812343
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:22:29 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
Injection Date: 18-Mar-2024 17:57:30 Instrument ID: 15648
Lims ID: ICV
Client ID:
Operator ID: jml01693 ALS Bottle#: 20 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.22
Area: 178843
Amount: 18.131447
Amount Units: ug/l

Processing Integration Results



RT: 1.22
Area: 189065
Amount: 19.167773
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:22:47 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
Injection Date: 18-Mar-2024 17:57:30 Instrument ID: 15648
Lims ID: ICV
Client ID:
Operator ID: jml01693 ALS Bottle#: 20 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

18 Acetone, CAS: 67-64-1

Signal: 1


RT: 1.94
Area: 188416
Amount: 218.9327
Amount Units: ug/l

Processing Integration Results



RT: 1.94
Area: 190679
Amount: 221.5623
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:23:00 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
Injection Date: 18-Mar-2024 17:57:30 Instrument ID: 15648
Lims ID: ICV
Client ID:
Operator ID: jml01693 ALS Bottle#: 20 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

20 Isopropyl alcohol, CAS: 67-63-0

Signal: 1


RT: 2.02
Area: 86058
Amount: 139.8074
Amount Units: ug/l

Processing Integration Results



RT: 2.02
Area: 88607
Amount: 143.9484
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:23:15 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
Injection Date: 18-Mar-2024 17:57:30 Instrument ID: 15648
Lims ID: ICV
Client ID:
Operator ID: jml01693 ALS Bottle#: 20 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

29 2-Methyl-2-propanol, CAS: 75-65-0

Signal: 1


RT: 2.34
Area: 223710
Amount: 207.1939
Amount Units: ug/l

Processing Integration Results



RT: 2.34
Area: 200603
Amount: 185.7929
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:23:25 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
Injection Date: 18-Mar-2024 17:57:30 Instrument ID: 15648
Lims ID: ICV
Client ID:
Operator ID: jml01693 ALS Bottle#: 20 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

30 Acrylonitrile, CAS: 107-13-1

Signal: 1


RT: 2.44
Area: 323020
Amount: 99.897861
Amount Units: ug/l

Processing Integration Results



RT: 2.44
Area: 326361
Amount: 100.9311
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:23:42 -04:00:00 (UTC)

Audit Action: Assigned New Baseline

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X20.D
Injection Date: 18-Mar-2024 17:57:30 Instrument ID: 15648
Lims ID: ICV
Client ID:
Operator ID: jml01693 ALS Bottle#: 20 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

68 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 5.20
Area: 35283
Amount: 606.1139
Amount Units: ug/l

Processing Integration Results



RT: 5.20
Area: 33889
Amount: 582.1669
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 18-Mar-2024 18:23:57 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: CCVIS 410-486390/3

Calibration Date: 03/22/2024 20:31

Instrument ID: 15648

Calib Start Date: 03/18/2024 15:16

GC Column: DB-624 20m ID: 0.18 (mm)

Calib End Date: 03/18/2024 17:16

Lab File ID: EM22X32.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Dichlorodifluoromethane	Ave	0.4869	0.4412	0.1000	45.3	50.0	-9.4	20.0
Chloromethane	Ave	0.4566	0.4644	0.1000	50.8	50.0	1.7	20.0
1,3-Butadiene	Ave	0.5134	0.5536		53.9	50.0	7.8	20.0
Vinyl chloride	Ave	0.4240	0.4072	0.1000	48.0	50.0	-4.0	20.0
Bromomethane	Ave	0.2628	0.2544	0.1000	48.4	50.0	-3.2	20.0
Chloroethane	Ave	0.2483	0.2319	0.1000	46.7	50.0	-6.6	20.0
Dichlorofluoromethane	Ave	0.6676	0.6207		46.5	50.0	-7.0	20.0
n-Pentane	Ave	0.5354	0.5355		50.0	50.0	0.0	20.0
Trichlorofluoromethane	Ave	0.5284	0.4875	0.1000	46.1	50.0	-7.7	20.0
Freon 123a	Ave	0.3875	0.3523		45.5	50.0	-9.1	20.0
Acrolein	Ave	2.093	1.736		415	500	-17.0	20.0
1,1-Dichloroethene	Ave	0.2279	0.2282	0.1000	50.1	50.0	0.1	20.0
Acetone	Ave	0.8951	0.9800	0.1000	109	100	9.5	20.0
Freon 113	Ave	0.2607	0.2633	0.1000	50.5	50.0	1.0	20.0
2-Propanol	Ave	0.6402	0.6669		260	250	4.2	20.0
Methyl iodide	Ave	0.4097	0.3985		48.6	50.0	-2.7	20.0
Carbon disulfide	Ave	0.6786	0.6646	0.1000	49.0	50.0	-2.1	20.0
Allyl chloride	Ave	0.5223	0.5168		49.5	50.0	-1.0	20.0
Methyl acetate	Ave	0.2937	0.3066	0.1000	52.2	50.0	4.4	20.0
Methylene Chloride	Ave	0.2629	0.2556	0.1000	48.6	50.0	-2.8	20.0
t-Butyl alcohol	Ave	1.123	1.141		254	250	1.6	20.0
Acrylonitrile	Ave	0.1497	0.1474		123	125	-1.5	20.0
trans-1,2-Dichloroethene	Ave	0.2552	0.2549	0.1000	49.9	50.0	-0.1	20.0
Methyl tert-butyl ether	Ave	0.9292	0.9508	0.1000	51.2	50.0	2.3	20.0
n-Hexane	Ave	0.4451	0.4432		49.8	50.0	-0.4	20.0
1,1-Dichloroethane	Ave	0.5499	0.5359	0.2000	48.7	50.0	-2.5	20.0
Isopropyl ether	Ave	1.013	1.019		50.3	50.0	0.6	20.0
2-Chloro-1,3-butadiene	Ave	0.5409	0.5349		49.4	50.0	-1.1	20.0
Ethyl t-butyl ether	Ave	0.9710	0.9930		51.1	50.0	2.3	20.0
cis-1,2-Dichloroethene	Ave	0.2893	0.2846	0.1000	49.2	50.0	-1.6	20.0
2-Butanone (MEK)	Ave	0.2176	0.2116	0.1000	97.2	100	-2.8	20.0
2,2-Dichloropropane	Ave	0.5090	0.5018		49.3	50.0	-1.4	20.0
Propionitrile	Ave	1.498	1.549		259	250	3.4	20.0
Methyl acrylate	Ave	0.3834	0.4034		52.6	50.0	5.2	20.0
Methacrylonitrile	Ave	0.1575	0.1566		124	125	-0.6	20.0
Bromochloromethane	Ave	0.1300	0.1325		51.0	50.0	1.9	20.0
Tetrahydrofuran	Ave	1.226	1.269		259	250	3.6	20.0
Chloroform	Ave	0.5158	0.5139	0.2000	49.8	50.0	-0.4	20.0
1,1,1-Trichloroethane	Ave	0.4673	0.4635	0.1000	49.6	50.0	-0.8	20.0
Cyclohexane	Ave	0.5717	0.5517	0.1000	48.3	50.0	-3.5	20.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: CCVIS 410-486390/3

Calibration Date: 03/22/2024 20:31

Instrument ID: 15648

Calib Start Date: 03/18/2024 15:16

GC Column: DB-624 20m ID: 0.18 (mm)

Calib End Date: 03/18/2024 17:16

Lab File ID: EM22X32.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
1,1-Dichloropropene	Ave	0.4209	0.4128		49.0	50.0	-1.9	20.0
Carbon tetrachloride	Ave	0.3997	0.3941	0.1000	49.3	50.0	-1.4	20.0
Isobutyl alcohol	Ave	0.3814	0.4072		667	625	6.8	20.0
Benzene	Ave	1.153	1.165	0.5000	50.5	50.0	1.0	20.0
1,2-Dichloroethane	Ave	0.4643	0.4589	0.1000	49.4	50.0	-1.2	20.0
t-Amyl methyl ether	Ave	0.9047	0.9218		50.9	50.0	1.9	20.0
n-Heptane	Ave	0.4578	0.4542		49.6	50.0	-0.8	20.0
n-Butanol	Ave	0.2857	0.2868		627	625	0.4	20.0
Trichloroethene	Ave	0.2962	0.2953	0.2000	49.8	50.0	-0.3	20.0
Ethyl acrylate	Ave	0.4801	0.4818		50.2	50.0	0.4	20.0
Methylcyclohexane	Ave	0.5108	0.5152	0.1000	50.4	50.0	0.9	20.0
1,2-Dichloropropane	Ave	0.3118	0.3167	0.1000	50.8	50.0	1.6	20.0
t-Amyl ethyl ether	Ave	0.4734	0.4779		50.5	50.0	1.0	20.0
Dibromomethane	Ave	0.1847	0.1829		49.5	50.0	-1.0	20.0
1,4-Dioxane	Ave	0.0605	0.0715	0.0050	738	625	18.0	20.0
Methyl methacrylate	Ave	0.2664	0.2696		50.6	50.0	1.2	20.0
Bromodichloromethane	Ave	0.3784	0.3792	0.2000	50.1	50.0	0.2	20.0
2-Nitropropane	Ave	3.765	3.905		259	250	3.7	20.0
2-Chloroethyl vinyl ether	Ave	0.2220	0.2267		51.1	50.0	2.1	20.0
cis-1,3-Dichloropropene	Ave	0.4938	0.4996	0.2000	50.6	50.0	1.2	20.0
4-Methyl-2-pentanone (MIBK)	Ave	0.4479	0.4547	0.1000	102	100	1.5	20.0
Toluene	Ave	0.995	0.998	0.4000	50.1	50.0	0.3	20.0
trans-1,3-Dichloropropene	Ave	0.6276	0.6449	0.1000	51.4	50.0	2.8	20.0
Ethyl methacrylate	Ave	0.6430	0.6636		51.6	50.0	3.2	20.0
1,1,2-Trichloroethane	Ave	0.3390	0.3485	0.1000	51.4	50.0	2.8	20.0
Tetrachloroethene	Ave	0.4066	0.4001	0.2000	49.2	50.0	-1.6	20.0
1,3-Dichloropropane	Ave	0.6268	0.6407		51.1	50.0	2.2	20.0
2-Hexanone	Ave	0.4459	0.4418	0.1000	99.1	100	-0.9	20.0
Dibromochloromethane	Ave	0.3764	0.3773		50.1	50.0	0.2	20.0
1,2-Dibromoethane (EDB)	Ave	0.3574	0.3665	0.1000	51.3	50.0	2.5	20.0
Chlorobenzene	Ave	1.044	1.065	0.5000	51.0	50.0	2.0	20.0
1-Chlorohexane	Ave	0.5412	0.5348		49.4	50.0	-1.2	20.0
1,1,1,2-Tetrachloroethane	Ave	0.3632	0.3714		51.1	50.0	2.3	20.0
Ethylbenzene	Ave	1.956	1.967	0.1000	50.3	50.0	0.6	20.0
m&p-Xylene	Ave	0.7359	0.7492	0.1000	102	100	1.8	20.0
o-Xylene	Ave	0.7228	0.7353	0.3000	50.9	50.0	1.7	20.0
n-Butyl acrylate	Ave	0.9783	0.9886		50.6	50.0	1.1	20.0
Styrene	Ave	1.195	1.214	0.3000	50.8	50.0	1.6	20.0
Bromoform	Ave	0.2787	0.2727	0.1000	48.9	50.0	-2.1	20.0
Isopropylbenzene	Ave	1.790	1.814	0.1000	50.7	50.0	1.3	20.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: CCVIS 410-486390/3

Calibration Date: 03/22/2024 20:31

Instrument ID: 15648

Calib Start Date: 03/18/2024 15:16

GC Column: DB-624 20m ID: 0.18 (mm)

Calib End Date: 03/18/2024 17:16

Lab File ID: EM22X32.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Bromobenzene	Ave	0.7692	0.7804		50.7	50.0	1.5	20.0
1,1,2,2-Tetrachloroethane	Ave	0.9799	1.012	0.3000	51.7	50.0	3.3	20.0
1,2,3-Trichloropropane	Ave	0.2964	0.3074		51.8	50.0	3.7	20.0
trans-1,4-Dichloro-2-butene	Ave	0.4031	0.3530		109	125	-12.4	20.0
N-Propylbenzene	Ave	3.895	4.034		51.8	50.0	3.6	20.0
2-Chlorotoluene	Ave	0.7570	0.7742		51.1	50.0	2.3	20.0
1,3,5-Trimethylbenzene	Ave	2.771	2.874		51.9	50.0	3.7	20.0
4-Chlorotoluene	Ave	0.7823	0.7972		51.0	50.0	1.9	20.0
tert-Butylbenzene	Ave	0.5565	0.5832		52.4	50.0	4.8	20.0
1,2,4-Trimethylbenzene	Ave	2.800	2.908		51.9	50.0	3.9	20.0
sec-Butylbenzene	Ave	3.342	3.540		53.0	50.0	5.9	20.0
1,3-Dichlorobenzene	Ave	1.437	1.475	0.6000	51.3	50.0	2.7	20.0
p-Isopropyltoluene	Ave	2.922	3.058		52.3	50.0	4.7	20.0
1,4-Dichlorobenzene	Ave	1.463	1.504	0.5000	51.4	50.0	2.8	20.0
1,2,3-Trimethylbenzene	Ave	2.840	2.929		51.6	50.0	3.2	20.0
Benzyl chloride	Ave	2.129	2.309		54.2	50.0	8.4	20.0
1,3-Diethylbenzene	Ave	1.665	1.746		52.4	50.0	4.8	20.0
1,4-Diethylbenzene	Ave	1.728	1.809		52.4	50.0	4.7	20.0
1,2-Dichlorobenzene	Ave	1.389	1.439	0.4000	51.8	50.0	3.6	20.0
n-Butylbenzene	Ave	1.424	1.500		52.7	50.0	5.3	20.0
1,2-Diethylbenzene	Ave	1.397	1.469		52.6	50.0	5.2	20.0
1,2-Dibromo-3-Chloropropane	Ave	0.2583	0.2670	0.0500	51.7	50.0	3.4	20.0
1,3,5-Trichlorobenzene	Ave	0.9646	1.012		52.5	50.0	4.9	20.0
1,2,4-Trichlorobenzene	Ave	0.8908	0.9717	0.2000	54.5	50.0	9.1	20.0
Hexachlorobutadiene	Ave	0.3904	0.4047		51.8	50.0	3.7	20.0
2-Ethylhexyl acrylate	Ave	0.997	1.010		50.6	50.0	1.3	20.0
Naphthalene	Ave	3.032	3.336		55.0	50.0	10.0	20.0
1,2,3-Trichlorobenzene	Ave	0.8395	0.9227		55.0	50.0	9.9	20.0
2-Methylnaphthalene	Ave	1.415	1.677		59.2	50.0	18.5	20.0
Dibromofluoromethane (Surr)	Ave	0.2356	0.2308		49.0	50.0	-2.0	20.0
1,2-Dichloroethane-d4 (Surr)	Ave	0.3699	0.3595		48.6	50.0	-2.8	20.0
Toluene-d8 (Surr)	Ave	1.400	1.392		49.7	50.0	-0.6	20.0
4-Bromofluorobenzene (Surr)	Ave	0.5319	0.5376		50.5	50.0	1.1	20.0

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X32.D
 Lims ID: CCVIS
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 22-Mar-2024 20:31:30 ALS Bottle#: 2 Worklist Smp#: 3
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-003
 Misc. Info.: CCVIS
 Operator ID: MEC29284 Instrument ID: 15648
 Sublist: chrom-MSVoa_15648*sub76
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 22-Mar-2024 21:40:09 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 21:18:42

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.098	1.098	0.000	99	413056	50.0	45.3	M
4 Chloromethane	50	1.214	1.214	0.000	99	434776	50.0	50.8	M
5 Butadiene	39	1.256	1.256	0.000	96	518357	50.0	53.9	
6 Vinyl chloride	62	1.275	1.275	0.000	98	381291	50.0	48.0	
8 Bromomethane	94	1.445	1.445	0.000	92	238147	50.0	48.4	
9 Chloroethane	64	1.470	1.470	0.000	99	217086	50.0	46.7	
10 Dichlorofluoromethane	67	1.585	1.585	0.000	98	581150	50.0	46.5	
11 Pentane	43	1.634	1.634	0.000	96	501376	50.0	50.0	
12 Trichlorofluoromethane	101	1.653	1.653	0.000	98	456397	50.0	46.1	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.768	1.768	0.000	96	329863	50.0	45.5	
16 Acrolein	56	1.835	1.835	0.000	98	636251	500.0	414.8	
17 1,1-Dichloroethene	96	1.915	1.915	0.000	94	213644	50.0	50.1	
18 Acetone	58	1.927	1.927	0.000	98	71836	100.0	109.5	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.951	1.951	0.000	95	246486	50.0	50.5	
20 Isopropyl alcohol	45	2.012	2.012	0.000	44	122210	250.0	260.4	
21 Iodomethane	142	2.024	2.024	0.000	99	373106	50.0	48.6	
22 Carbon disulfide	76	2.079	2.079	0.000	100	622246	50.0	49.0	
25 3-Chloro-1-propene	41	2.159	2.159	0.000	87	483878	50.0	49.5	
26 Methyl acetate	43	2.159	2.159	0.000	99	287090	50.0	52.2	
27 Methylene Chloride	84	2.250	2.250	0.000	98	239304	50.0	48.6	
* 28 t-Butyl alcohol-d10 (IS)	65	2.256	2.256	0.000	99	183256	250.0	250.0	
29 2-Methyl-2-propanol	59	2.323	2.323	0.000	99	209095	250.0	254.0	
30 Acrylonitrile	53	2.427	2.427	0.000	98	344970	125.0	123.1	
32 trans-1,2-Dichloroethene	96	2.469	2.469	0.000	93	238664	50.0	49.9	
31 Methyl tert-butyl ether	73	2.476	2.476	0.000	98	890196	50.0	51.2	
33 Hexane	57	2.701	2.701	0.000	95	414960	50.0	49.8	
34 1,1-Dichloroethane	63	2.823	2.823	0.000	97	501788	50.0	48.7	
36 Isopropyl ether	45	2.896	2.896	0.000	93	954243	50.0	50.3	
37 2-Chloro-1,3-butadiene	53	2.908	2.908	0.000	95	500812	50.0	49.4	
38 Tert-butyl ethyl ether	59	3.231	3.231	0.000	98	929714	50.0	51.1	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
40 cis-1,2-Dichloroethene	96	3.347	3.347	0.000	86	266505	50.0	49.2	
39 2-Butanone (MEK)	43	3.353	3.353	0.000	99	396193	100.0	97.2	
41 2,2-Dichloropropane	77	3.366	3.366	0.000	91	469857	50.0	49.3	
42 Propionitrile	54	3.402	3.402	0.000	96	283869	250.0	258.5	
186 Methyl acrylate	55	3.451	3.451	0.000	99	377762	50.0	52.6	
44 Methacrylonitrile	67	3.548	3.548	0.000	94	366516	125.0	124.3	
45 Chlorobromomethane	128	3.561	3.561	0.000	93	124030	50.0	51.0	
46 Tetrahydrofuran	71	3.603	3.603	0.000	94	232632	250.0	258.9	
47 Chloroform	83	3.646	3.646	0.000	96	481180	50.0	49.8	
\$ 48 Dibromofluoromethane (Surr)	113	3.792	3.792	0.000	92	216083	50.0	49.0	
49 1,1,1-Trichloroethane	97	3.823	3.823	0.000	97	433966	50.0	49.6	
51 Cyclohexane	56	3.884	3.884	0.000	96	516542	50.0	48.3	
52 1,1-Dichloropropene	75	3.975	3.975	0.000	90	386536	50.0	49.0	
53 Carbon tetrachloride	117	3.987	3.987	0.000	97	368961	50.0	49.3	
54 Isobutyl alcohol	41	4.109	4.109	0.000	93	186571	625.0	667.3	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.115	4.115	0.000	98	336577	50.0	48.6	
56 Benzene	78	4.170	4.170	0.000	98	1090332	50.0	50.5	
57 1,2-Dichloroethane	62	4.183	4.183	0.000	98	429651	50.0	49.4	
59 Tert-amyl methyl ether	73	4.304	4.304	0.000	97	863079	50.0	50.9	
* 60 Fluorobenzene (IS)	96	4.451	4.451	0.000	97	936265	50.0	50.0	
61 n-Heptane	43	4.469	4.469	0.000	92	425249	50.0	49.6	
62 n-Butanol	56	4.774	4.774	0.000	94	131382	625.0	627.4	
63 Trichloroethene	95	4.817	4.817	0.000	97	276498	50.0	49.8	
195 Ethyl acrylate	55	4.951	4.951	0.000	99	451031	50.0	50.2	
64 Methylcyclohexane	83	5.018	5.018	0.000	94	482334	50.0	50.4	
65 1,2-Dichloropropane	63	5.036	5.036	0.000	92	296533	50.0	50.8	
66 2-ethoxy-2-methyl butane	87	5.109	5.109	0.000	91	447475	50.0	50.5	
67 Dibromomethane	93	5.152	5.152	0.000	96	171200	50.0	49.5	
68 1,4-Dioxane	88	5.182	5.182	0.000	28	32744	625.0	737.8	Ma
69 Methyl methacrylate	69	5.188	5.188	0.000	92	252430	50.0	50.6	
71 Dichlorobromomethane	83	5.329	5.329	0.000	98	355031	50.0	50.1	
72 2-Nitropropane	41	5.560	5.560	0.000	99	715648	250.0	259.3	
73 2-Chloroethyl vinyl ether	63	5.664	5.664	0.000	94	212243	50.0	51.1	
74 cis-1,3-Dichloropropene	75	5.804	5.804	0.000	90	467727	50.0	50.6	
75 4-Methyl-2-pentanone (MIBK)	43	5.981	5.981	0.000	99	851492	100.0	101.5	
\$ 77 Toluene-d8 (Surr)	98	6.091	6.091	0.000	95	966984	50.0	49.7	
78 Toluene	92	6.158	6.158	0.000	97	693003	50.0	50.1	
79 trans-1,3-Dichloropropene	75	6.408	6.408	0.000	99	447914	50.0	51.4	
81 Ethyl methacrylate	69	6.548	6.548	0.000	92	460912	50.0	51.6	
82 1,1,2-Trichloroethane	97	6.597	6.597	0.000	93	242026	50.0	51.4	
83 Tetrachloroethene	166	6.749	6.749	0.000	94	277858	50.0	49.2	
84 1,3-Dichloropropane	76	6.773	6.773	0.000	97	445003	50.0	51.1	
86 2-Hexanone	43	6.901	6.901	0.000	98	613733	100.0	99.1	
87 Chlorodibromomethane	129	7.023	7.023	0.000	91	262078	50.0	50.1	
89 Ethylene Dibromide	107	7.127	7.127	0.000	98	254534	50.0	51.3	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	89	694552	50.0	50.0	
91 Chlorobenzene	112	7.657	7.657	0.000	92	739634	50.0	51.0	
92 1-Chlorohexane	91	7.670	7.670	0.000	90	371454	50.0	49.4	
94 1,1,1,2-Tetrachloroethane	131	7.749	7.749	0.000	94	257929	50.0	51.1	
95 Ethylbenzene	91	7.779	7.779	0.000	99	1366519	50.0	50.3	
96 m-Xylene & p-Xylene	106	7.901	7.901	0.000	100	1040761	100.0	101.8	
97 o-Xylene	106	8.255	8.255	0.000	98	510714	50.0	50.9	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
274 n-Butyl acrylate	55	8.261	8.261	0.000	96	686975	50.0	50.6	
98 Styrene	104	8.267	8.267	0.000	92	843052	50.0	50.8	
99 Bromoform	173	8.407	8.407	0.000	95	189425	50.0	48.9	
100 Isopropylbenzene	105	8.578	8.578	0.000	97	1259697	50.0	50.7	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	86	373383	50.0	50.5	
104 Bromobenzene	156	8.804	8.804	0.000	98	302189	50.0	50.7	
105 1,1,2,2-Tetrachloroethane	83	8.822	8.822	0.000	94	392021	50.0	51.7	
106 1,2,3-Trichloropropane	110	8.846	8.846	0.000	87	119023	50.0	51.8	
107 trans-1,4-Dichloro-2-butene	53	8.871	8.871	0.000	94	341718	125.0	109.5	
108 N-Propylbenzene	91	8.913	8.913	0.000	99	1562197	50.0	51.8	
109 2-Chlorotoluene	126	8.968	8.968	0.000	95	299787	50.0	51.1	
111 4-Chlorotoluene	126	9.060	9.060	0.000	99	308693	50.0	51.0	
110 1,3,5-Trimethylbenzene	105	9.060	9.060	0.000	94	1112806	50.0	51.9	
113 tert-Butylbenzene	134	9.310	9.310	0.000	94	225838	50.0	52.4	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	98	1126009	50.0	51.9	
116 sec-Butylbenzene	105	9.474	9.474	0.000	95	1370709	50.0	53.0	
117 1,3-Dichlorobenzene	146	9.541	9.541	0.000	97	571310	50.0	51.3	
118 4-Isopropyltoluene	119	9.584	9.584	0.000	97	1184224	50.0	52.3	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	94	387212	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	93	582332	50.0	51.4	
121 1,2,3-Trimethylbenzene	105	9.651	9.651	0.000	99	1134281	50.0	51.6	
122 Benzyl chloride	91	9.706	9.706	0.000	99	894097	50.0	54.2	
123 1,3-Diethylbenzene	119	9.803	9.803	0.000	95	675970	50.0	52.4	
124 p-Diethylbenzene	119	9.864	9.864	0.000	92	700571	50.0	52.4	
125 1,2-Dichlorobenzene	146	9.870	9.870	0.000	95	557350	50.0	51.8	
126 n-Butylbenzene	92	9.877	9.877	0.000	98	580686	50.0	52.7	
162 o-diethylbenzene	119	9.944	9.944	0.000	97	568757	50.0	52.6	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	78	103380	50.0	51.7	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	391939	50.0	52.5	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	94	376263	50.0	54.5	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	96	156723	50.0	51.8	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	84	390781	50.0	50.6	
168 Naphthalene	128	11.126	11.126	0.000	98	1291552	50.0	55.0	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	94	357298	50.0	55.0	
171 2-Methylnaphthalene	142	11.852	11.852	0.000	92	649192	50.0	59.2	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

MSV_CCV_VOC#1_00175	Amount Added: 5.00	Units: uL	
MSV_CCV_2CEVE_00167	Amount Added: 5.00	Units: uL	
MSV_CCV_VOC#3_00171	Amount Added: 4.00	Units: uL	
MSV_CCV_GASES_00723	Amount Added: 2.50	Units: uL	
MSV_CCV_OH_Sp_00009	Amount Added: 5.00	Units: uL	
MSV_Cent_ISSS_00023	Amount Added: 5.00	Units: uL	Run Reagent

Report Date: 22-Mar-2024 21:40:10

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X32.D

Injection Date: 22-Mar-2024 20:31:30

Instrument ID: 15648

Operator ID: MEC29284

Lims ID: CCVIS

Worklist Smp#: 3

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 2

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X32.D
Injection Date: 22-Mar-2024 20:31:30 Instrument ID: 15648
Lims ID: CCVIS
Client ID:
Operator ID: MEC29284 ALS Bottle#: 2 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

2 Dichlorodifluoromethane, CAS: 75-71-8

Signal: 1


RT: 1.10
Area: 401932
Amount: 44.088713
Amount Units: ug/l

Processing Integration Results



RT: 1.10
Area: 413056
Amount: 45.308927
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 22-Mar-2024 21:10:31 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X32.D
Injection Date: 22-Mar-2024 20:31:30 Instrument ID: 15648
Lims ID: CCVIS
Client ID:
Operator ID: MEC29284 ALS Bottle#: 2 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.21
Area: 587413
Amount: 68.698035
Amount Units: ug/l

Processing Integration Results



RT: 1.21
Area: 434776
Amount: 50.847116
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 22-Mar-2024 21:10:37 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X32.D
Injection Date: 22-Mar-2024 20:31:30 Instrument ID: 15648
Lims ID: CCVIS
Client ID:
Operator ID: MEC29284 ALS Bottle#: 2 Worklist Smp#: 3
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

68 1,4-Dioxane, CAS: 123-91-1

Signal: 1


Not Detected
Expected RT: 5.18

Processing Integration Results



RT: 5.18
Area: 32744
Amount: 737.7943
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 22-Mar-2024 21:11:08 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: ICV 410-486676/20

Calibration Date: 03/25/2024 19:47

Instrument ID: 9355

Calib Start Date: 03/25/2024 16:50

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Calib End Date: 03/25/2024 20:33

Lab File ID: YM25X19.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Dichlorodifluoromethane	Ave	0.4676	0.3784	0.1000	16.2	20.0	-19.1	30.0
Chloromethane	Ave	0.5002	0.4233	0.1000	16.9	20.0	-15.4	30.0
Vinyl chloride	Ave	0.4632	0.4043	0.1000	17.5	20.0	-12.7	30.0
1,3-Butadiene	Ave	0.4482	0.3686		16.4	20.0	-17.8	30.0
Bromomethane	Ave	0.3141	0.2753	0.1000	17.5	20.0	-12.3	30.0
Chloroethane	Ave	0.2180	0.2109	0.1000	19.3	20.0	-3.3	30.0
Dichlorofluoromethane	Ave	0.6498	0.5578		17.2	20.0	-14.2	30.0
Trichlorofluoromethane	Ave	0.4738	0.4354	0.1000	18.4	20.0	-8.1	30.0
n-Pentane	Ave	0.3829	0.3284		17.1	20.0	-14.3	30.0
Ethyl ether	Ave	0.1997	0.2147		21.5	20.0	7.5	30.0
Freon 123a	Ave	0.3041	0.3033		20.0	20.0	-0.2	30.0
Acrolein	Ave	1.039	0.9780		141	150	-5.9	30.0
1,1-Dichloroethene	Ave	0.2053	0.2071	0.1000	20.2	20.0	0.9	30.0
Acetone	Ave	0.5495	0.4824	0.1000	219	250	-12.2	30.0
Freon 113	Ave	0.2627	0.2211	0.1000	16.8	20.0	-15.8	30.0
2-Propanol	Ave	0.4957	0.4152		126	150	-16.2	30.0
Methyl iodide	Ave	0.4358	0.4047		18.6	20.0	-7.1	30.0
Carbon disulfide	Ave	0.7879	0.7036	0.1000	17.9	20.0	-10.7	30.0
Methyl acetate	Ave	0.3070	0.3488	0.1000	22.7	20.0	13.6	30.0
Allyl chloride	Ave	0.3586	0.2961		16.5	20.0	-17.4	30.0
Methylene Chloride	Ave	0.2482	0.2454	0.1000	19.8	20.0	-1.1	30.0
t-Butyl alcohol	Ave	1.039	0.7903		152	200	-23.9	30.0
Acrylonitrile	Ave	0.1670	0.1649		98.7	100	-1.3	30.0
Methyl tert-butyl ether	Ave	0.9345	0.8455	0.1000	18.1	20.0	-9.5	30.0
trans-1,2-Dichloroethene	Ave	0.2181	0.2112	0.1000	19.4	20.0	-3.2	30.0
n-Hexane	Ave	0.3135	0.2897		18.5	20.0	-7.6	30.0
1,1-Dichloroethane	Ave	0.3943	0.3887	0.2000	19.7	20.0	-1.4	30.0
Isopropyl ether	Ave	0.7916	0.7371		18.6	20.0	-6.9	30.0
2-Chloro-1,3-butadiene	Ave	0.3457	0.3280		19.0	20.0	-5.1	30.0
Ethyl t-butyl ether	Ave	0.8484	0.7941		18.7	20.0	-6.4	30.0
2-Butanone (MEK)	Ave	0.2731	0.2334	0.1000	214	250	-14.5	30.0
cis-1,2-Dichloroethene	Ave	0.2574	0.2513	0.1000	19.5	20.0	-2.4	30.0
2,2-Dichloropropane	Ave	0.4166	0.4050		19.4	20.0	-2.8	30.0
Propionitrile	Ave	0.8965	0.8353		140	150	-6.8	30.0
Methyl acrylate	Ave	0.3736	0.3691		19.7	20.0	-1.2	30.0
Methacrylonitrile	Ave	0.1720	0.1678		146	150	-2.5	30.0
Bromochloromethane	Ave	0.1312	0.1302		19.8	20.0	-0.8	30.0
Tetrahydrofuran	Ave	0.7957	0.6797		85.4	100	-14.6	30.0
Chloroform	Linl		0.4703	0.2000	19.4	20.0	-3.2	30.0
1,1,1-Trichloroethane	Ave	0.4030	0.3905	0.1000	19.4	20.0	-3.1	30.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.: _____

Lab Sample ID: ICV 410-486676/20

Calibration Date: 03/25/2024 19:47

Instrument ID: 9355

Calib Start Date: 03/25/2024 16:50

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Calib End Date: 03/25/2024 20:33

Lab File ID: YM25X19.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Cyclohexane	Ave	0.4436	0.4038	0.1000	18.2	20.0	-9.0	30.0
1,1-Dichloropropene	Ave	0.3062	0.2992		19.5	20.0	-2.3	30.0
Carbon tetrachloride	Ave	0.3232	0.3013	0.1000	18.6	20.0	-6.8	30.0
Isobutyl alcohol	Ave	0.3269	0.2600		398	500	-20.5	30.0
Benzene	Ave	0.9642	0.9361	0.5000	19.4	20.0	-2.9	30.0
1,2-Dichloroethane	Ave	0.3477	0.3352	0.1000	19.3	20.0	-3.6	30.0
t-Amyl methyl ether	Ave	0.8597	0.7873		18.3	20.0	-8.4	30.0
n-Heptane	Ave	0.3541	0.3055		17.3	20.0	-13.7	30.0
n-Butanol	Ave	0.2427	0.1935		797	1000	-20.3	30.0
Trichloroethene	Ave	0.2477	0.2404	0.2000	19.4	20.0	-2.9	30.0
Ethyl acrylate	Ave	0.4229	0.4718		22.3	20.0	11.6	30.0
Methylcyclohexane	Ave	0.4528	0.4208	0.1000	18.6	20.0	-7.1	30.0
1,2-Dichloropropane	Ave	0.2540	0.2453	0.1000	19.3	20.0	-3.4	30.0
t-Amyl ethyl ether	Ave	0.4166	0.3537		17.0	20.0	-15.1	30.0
Methyl methacrylate	Ave	0.2711	0.2412		17.8	20.0	-11.0	30.0
1,4-Dioxane	Ave	0.0820	0.0699	0.0050	426	500	-14.7	30.0
Dibromomethane	Ave	0.1802	0.1702		18.9	20.0	-5.6	30.0
Bromodichloromethane	Ave	0.3171	0.2922	0.2000	18.4	20.0	-7.9	30.0
2-Nitropropane	Ave	1.534	1.149		15.0	20.0	-25.1	30.0
2-Chloroethyl vinyl ether	Ave	0.1943	0.1586		16.3	20.0	-18.4	30.0
cis-1,3-Dichloropropene	Ave	0.3996	0.3501	0.2000	17.5	20.0	-12.4	30.0
4-Methyl-2-pentanone (MIBK)	Ave	0.5332	0.4884	0.1000	229	250	-8.4	30.0
Toluene	Ave	0.8278	0.7818	0.4000	18.9	20.0	-5.6	30.0
trans-1,3-Dichloropropene	Ave	0.4935	0.4520	0.1000	18.3	20.0	-8.4	30.0
Ethyl methacrylate	Ave	0.6289	0.5600		17.8	20.0	-11.0	30.0
1,1,2-Trichloroethane	Ave	0.3374	0.3131	0.1000	18.6	20.0	-7.2	30.0
Tetrachloroethene	Ave	0.3537	0.3417	0.2000	19.3	20.0	-3.4	30.0
1,3-Dichloropropane	Ave	0.5396	0.4973		18.4	20.0	-7.8	30.0
2-Hexanone	Ave	0.5137	0.4504	0.1000	219	250	-12.3	30.0
Dibromochloromethane	Ave	0.3493	0.3119		17.9	20.0	-10.7	30.0
1,2-Dibromoethane (EDB)	Ave	0.3557	0.3349	0.1000	18.8	20.0	-5.8	30.0
1-Chlorohexane	Ave	0.4576	0.4051		17.7	20.0	-11.5	30.0
Chlorobenzene	Ave	0.9522	0.8830	0.5000	18.5	20.0	-7.3	30.0
1,1,1,2-Tetrachloroethane	Ave	0.3768	0.3543		18.8	20.0	-6.0	30.0
Ethylbenzene	Ave	1.713	1.610	0.1000	18.8	20.0	-6.0	30.0
m&p-Xylene	Ave	0.6732	0.6271	0.1000	37.3	40.0	-6.9	30.0
n-Butyl acrylate	Ave	0.8056	0.8888		22.1	20.0	10.3	30.0
o-Xylene	Ave	0.7161	0.6675	0.3000	18.6	20.0	-6.8	30.0
Styrene	Ave	1.140	1.062	0.3000	18.6	20.0	-6.8	30.0
Bromoform	Ave	0.2951	0.2518	0.1000	17.1	20.0	-14.7	30.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.: _____

Lab Sample ID: ICV 410-486676/20

Calibration Date: 03/25/2024 19:47

Instrument ID: 9355

Calib Start Date: 03/25/2024 16:50

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Calib End Date: 03/25/2024 20:33

Lab File ID: YM25X19.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Isopropylbenzene	Ave	1.772	1.801	0.1000	20.3	20.0	1.7	30.0
Cyclohexanone	Lin1		0.2570		314	500	-37.3*	30.0
1,1,2,2-Tetrachloroethane	Ave	1.144	1.043	0.3000	18.2	20.0	-8.8	30.0
Bromobenzene	Ave	0.7597	0.7156		18.8	20.0	-5.8	30.0
trans-1,4-Dichloro-2-butene	Ave	0.3111	0.2929		94.1	100	-5.9	30.0
1,2,3-Trichloropropane	Ave	0.3524	0.3202		18.2	20.0	-9.1	30.0
N-Propylbenzene	Ave	3.521	3.458		19.6	20.0	-1.8	30.0
2-Chlorotoluene	Ave	0.7585	0.6970		18.4	20.0	-8.1	30.0
1,3,5-Trimethylbenzene	Ave	2.749	2.649		19.3	20.0	-3.6	30.0
4-Chlorotoluene	Ave	0.7280	0.6864		18.9	20.0	-5.7	30.0
tert-Butylbenzene	Ave	0.5143	0.4836		18.8	20.0	-6.0	30.0
1,2,4-Trimethylbenzene	Ave	2.867	2.706		18.9	20.0	-5.6	30.0
sec-Butylbenzene	Ave	3.471	3.334		19.2	20.0	-4.0	30.0
1,3-Dichlorobenzene	Ave	1.530	1.427	0.6000	18.7	20.0	-6.7	30.0
p-Isopropyltoluene	Ave	3.106	2.935		18.9	20.0	-5.5	30.0
1,4-Dichlorobenzene	Ave	1.581	1.488	0.5000	18.8	20.0	-5.9	30.0
1,2,3-Trimethylbenzene	Ave	3.089	2.781		18.0	20.0	-10.0	30.0
Benzyl chloride	Ave	2.327	2.041		17.5	20.0	-12.3	30.0
1,3-Diethylbenzene	Ave	1.851	1.760		19.0	20.0	-4.9	30.0
1,4-Diethylbenzene	Ave	1.941	1.879		19.4	20.0	-3.2	30.0
n-Butylbenzene	Ave	1.558	1.472		18.9	20.0	-5.5	30.0
1,2-Dichlorobenzene	Ave	1.657	1.531	0.4000	18.5	20.0	-7.6	30.0
1,2-Diethylbenzene	Ave	1.565	1.466		18.7	20.0	-6.4	30.0
1,2-Dibromo-3-Chloropropane	Ave	0.3702	0.3144	0.0500	17.0	20.0	-15.1	30.0
1,3,5-Trichlorobenzene	Ave	1.335	1.252		18.7	20.0	-6.3	30.0
1,2,4-Trichlorobenzene	Ave	1.378	1.313	0.2000	19.1	20.0	-4.7	30.0
2-Ethylhexyl acrylate	Ave	1.222	1.362		22.3	20.0	11.4	30.0
Hexachlorobutadiene	Ave	0.4964	0.4944		19.9	20.0	-0.4	30.0
Naphthalene	Ave	5.240	5.017		19.1	20.0	-4.3	30.0
1,2,3-Trichlorobenzene	Ave	1.413	1.333		18.9	20.0	-5.6	30.0
2-Methylnaphthalene	Ave	2.960	3.044		20.6	20.0	2.9	30.0
Dibromofluoromethane (Surr)	Ave	0.2375	0.2368		49.9	50.0	-0.3	30.0
1,2-Dichloroethane-d4 (Surr)	Ave	0.0603	0.0614		50.9	50.0	1.8	30.0
Toluene-d8 (Surr)	Ave	1.303	1.315		50.4	50.0	0.9	30.0
4-Bromofluorobenzene (Surr)	Ave	0.5111	0.5130		50.2	50.0	0.4	30.0

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X19.D
 Lims ID: ICV
 Client ID:
 Sample Type: ICV
 Inject. Date: 25-Mar-2024 19:47:30 ALS Bottle#: 19 Worklist Smp#: 20
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109476-020
 Misc. Info.: ICV LG
 Operator ID: knk41612 Instrument ID: 9355
 Sublist:
 Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 25-Mar-2024 22:27:12 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1656

First Level Reviewer: K4WN

Date: 25-Mar-2024 22:20:34

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.859	1.852	0.007	99	122804	20.0	16.2	
4 Chloromethane	50	2.045	2.038	0.007	99	137364	20.0	16.9	
6 Vinyl chloride	62	2.152	2.138	0.014	98	131213	20.0	17.5	
5 Butadiene	39	2.159	2.145	0.014	93	119619	20.0	16.4	
8 Bromomethane	94	2.467	2.460	0.007	90	89355	20.0	17.5	
9 Chloroethane	64	2.538	2.531	0.007	99	68431	20.0	19.3	
10 Dichlorofluoromethane	67	2.767	2.753	0.014	97	181030	20.0	17.2	
11 Trichlorofluoromethane	101	2.839	2.831	0.008	86	141293	20.0	18.4	
12 Pentane	43	2.853	2.846	0.007	97	106563	20.0	17.1	
14 Ethyl ether	59	3.053	3.046	0.007	91	69514	20.0	21.5	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.117	3.125	-0.008	92	98434	20.0	20.0	
16 Acrolein	56	3.196	3.189	0.007	99	237351	150.0	141.2	
17 1,1-Dichloroethene	96	3.346	3.339	0.007	97	67218	20.0	20.2	
18 Acetone	58	3.353	3.346	0.007	100	195085	250.0	219.4	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.389	3.382	0.007	92	71754	20.0	16.8	
20 Isopropyl alcohol	45	3.511	3.496	0.015	96	100746	150.0	125.6	
21 Iodomethane	142	3.539	3.525	0.014	98	131337	20.0	18.6	
22 Carbon disulfide	76	3.654	3.639	0.015	99	228319	20.0	17.9	
24 Methyl acetate	43	3.754	3.747	0.007	97	113203	20.0	22.7	
25 3-Chloro-1-propene	41	3.790	3.782	0.008	89	96106	20.0	16.5	
* 26 t-Butyl alcohol-d10 (IS)	65	3.954	3.940	0.014	97	404413	250.0	250.0	M
27 Methylene Chloride	84	3.968	3.954	0.014	92	79629	20.0	19.8	
28 2-Methyl-2-propanol	59	4.076	4.068	0.008	99	255688	200.0	152.2	M
29 Acrylonitrile	53	4.261	4.247	0.014	99	267517	100.0	98.7	
30 Methyl tert-butyl ether	73	4.354	4.347	0.007	97	274376	20.0	18.1	
31 trans-1,2-Dichloroethene	96	4.369	4.362	0.007	99	68547	20.0	19.4	
33 Hexane	57	4.805	4.791	0.014	93	93998	20.0	18.5	
34 1,1-Dichloroethane	63	5.027	5.019	0.007	96	126150	20.0	19.7	
36 Isopropyl ether	45	5.091	5.077	0.014	94	239202	20.0	18.6	
37 2-Chloro-1,3-butadiene	53	5.141	5.134	0.007	92	106455	20.0	19.0	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
39 Tert-butyl ethyl ether	59	5.634	5.634	0.000	99	257711	20.0	18.7	
40 2-Butanone (MEK)	43	5.827	5.820	0.007	100	946851	250.0	213.7	
41 cis-1,2-Dichloroethene	96	5.870	5.856	0.014	82	81537	20.0	19.5	
42 2,2-Dichloropropane	77	5.892	5.892	0.000	76	131424	20.0	19.4	
43 Propionitrile	54	5.899	5.892	0.007	94	202688	150.0	139.8	
45 Methyl acrylate	55	5.985	5.970	0.015	100	119555	20.0	19.7	M
46 Methacrylonitrile	67	6.128	6.121	0.007	91	408375	150.0	146.3	
48 Chlorobromomethane	128	6.213	6.199	0.014	91	42237	20.0	19.8	
49 Tetrahydrofuran	71	6.221	6.221	0.000	91	109957	100.0	85.4	
51 Chloroform	83	6.356	6.349	0.007	94	152629	20.0	19.4	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.578	0.000	93	192130	50.0	49.9	
53 1,1,1-Trichloroethane	97	6.600	6.592	0.008	98	126712	20.0	19.4	
54 Cyclohexane	56	6.714	6.707	0.007	91	131048	20.0	18.2	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	94	97105	20.0	19.5	
56 Carbon tetrachloride	117	6.821	6.814	0.007	97	97774	20.0	18.6	
57 Isobutyl alcohol	41	6.943	6.943	0.000	94	210267	500.0	397.6	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.043	7.036	0.007	93	49807	50.0	50.9	
59 Benzene	78	7.079	7.072	0.007	97	303779	20.0	19.4	
60 1,2-Dichloroethane	62	7.150	7.143	0.007	97	108786	20.0	19.3	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	98	255480	20.0	18.3	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	811297	50.0	50.0	
64 n-Heptane	43	7.515	7.508	0.007	92	99142	20.0	17.3	
66 n-Butanol	56	7.837	7.837	0.000	89	313093	1000.0	797.3	M
67 Trichloroethene	95	7.980	7.980	0.000	99	78030	20.0	19.4	
68 Ethyl acrylate	55	8.087	8.087	0.000	99	153057	20.0	22.3	
69 Methylcyclohexane	83	8.301	8.301	0.000	90	136551	20.0	18.6	
70 1,2-Dichloropropane	63	8.316	8.309	0.007	79	79592	20.0	19.3	
71 2-ethoxy-2-methyl butane	87	8.323	8.323	0.000	91	114785	20.0	17.0	
72 Methyl methacrylate	69	8.394	8.387	0.007	89	78281	20.0	17.8	
73 1,4-Dioxane	88	8.409	8.402	0.007	45	56564	500.0	426.3	M
74 Dibromomethane	93	8.423	8.423	0.000	97	55223	20.0	18.9	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	94824	20.0	18.4	
77 2-Nitropropane	41	8.909	8.902	0.007	99	37175	20.0	15.0	
78 2-Chloroethyl vinyl ether	63	9.031	9.024	0.007	92	51453	20.0	16.3	
79 cis-1,3-Dichloropropene	75	9.224	9.224	0.000	95	113599	20.0	17.5	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	1981230	250.0	229.0	
\$ 81 Toluene-d8 (Surr)	98	9.545	9.546	-0.001	93	806651	50.0	50.4	
82 Toluene	92	9.624	9.624	0.000	98	191869	20.0	18.9	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	94	110924	20.0	18.3	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	137436	20.0	17.8	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	90	76834	20.0	18.6	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	83867	20.0	19.3	
128 1,3-Dichloropropane	76	10.268	10.261	0.007	91	122053	20.0	18.4	
129 2-Hexanone	43	10.311	10.311	0.000	96	1381684	250.0	219.2	
132 Chlorodibromomethane	129	10.489	10.489	0.000	89	76538	20.0	17.9	
133 Ethylene Dibromide	107	10.604	10.604	0.000	99	82197	20.0	18.8	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	85	613534	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	97	99427	20.0	17.7	
136 Chlorobenzene	112	11.068	11.069	-0.001	95	216704	20.0	18.5	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	94	86943	20.0	18.8	
138 Ethylbenzene	91	11.161	11.154	0.007	98	395058	20.0	18.8	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	307788	40.0	37.3	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
141 n-Butyl acrylate	55	11.555	11.555	0.000	97	218433	20.0	22.1	
142 o-Xylene	106	11.605	11.605	0.000	97	163808	20.0	18.6	
143 Styrene	104	11.626	11.626	0.000	95	260627	20.0	18.6	
144 Bromoform	173	11.783	11.784	-0.001	96	61806	20.0	17.1	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	442097	20.0	20.3	
147 Cyclohexanone	55	11.977	11.977	0.000	93	207838	500.0	313.5	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.062	12.062	0.000	90	314720	50.0	50.2	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	93	153132	20.0	18.2	
150 Bromobenzene	156	12.177	12.177	0.000	92	105046	20.0	18.8	
151 trans-1,4-Dichloro-2-butene	53	12.177	12.177	0.000	92	214944	100.0	94.1	
152 1,2,3-Trichloropropane	110	12.205	12.198	0.007	84	47006	20.0	18.2	
153 N-Propylbenzene	91	12.248	12.248	0.000	99	507639	20.0	19.6	
154 2-Chlorotoluene	126	12.320	12.320	0.000	96	102307	20.0	18.4	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	93	388899	20.0	19.3	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	100752	20.0	18.9	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	70990	20.0	18.8	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	397172	20.0	18.9	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	489381	20.0	19.2	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	209465	20.0	18.7	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	430853	20.0	18.9	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	366961	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.970	12.963	0.007	95	218409	20.0	18.8	
166 1,2,3-Trimethylbenzene	105	12.978	12.978	0.000	98	408202	20.0	18.0	
167 Benzyl chloride	91	13.042	13.035	0.007	99	299629	20.0	17.5	
168 1,3-Diethylbenzene	119	13.099	13.099	0.000	95	258357	20.0	19.0	
169 p-Diethylbenzene	119	13.178	13.178	0.000	93	275835	20.0	19.4	
170 n-Butylbenzene	92	13.192	13.192	0.000	97	216105	20.0	18.9	
171 1,2-Dichlorobenzene	146	13.221	13.221	0.000	98	224734	20.0	18.5	
172 o-diethylbenzene	119	13.249	13.249	0.000	95	215174	20.0	18.7	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	86	46147	20.0	17.0	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	183702	20.0	18.7	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	94	192797	20.0	19.1	
178 2-Ethylhexyl acrylate	55	14.379	14.379	0.000	81	199905	20.0	22.3	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	97	72571	20.0	19.9	
180 Naphthalene	128	14.501	14.501	0.000	97	736424	20.0	19.1	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	195727	20.0	18.9	
182 2-Methylnaphthalene	142	15.259	15.259	-0.001	92	446862	20.0	20.6	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_LCS_VOC#1_00159	Amount Added: 50.00	Units: uL	
MSV_LCS_CYC_00008	Amount Added: 50.00	Units: uL	
MSV_LCS_Gases_00190	Amount Added: 50.00	Units: uL	
MSV_LCS_ACROL_00160	Amount Added: 50.00	Units: uL	
MSV_LCS_2CEVE_00164	Amount Added: 50.00	Units: uL	
MSV_LCS_EE_00008	Amount Added: 50.00	Units: uL	
MSV_LCS_OH_Sp_00011	Amount Added: 50.00	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 25-Mar-2024 22:27:17

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X19.D

Injection Date: 25-Mar-2024 19:47:30

Instrument ID: 9355

Operator ID: knk41612

Lims ID: ICV

Worklist Smp#: 20

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 19

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X19.D
Injection Date: 25-Mar-2024 19:47:30 Instrument ID: 9355
Lims ID: ICV
Client ID:
Operator ID: knk41612 ALS Bottle#: 19 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 394651
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 404413
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:17:55 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X19.D
Injection Date: 25-Mar-2024 19:47:30 Instrument ID: 9355
Lims ID: ICV
Client ID:
Operator ID: knk41612 ALS Bottle#: 19 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

28 2-Methyl-2-propanol, CAS: 75-65-0

Signal: 1


RT: 4.08
Area: 344181
Amount: 204.8694
Amount Units: ug/l

Processing Integration Results



RT: 4.08
Area: 255688
Amount: 152.1950
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:18:01 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X19.D
Injection Date: 25-Mar-2024 19:47:30 Instrument ID: 9355
Lims ID: ICV
Client ID:
Operator ID: knk41612 ALS Bottle#: 19 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

45 Methyl acrylate, CAS: 96-33-3

Signal: 1


RT: 5.98
Area: 121985
Amount: 20.122208
Amount Units: ug/l

Processing Integration Results



RT: 5.98
Area: 119555
Amount: 19.721364
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:18:14 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X19.D
Injection Date: 25-Mar-2024 19:47:30 Instrument ID: 9355
Lims ID: ICV
Client ID:
Operator ID: knk41612 ALS Bottle#: 19 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

66 n-Butanol, CAS: 71-36-3

Signal: 1


RT: 7.84
Area: 374143
Amount: 952.7996
Amount Units: ug/l

Processing Integration Results



RT: 7.84
Area: 313093
Amount: 797.3286
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:18:25 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X19.D
Injection Date: 25-Mar-2024 19:47:30 Instrument ID: 9355
Lims ID: ICV
Client ID:
Operator ID: knk41612 ALS Bottle#: 19 Worklist Smp#: 20
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

73 1,4-Dioxane, CAS: 123-91-1

Signal: 1


RT: 8.41
Area: 57020
Amount: 429.7295
Amount Units: ug/l

Processing Integration Results



RT: 8.41
Area: 56564
Amount: 426.2929
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 25-Mar-2024 22:18:36 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: CCVIS 410-488320/3

Calibration Date: 03/28/2024 20:45

Instrument ID: 9355

Calib Start Date: 03/25/2024 16:50

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Calib End Date: 03/25/2024 20:33

Lab File ID: YM28X32.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Dichlorodifluoromethane	Ave	0.4676	0.5106	0.1000	54.6	50.0	9.2	20.0
Chloromethane	Ave	0.5002	0.5264	0.1000	52.6	50.0	5.2	20.0
Vinyl chloride	Ave	0.4632	0.5030	0.1000	54.3	50.0	8.6	20.0
1,3-Butadiene	Ave	0.4482	0.6316		70.5	50.0	40.9*	20.0
Bromomethane	Ave	0.3141	0.3416	0.1000	54.4	50.0	8.7	20.0
Chloroethane	Ave	0.2180	0.2378	0.1000	54.5	50.0	9.1	20.0
Dichlorofluoromethane	Ave	0.6498	0.7035		54.1	50.0	8.3	20.0
Trichlorofluoromethane	Ave	0.4738	0.5534	0.1000	58.4	50.0	16.8	20.0
n-Pentane	Ave	0.3829	0.3888		50.8	50.0	1.5	20.0
Freon 123a	Ave	0.3041	0.3286		54.0	50.0	8.1	20.0
Acrolein	Ave	1.039	1.031		496	500	-0.8	20.0
1,1-Dichloroethene	Ave	0.2053	0.1955	0.1000	47.6	50.0	-4.7	20.0
Acetone	Ave	0.5495	0.6395	0.1000	116	100	16.4	20.0
Freon 113	Ave	0.2627	0.2586	0.1000	49.2	50.0	-1.6	20.0
2-Propanol	Ave	0.4957	0.5056		255	250	2.0	20.0
Methyl iodide	Ave	0.4358	0.4158		47.7	50.0	-4.6	20.0
Carbon disulfide	Ave	0.7879	0.6950	0.1000	44.1	50.0	-11.8	20.0
Methyl acetate	Ave	0.3070	0.2942	0.1000	47.9	50.0	-4.1	20.0
Allyl chloride	Ave	0.3586	0.2961		41.3	50.0	-17.4	20.0
Methylene Chloride	Ave	0.2482	0.2384	0.1000	48.0	50.0	-3.9	20.0
t-Butyl alcohol	Ave	1.039	0.8862		213	250	-14.7	20.0
Acrylonitrile	Ave	0.1670	0.1674		125	125	0.2	20.0
Methyl tert-butyl ether	Ave	0.9345	0.9046	0.1000	48.4	50.0	-3.2	20.0
trans-1,2-Dichloroethene	Ave	0.2181	0.2093	0.1000	48.0	50.0	-4.1	20.0
n-Hexane	Ave	0.3135	0.2947		47.0	50.0	-6.0	20.0
1,1-Dichloroethane	Ave	0.3943	0.3746	0.2000	47.5	50.0	-5.0	20.0
Isopropyl ether	Ave	0.7916	0.7595		48.0	50.0	-4.1	20.0
2-Chloro-1,3-butadiene	Ave	0.3457	0.3316		48.0	50.0	-4.1	20.0
Ethyl t-butyl ether	Ave	0.8484	0.8047		47.4	50.0	-5.2	20.0
2-Butanone (MEK)	Ave	0.2731	0.2408	0.1000	88.2	100	-11.8	20.0
cis-1,2-Dichloroethene	Ave	0.2574	0.2468	0.1000	47.9	50.0	-4.1	20.0
2,2-Dichloropropane	Ave	0.4166	0.3744		44.9	50.0	-10.1	20.0
Propionitrile	Ave	0.8965	0.9149		255	250	2.1	20.0
Methacrylonitrile	Ave	0.1720	0.1677		122	125	-2.5	20.0
Bromochloromethane	Ave	0.1312	0.1320		50.3	50.0	0.6	20.0
Tetrahydrofuran	Ave	0.7957	0.8089		254	250	1.7	20.0
Chloroform	Linl		0.4280	0.2000	48.7	50.0	-2.6	20.0
1,1,1-Trichloroethane	Ave	0.4030	0.3852	0.1000	47.8	50.0	-4.4	20.0
Cyclohexane	Ave	0.4436	0.4306	0.1000	48.5	50.0	-2.9	20.0
1,1-Dichloropropene	Ave	0.3062	0.2967		48.5	50.0	-3.1	20.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: CCVIS 410-488320/3

Calibration Date: 03/28/2024 20:45

Instrument ID: 9355

Calib Start Date: 03/25/2024 16:50

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Calib End Date: 03/25/2024 20:33

Lab File ID: YM28X32.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Carbon tetrachloride	Ave	0.3232	0.3119	0.1000	48.3	50.0	-3.5	20.0
Isobutyl alcohol	Ave	0.3269	0.2709		518	625	-17.1	20.0
Benzene	Ave	0.9642	0.9218	0.5000	47.8	50.0	-4.4	20.0
1,2-Dichloroethane	Ave	0.3477	0.3482	0.1000	50.1	50.0	0.2	20.0
t-Amyl methyl ether	Ave	0.8597	0.8069		46.9	50.0	-6.1	20.0
n-Heptane	Ave	0.3541	0.3299		46.6	50.0	-6.8	20.0
n-Butanol	Ave	0.2427	0.2144		552	625	-11.7	20.0
Trichloroethene	Ave	0.2477	0.2369	0.2000	47.8	50.0	-4.4	20.0
Methylcyclohexane	Ave	0.4528	0.4460	0.1000	49.3	50.0	-1.5	20.0
1,2-Dichloropropane	Ave	0.2540	0.2467	0.1000	48.6	50.0	-2.9	20.0
t-Amyl ethyl ether	Ave	0.4166	0.3824		45.9	50.0	-8.2	20.0
1,4-Dioxane	Ave	0.0820	0.0567	0.0050	432	625	-30.8*	20.0
Methyl methacrylate	Ave	0.2711	0.2596		47.9	50.0	-4.3	20.0
Dibromomethane	Ave	0.1802	0.1785		49.5	50.0	-0.9	20.0
Bromodichloromethane	Ave	0.3171	0.3014	0.2000	47.5	50.0	-5.0	20.0
2-Nitropropane	Ave	1.534	1.411		230	250	-8.0	20.0
2-Chloroethyl vinyl ether	Ave	0.1943	0.1843		47.4	50.0	-5.2	20.0
cis-1,3-Dichloropropene	Ave	0.3996	0.3673	0.2000	46.0	50.0	-8.1	20.0
4-Methyl-2-pentanone (MIBK)	Ave	0.5332	0.5218	0.1000	97.9	100	-2.1	20.0
Toluene	Ave	0.8278	0.7806	0.4000	47.1	50.0	-5.7	20.0
trans-1,3-Dichloropropene	Ave	0.4935	0.4360	0.1000	44.2	50.0	-11.7	20.0
Ethyl methacrylate	Ave	0.6289	0.5825		46.3	50.0	-7.4	20.0
1,1,2-Trichloroethane	Ave	0.3374	0.3139	0.1000	46.5	50.0	-7.0	20.0
Tetrachloroethene	Ave	0.3537	0.3375	0.2000	47.7	50.0	-4.6	20.0
1,3-Dichloropropane	Ave	0.5396	0.5079		47.1	50.0	-5.9	20.0
2-Hexanone	Ave	0.5137	0.4628	0.1000	90.1	100	-9.9	20.0
Dibromochloromethane	Ave	0.3493	0.3200		45.8	50.0	-8.4	20.0
1,2-Dibromoethane (EDB)	Ave	0.3557	0.3489	0.1000	49.1	50.0	-1.9	20.0
1-Chlorohexane	Ave	0.4576	0.4133		45.2	50.0	-9.7	20.0
Chlorobenzene	Ave	0.9522	0.8841	0.5000	46.4	50.0	-7.1	20.0
1,1,1,2-Tetrachloroethane	Ave	0.3768	0.3530		46.8	50.0	-6.3	20.0
Ethylbenzene	Ave	1.713	1.598	0.1000	46.7	50.0	-6.7	20.0
m&p-Xylene	Ave	0.6732	0.6260	0.1000	93.0	100	-7.0	20.0
o-Xylene	Ave	0.7161	0.6809	0.3000	47.5	50.0	-4.9	20.0
Styrene	Ave	1.140	1.051	0.3000	46.1	50.0	-7.7	20.0
Bromoform	Ave	0.2951	0.2510	0.1000	42.5	50.0	-15.0	20.0
Isopropylbenzene	Ave	1.772	1.686	0.1000	47.6	50.0	-4.8	20.0
1,1,2,2-Tetrachloroethane	Ave	1.144	1.062	0.3000	46.4	50.0	-7.2	20.0
Bromobenzene	Ave	0.7597	0.7308		48.1	50.0	-3.8	20.0
trans-1,4-Dichloro-2-butene	Ave	0.3111	0.1607		64.5	125	-48.4*	20.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Lab Sample ID: CCVIS 410-488320/3

Calibration Date: 03/28/2024 20:45

Instrument ID: 9355

Calib Start Date: 03/25/2024 16:50

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Calib End Date: 03/25/2024 20:33

Lab File ID: YM28X32.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
1,2,3-Trichloropropane	Ave	0.3524	0.3313		47.0	50.0	-6.0	20.0
N-Propylbenzene	Ave	3.521	3.337		47.4	50.0	-5.2	20.0
2-Chlorotoluene	Ave	0.7585	0.7102		46.8	50.0	-6.4	20.0
1,3,5-Trimethylbenzene	Ave	2.749	2.641		48.0	50.0	-4.0	20.0
4-Chlorotoluene	Ave	0.7280	0.6878		47.2	50.0	-5.5	20.0
tert-Butylbenzene	Ave	0.5143	0.5071		49.3	50.0	-1.4	20.0
1,2,4-Trimethylbenzene	Ave	2.867	2.717		47.4	50.0	-5.2	20.0
sec-Butylbenzene	Ave	3.471	3.390		48.8	50.0	-2.3	20.0
1,3-Dichlorobenzene	Ave	1.530	1.426	0.6000	46.6	50.0	-6.8	20.0
p-Isopropyltoluene	Ave	3.106	3.012		48.5	50.0	-3.0	20.0
1,4-Dichlorobenzene	Ave	1.581	1.464	0.5000	46.3	50.0	-7.4	20.0
1,2,3-Trimethylbenzene	Ave	3.089	2.962		47.9	50.0	-4.1	20.0
Benzyl chloride	Ave	2.327	1.891		40.6	50.0	-18.7	20.0
1,3-Diethylbenzene	Ave	1.851	1.777		48.0	50.0	-4.0	20.0
1,4-Diethylbenzene	Ave	1.941	1.853		47.7	50.0	-4.6	20.0
n-Butylbenzene	Ave	1.558	1.478		47.4	50.0	-5.1	20.0
1,2-Dichlorobenzene	Ave	1.657	1.527	0.4000	46.1	50.0	-7.8	20.0
1,2-Diethylbenzene	Ave	1.565	1.507		48.1	50.0	-3.8	20.0
1,2-Dibromo-3-Chloropropane	Ave	0.3702	0.3357	0.0500	45.3	50.0	-9.3	20.0
1,3,5-Trichlorobenzene	Ave	1.335	1.279		47.9	50.0	-4.2	20.0
1,2,4-Trichlorobenzene	Ave	1.378	1.323	0.2000	48.0	50.0	-4.0	20.0
Hexachlorobutadiene	Ave	0.4964	0.4853		48.9	50.0	-2.2	20.0
Naphthalene	Ave	5.240	5.089		48.6	50.0	-2.9	20.0
1,2,3-Trichlorobenzene	Ave	1.413	1.382		48.9	50.0	-2.2	20.0
2-Methylnaphthalene	Ave	2.960	3.044		51.4	50.0	2.8	20.0
Dibromofluoromethane (Surr)	Ave	0.2375	0.2429		51.1	50.0	2.3	20.0
1,2-Dichloroethane-d4 (Surr)	Ave	0.0603	0.0605		50.2	50.0	0.3	20.0
Toluene-d8 (Surr)	Ave	1.303	1.308		50.2	50.0	0.4	20.0
4-Bromofluorobenzene (Surr)	Ave	0.5111	0.4987		48.8	50.0	-2.4	20.0

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X32.D
 Lims ID: CCVIS
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 28-Mar-2024 20:45:30 ALS Bottle#: 2 Worklist Smp#: 3
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109833-003
 Misc. Info.: CCVIS
 Operator ID: gaw91131 Instrument ID: 9355
 Sublist: chrom-MSVoa_9355*sub46
 Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 29-Mar-2024 00:20:15 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1621

First Level Reviewer: JS6E

Date: 28-Mar-2024 21:33:00

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.852	1.852	0.000	99	394844	50.0	54.6	
4 Chloromethane	50	2.045	2.045	0.000	99	407030	50.0	52.6	
6 Vinyl chloride	62	2.145	2.145	0.000	98	388914	50.0	54.3	
5 Butadiene	39	2.159	2.159	0.000	93	488375	50.0	70.5	
8 Bromomethane	94	2.467	2.467	0.000	91	264131	50.0	54.4	
9 Chloroethane	64	2.538	2.538	0.000	100	183866	50.0	54.5	
10 Dichlorofluoromethane	67	2.760	2.760	0.000	97	544027	50.0	54.1	
11 Trichlorofluoromethane	101	2.839	2.839	0.000	97	427893	50.0	58.4	
12 Pentane	43	2.853	2.853	0.000	98	300650	50.0	50.8	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.132	3.132	0.000	95	254087	50.0	54.0	
16 Acrolein	56	3.196	3.196	0.000	99	682165	500.0	496.1	
17 1,1-Dichloroethene	96	3.339	3.339	0.000	98	151203	50.0	47.6	
18 Acetone	58	3.346	3.346	0.000	100	84610	100.0	116.4	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.389	3.389	0.000	92	199987	50.0	49.2	
20 Isopropyl alcohol	45	3.504	3.504	0.000	98	167242	250.0	255.0	
21 Iodomethane	142	3.539	3.539	0.000	99	321498	50.0	47.7	
22 Carbon disulfide	76	3.647	3.647	0.000	100	537447	50.0	44.1	
24 Methyl acetate	43	3.747	3.747	0.000	98	227515	50.0	47.9	
25 3-Chloro-1-propene	41	3.782	3.782	0.000	88	228927	50.0	41.3	
* 26 t-Butyl alcohol-d10 (IS)	65	3.940	3.940	0.000	94	330773	250.0	250.0	
27 Methylene Chloride	84	3.961	3.961	0.000	92	184366	50.0	48.0	
28 2-Methyl-2-propanol	59	4.068	4.068	0.000	100	293145	250.0	213.3	
29 Acrylonitrile	53	4.254	4.254	0.000	99	323617	125.0	125.3	
30 Methyl tert-butyl ether	73	4.347	4.347	0.000	96	699497	50.0	48.4	
31 trans-1,2-Dichloroethene	96	4.362	4.362	0.000	99	161821	50.0	48.0	
33 Hexane	57	4.798	4.798	0.000	94	227871	50.0	47.0	
34 1,1-Dichloroethane	63	5.019	5.019	0.000	96	289629	50.0	47.5	
36 Isopropyl ether	45	5.084	5.084	0.000	93	587275	50.0	48.0	
37 2-Chloro-1,3-butadiene	53	5.134	5.134	0.000	93	256413	50.0	48.0	
39 Tert-butyl ethyl ether	59	5.634	5.634	0.000	97	622211	50.0	47.4	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
40 2-Butanone (MEK)	43	5.827	5.827	0.000	99	372396	100.0	88.2	
41 cis-1,2-Dichloroethene	96	5.863	5.863	0.000	82	190834	50.0	47.9	
42 2,2-Dichloropropane	77	5.892	5.892	0.000	89	289481	50.0	44.9	
43 Propionitrile	54	5.892	5.892	0.000	92	302637	250.0	255.1	
46 Methacrylonitrile	67	6.121	6.121	0.000	92	324190	125.0	121.9	
48 Chlorobromomethane	128	6.199	6.199	0.000	92	102036	50.0	50.3	
49 Tetrahydrofuran	71	6.221	6.221	0.000	89	267566	250.0	254.1	
51 Chloroform	83	6.357	6.357	0.000	93	330928	50.0	48.7	
\$ 52 Dibromofluoromethane (Surr)	113	6.571	6.571	0.000	93	187806	50.0	51.1	
53 1,1,1-Trichloroethane	97	6.600	6.600	0.000	98	297861	50.0	47.8	
54 Cyclohexane	56	6.714	6.714	0.000	91	332967	50.0	48.5	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	96	229461	50.0	48.5	
56 Carbon tetrachloride	117	6.821	6.821	0.000	96	241208	50.0	48.3	
57 Isobutyl alcohol	41	6.943	6.943	0.000	93	224007	625.0	517.9	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.036	7.036	0.000	99	46785	50.0	50.2	
59 Benzene	78	7.072	7.072	0.000	97	712785	50.0	47.8	
60 1,2-Dichloroethane	62	7.143	7.143	0.000	98	269266	50.0	50.1	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	98	623980	50.0	46.9	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	773260	50.0	50.0	
64 n-Heptane	43	7.508	7.508	0.000	92	255136	50.0	46.6	
66 n-Butanol	56	7.837	7.837	0.000	91	177329	625.0	552.1	
67 Trichloroethene	95	7.980	7.980	0.000	99	183188	50.0	47.8	
69 Methylcyclohexane	83	8.294	8.294	0.000	94	344879	50.0	49.3	
70 1,2-Dichloropropane	63	8.309	8.309	0.000	95	190785	50.0	48.6	
71 2-ethoxy-2-methyl butane	87	8.323	8.323	0.000	91	295666	50.0	45.9	
72 Methyl methacrylate	69	8.394	8.394	0.000	89	200711	50.0	47.9	
73 1,4-Dioxane	88	8.394	8.394	0.000	36	46926	625.0	432.4	
74 Dibromomethane	93	8.423	8.423	0.000	95	138047	50.0	49.5	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	233083	50.0	47.5	
77 2-Nitropropane	41	8.902	8.902	0.000	99	466608	250.0	229.9	
78 2-Chloroethyl vinyl ether	63	9.024	9.024	0.000	92	142482	50.0	47.4	
79 cis-1,3-Dichloropropene	75	9.217	9.217	0.000	95	284039	50.0	46.0	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	806930	100.0	97.9	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	94	776004	50.0	50.2	
82 Toluene	92	9.624	9.624	0.000	98	463129	50.0	47.1	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	94	258665	50.0	44.2	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	345592	50.0	46.3	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	91	186219	50.0	46.5	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	200250	50.0	47.7	
128 1,3-Dichloropropane	76	10.261	10.261	0.000	92	301367	50.0	47.1	
129 2-Hexanone	43	10.311	10.311	0.000	97	549131	100.0	90.1	
132 Chlorodibromomethane	129	10.489	10.489	0.000	90	189848	50.0	45.8	
133 Ethylene Dibromide	107	10.604	10.604	0.000	99	207021	50.0	49.1	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	86	593305	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	245240	50.0	45.2	
136 Chlorobenzene	112	11.069	11.069	0.000	94	524561	50.0	46.4	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	94	209443	50.0	46.8	
138 Ethylbenzene	91	11.154	11.154	0.000	98	948230	50.0	46.7	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	742820	100.0	93.0	
142 o-Xylene	106	11.605	11.605	0.000	96	404006	50.0	47.5	
143 Styrene	104	11.619	11.619	0.000	95	623854	50.0	46.1	
144 Bromoform	173	11.784	11.784	0.000	96	148902	50.0	42.5	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
145 Isopropylbenzene	105	11.912	11.912	0.000	96	1000549	50.0	47.6	
\$ 148 4-Bromofluorobenzene (Surr)	95	12.055	12.055	0.000	91	295909	50.0	48.8	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	95	376564	50.0	46.4	
150 Bromobenzene	156	12.177	12.177	0.000	97	259017	50.0	48.1	
151 trans-1,4-Dichloro-2-butene	53	12.177	12.177	0.000	86	142356	125.0	64.5	
152 1,2,3-Trichloropropane	110	12.198	12.198	0.000	85	117427	50.0	47.0	
153 N-Propylbenzene	91	12.241	12.241	0.000	99	1182819	50.0	47.4	
154 2-Chlorotoluene	126	12.320	12.320	0.000	97	251712	50.0	46.8	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	93	935961	50.0	48.0	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	243793	50.0	47.2	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	179758	50.0	49.3	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	962876	50.0	47.4	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	1201581	50.0	48.8	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	505608	50.0	46.6	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	1067746	50.0	48.5	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	94	354448	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.963	12.963	0.000	94	518896	50.0	46.3	
166 1,2,3-Trimethylbenzene	105	12.970	12.970	0.000	99	1049860	50.0	47.9	
167 Benzyl chloride	91	13.035	13.035	0.000	99	670357	50.0	40.6	
168 1,3-Diethylbenzene	119	13.099	13.099	0.000	95	629886	50.0	48.0	
169 p-Diethylbenzene	119	13.171	13.171	0.000	95	656772	50.0	47.7	
170 n-Butylbenzene	92	13.192	13.192	0.000	97	523798	50.0	47.4	
171 1,2-Dichlorobenzene	146	13.221	13.221	0.000	99	541410	50.0	46.1	
172 o-diethylbenzene	119	13.242	13.242	0.000	96	533997	50.0	48.1	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	86	118974	50.0	45.3	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	453320	50.0	47.9	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	94	469070	50.0	48.0	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	98	171999	50.0	48.9	
180 Naphthalene	128	14.501	14.501	0.000	97	1803876	50.0	48.6	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	489678	50.0	48.9	
182 2-Methylnaphthalene	142	15.259	15.259	0.000	91	1078986	50.0	51.4	

QC Flag Legend

Processing Flags

Reagents:

MSV_CCV_VOC#1_00176	Amount Added: 5.00	Units: uL	
MSV_CCV_2CEVE_00168	Amount Added: 5.00	Units: uL	
MSV_CCV_VOC#3_00172	Amount Added: 4.00	Units: uL	
MSV_CCV_GASES_00724	Amount Added: 2.50	Units: uL	
MSV_HP20_ISSS_00129	Amount Added: 1.00	Units: uL	Run Reagent

Report Date: 29-Mar-2024 00:20:15

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X32.D

Injection Date: 28-Mar-2024 20:45:30

Instrument ID: 9355

Operator ID: gaw91131

Lims ID: CCVIS

Worklist Smp#: 3

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 2

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



03/30/2024

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EM18T01.D
Lims ID: bfb
Client ID:
Sample Type: BFB
Inject. Date: 18-Mar-2024 11:40:30 ALS Bottle#: 1 Worklist Smp#: 1
Injection Vol: 1.0 uL Dil. Factor: 1.0000
Sample Info: 410-00108929-001
Misc. Info.: BFB
Operator ID: jml01693 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 18-Mar-2024 19:30:13 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1626

First Level Reviewer: UJML

Date: 18-Mar-2024 11:51:16

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
----------	-----	--------------	------------------	------------------	---	----------	-----------------	-------------------	-------

\$ 50 BFB	95	3.879	3.879	0.000	0	1146707	NC	NC	
-----------	----	-------	-------	-------	---	---------	----	----	--

QC Flag Legend

Processing Flags

NC - Not Calibrated

Reagents:

MSV_V_BFB_00016

Amount Added: 1.00

Units: uL

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EM18T01.D

Injection Date: 18-Mar-2024 11:40:30

Instrument ID: 15648

Lims ID: bfb

Client ID:

Operator ID: jml01693

ALS Bottle#: 1 Worklist Smp#: 1

Injection Vol: 1.0 uL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Tune Method: BFB Method 8260


\$ 50 BFB



m/z	Ion Abundance Criteria	% Relative Abundance
95	Base peak, 100% relative abundance	100.0
50	15 to 40% of m/z 95	23.3
75	30 to 60% of m/z 95	55.2
96	5 to 9% of m/z 95	6.6
173	Less than 2% of m/z 174	0.0 (0.0)
174	50 to 120% of m/z 95	79.3
175	5 to 9% of m/z 174	6.3 (7.9)
176	Greater than 95% but less than 101% of m/z 174	76.5 (96.4)
177	5 to 9% of m/z 176	5.1 (6.6)

Data File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EM18T01.D\MSVoa_15648.rslt\spectra.d
Injection Date: 18-Mar-2024 11:40:30
Spectrum: Tune Spec :Average 47-49(3.87-3.89) Bgrd 40(3.83)
Base Peak: 95.00
Minimum % Base Peak: 0
Number of Points: 112

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	8381	68.00	79664	104.00	3128	139.00	339
37.00	46856	69.00	80952	105.00	1038	140.00	696
38.00	41208	70.00	6504	106.00	3121	141.00	6741
39.00	15048	71.00	329	107.00	656	142.00	1044
40.00	647	72.00	4259	110.00	632	143.00	6696
43.00	667	73.00	36944	111.00	653	144.00	497
44.00	5345	74.00	134272	112.00	444	145.00	528
45.00	7718	75.00	388608	113.00	663	146.00	756
46.00	691	76.00	33640	115.00	773	147.00	396
47.00	8357	77.00	3784	116.00	2295	148.00	1568
48.00	5299	78.00	2771	117.00	4345	149.00	510
49.00	36800	79.00	21336	118.00	2614	150.00	638
50.00	164032	80.00	6425	119.00	3347	152.00	302
51.00	49304	81.00	22720	120.00	92	153.00	539
52.00	2067	82.00	4356	122.00	88	154.00	411
53.00	104	83.00	578	123.00	88	155.00	1657
55.00	2020	84.00	86	124.00	546	156.00	218
56.00	12869	86.00	899	125.00	91	157.00	1169
57.00	22880	87.00	27952	126.00	327	159.00	734
58.00	1329	88.00	25048	127.00	211	161.00	775
59.00	99	91.00	2983	128.00	2506	171.00	221
60.00	8037	92.00	21344	129.00	1045	171.00	195
61.00	38824	93.00	30928	130.00	2389	172.00	320
62.00	39120	94.00	88096	131.00	817	174.00	558720
63.00	29056	95.00	704448	132.00	89	175.00	44200
64.00	2381	96.00	46736	135.00	1170	176.00	538816
66.00	205	97.00	1332	136.00	104	177.00	35664
67.00	1514	103.00	463	137.00	1084	178.00	966



Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22T31.D
Lims ID: BFB
Client ID:
Sample Type: BFB
Inject. Date: 22-Mar-2024 19:59:30 ALS Bottle#: 1 Worklist Smp#: 1
Injection Vol: 1.0 uL Dil. Factor: 1.0000
Sample Info:
Misc. Info.: BFB
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 22-Mar-2024 21:40:40 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 20:08:13

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
----------	-----	--------------	------------------	------------------	---	----------	-----------------	-------------------	-------

\$ 50 BFB	95	3.879	3.879	0.000	0	1295789	NC	NC	
-----------	----	-------	-------	-------	---	---------	----	----	--

QC Flag Legend

Processing Flags

NC - Not Calibrated

Reagents:

MSV_V_BFB_00016

Amount Added: 1.00

Units: uL

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22T31.D

Injection Date: 22-Mar-2024 19:59:30

Instrument ID: 15648

Lims ID: BFB

Client ID:

Operator ID: MEC29284

ALS Bottle#: 1 Worklist Smp#: 1

Injection Vol: 1.0 uL


Dil. Factor: 1.0000

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Tune Method: BFB Method 8260


\$ 50 BFB



m/z	Ion Abundance Criteria	% Relative Abundance
95	Base peak, 100% relative abundance	100.0
50	15 to 40% of m/z 95	23.1
75	30 to 60% of m/z 95	54.6
96	5 to 9% of m/z 95	6.5
173	Less than 2% of m/z 174	0.0 (0.0)
174	50 to 120% of m/z 95	79.0
175	5 to 9% of m/z 174	6.4 (8.1)
176	Greater than 95% but less than 101% of m/z 174	76.7 (97.1)
177	5 to 9% of m/z 176	4.9 (6.4)

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22T31.D\MSVoa_15648.rslt\spectra.d
Injection Date: 22-Mar-2024 19:59:30
Spectrum: Tune Spec :Average 47-49(3.87-3.89) Bgrd 40(3.83)
Base Peak: 95.00
Minimum % Base Peak: 0
Number of Points: 111

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	9177	69.00	86104	106.00	3361	142.00	1002
37.00	49472	70.00	6846	107.00	697	143.00	6871
38.00	43464	71.00	491	110.00	479	144.00	507
39.00	16039	72.00	4573	111.00	608	145.00	620
40.00	542	73.00	38192	112.00	407	146.00	1040
43.00	616	74.00	142720	113.00	750	147.00	434
44.00	5506	75.00	412096	115.00	719	148.00	1623
45.00	8283	76.00	36072	116.00	2523	149.00	436
46.00	829	77.00	4077	117.00	4318	150.00	868
47.00	9981	78.00	2849	118.00	2721	152.00	329
48.00	5597	79.00	22232	119.00	3537	153.00	658
49.00	39752	80.00	6631	123.00	209	154.00	478
50.00	174464	81.00	21432	124.00	522	155.00	1931
51.00	53368	82.00	4737	125.00	212	156.00	99
52.00	2181	83.00	588	126.00	143	157.00	1298
55.00	2233	86.00	1076	127.00	117	159.00	749
56.00	12868	87.00	28744	128.00	2499	161.00	817
57.00	23472	88.00	26384	129.00	1159	170.00	357
58.00	1113	91.00	2884	130.00	2367	171.00	194
59.00	385	92.00	22304	131.00	1060	172.00	346
60.00	8581	93.00	33088	134.00	274	174.00	597056
61.00	41800	94.00	93336	135.00	1389	175.00	48192
62.00	40896	95.00	755392	136.00	135	176.00	579456
63.00	30056	96.00	49472	137.00	1226	177.00	37136
64.00	2924	97.00	1332	138.00	96	178.00	1147
65.00	215	103.00	437	139.00	455	207.00	217
67.00	2651	104.00	3075	140.00	516	281.00	196
68.00	84248	105.00	937	141.00	7114		



Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25T01.D
Lims ID: bfb
Client ID:
Sample Type: BFB
Inject. Date: 25-Mar-2024 12:49:30 ALS Bottle#: 1 Worklist Smp#: 1
Injection Vol: 1.0 uL Dil. Factor: 1.0000
Sample Info: 410-0109476-001
Misc. Info.: BFB
Operator ID: knk41612 Instrument ID: 9355
Method: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\MSVoa_9355.m
Limit Group: MSV - 8260C_D
Last Update: 25-Mar-2024 22:27:12 Calib Date: 25-Mar-2024 20:33:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
Process Host: CTX1656

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
----------	-----	--------------	------------------	------------------	---	----------	-----------------	-------------------	-------

\$ 32 BFB	95	4.488	4.488	0.000	0	225673	NC	NC	
-----------	----	-------	-------	-------	---	--------	----	----	--

QC Flag Legend

Processing Flags

NC - Not Calibrated

Reagents:

MSV_V_BFB_00016

Amount Added: 1.00

Units: uL

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25T01.D

Injection Date: 25-Mar-2024 12:49:30

Instrument ID: 9355

Lims ID: bfb

Client ID:

Operator ID: knk41612

ALS Bottle#: 1 Worklist Smp#: 1

Injection Vol: 1.0 uL


Dil. Factor: 1.0000

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Tune Method: BFB Method 8260


\$ 32 BFB



m/z	Ion Abundance Criteria	% Relative Abundance
95	Base peak, 100% relative abundance	100.0
50	15 to 40% of m/z 95	17.7
75	30 to 60% of m/z 95	47.7
96	5 to 9% of m/z 95	6.9
173	Less than 2% of m/z 174	0.0 (0.0)
174	50 to 120% of m/z 95	76.4
175	5 to 9% of m/z 174	6.0 (7.8)
176	Greater than 95% but less than 101% of m/z 174	73.8 (96.6)
177	5 to 9% of m/z 176	5.1 (6.9)

Data File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25T01.D\MSVoa_9355.rslt\spectra.d
Injection Date: 25-Mar-2024 12:49:30
Spectrum: Tune Spec :Average 107-109(4.48-4.49) Bgrd 102(4.45)
Base Peak: 95.00
Minimum % Base Peak: 0
Number of Points: 83

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	1483	62.00	6398	87.00	5920	135.00	250
37.00	7426	63.00	4892	88.00	5647	137.00	102
38.00	6181	64.00	443	91.00	648	141.00	1308
39.00	2282	67.00	600	92.00	4023	143.00	1332
40.00	60	68.00	14317	93.00	5870	146.00	84
41.00	48	69.00	14529	94.00	17408	147.00	12
43.00	169	70.00	1143	95.00	154304	148.00	420
44.00	790	71.00	108	96.00	10599	149.00	82
45.00	1386	72.00	808	97.00	165	150.00	96
47.00	1621	73.00	6344	104.00	637	153.00	94
48.00	864	74.00	24760	105.00	241	155.00	272
49.00	5866	75.00	73584	106.00	615	157.00	217
50.00	27256	76.00	6580	107.00	87	174.00	117904
51.00	8587	77.00	867	116.00	451	175.00	9234
52.00	338	78.00	535	117.00	928	176.00	113904
55.00	387	79.00	3456	118.00	531	177.00	7853
56.00	2342	80.00	1011	119.00	765	178.00	91
57.00	3987	81.00	3646	128.00	551	207.00	438
58.00	237	82.00	874	129.00	208	267.00	199
60.00	1228	83.00	189	130.00	506	281.00	108
61.00	6369	86.00	90	131.00	185		



Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28T31.D
Lims ID: BFB
Client ID:
Sample Type: BFB
Inject. Date: 28-Mar-2024 20:10:30 ALS Bottle#: 1 Worklist Smp#: 1
Injection Vol: 1.0 uL Dil. Factor: 1.0000
Sample Info: 410-0109833-001
Misc. Info.: BFB
Operator ID: gaw91131 Instrument ID: 9355
Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
Limit Group: MSV - 8260C_D
Last Update: 29-Mar-2024 00:20:46 Calib Date: 25-Mar-2024 20:33:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
Process Host: CTX1621

First Level Reviewer: JS6E

Date: 28-Mar-2024 20:19:32

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
----------	-----	--------------	------------------	------------------	---	----------	-----------------	-------------------	-------

\$ 32 BFB	95	4.488	4.488	0.000	0	100559	NC	NC	
-----------	----	-------	-------	-------	---	--------	----	----	--

QC Flag Legend

Processing Flags

NC - Not Calibrated

Reagents:

MSV_V_BFB_00016

Amount Added: 1.00

Units: uL

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28T31.D

Injection Date: 28-Mar-2024 20:10:30

Instrument ID: 9355

Lims ID: BFB

Client ID:

Operator ID: gaw91131

ALS Bottle#: 1 Worklist Smp#: 1

Injection Vol: 1.0 uL


Dil. Factor: 1.0000

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Tune Method: BFB Method 8260


\$ 32 BFB



m/z	Ion Abundance Criteria	% Relative Abundance
95	Base peak, 100% relative abundance	100.0
50	15 to 40% of m/z 95	18.6
75	30 to 60% of m/z 95	49.9
96	5 to 9% of m/z 95	7.0
173	Less than 2% of m/z 174	0.0 (0.0)
174	50 to 120% of m/z 95	80.9
175	5 to 9% of m/z 174	6.1 (7.5)
176	Greater than 95% but less than 101% of m/z 174	79.2 (98.0)
177	5 to 9% of m/z 176	5.2 (6.5)

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28T31.D\MSVoa_9355.rslt\spectra.d
Injection Date: 28-Mar-2024 20:10:30
Spectrum: Tune Spec :Average 107-109(4.48-4.49) Bgrd 102(4.45)
Base Peak: 95.00
Minimum % Base Peak: 0
Number of Points: 61

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	597	60.00	646	79.00	1794	117.00	302
37.00	3128	61.00	3031	80.00	513	118.00	186
38.00	2897	62.00	2943	81.00	1926	119.00	327
39.00	1146	63.00	2106	82.00	414	128.00	382
40.00	5	64.00	93	87.00	2659	130.00	225
43.00	88	67.00	227	88.00	2241	141.00	677
44.00	240	68.00	6451	91.00	221	143.00	649
45.00	571	69.00	6282	92.00	1810	174.00	52848
47.00	715	70.00	599	93.00	2736	175.00	3965
48.00	403	72.00	407	94.00	7744	176.00	51784
49.00	2661	73.00	2992	95.00	65352	177.00	3385
50.00	12169	74.00	10943	96.00	4547	207.00	123
51.00	3888	75.00	32640	97.00	90	281.00	95
55.00	310	76.00	2826	104.00	250		
56.00	1058	77.00	350	106.00	256		
57.00	1783	78.00	228	116.00	225		



FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID:

Lab Sample ID: MB 410-486390/7

Matrix: Water

Lab File ID: EM22X36.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5(mL)

Date Analyzed: 03/22/2024 21:50

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	ND		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I

GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No. :

Client Sample ID:

Lab Sample ID: MB 410-486390/7

Matrix: Water

Lab File ID: EM22X36.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5 (mL)

Date Analyzed: 03/22/2024 21:50

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	ND		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	98		80-120
460-00-4	4-Bromofluorobenzene (Surr)	98		80-120
1868-53-7	Dibromofluoromethane (Surr)	99		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X36.D
 Lims ID: MB
 Client ID:
 Sample Type: MB
 Inject. Date: 22-Mar-2024 21:50:30 ALS Bottle#: 6 Worklist Smp#: 7
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-007
 Misc. Info.: MB
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 22-Mar-2024 22:27:25 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 22:27:25

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116		1.086					ND	
2 Dichlorodifluoromethane	85		1.098					ND	
3 Chlorodifluoromethane	51		1.116					ND	
4 Chloromethane	50		1.214					ND	
5 Butadiene	39		1.256					ND	7
6 Vinyl chloride	62		1.275					ND	
7 2-Chloro-1,1,1-Trifluoroethane	118		1.299					ND	
8 Bromomethane	94		1.445					ND	
9 Chloroethane	64		1.470					ND	
10 Dichlorofluoromethane	67		1.585					ND	
11 Pentane	43		1.634					ND	7
12 Trichlorofluoromethane	101		1.653					ND	
13 Ethanol	45		1.695					ND	
14 Ethyl ether	59		1.768					ND	
15 1,2-Dichloro-1,1,2-trifluoroetha	67		1.768					ND	
16 Acrolein	56		1.835					ND	7
17 1,1-Dichloroethene	96		1.915					ND	
18 Acetone	58		1.927					ND	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101		1.951					ND	
20 Isopropyl alcohol	45		2.012					ND	
21 Iodomethane	142		2.024					ND	
22 Carbon disulfide	76		2.079					ND	
24 Acetonitrile	41		2.140					ND	
25 3-Chloro-1-propene	41		2.159					ND	7
26 Methyl acetate	43		2.159					ND	7
27 Methylene Chloride	84		2.250					ND	
* 28 t-Butyl alcohol-d10 (IS)	65	2.262	2.256	0.006	33	191244	250.0	250.0	
29 2-Methyl-2-propanol	59		2.323					ND	
30 Acrylonitrile	53		2.427					ND	
32 trans-1,2-Dichloroethene	96		2.469					ND	
31 Methyl tert-butyl ether	73		2.476					ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
33 Hexane	57		2.701					ND	
34 1,1-Dichloroethane	63		2.823					ND	
35 Vinyl acetate	43		2.884					ND	7
36 Isopropyl ether	45		2.896					ND	
37 2-Chloro-1,3-butadiene	53		2.908					ND	
38 Tert-butyl ethyl ether	59		3.231					ND	
40 cis-1,2-Dichloroethene	96		3.347					ND	
39 2-Butanone (MEK)	43		3.353					ND	
41 2,2-Dichloropropane	77		3.366					ND	
42 Propionitrile	54		3.402					ND	
43 Ethyl acetate	43		3.433					ND	
186 Methyl acrylate	55		3.451					ND	
44 Methacrylonitrile	67		3.548					ND	
45 Chlorobromomethane	128		3.561					ND	
46 Tetrahydrofuran	71		3.603					ND	
47 Chloroform	83		3.646					ND	
\$ 48 Dibromofluoromethane (Surr)	113	3.792	3.792	0.000	92	225292	50.0	49.3	
49 1,1,1-Trichloroethane	97		3.823					ND	
51 Cyclohexane	56		3.884					ND	
52 1,1-Dichloropropene	75		3.975					ND	
53 Carbon tetrachloride	117		3.987					ND	
54 Isobutyl alcohol	41		4.109					ND	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.109	4.115	-0.006	77	350652	50.0	48.9	
56 Benzene	78		4.170					ND	
57 1,2-Dichloroethane	62		4.183					ND	
58 Isopropyl acetate	43		4.292					ND	
59 Tert-amyl methyl ether	73		4.304					ND	
* 60 Fluorobenzene (IS)	96	4.451	4.451	0.000	98	969284	50.0	50.0	
61 n-Heptane	43		4.469					ND	7
62 n-Butanol	56		4.774					ND	
63 Trichloroethene	95		4.817					ND	
195 Ethyl acrylate	55		4.951					ND	
64 Methylcyclohexane	83		5.018					ND	
65 1,2-Dichloropropane	63		5.036					ND	
66 2-ethoxy-2-methyl butane	87		5.109					ND	
67 Dibromomethane	93		5.152					ND	
68 1,4-Dioxane	88		5.182					ND	
69 Methyl methacrylate	69		5.188					ND	
70 n-Propyl acetate	61		5.280					ND	
71 Dichlorobromomethane	83		5.329					ND	
72 2-Nitropropane	41		5.560					ND	7
73 2-Chloroethyl vinyl ether	63		5.664					ND	
74 cis-1,3-Dichloropropene	75		5.804					ND	
75 4-Methyl-2-pentanone (MIBK)	43		5.981					ND	
\$ 77 Toluene-d8 (Surr)	98	6.085	6.091	-0.006	95	1001235	50.0	50.1	
S 76 1,2-Dichloroethene, Total	100		6.155					ND	7
78 Toluene	92		6.158					ND	
79 trans-1,3-Dichloropropene	75		6.408					ND	
81 Ethyl methacrylate	69		6.548					ND	
82 1,1,2-Trichloroethane	97		6.597					ND	
83 Tetrachloroethene	166		6.749					ND	
84 1,3-Dichloropropane	76		6.773					ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
85 3,4-Dichloro-1-butene	75		6.841					ND	
86 2-Hexanone	43		6.901					ND	7
87 Chlorodibromomethane	129		7.023					ND	
88 n-Butyl acetate	43		7.091					ND	
89 Ethylene Dibromide	107		7.127					ND	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	90	713203	50.0	50.0	
91 Chlorobenzene	112		7.657					ND	
92 1-Chlorohexane	91		7.670					ND	U
93 t-Amyl alcohol	73		7.741					ND	
94 1,1,1,2-Tetrachloroethane	131		7.749					ND	
95 Ethylbenzene	91		7.779					ND	
96 m-Xylene & p-Xylene	106		7.901					ND	
97 o-Xylene	106		8.255					ND	
274 n-Butyl acrylate	55		8.261					ND	
98 Styrene	104		8.267					ND	
99 Bromoform	173		8.407					ND	
100 Isopropylbenzene	105		8.578					ND	
101 Cyclohexanone	55		8.639					ND	7
102 cis-1,4-Dichloro-2-butene	88		8.639					ND	U
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	87	373580	50.0	49.2	
104 Bromobenzene	156		8.804					ND	
105 1,1,2,2-Tetrachloroethane	83		8.822					ND	
106 1,2,3-Trichloropropane	110		8.846					ND	
107 trans-1,4-Dichloro-2-butene	53		8.871					ND	
108 N-Propylbenzene	91		8.913					ND	
109 2-Chlorotoluene	126		8.968					ND	
111 4-Chlorotoluene	126		9.060					ND	
110 1,3,5-Trimethylbenzene	105		9.060					ND	
112 2,3,4-Trichlorobutene	109		9.138					ND	
113 tert-Butylbenzene	134		9.310					ND	
114 Pentachloroethane	167		9.316					ND	
115 1,2,4-Trimethylbenzene	105		9.346					ND	
116 sec-Butylbenzene	105		9.474					ND	
117 1,3-Dichlorobenzene	146		9.541					ND	
118 4-Isopropyltoluene	119		9.584					ND	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	390714	50.0	50.0	
120 1,4-Dichlorobenzene	146		9.608					ND	
121 1,2,3-Trimethylbenzene	105		9.651					ND	
122 Benzyl chloride	91		9.706					ND	
123 1,3-Diethylbenzene	119		9.803					ND	
124 p-Diethylbenzene	119		9.864					ND	
125 1,2-Dichlorobenzene	146		9.870					ND	
126 n-Butylbenzene	92		9.877					ND	
162 o-diethylbenzene	119		9.944					ND	
S 163 1,3-Dichloropropene, Total	100		10.060					ND	7
164 1,2-Dibromo-3-Chloropropane	75		10.413					ND	
165 1,3,5-Trichlorobenzene	180		10.565					ND	
166 1,2,4-Trichlorobenzene	180		10.974					ND	
167 Hexachlorobutadiene	225		11.090					ND	
271 2-Ethylhexyl acrylate	55	11.120	11.114	0.006	1	315		0.0404	
168 Naphthalene	128		11.126					ND	7
S 169 Xylenes, Total	106		11.245					ND	7

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
170 1,2,3-Trichlorobenzene	180		11.285					ND	7
171 2-Methylnaphthalene	142		11.852					ND	7
172 Hexachloroethane	201		13.560					ND	
173 C4-C10	1		0.000					ND	
268 sec-Butyl Alcohol TIC	1		0.000					ND	
203 1,3-Divinylbenzene	1		0.000					ND	
204 n-Octane	1		0.000					ND	
205 Undecane	1		0.000					ND	
206 Ethyl bromide	1		0.000					ND	
207 Chloroacetonitrile	1		0.000					ND	
208 1-Chlorobutane	1		0.000					ND	
269 Dimethylformamide TIC	1		0.000					ND	
270 3-Pentanone TIC	1		0.000					ND	
272 2-Butoxyethyl acetate	1		0.000					ND	
273 Gasoline (Unleaded)	1		0.000					ND	
275 1-Methylnaphthalene	142		0.000					ND	
288 Cyclopentane TIC	1		0.000					ND	
277 1,1,1,2-Tetrafluoroethane TIC	1		0.000					ND	
278 2-ethoxy-2-methyl butane TIC	1		0.000					ND	
279 2,3-Dimethylbutane TIC	1		0.000					ND	
280 2,2-Dimethylbutane TIC	1		0.000					ND	
281 Methylcyclopentane TIC	1		0.000					ND	
282 Decamethylcyclopentasiloxane TIC	1		0.000					ND	
283 Dimethyl Sulfide TIC	1		0.000					ND	
284 2,2-Dimethylpropane TIC	1		0.000					ND	
285 2-Methylhexane TIC	1		0.000					ND	
286 1-Methylnaphthalene (TIC)	1		0.000					ND	
287 3-Methylpentane TIC	1		0.000					ND	
209 4-Ethyltoluene	1		0.000					ND	
\$ 276 trans-1,2,3-Trichlorobutene-2 TIC	1		0.000					ND	
202 cis-1,2,3-Trichlorobutene-2	1		0.000					ND	
S 199 divinyl benzene	1		0.000					ND	7
180 trans-1,2,3-Trichlorobutene-2	1		0.000					ND	
181 3-chloro-1-Butene	1		0.000					ND	
174 n-Nonane	1		0.000					ND	
175 C5-C12	1		0.000					ND	
176 Isobutyl acetate	43		0.000					ND	
177 1-Bromo-2-chloroethane	1		0.000					ND	
S 178 Total BTEX	1		0.000					ND	
179 Propanol	1		0.000					ND	
182 sec-Butyl Alcohol	45		0.000					ND	
189 Methylal	1		0.000					ND	
190 2,3-Dichloro-1,3-butadiene	1		0.000					ND	
185 tert-Butyl Formate	1		0.000					ND	
198 1,1-Dichloro-1-fluoroethane	1		0.000					ND	
184 Dodecane	57		0.000					ND	
187 n-Decane	57		0.000					ND	
188 C6-C12	1		0.000					ND	
191 1,4-Divinylbenzene	1		0.000					ND	
192 1,1,2,2-Tetrachloro-1,2-difluoro	1		0.000					ND	
193 C4-C12	1		0.000					ND	
200 3-Methyl-1-butene	1		0.000					ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
201 Propene oxide	1		0.000					ND	
S 194 Total Diethylbenzene	1		0.000					ND	7
196 Diethoxymethane	1		0.000					ND	
197 C6-C10	1		0.000					ND	
183 Butane	1		0.000					ND	
289 3-Methylhexane TIC	1		0.000					ND	

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

U - Marked Undetected

Reagents:

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent

Report Date: 22-Mar-2024 22:27:45

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X36.D

Injection Date: 22-Mar-2024 21:50:30

Instrument ID: 15648

Operator ID: MEC29284

Lims ID: MB

Worklist Smp#: 7

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 6

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X36.D
Lims ID: MB
Client ID:
Sample Type: MB
Inject. Date: 22-Mar-2024 21:50:30 ALS Bottle#: 6 Worklist Smp#: 7
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-007
Misc. Info.: MB
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 22-Mar-2024 22:27:25 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 22:27:25

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	49.3	98.65
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	48.9	97.81
\$ 77 Toluene-d8 (Surr)	50.0	50.1	100.26
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.2	98.49

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID:

Lab Sample ID: MB 410-488320/7

Matrix: Water

Lab File ID: YM28X36.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5(mL)

Date Analyzed: 03/28/2024 22:13

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: R-624SilMS 30m ID: 0.25(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 488320

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	ND		1.0	0.30
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.30
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.30
75-34-3	1,1-Dichloroethane	ND		1.0	0.30
75-35-4	1,1-Dichloroethene	ND		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	ND		1.0	0.20
107-06-2	1,2-Dichloroethane	ND		1.0	0.30
78-87-5	1,2-Dichloropropane	ND		1.0	0.30
78-93-3	2-Butanone (MEK)	ND		10	0.50
591-78-6	2-Hexanone	ND		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		10	0.50
67-64-1	Acetone	ND		20	0.70
71-43-2	Benzene	ND		1.0	0.30
74-97-5	Bromochloromethane	ND		5.0	0.20
75-27-4	Bromodichloromethane	ND		1.0	0.20
75-25-2	Bromoform	ND		4.0	1.0
74-83-9	Bromomethane	ND		1.0	0.30
75-15-0	Carbon disulfide	ND		5.0	0.30
56-23-5	Carbon tetrachloride	ND		1.0	0.30
108-90-7	Chlorobenzene	ND		1.0	0.30
75-00-3	Chloroethane	ND		1.0	0.30
67-66-3	Chloroform	ND		1.0	0.30
74-87-3	Chloromethane	ND		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.20
124-48-1	Dibromochloromethane	ND		1.0	0.20
100-41-4	Ethylbenzene	ND		1.0	0.40
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.20
75-09-2	Methylene Chloride	ND		1.0	0.30
100-42-5	Styrene	ND		5.0	0.30
127-18-4	Tetrachloroethene	ND		1.0	0.30
108-88-3	Toluene	ND		1.0	0.30

FORM I

GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No. :

Client Sample ID:

Lab Sample ID: MB 410-488320/7

Matrix: Water

Lab File ID: YM28X36.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5 (mL)

Date Analyzed: 03/28/2024 22:13

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 488320

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	ND		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.20
79-01-6	Trichloroethene	ND		1.0	0.30
75-01-4	Vinyl chloride	ND		1.0	0.30
1330-20-7	Xylenes, Total	ND		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	98		80-120
460-00-4	4-Bromofluorobenzene (Surr)	99		80-120
1868-53-7	Dibromofluoromethane (Surr)	103		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X36.D
 Lims ID: MB
 Client ID:
 Sample Type: MB
 Inject. Date: 28-Mar-2024 22:13:30 ALS Bottle#: 6 Worklist Smp#: 7
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109833-007
 Misc. Info.: MB
 Operator ID: gaw91131 Instrument ID: 9355
 Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 29-Mar-2024 00:20:15 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1621

First Level Reviewer: JS6E

Date: 29-Mar-2024 00:19:46

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
1 Chlorotrifluoroethene	116		1.816					ND	
2 Dichlorodifluoromethane	85		1.852					ND	
3 Chlorodifluoromethane	51		1.859					ND	
4 Chloromethane	50		2.045					ND	
6 Vinyl chloride	62		2.145					ND	
5 Butadiene	39		2.159					ND	
7 2-Chloro-1,1,1-Trifluoroethane	118		2.224					ND	
8 Bromomethane	94		2.467					ND	
9 Chloroethane	64		2.538					ND	
10 Dichlorofluoromethane	67		2.760					ND	
11 Trichlorofluoromethane	101		2.839					ND	
12 Pentane	43		2.853					ND	U
13 Ethanol	45		2.903					ND	
14 Ethyl ether	59		3.039					ND	
15 1,2-Dichloro-1,1,2-trifluoroethane	67		3.132					ND	
16 Acrolein	56		3.196					ND	
17 1,1-Dichloroethene	96		3.339					ND	
18 Acetone	58		3.346					ND	
19 1,1,2-Trichloro-1,2,2-trifluoroethane	101		3.389					ND	
20 Isopropyl alcohol	45		3.504					ND	
21 Iodomethane	142		3.539					ND	
22 Carbon disulfide	76		3.647					ND	
23 Acetonitrile	41		3.689					ND	
24 Methyl acetate	43		3.747					ND	
25 3-Chloro-1-propene	41		3.782					ND	
* 26 t-Butyl alcohol-d10 (IS)	65	3.954	3.940	0.014	28	321724	250.0	250.0	
27 Methylene Chloride	84		3.961					ND	
28 2-Methyl-2-propanol	59		4.068					ND	
29 Acrylonitrile	53		4.254					ND	
30 Methyl tert-butyl ether	73		4.347					ND	
31 trans-1,2-Dichloroethene	96		4.362					ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
33 Hexane	57		4.798					ND	
34 1,1-Dichloroethane	63		5.019					ND	
35 Vinyl acetate	43		5.027					ND	
36 Isopropyl ether	45		5.084					ND	
37 2-Chloro-1,3-butadiene	53		5.134					ND	
39 Tert-butyl ethyl ether	59		5.634					ND	
40 2-Butanone (MEK)	43		5.827					ND	
41 cis-1,2-Dichloroethene	96		5.863					ND	
42 2,2-Dichloropropane	77		5.892					ND	
43 Propionitrile	54		5.892					ND	
44 Ethyl acetate	43		5.913					ND	
45 Methyl acrylate	55		5.970					ND	
46 Methacrylonitrile	67		6.121					ND	
S 47 1,2-Dichloroethene, Total	100		6.155					ND	7
48 Chlorobromomethane	128		6.199					ND	
49 Tetrahydrofuran	71		6.221					ND	
51 Chloroform	83		6.357					ND	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.571	0.007	93	187814	50.0	51.5	
53 1,1,1-Trichloroethane	97		6.600					ND	
54 Cyclohexane	56		6.714					ND	
55 1,1-Dichloropropene	75		6.814					ND	
56 Carbon tetrachloride	117		6.821					ND	
57 Isobutyl alcohol	41		6.943					ND	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.043	7.036	0.007	84	45504	50.0	49.1	
59 Benzene	78		7.072					ND	
60 1,2-Dichloroethane	62		7.143					ND	
61 Isopropyl acetate	43		7.157					ND	
62 Tert-amyl methyl ether	73		7.272					ND	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	768037	50.0	50.0	
64 n-Heptane	43		7.508					ND	
66 n-Butanol	56		7.837					ND	
65 t-Amyl alcohol	73		7.858					ND	
67 Trichloroethene	95		7.980					ND	
68 Ethyl acrylate	55		8.087					ND	
69 Methylcyclohexane	83		8.294					ND	
70 1,2-Dichloropropane	63		8.309					ND	
71 2-ethoxy-2-methyl butane	87		8.323					ND	
72 Methyl methacrylate	69		8.394					ND	
73 1,4-Dioxane	88		8.394					ND	
74 Dibromomethane	93		8.423					ND	
75 n-Propyl acetate	61		8.473					ND	
76 Dichlorobromomethane	83		8.659					ND	
77 2-Nitropropane	41		8.902					ND	
78 2-Chloroethyl vinyl ether	63		9.024					ND	
79 cis-1,3-Dichloropropene	75		9.217					ND	
80 4-Methyl-2-pentanone (MIBK)	43		9.388					ND	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	94	748354	50.0	50.1	
82 Toluene	92		9.624					ND	
83 trans-1,3-Dichloropropene	75		9.889					ND	
84 Ethyl methacrylate	69		9.953					ND	
S 125 1,3-Dichloropropene, Total	100		10.060					ND	7
126 1,1,2-Trichloroethane	97		10.096					ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
127 Tetrachloroethene	166		10.196					ND	
128 1,3-Dichloropropane	76		10.261					ND	
130 3,4-Dichloro-1-butene	75		10.303					ND	
129 2-Hexanone	43		10.311					ND	
131 n-Butyl acetate	43		10.446					ND	
132 Chlorodibromomethane	129		10.489					ND	
133 Ethylene Dibromide	107		10.604					ND	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	86	572540	50.0	50.0	
135 1-Chlorohexane	91		11.054					ND	U
136 Chlorobenzene	112		11.069					ND	
137 1,1,1,2-Tetrachloroethane	131		11.154					ND	
138 Ethylbenzene	91		11.154					ND	
S 139 Xylenes, Total	106		11.245					ND	7
140 m-Xylene & p-Xylene	106		11.276					ND	
141 n-Butyl acrylate	55		11.555					ND	
142 o-Xylene	106		11.605					ND	
143 Styrene	104		11.619					ND	
144 Bromoform	173		11.784					ND	
145 Isopropylbenzene	105		11.912					ND	
146 cis-1,4-Dichloro-2-butene	88		11.955					ND	
147 Cyclohexanone	55		11.977					ND	U
\$ 148 4-Bromofluorobenzene (Surr)	95	12.055	12.055	0.000	90	290137	50.0	49.6	
149 1,1,2,2-Tetrachloroethane	83		12.155					ND	
150 Bromobenzene	156		12.177					ND	
151 trans-1,4-Dichloro-2-butene	53		12.177					ND	
152 1,2,3-Trichloropropane	110		12.198					ND	
153 N-Propylbenzene	91		12.241					ND	
154 2-Chlorotoluene	126		12.320					ND	
155 1,3,5-Trimethylbenzene	105		12.384					ND	
156 4-Chlorotoluene	126		12.413					ND	
157 2,3,4-Trichlorobutene	109		12.442					ND	
158 tert-Butylbenzene	134		12.627					ND	
159 Pentachloroethane	167		12.656					ND	
160 1,2,4-Trimethylbenzene	105		12.670					ND	
161 sec-Butylbenzene	105		12.792					ND	
162 1,3-Dichlorobenzene	146		12.892					ND	
163 4-Isopropyltoluene	119		12.899					ND	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	358656	50.0	50.0	
165 1,4-Dichlorobenzene	146		12.963					ND	
166 1,2,3-Trimethylbenzene	105		12.970					ND	
167 Benzyl chloride	91		13.035					ND	7
168 1,3-Diethylbenzene	119		13.099					ND	
169 p-Diethylbenzene	119		13.171					ND	
170 n-Butylbenzene	92		13.192					ND	
171 1,2-Dichlorobenzene	146		13.221					ND	
172 o-diethylbenzene	119		13.242					ND	
173 Hexachloroethane	201		13.560					ND	
174 2-Butoxyethyl acetate	43		13.643					ND	
175 1,2-Dibromo-3-Chloropropane	75		13.764					ND	
176 1,3,5-Trichlorobenzene	180		13.900					ND	
177 1,2,4-Trichlorobenzene	180		14.322					ND	
178 2-Ethylhexyl acrylate	55		14.379					ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
179 Hexachlorobutadiene	225		14.408					ND	7
180 Naphthalene	128		14.501					ND	7
181 1,2,3-Trichlorobenzene	180		14.644					ND	7
182 2-Methylnaphthalene	142		15.259					ND	7
183 C4-C10	1		0.000					ND	
184 2,3-Dichloro-1,3-butadiene	1		0.000					ND	
185 Propene oxide	1		0.000					ND	
186 1,3-Divinylbenzene	1		0.000					ND	
187 Propanol	1		0.000					ND	
188 3-chloro-1-Butene TIC	1		0.000					ND	
189 1,1,2-Trichloro-1,2,2-trifluoroe	1		0.000					ND	
190 1,1-Dichloro-1-fluoroethane	1		0.000					ND	
191 Diethoxymethane	1		0.000					ND	
192 1,1,2,2-Tetrachloro-1,2-difluoro	1		0.000					ND	
193 Isobutyl acetate	43		0.000					ND	
194 1,4-Divinylbenzene	1		0.000					ND	
195 tert-Butyl Formate	1		0.000					ND	
196 Chloroacetonitrile	1		0.000					ND	
197 C6-C12	1		0.000					ND	
S 198 divinyl benzene	1		0.000					ND	7
199 3-Methyl-1-butene	1		0.000					ND	
200 trans-1,2,3-Trichlorobutene-2	1		0.000					ND	
201 cis-1,2,3-Trichlorobutene-2	1		0.000					ND	
202 3-chloro-1-Butene	1		0.000					ND	
203 C5-C12	1		0.000					ND	
204 C6-C10	1		0.000					ND	
205 n-Octane	1		0.000					ND	
206 Undecane	1		0.000					ND	
207 C4-C12	1		0.000					ND	
208 1-Bromo-2-chloroethane	1		0.000					ND	
S 209 Total BTEX	1		0.000					ND	
210 1-Chlorobutane	1		0.000					ND	
S 211 Total Diethylbenzene	1		0.000					ND	7
212 Dodecane	57		0.000					ND	
213 sec-Butyl Alcohol	45		0.000					ND	
214 Butane	1		0.000					ND	
215 n-Decane	57		0.000					ND	
216 Ethyl bromide	1		0.000					ND	
217 Methylal	1		0.000					ND	
218 n-Nonane	1		0.000					ND	
219 4-Ethyltoluene	1		0.000					ND	
274 Gasoline (Unleaded)	1		0.000					ND	
275 1-Methylnaphthalene	142		0.000					ND	
\$ 276 trans-1,2,3-Trichlorobutene-2	1		0.000					ND	
277 1,1,1,2-Tetrafluoroethane TIC	1		0.000					ND	
278 2-ethoxy-2-methyl butane TIC	1		0.000					ND	
279 2,3-Dimethylbutane TIC	1		0.000					ND	
280 2,2-Dimethylbutane TIC	1		0.000					ND	
281 Methylcyclopentane TIC	1		0.000					ND	
282 Decamethylcyclopentasiloxane TIC	1		0.000					ND	
283 Dimethyl Sulfide TIC	1		0.000					ND	
284 2,2-Dimethylpropane TIC	1		0.000					ND	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
285 2-Methylhexane TIC	1		0.000					ND	
286 1-Methylnaphthalene (TIC)	1		0.000					ND	
287 3-Methylpentane TIC	1		0.000					ND	
288 Cyclopentane TIC	1		0.000					ND	
289 3-Methylhexane TIC	1		0.000					ND	

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

U - Marked Undetected


Reagents:

MSV_HP20_ISSS_00129

Amount Added: 1.00

Units: uL

Run Reagent



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X36.D
Lims ID: MB
Client ID:
Sample Type: MB
Inject. Date: 28-Mar-2024 22:13:30 ALS Bottle#: 6 Worklist Smp#: 7
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109833-007
Misc. Info.: MB
Operator ID: gaw91131 Instrument ID: 9355
Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
Limit Group: MSV - 8260C_D
Last Update: 29-Mar-2024 00:20:15 Calib Date: 25-Mar-2024 20:33:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
Process Host: CTX1621

First Level Reviewer: JS6E

Date: 29-Mar-2024 00:19:46

Compound	Amount Added	Amount Recovered	% Rec.
\$ 52 Dibromofluoromethane (Surr)	50.0	51.5	102.96
\$ 58 1,2-Dichloroethane-d4 (Surr)	50.0	49.1	98.22
\$ 81 Toluene-d8 (Surr)	50.0	50.1	100.29
\$ 148 4-Bromofluorobenzene (Surr)	50.0	49.6	99.15

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID:

Lab Sample ID: LCS 410-486390/4

Matrix: Water

Lab File ID: EM22X33.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5(mL)

Date Analyzed: 03/22/2024 20:51

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	21.1		1.0	0.30
71-55-6	1,1,1-Trichloroethane	21.2		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	21.1		1.0	0.30
79-00-5	1,1,2-Trichloroethane	20.8		1.0	0.30
75-34-3	1,1-Dichloroethane	21.2		1.0	0.30
75-35-4	1,1-Dichloroethene	21.1		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	20.5		1.0	0.20
107-06-2	1,2-Dichloroethane	20.6		1.0	0.30
78-87-5	1,2-Dichloropropane	21.3		1.0	0.30
78-93-3	2-Butanone (MEK)	241		10	0.50
591-78-6	2-Hexanone	253		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	258		10	0.50
67-64-1	Acetone	244		20	0.70
71-43-2	Benzene	20.9		1.0	0.30
74-97-5	Bromochloromethane	21.9		5.0	0.20
75-27-4	Bromodichloromethane	20.7		1.0	0.20
75-25-2	Bromoform	18.7		4.0	1.0
74-83-9	Bromomethane	18.5		1.0	0.30
75-15-0	Carbon disulfide	19.1		5.0	0.30
56-23-5	Carbon tetrachloride	20.8		1.0	0.30
108-90-7	Chlorobenzene	21.1		1.0	0.30
75-00-3	Chloroethane	19.3		1.0	0.30
67-66-3	Chloroform	22.1		1.0	0.30
74-87-3	Chloromethane	17.1		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	21.0		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	19.6		1.0	0.20
124-48-1	Dibromochloromethane	20.5		1.0	0.20
100-41-4	Ethylbenzene	20.9		1.0	0.40
1634-04-4	Methyl tert-butyl ether	20.3		1.0	0.20
75-09-2	Methylene Chloride	20.5		1.0	0.30
100-42-5	Styrene	20.8		5.0	0.30
127-18-4	Tetrachloroethene	20.7		1.0	0.30
108-88-3	Toluene	20.8		1.0	0.30

FORM I

GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No. :

Client Sample ID:

Lab Sample ID: LCS 410-486390/4

Matrix: Water

Lab File ID: EM22X33.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5 (mL)

Date Analyzed: 03/22/2024 20:51

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	20.8		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	20.5		1.0	0.20
79-01-6	Trichloroethene	20.5		1.0	0.30
75-01-4	Vinyl chloride	17.9		1.0	0.30
1330-20-7	Xylenes, Total	62.0		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		80-120
460-00-4	4-Bromofluorobenzene (Surr)	99		80-120
1868-53-7	Dibromofluoromethane (Surr)	99		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X33.D
 Lims ID: LCS
 Client ID:
 Sample Type: LCS
 Inject. Date: 22-Mar-2024 20:51:30 ALS Bottle#: 3 Worklist Smp#: 4
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-004
 Misc. Info.: LCS
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 22-Mar-2024 21:40:09 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 21:19:59

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.104	1.098	0.006	99	128411	20.0	14.8	M
4 Chloromethane	50	1.214	1.214	0.000	98	139581	20.0	17.1	
5 Butadiene	39	1.256	1.256	0.000	97	201508	20.0	22.0	
6 Vinyl chloride	62	1.275	1.275	0.000	98	135369	20.0	17.9	
8 Bromomethane	94	1.445	1.445	0.000	91	86886	20.0	18.5	
9 Chloroethane	64	1.476	1.470	0.006	99	85758	20.0	19.3	
10 Dichlorofluoromethane	67	1.586	1.585	0.001	97	206849	20.0	17.4	
11 Pentane	43	1.634	1.634	0.000	95	170779	20.0	17.9	
12 Trichlorofluoromethane	101	1.653	1.653	0.001	97	163883	20.0	17.4	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.781	1.768	0.013	95	131499	20.0	19.0	
17 1,1-Dichloroethene	96	1.915	1.915	0.000	94	85689	20.0	21.1	M
18 Acetone	58	1.933	1.927	0.006	98	154777	250.0	244.4	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.945	1.951	-0.006	92	81388	20.0	17.5	
20 Isopropyl alcohol	45	2.024	2.012	0.012	47	72516	150.0	160.1	
21 Iodomethane	142	2.024	2.024	0.000	99	140349	20.0	19.2	
22 Carbon disulfide	76	2.079	2.079	0.000	100	231944	20.0	19.1	
25 3-Chloro-1-propene	41	2.159	2.159	0.001	86	179795	20.0	19.3	
26 Methyl acetate	43	2.165	2.159	0.007	98	112652	20.0	21.5	
27 Methylene Chloride	84	2.250	2.250	0.000	98	95987	20.0	20.5	
* 28 t-Butyl alcohol-d10 (IS)	65	2.256	2.256	0.000	99	176872	250.0	250.0	
29 2-Methyl-2-propanol	59	2.323	2.323	0.000	98	161535	200.0	203.3	M
30 Acrylonitrile	53	2.427	2.427	0.000	97	274899	100.0	102.9	
32 trans-1,2-Dichloroethene	96	2.469	2.469	0.000	94	94715	20.0	20.8	
31 Methyl tert-butyl ether	73	2.476	2.476	0.000	98	336336	20.0	20.3	
33 Hexane	57	2.701	2.701	0.000	95	147158	20.0	18.5	
34 1,1-Dichloroethane	63	2.823	2.823	0.000	96	208490	20.0	21.2	
36 Isopropyl ether	45	2.896	2.896	0.000	91	364609	20.0	20.2	
37 2-Chloro-1,3-butadiene	53	2.908	2.908	0.000	96	193304	20.0	20.0	
38 Tert-butyl ethyl ether	59	3.225	3.231	-0.006	98	365980	20.0	21.1	
40 cis-1,2-Dichloroethene	96	3.347	3.347	0.000	85	108345	20.0	21.0	
39 2-Butanone (MEK)	43	3.347	3.353	-0.006	99	935342	250.0	240.8	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
41 2,2-Dichloropropane	77	3.360	3.366	-0.006	48	189288	20.0	20.8	
42 Propionitrile	54	3.402	3.402	0.000	96	167033	150.0	157.6	
186 Methyl acrylate	55	3.451	3.451	0.000	99	139323	20.0	20.4	
44 Methacrylonitrile	67	3.549	3.548	0.001	94	440121	150.0	156.6	
45 Chlorobromomethane	128	3.567	3.561	0.006	95	50754	20.0	21.9	
46 Tetrahydrofuran	71	3.603	3.603	0.000	93	92490	100.0	106.7	
47 Chloroform	83	3.646	3.646	0.000	96	203716	20.0	22.1	
\$ 48 Dibromofluoromethane (Surr)	113	3.792	3.792	0.000	92	207124	50.0	49.3	
49 1,1,1-Trichloroethane	97	3.823	3.823	0.000	98	176969	20.0	21.2	
51 Cyclohexane	56	3.884	3.884	0.000	95	191379	20.0	18.8	
52 1,1-Dichloropropene	75	3.975	3.975	0.000	90	157978	20.0	21.0	
53 Carbon tetrachloride	117	3.987	3.987	0.000	95	148122	20.0	20.8	
54 Isobutyl alcohol	41	4.109	4.109	0.000	90	142971	500.0	529.8	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.116	4.115	0.001	95	325197	50.0	49.3	
56 Benzene	78	4.170	4.170	0.000	98	429278	20.0	20.9	
57 1,2-Dichloroethane	62	4.183	4.183	0.001	97	170338	20.0	20.6	
59 Tert-amyl methyl ether	73	4.305	4.304	0.000	97	334297	20.0	20.7	
* 60 Fluorobenzene (IS)	96	4.451	4.451	0.000	97	892425	50.0	50.0	
61 n-Heptane	43	4.463	4.469	-0.006	96	154810	20.0	18.9	
62 n-Butanol	56	4.774	4.774	0.000	93	197931	1000.0	979.2	
63 Trichloroethene	95	4.817	4.817	0.000	97	108524	20.0	20.5	
195 Ethyl acrylate	55	4.951	4.951	0.000	99	183746	20.0	21.4	
64 Methylcyclohexane	83	5.018	5.018	0.000	93	176069	20.0	19.3	
65 1,2-Dichloropropane	63	5.036	5.036	0.000	91	118479	20.0	21.3	
66 2-ethoxy-2-methyl butane	87	5.109	5.109	0.000	91	163864	20.0	19.4	
67 Dibromomethane	93	5.152	5.152	0.000	95	67070	20.0	20.3	
68 1,4-Dioxane	88	5.188	5.182	0.006	34	30738	500.0	717.6	M
69 Methyl methacrylate	69	5.188	5.188	0.000	92	96044	20.0	20.2	
71 Dichlorobromomethane	83	5.329	5.329	0.000	98	139950	20.0	20.7	
72 2-Nitropropane	41	5.560	5.560	0.000	99	55089	20.0	20.7	
74 cis-1,3-Dichloropropene	75	5.804	5.804	0.000	90	172642	20.0	19.6	
75 4-Methyl-2-pentanone (MIBK)	43	5.981	5.981	0.000	99	2059724	250.0	257.6	
\$ 77 Toluene-d8 (Surr)	98	6.085	6.091	-0.006	95	919888	50.0	49.8	
78 Toluene	92	6.158	6.158	0.000	97	272775	20.0	20.8	
79 trans-1,3-Dichloropropene	75	6.408	6.408	0.000	99	169698	20.0	20.5	
81 Ethyl methacrylate	69	6.542	6.548	-0.006	91	169597	20.0	20.0	
82 1,1,2-Trichloroethane	97	6.603	6.597	0.006	94	92938	20.0	20.8	
83 Tetrachloroethene	166	6.749	6.749	0.000	95	111117	20.0	20.7	
84 1,3-Dichloropropane	76	6.780	6.773	0.007	96	174293	20.0	21.1	
86 2-Hexanone	43	6.902	6.901	0.001	98	1489514	250.0	253.3	
87 Chlorodibromomethane	129	7.023	7.023	0.000	90	101843	20.0	20.5	
89 Ethylene Dibromide	107	7.127	7.127	0.000	99	96432	20.0	20.5	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	89	659434	50.0	50.0	
91 Chlorobenzene	112	7.658	7.657	0.001	92	290312	20.0	21.1	
92 1-Chlorohexane	91	7.670	7.670	0.000	89	138786	20.0	19.4	
94 1,1,1,2-Tetrachloroethane	131	7.743	7.749	-0.006	94	100850	20.0	21.1	
95 Ethylbenzene	91	7.779	7.779	0.000	99	539276	20.0	20.9	
96 m-Xylene & p-Xylene	106	7.895	7.901	-0.006	100	403691	40.0	41.6	
97 o-Xylene	106	8.255	8.255	0.000	97	194505	20.0	20.4	
274 n-Butyl acrylate	55	8.261	8.261	0.000	95	280415	20.0	21.7	
98 Styrene	104	8.267	8.267	0.000	95	327620	20.0	20.8	
99 Bromoform	173	8.407	8.407	0.000	94	68558	20.0	18.7	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
100 Isopropylbenzene	105	8.578	8.578	0.000	97	529637	20.0	22.4	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	87	348858	50.0	49.7	
104 Bromobenzene	156	8.804	8.804	0.000	98	116601	20.0	20.9	
105 1,1,2,2-Tetrachloroethane	83	8.822	8.822	0.000	94	150491	20.0	21.1	
106 1,2,3-Trichloropropane	110	8.846	8.846	0.000	88	46465	20.0	21.6	
107 trans-1,4-Dichloro-2-butene	53	8.871	8.871	0.000	94	255976	100.0	87.4	
108 N-Propylbenzene	91	8.913	8.913	0.000	99	617709	20.0	21.8	
109 2-Chlorotoluene	126	8.968	8.968	0.000	95	118199	20.0	21.5	
111 4-Chlorotoluene	126	9.060	9.060	0.000	99	118167	20.0	20.8	
110 1,3,5-Trimethylbenzene	105	9.060	9.060	0.000	94	430231	20.0	21.4	
113 tert-Butylbenzene	134	9.310	9.310	0.000	94	86517	20.0	21.4	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	98	427288	20.0	21.0	
116 sec-Butylbenzene	105	9.474	9.474	0.000	95	524426	20.0	21.6	
117 1,3-Dichlorobenzene	146	9.541	9.541	0.000	97	217300	20.0	20.8	
118 4-Isopropyltoluene	119	9.584	9.584	0.000	98	444623	20.0	20.9	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	363437	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	95	225224	20.0	21.2	
121 1,2,3-Trimethylbenzene	105	9.651	9.651	0.000	100	418716	20.0	20.3	
122 Benzyl chloride	91	9.706	9.706	0.000	99	313523	20.0	20.3	
123 1,3-Diethylbenzene	119	9.803	9.803	0.000	95	254414	20.0	21.0	
124 p-Diethylbenzene	119	9.864	9.864	0.000	95	262355	20.0	20.9	
125 1,2-Dichlorobenzene	146	9.870	9.870	0.000	95	213645	20.0	21.2	
126 n-Butylbenzene	92	9.877	9.877	0.000	97	215364	20.0	20.8	
162 o-diethylbenzene	119	9.944	9.944	0.000	97	210138	20.0	20.7	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	77	36517	20.0	19.4	
165 1,3,5-Trichlorobenzene	180	10.565	10.565	0.000	96	147692	20.0	21.1	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	93	142041	20.0	21.9	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	97	58718	20.0	20.7	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	84	147278	20.0	20.3	
168 Naphthalene	128	11.126	11.126	0.000	98	480604	20.0	21.8	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	94	133382	20.0	21.9	
171 2-Methylnaphthalene	142	11.852	11.852	0.000	92	240058	20.0	23.3	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_LCS_VOC#1_00158

Amount Added: 50.00

Units: uL

MSV_LCS_Gases_00189

Amount Added: 50.00

Units: uL

MSV_LCS_OH_Sp_00011

Amount Added: 50.00

Units: uL

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent

Report Date: 22-Mar-2024 21:40:14

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X33.D

Injection Date: 22-Mar-2024 20:51:30

Instrument ID: 15648

Operator ID: MEC29284

Lims ID: LCS

Worklist Smp#: 4

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 3

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X33.D
Lims ID: LCS
Client ID:
Sample Type: LCS
Inject. Date: 22-Mar-2024 20:51:30 ALS Bottle#: 3 Worklist Smp#: 4
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-004
Misc. Info.: LCS
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 22-Mar-2024 21:40:09 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 21:19:59

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	49.3	98.50
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	49.3	98.52
\$ 77 Toluene-d8 (Surr)	50.0	49.8	99.62
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.7	99.47

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X33.D
Injection Date: 22-Mar-2024 20:51:30 Instrument ID: 15648
Lims ID: LCS
Client ID:
Operator ID: MEC29284 ALS Bottle#: 3 Worklist Smp#: 4
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_15648 Limit Group: MSV - 8260C_D
Column: DB-624 20m 0.18mm (0.18 mm) Detector MS Quad

4 Chloromethane, CAS: 74-87-3

Signal: 1


RT: 1.21
Area: 202657
Amount: 24.865056
Amount Units: ug/l

Processing Integration Results



RT: 1.21
Area: 139581
Amount: 17.125929
Amount Units: ug/l

Manual Integration Results



Reviewer: K4WN, 22-Mar-2024 21:19:13 -04:00:00 (UTC)

Audit Action: Split an Integrated Peak

Audit Reason: Incomplete Integration

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID:

Lab Sample ID: LCS 410-488320/4

Matrix: Water

Lab File ID: YM28X33.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5(mL)

Date Analyzed: 03/28/2024 21:07

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: R-624SilMS 30m ID: 0.25(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 488320

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	18.5		1.0	0.30
71-55-6	1,1,1-Trichloroethane	19.5		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	18.3		1.0	0.30
79-00-5	1,1,2-Trichloroethane	18.8		1.0	0.30
75-34-3	1,1-Dichloroethane	19.7		1.0	0.30
75-35-4	1,1-Dichloroethene	19.7		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	18.8		1.0	0.20
107-06-2	1,2-Dichloroethane	19.5		1.0	0.30
78-87-5	1,2-Dichloropropane	19.4		1.0	0.30
78-93-3	2-Butanone (MEK)	219		10	0.50
591-78-6	2-Hexanone	231		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	238		10	0.50
67-64-1	Acetone	241		20	0.70
71-43-2	Benzene	19.5		1.0	0.30
74-97-5	Bromochloromethane	20.6		5.0	0.20
75-27-4	Bromodichloromethane	18.1		1.0	0.20
75-25-2	Bromoform	15.5		4.0	1.0
74-83-9	Bromomethane	18.9		1.0	0.30
75-15-0	Carbon disulfide	16.5		5.0	0.30
56-23-5	Carbon tetrachloride	19.0		1.0	0.30
108-90-7	Chlorobenzene	18.9		1.0	0.30
75-00-3	Chloroethane	20.5		1.0	0.30
67-66-3	Chloroform	20.0		1.0	0.30
74-87-3	Chloromethane	18.4		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	19.8		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	16.0		1.0	0.20
124-48-1	Dibromochloromethane	17.4		1.0	0.20
100-41-4	Ethylbenzene	19.3		1.0	0.40
1634-04-4	Methyl tert-butyl ether	18.3		1.0	0.20
75-09-2	Methylene Chloride	19.7		1.0	0.30
100-42-5	Styrene	18.8		5.0	0.30
127-18-4	Tetrachloroethene	19.6		1.0	0.30
108-88-3	Toluene	19.2		1.0	0.30

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID:

Lab Sample ID: LCS 410-488320/4

Matrix: Water

Lab File ID: YM28X33.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5(mL)

Date Analyzed: 03/28/2024 21:07

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: R-624SilMS 30m ID: 0.25(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 488320

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	19.7		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	16.5		1.0	0.20
79-01-6	Trichloroethene	19.2		1.0	0.30
75-01-4	Vinyl chloride	18.4		1.0	0.30
1330-20-7	Xylenes, Total	57.0		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	101		80-120
460-00-4	4-Bromofluorobenzene (Surr)	98		80-120
1868-53-7	Dibromofluoromethane (Surr)	103		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X33.D
 Lims ID: LCS
 Client ID:
 Sample Type: LCS
 Inject. Date: 28-Mar-2024 21:07:30 ALS Bottle#: 3 Worklist Smp#: 4
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109833-004
 Misc. Info.: LCS
 Operator ID: gaw91131 Instrument ID: 9355
 Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 29-Mar-2024 00:20:15 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1621

First Level Reviewer: JS6E

Date: 28-Mar-2024 21:34:41

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.866	1.852	0.014	99	134048	20.0	18.2	
4 Chloromethane	50	2.045	2.045	0.000	99	144892	20.0	18.4	
6 Vinyl chloride	62	2.152	2.145	0.007	98	134098	20.0	18.4	
5 Butadiene	39	2.159	2.159	0.000	97	222555	20.0	31.5	
8 Bromomethane	94	2.467	2.467	0.000	91	93339	20.0	18.9	
9 Chloroethane	64	2.538	2.538	0.000	99	70393	20.0	20.5	
10 Dichlorofluoromethane	67	2.767	2.760	0.007	97	183816	20.0	17.9	
11 Trichlorofluoromethane	101	2.832	2.839	-0.007	99	144573	20.0	19.4	
12 Pentane	43	2.853	2.853	0.000	97	102854	20.0	17.0	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.139	3.132	0.007	92	95134	20.0	19.9	
16 Acrolein	56	3.196	3.196	0.000	99	211314	150.0	141.2	
17 1,1-Dichloroethene	96	3.339	3.339	0.000	97	63608	20.0	19.7	
18 Acetone	58	3.354	3.346	0.008	100	190838	250.0	241.2	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.375	3.389	-0.014	94	69037	20.0	16.7	
20 Isopropyl alcohol	45	3.511	3.504	0.007	96	94322	150.0	132.1	
21 Iodomethane	142	3.539	3.539	0.000	98	126961	20.0	18.5	
22 Carbon disulfide	76	3.654	3.647	0.007	100	204610	20.0	16.5	
24 Methyl acetate	43	3.754	3.747	0.007	97	92564	20.0	19.1	M
25 3-Chloro-1-propene	41	3.783	3.782	0.001	88	88073	20.0	15.6	
* 26 t-Butyl alcohol-d10 (IS)	65	3.947	3.940	0.007	97	359950	250.0	250.0	M
27 Methylene Chloride	84	3.961	3.961	0.000	92	77125	20.0	19.7	
28 2-Methyl-2-propanol	59	4.061	4.068	-0.007	99	319731	200.0	213.8	
29 Acrylonitrile	53	4.254	4.254	0.000	99	257923	100.0	98.0	
30 Methyl tert-butyl ether	73	4.362	4.347	0.015	91	270094	20.0	18.3	
31 trans-1,2-Dichloroethene	96	4.369	4.362	0.007	99	67560	20.0	19.7	
33 Hexane	57	4.798	4.798	0.000	94	89551	20.0	18.1	
34 1,1-Dichloroethane	63	5.020	5.019	0.001	96	122273	20.0	19.7	
36 Isopropyl ether	45	5.091	5.084	0.007	93	232931	20.0	18.7	
37 2-Chloro-1,3-butadiene	53	5.141	5.134	0.007	92	103756	20.0	19.0	
39 Tert-butyl ethyl ether	59	5.634	5.634	0.000	98	252274	20.0	18.9	
40 2-Butanone (MEK)	43	5.820	5.827	-0.007	100	943114	250.0	219.1	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
41 cis-1,2-Dichloroethene	96	5.863	5.863	0.000	81	80540	20.0	19.8	
42 2,2-Dichloropropane	77	5.892	5.892	0.000	76	119866	20.0	18.3	
43 Propionitrile	54	5.899	5.892	0.007	98	187503	150.0	145.3	
46 Methacrylonitrile	67	6.128	6.121	0.007	92	397569	150.0	146.6	
48 Chlorobromomethane	128	6.206	6.199	0.007	77	42692	20.0	20.6	
49 Tetrahydrofuran	71	6.228	6.221	0.007	92	106372	100.0	92.8	
51 Chloroform	83	6.357	6.357	0.001	93	152107	20.0	20.0	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.571	0.007	93	192261	50.0	51.4	
53 1,1,1-Trichloroethane	97	6.600	6.600	0.000	98	124141	20.0	19.5	
54 Cyclohexane	56	6.707	6.714	-0.007	91	124302	20.0	17.8	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	95	95809	20.0	19.9	
56 Carbon tetrachloride	117	6.814	6.821	-0.007	96	96606	20.0	19.0	
57 Isobutyl alcohol	41	6.943	6.943	0.000	95	206251	500.0	438.2	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.043	7.036	0.007	94	47888	50.0	50.4	
59 Benzene	78	7.079	7.072	0.007	97	295683	20.0	19.5	
60 1,2-Dichloroethane	62	7.150	7.143	0.007	97	106894	20.0	19.5	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	98	242849	20.0	17.9	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	788055	50.0	50.0	
64 n-Heptane	43	7.508	7.508	0.000	92	98455	20.0	17.6	
66 n-Butanol	56	7.837	7.837	0.000	90	337380	1000.0	965.3	
67 Trichloroethene	95	7.980	7.980	0.000	98	74953	20.0	19.2	
69 Methylcyclohexane	83	8.294	8.294	0.000	90	129787	20.0	18.2	
70 1,2-Dichloropropane	63	8.309	8.309	0.000	80	77827	20.0	19.4	
71 2-ethoxy-2-methyl butane	87	8.323	8.323	0.000	91	109710	20.0	16.7	
72 Methyl methacrylate	69	8.387	8.394	-0.007	90	74800	20.0	17.5	
73 1,4-Dioxane	88	8.402	8.394	0.008	59	56003	500.0	474.2	
74 Dibromomethane	93	8.423	8.423	0.000	97	54134	20.0	19.1	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	90347	20.0	18.1	
77 2-Nitropropane	41	8.902	8.902	0.000	97	28245	20.0	12.8	
78 2-Chloroethyl vinyl ether	63	9.031	9.024	0.007	92	50463	20.0	16.5	
79 cis-1,3-Dichloropropene	75	9.224	9.217	0.007	95	101036	20.0	16.0	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	1996936	250.0	237.6	
\$ 81 Toluene-d8 (Surr)	98	9.546	9.546	0.000	93	773107	50.0	50.0	
82 Toluene	92	9.624	9.624	0.000	97	188554	20.0	19.2	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	95	96344	20.0	16.5	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	129601	20.0	17.4	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	91	75114	20.0	18.8	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	82063	20.0	19.6	
128 1,3-Dichloropropane	76	10.261	10.261	0.000	92	120691	20.0	18.9	
129 2-Hexanone	43	10.311	10.311	0.000	97	1404597	250.0	230.5	
132 Chlorodibromomethane	129	10.489	10.489	0.000	90	72121	20.0	17.4	
133 Ethylene Dibromide	107	10.604	10.604	0.000	99	79411	20.0	18.8	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	86	593026	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	96257	20.0	17.7	
136 Chlorobenzene	112	11.069	11.069	0.000	94	213546	20.0	18.9	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	94	82613	20.0	18.5	
138 Ethylbenzene	91	11.154	11.154	0.000	98	391284	20.0	19.3	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	303036	40.0	38.0	
142 o-Xylene	106	11.605	11.605	0.000	96	161213	20.0	19.0	
143 Styrene	104	11.626	11.619	0.007	95	253577	20.0	18.8	
144 Bromoform	173	11.784	11.784	0.000	96	54410	20.0	15.5	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	433903	20.0	20.7	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
\$ 148 4-Bromofluorobenzene (Surr)	95	12.055	12.055	0.000	91	296969	50.0	49.0	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	95	151539	20.0	18.3	
150 Bromobenzene	156	12.177	12.177	0.000	95	102618	20.0	18.7	
151 trans-1,4-Dichloro-2-butene	53	12.177	12.177	0.000	90	106405	100.0	47.3	
152 1,2,3-Trichloropropane	110	12.198	12.198	0.000	84	46872	20.0	18.4	
153 N-Propylbenzene	91	12.241	12.241	0.000	99	497341	20.0	19.5	
154 2-Chlorotoluene	126	12.320	12.320	0.000	97	102147	20.0	18.6	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	93	377546	20.0	19.0	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	100202	20.0	19.0	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	71117	20.0	19.1	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	389341	20.0	18.8	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	481868	20.0	19.2	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	206961	20.0	18.7	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	422501	20.0	18.8	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	361439	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.963	12.963	0.000	95	216688	20.0	19.0	
166 1,2,3-Trimethylbenzene	105	12.971	12.970	0.001	98	404532	20.0	18.1	
167 Benzyl chloride	91	13.035	13.035	0.000	99	237034	20.0	14.1	
168 1,3-Diethylbenzene	119	13.099	13.099	0.000	95	255077	20.0	19.1	
169 p-Diethylbenzene	119	13.171	13.171	0.000	95	268948	20.0	19.2	
170 n-Butylbenzene	92	13.192	13.192	0.000	96	209886	20.0	18.6	
171 1,2-Dichlorobenzene	146	13.221	13.221	0.000	98	223977	20.0	18.7	
172 o-diethylbenzene	119	13.242	13.242	0.000	96	209290	20.0	18.5	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	86	44037	20.0	16.5	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	98	184721	20.0	19.1	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	94	195076	20.0	19.6	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	98	72902	20.0	20.3	
180 Naphthalene	128	14.501	14.501	0.000	97	734381	20.0	19.4	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	199777	20.0	19.6	
182 2-Methylnaphthalene	142	15.259	15.259	0.000	92	454324	20.0	21.2	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_LCS_Gases_00190

Amount Added: 50.00

Units: uL

MSV_LCS_VOC#1_00159

Amount Added: 50.00

Units: uL

MSV_LCS_ACROL_00160

Amount Added: 50.00

Units: uL

MSV_LCS_2CEVE_00164

Amount Added: 50.00

Units: uL

MSV_HP20_ISSS_00129

Amount Added: 1.00

Units: uL

Run Reagent

Report Date: 29-Mar-2024 00:20:19

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X33.D

Injection Date: 28-Mar-2024 21:07:30

Instrument ID: 9355

Operator ID: gaw91131

Lims ID: LCS

Worklist Smp#: 4

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 3

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X33.D
Lims ID: LCS
Client ID:
Sample Type: LCS
Inject. Date: 28-Mar-2024 21:07:30 ALS Bottle#: 3 Worklist Smp#: 4
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109833-004
Misc. Info.: LCS
Operator ID: gaw91131 Instrument ID: 9355
Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
Limit Group: MSV - 8260C_D
Last Update: 29-Mar-2024 00:20:15 Calib Date: 25-Mar-2024 20:33:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
Process Host: CTX1621

First Level Reviewer: JS6E

Date: 28-Mar-2024 21:34:41

Compound	Amount Added	Amount Recovered	% Rec.
\$ 52 Dibromofluoromethane (Surr)	50.0	51.4	102.72
\$ 58 1,2-Dichloroethane-d4 (Surr)	50.0	50.4	100.74
\$ 81 Toluene-d8 (Surr)	50.0	50.0	100.03
\$ 148 4-Bromofluorobenzene (Surr)	50.0	49.0	97.98

Eurofins Lancaster Laboratories Environment Testing, LLC


Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X33.D
Injection Date: 28-Mar-2024 21:07:30 Instrument ID: 9355
Lims ID: LCS
Client ID:
Operator ID: gaw91131 ALS Bottle#: 3 Worklist Smp#: 4
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Method: MSVoa_9355 Limit Group: MSV - 8260C_D
Column: Rxi-624Sil MS Capillary Column (0.25mm ID) Detector: MS Quad

* 26 t-Butyl alcohol-d10 (IS), CAS: 53001-22-2

Signal: 1


RT: 3.95
Area: 346742
Amount: 250.0000
Amount Units: ug/l

Processing Integration Results



RT: 3.95
Area: 359950
Amount: 250.0000
Amount Units: ug/l

Manual Integration Results



Reviewer: JS6E, 28-Mar-2024 21:34:10 -04:00:00 (UTC)

Audit Action: Manually Integrated

Audit Reason: Incomplete Integration

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID:

Lab Sample ID: LCSD 410-486390/5

Matrix: Water

Lab File ID: EM22X34.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5(mL)

Date Analyzed: 03/22/2024 21:11

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	19.3		1.0	0.30
71-55-6	1,1,1-Trichloroethane	19.4		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	19.3		1.0	0.30
79-00-5	1,1,2-Trichloroethane	19.8		1.0	0.30
75-34-3	1,1-Dichloroethane	19.4		1.0	0.30
75-35-4	1,1-Dichloroethene	19.5		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	19.1		1.0	0.20
107-06-2	1,2-Dichloroethane	19.0		1.0	0.30
78-87-5	1,2-Dichloropropane	19.7		1.0	0.30
78-93-3	2-Butanone (MEK)	227		10	0.50
591-78-6	2-Hexanone	236		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	240		10	0.50
67-64-1	Acetone	221		20	0.70
71-43-2	Benzene	19.5		1.0	0.30
74-97-5	Bromochloromethane	20.4		5.0	0.20
75-27-4	Bromodichloromethane	19.3		1.0	0.20
75-25-2	Bromoform	17.6		4.0	1.0
74-83-9	Bromomethane	17.6		1.0	0.30
75-15-0	Carbon disulfide	17.8		5.0	0.30
56-23-5	Carbon tetrachloride	19.1		1.0	0.30
108-90-7	Chlorobenzene	19.7		1.0	0.30
75-00-3	Chloroethane	17.9		1.0	0.30
67-66-3	Chloroform	20.5		1.0	0.30
74-87-3	Chloromethane	17.9		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	19.5		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	18.2		1.0	0.20
124-48-1	Dibromochloromethane	18.8		1.0	0.20
100-41-4	Ethylbenzene	19.3		1.0	0.40
1634-04-4	Methyl tert-butyl ether	18.9		1.0	0.20
75-09-2	Methylene Chloride	19.5		1.0	0.30
100-42-5	Styrene	19.4		5.0	0.30
127-18-4	Tetrachloroethene	19.2		1.0	0.30
108-88-3	Toluene	19.6		1.0	0.30

FORM I

GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No. :

Client Sample ID:

Lab Sample ID: LCSD 410-486390/5

Matrix: Water

Lab File ID: EM22X34.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5 (mL)

Date Analyzed: 03/22/2024 21:11

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: DB-624 20m ID: 0.18 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 486390

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	19.1		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	18.9		1.0	0.20
79-01-6	Trichloroethene	19.1		1.0	0.30
75-01-4	Vinyl chloride	16.3		1.0	0.30
1330-20-7	Xylenes, Total	58.7		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		80-120
460-00-4	4-Bromofluorobenzene (Surr)	99		80-120
1868-53-7	Dibromofluoromethane (Surr)	99		80-120
2037-26-5	Toluene-d8 (Surr)	100		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X34.D
 Lims ID: LCSD
 Client ID:
 Sample Type: LCSD
 Inject. Date: 22-Mar-2024 21:11:30 ALS Bottle#: 4 Worklist Smp#: 5
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109409-005
 Misc. Info.: LCSD
 Operator ID: MEC29284 Instrument ID: 15648
 Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
 Limit Group: MSV - 8260C_D
 Last Update: 22-Mar-2024 21:40:09 Calib Date: 18-Mar-2024 17:16:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
 Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
 Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 21:39:36

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.104	1.098	0.006	99	128436	20.0	13.6	
4 Chloromethane	50	1.220	1.214	0.006	98	157998	20.0	17.9	
5 Butadiene	39	1.269	1.256	0.013	95	200437	20.0	20.2	
6 Vinyl chloride	62	1.281	1.275	0.006	98	133970	20.0	16.3	
8 Bromomethane	94	1.458	1.445	0.013	93	89483	20.0	17.6	
9 Chloroethane	64	1.476	1.470	0.006	99	86209	20.0	17.9	
10 Dichlorofluoromethane	67	1.598	1.585	0.013	97	209103	20.0	16.2	
11 Pentane	43	1.647	1.634	0.012	96	169344	20.0	16.3	
12 Trichlorofluoromethane	101	1.665	1.653	0.013	98	163895	20.0	16.0	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	1.793	1.768	0.025	95	129806	20.0	17.3	
17 1,1-Dichloroethene	96	1.927	1.915	0.012	94	86178	20.0	19.5	
18 Acetone	58	1.939	1.927	0.012	98	159947	250.0	221.0	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	1.957	1.951	0.006	94	81206	20.0	16.1	
20 Isopropyl alcohol	45	2.031	2.012	0.019	48	74045	150.0	143.0	
21 Iodomethane	142	2.031	2.024	0.007	99	142130	20.0	17.9	
22 Carbon disulfide	76	2.085	2.079	0.006	100	233606	20.0	17.8	
25 3-Chloro-1-propene	41	2.165	2.159	0.007	86	182866	20.0	18.1	
26 Methyl acetate	43	2.171	2.159	0.013	61	113842	20.0	20.0	
27 Methylene Chloride	84	2.262	2.250	0.012	98	99435	20.0	19.5	
* 28 t-Butyl alcohol-d10 (IS)	65	2.268	2.256	0.012	98	202168	250.0	250.0	
29 2-Methyl-2-propanol	59	2.329	2.323	0.006	99	164368	200.0	181.0	M
30 Acrylonitrile	53	2.433	2.427	0.006	97	277031	100.0	95.5	
32 trans-1,2-Dichloroethene	96	2.476	2.469	0.007	94	94268	20.0	19.1	
31 Methyl tert-butyl ether	73	2.482	2.476	0.006	98	339521	20.0	18.9	
33 Hexane	57	2.713	2.701	0.012	96	144311	20.0	16.7	
34 1,1-Dichloroethane	63	2.829	2.823	0.006	97	207207	20.0	19.4	
36 Isopropyl ether	45	2.908	2.896	0.012	92	368304	20.0	18.8	
37 2-Chloro-1,3-butadiene	53	2.915	2.908	0.007	95	193939	20.0	18.5	
38 Tert-butyl ethyl ether	59	3.232	3.231	0.001	98	358557	20.0	19.1	
40 cis-1,2-Dichloroethene	96	3.353	3.347	0.006	85	109119	20.0	19.5	
39 2-Butanone (MEK)	43	3.353	3.353	0.000	100	957377	250.0	227.0	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
41 2,2-Dichloropropane	77	3.366	3.366	0.000	90	189350	20.0	19.2	
42 Propionitrile	54	3.414	3.402	0.012	97	170275	150.0	140.6	
186 Methyl acrylate	55	3.457	3.451	0.006	100	160977	20.0	21.7	
44 Methacrylonitrile	67	3.555	3.548	0.007	94	446261	150.0	146.3	
45 Chlorobromomethane	128	3.573	3.561	0.012	96	51254	20.0	20.4	
46 Tetrahydrofuran	71	3.610	3.603	0.007	94	90681	100.0	91.5	
47 Chloroform	83	3.652	3.646	0.006	96	204811	20.0	20.5	
\$ 48 Dibromofluoromethane (Surr)	113	3.799	3.792	0.007	93	225416	50.0	49.4	
49 1,1,1-Trichloroethane	97	3.829	3.823	0.006	97	175577	20.0	19.4	
51 Cyclohexane	56	3.890	3.884	0.006	95	190025	20.0	17.2	
52 1,1-Dichloropropene	75	3.981	3.975	0.006	90	154866	20.0	19.0	
53 Carbon tetrachloride	117	3.994	3.987	0.007	94	147751	20.0	19.1	
54 Isobutyl alcohol	41	4.109	4.109	0.000	93	141309	500.0	458.1	
\$ 55 1,2-Dichloroethane-d4 (Surr)	65	4.116	4.115	0.001	95	353271	50.0	49.3	
56 Benzene	78	4.177	4.170	0.006	97	435605	20.0	19.5	
57 1,2-Dichloroethane	62	4.189	4.183	0.007	97	170916	20.0	19.0	
59 Tert-amyl methyl ether	73	4.305	4.304	0.001	97	337293	20.0	19.2	
* 60 Fluorobenzene (IS)	96	4.451	4.451	0.000	97	968759	50.0	50.0	
61 n-Heptane	43	4.469	4.469	0.000	96	151882	20.0	17.1	
62 n-Butanol	56	4.774	4.774	0.000	93	206512	1000.0	893.9	
63 Trichloroethene	95	4.823	4.817	0.006	97	109593	20.0	19.1	
195 Ethyl acrylate	55	4.951	4.951	0.000	98	183900	20.0	19.8	
64 Methylcyclohexane	83	5.018	5.018	0.000	93	179498	20.0	18.1	
65 1,2-Dichloropropane	63	5.036	5.036	0.000	91	119181	20.0	19.7	
66 2-ethoxy-2-methyl butane	87	5.109	5.109	0.000	92	164703	20.0	18.0	
67 Dibromomethane	93	5.152	5.152	0.000	96	67869	20.0	19.0	
68 1,4-Dioxane	88	5.189	5.182	0.006	35	29854	500.0	609.8	
69 Methyl methacrylate	69	5.195	5.188	0.007	93	97010	20.0	18.8	
71 Dichlorobromomethane	83	5.329	5.329	0.000	98	141320	20.0	19.3	
72 2-Nitropropane	41	5.560	5.560	0.000	99	53101	20.0	17.4	
74 cis-1,3-Dichloropropene	75	5.804	5.804	0.000	91	174493	20.0	18.2	
75 4-Methyl-2-pentanone (MIBK)	43	5.987	5.981	0.006	99	2082467	250.0	240.0	
\$ 77 Toluene-d8 (Surr)	98	6.091	6.091	0.000	95	997809	50.0	50.0	
78 Toluene	92	6.158	6.158	0.000	97	277458	20.0	19.6	
79 trans-1,3-Dichloropropene	75	6.408	6.408	0.000	99	168831	20.0	18.9	
81 Ethyl methacrylate	69	6.548	6.548	0.000	91	169610	20.0	18.5	
82 1,1,2-Trichloroethane	97	6.597	6.597	0.000	93	95548	20.0	19.8	
83 Tetrachloroethene	166	6.755	6.749	0.006	94	111450	20.0	19.2	
84 1,3-Dichloropropane	76	6.780	6.773	0.007	96	173110	20.0	19.4	
86 2-Hexanone	43	6.902	6.901	0.001	98	1501364	250.0	236.2	
87 Chlorodibromomethane	129	7.024	7.023	0.001	90	100635	20.0	18.8	
89 Ethylene Dibromide	107	7.127	7.127	0.000	98	97360	20.0	19.1	
* 90 Chlorobenzene-d5 (IS)	117	7.627	7.627	0.000	89	712661	50.0	50.0	
91 Chlorobenzene	112	7.658	7.657	0.001	92	292756	20.0	19.7	
92 1-Chlorohexane	91	7.670	7.670	0.000	90	142304	20.0	18.4	
94 1,1,1,2-Tetrachloroethane	131	7.749	7.749	0.000	94	99889	20.0	19.3	
95 Ethylbenzene	91	7.779	7.779	0.000	99	537220	20.0	19.3	
96 m-Xylene & p-Xylene	106	7.895	7.901	-0.006	100	412645	40.0	39.3	
97 o-Xylene	106	8.255	8.255	0.000	97	199724	20.0	19.4	
274 n-Butyl acrylate	55	8.261	8.261	0.000	96	275473	20.0	19.8	
98 Styrene	104	8.267	8.267	0.000	93	330625	20.0	19.4	
99 Bromoform	173	8.407	8.407	0.000	95	69994	20.0	17.6	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
100 Isopropylbenzene	105	8.578	8.578	0.000	97	535251	20.0	21.0	
\$ 103 4-Bromofluorobenzene (Surr)	95	8.694	8.694	0.000	87	374586	50.0	49.4	
104 Bromobenzene	156	8.804	8.804	0.000	98	116716	20.0	19.2	
105 1,1,2,2-Tetrachloroethane	83	8.822	8.822	0.000	93	149593	20.0	19.3	
106 1,2,3-Trichloropropane	110	8.846	8.846	0.000	87	45505	20.0	19.4	
107 trans-1,4-Dichloro-2-butene	53	8.871	8.871	0.000	94	255598	100.0	80.2	
108 N-Propylbenzene	91	8.913	8.913	0.000	99	625534	20.0	20.3	
109 2-Chlorotoluene	126	8.968	8.968	0.000	95	118217	20.0	19.7	
111 4-Chlorotoluene	126	9.060	9.060	0.000	99	118976	20.0	19.2	
110 1,3,5-Trimethylbenzene	105	9.060	9.060	0.000	94	432475	20.0	19.7	
113 tert-Butylbenzene	134	9.310	9.310	0.000	94	88283	20.0	20.1	
115 1,2,4-Trimethylbenzene	105	9.346	9.346	0.000	98	433086	20.0	19.6	
116 sec-Butylbenzene	105	9.474	9.474	0.000	95	527292	20.0	19.9	
117 1,3-Dichlorobenzene	146	9.541	9.541	0.000	97	220817	20.0	19.4	
118 4-Isopropyltoluene	119	9.584	9.584	0.000	97	451338	20.0	19.5	
* 119 1,4-Dichlorobenzene-d4	152	9.590	9.590	0.000	97	395450	50.0	50.0	
120 1,4-Dichlorobenzene	146	9.608	9.608	0.000	97	228349	20.0	19.7	
121 1,2,3-Trimethylbenzene	105	9.651	9.651	0.000	99	420964	20.0	18.7	
122 Benzyl chloride	91	9.706	9.706	0.000	100	307824	20.0	18.3	
123 1,3-Diethylbenzene	119	9.803	9.803	0.000	95	259492	20.0	19.7	
124 p-Diethylbenzene	119	9.864	9.864	0.000	95	270148	20.0	19.8	
125 1,2-Dichlorobenzene	146	9.871	9.870	0.000	95	214342	20.0	19.5	
126 n-Butylbenzene	92	9.877	9.877	0.000	98	218545	20.0	19.4	
162 o-diethylbenzene	119	9.944	9.944	0.000	97	216392	20.0	19.6	
164 1,2-Dibromo-3-Chloropropane	75	10.413	10.413	0.000	78	36592	20.0	17.9	
165 1,3,5-Trichlorobenzene	180	10.566	10.565	0.001	96	150336	20.0	19.7	
166 1,2,4-Trichlorobenzene	180	10.974	10.974	0.000	94	138426	20.0	19.6	
167 Hexachlorobutadiene	225	11.090	11.090	0.000	97	58923	20.0	19.1	
271 2-Ethylhexyl acrylate	55	11.114	11.114	0.000	84	151135	20.0	19.2	
168 Naphthalene	128	11.126	11.126	0.000	98	479503	20.0	20.0	
170 1,2,3-Trichlorobenzene	180	11.285	11.285	0.000	94	133370	20.0	20.1	
171 2-Methylnaphthalene	142	11.852	11.852	0.000	93	237987	20.0	21.3	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_LCS_VOC#1_00158

Amount Added: 50.00

Units: uL

MSV_LCS_Gases_00189

Amount Added: 50.00

Units: uL

MSV_LCS_OH_Sp_00011

Amount Added: 50.00

Units: uL

MSV_Cent_ISSS_00023

Amount Added: 5.00

Units: uL

Run Reagent

Report Date: 22-Mar-2024 21:40:27

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X34.D

Injection Date: 22-Mar-2024 21:11:30

Instrument ID: 15648

Operator ID: MEC29284

Lims ID: LCSD

Worklist Smp#: 5

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 4

Method: MSVoa_15648

Limit Group: MSV - 8260C_D

Column: DB-624 20m 0.18mm (0.18 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\EM22X34.D
Lims ID: LCSD
Client ID:
Sample Type: LCSD
Inject. Date: 22-Mar-2024 21:11:30 ALS Bottle#: 4 Worklist Smp#: 5
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109409-005
Misc. Info.: LCSD
Operator ID: MEC29284 Instrument ID: 15648
Method: \\chromfs\Lancaster\ChromData\15648\20240322-109409.b\MSVoa_15648.m
Limit Group: MSV - 8260C_D
Last Update: 22-Mar-2024 21:40:09 Calib Date: 18-Mar-2024 17:16:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\15648\20240318-108929.b\EN18X18.D
Column 1 : DB-624 20m 0.18mm (0.18 mm) Det: MS Quad
Process Host: CTX1616

First Level Reviewer: K4WN

Date: 22-Mar-2024 21:39:36

Compound	Amount Added	Amount Recovered	% Rec.
\$ 48 Dibromofluoromethane (Surr)	50.0	49.4	98.76
\$ 55 1,2-Dichloroethane-d4 (Surr)	50.0	49.3	98.59
\$ 77 Toluene-d8 (Surr)	50.0	50.0	99.99
\$ 103 4-Bromofluorobenzene (Surr)	50.0	49.4	98.83

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No.:

Client Sample ID:

Lab Sample ID: LCSD 410-488320/5

Matrix: Water

Lab File ID: YM28X34.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5(mL)

Date Analyzed: 03/28/2024 21:29

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: R-624SilMS 30m ID: 0.25(mm)

Purge Volume: 5.0(mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 488320

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
630-20-6	1,1,1,2-Tetrachloroethane	18.4		1.0	0.30
71-55-6	1,1,1-Trichloroethane	19.4		1.0	0.30
79-34-5	1,1,2,2-Tetrachloroethane	18.2		1.0	0.30
79-00-5	1,1,2-Trichloroethane	18.6		1.0	0.30
75-34-3	1,1-Dichloroethane	19.8		1.0	0.30
75-35-4	1,1-Dichloroethene	19.7		1.0	0.30
106-93-4	1,2-Dibromoethane (EDB)	19.1		1.0	0.20
107-06-2	1,2-Dichloroethane	19.8		1.0	0.30
78-87-5	1,2-Dichloropropane	19.4		1.0	0.30
78-93-3	2-Butanone (MEK)	224		10	0.50
591-78-6	2-Hexanone	235		10	0.85
108-10-1	4-Methyl-2-pentanone (MIBK)	239		10	0.50
67-64-1	Acetone	264		20	0.70
71-43-2	Benzene	19.3		1.0	0.30
74-97-5	Bromochloromethane	20.3		5.0	0.20
75-27-4	Bromodichloromethane	18.2		1.0	0.20
75-25-2	Bromoform	15.3		4.0	1.0
74-83-9	Bromomethane	18.9		1.0	0.30
75-15-0	Carbon disulfide	16.2		5.0	0.30
56-23-5	Carbon tetrachloride	19.1		1.0	0.30
108-90-7	Chlorobenzene	18.8		1.0	0.30
75-00-3	Chloroethane	20.4		1.0	0.30
67-66-3	Chloroform	19.8		1.0	0.30
74-87-3	Chloromethane	18.4		2.0	0.55
156-59-2	cis-1,2-Dichloroethene	19.5		1.0	0.30
10061-01-5	cis-1,3-Dichloropropene	16.0		1.0	0.20
124-48-1	Dibromochloromethane	17.3		1.0	0.20
100-41-4	Ethylbenzene	19.2		1.0	0.40
1634-04-4	Methyl tert-butyl ether	18.4		1.0	0.20
75-09-2	Methylene Chloride	19.6		1.0	0.30
100-42-5	Styrene	18.8		5.0	0.30
127-18-4	Tetrachloroethene	19.7		1.0	0.30
108-88-3	Toluene	19.3		1.0	0.30

FORM I

GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Lancaster Laboratories
Environment Testing, LLC

Job No.: 410-164762-1

SDG No. :

Client Sample ID:

Lab Sample ID: LCSD 410-488320/5

Matrix: Water

Lab File ID: YM28X34.D

Analysis Method: 8260D

Date Collected:

Sample wt/vol: 5 (mL)

Date Analyzed: 03/28/2024 21:29

Soil Aliquot Vol:

Dilution Factor: 1

Soil Extract Vol.:

GC Column: R-624SilMS 30m ID: 0.25 (mm)

Purge Volume: 5.0 (mL)

Heated Purge: (Y/N) N pH:

% Moisture: % Solids:

Level: (low/med) Low

Analysis Batch No.: 488320

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
156-60-5	trans-1,2-Dichloroethene	19.3		2.0	0.70
10061-02-6	trans-1,3-Dichloropropene	16.4		1.0	0.20
79-01-6	Trichloroethene	19.1		1.0	0.30
75-01-4	Vinyl chloride	18.4		1.0	0.30
1330-20-7	Xylenes, Total	56.8		1.0	0.40

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		80-120
460-00-4	4-Bromofluorobenzene (Surr)	98		80-120
1868-53-7	Dibromofluoromethane (Surr)	101		80-120
2037-26-5	Toluene-d8 (Surr)	101		80-120

Eurofins Lancaster Laboratories Environment Testing, LLC
Target Compound Quantitation Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X34.D
 Lims ID: LCSD
 Client ID:
 Sample Type: LCSD
 Inject. Date: 28-Mar-2024 21:29:30 ALS Bottle#: 4 Worklist Smp#: 5
 Purge Vol: 5.000 mL Dil. Factor: 1.0000
 Sample Info: 410-0109833-005
 Misc. Info.: LCSD
 Operator ID: gaw91131 Instrument ID: 9355
 Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
 Limit Group: MSV - 8260C_D
 Last Update: 29-Mar-2024 00:20:15 Calib Date: 25-Mar-2024 20:33:30
 Integrator: RTE ID Type: Deconvolution ID
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
 Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
 Process Host: CTX1621

First Level Reviewer: JS6E

Date: 28-Mar-2024 22:20:38

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
2 Dichlorodifluoromethane	85	1.866	1.852	0.014	99	134220	20.0	18.2	
4 Chloromethane	50	2.052	2.045	0.007	99	145257	20.0	18.4	
6 Vinyl chloride	62	2.152	2.145	0.007	96	134248	20.0	18.4	
5 Butadiene	39	2.159	2.159	0.000	96	246695	20.0	35.0	
8 Bromomethane	94	2.467	2.467	0.000	91	93636	20.0	18.9	
9 Chloroethane	64	2.538	2.538	0.000	100	69919	20.0	20.4	
10 Dichlorofluoromethane	67	2.767	2.760	0.007	97	183341	20.0	17.9	
11 Trichlorofluoromethane	101	2.831	2.839	-0.008	87	145135	20.0	19.5	
12 Pentane	43	2.853	2.853	0.000	96	103756	20.0	17.2	
15 1,2-Dichloro-1,1,2-trifluoroetha	67	3.117	3.132	-0.015	94	95385	20.0	19.9	
16 Acrolein	56	3.196	3.196	0.000	99	213633	150.0	145.2	
17 1,1-Dichloroethene	96	3.346	3.339	0.007	97	63608	20.0	19.7	
18 Acetone	58	3.353	3.346	0.007	99	205730	250.0	264.4	
19 1,1,2-Trichloro-1,2,2-trifluoroe	101	3.389	3.389	0.000	87	68131	20.0	16.5	
20 Isopropyl alcohol	45	3.504	3.504	0.000	96	93091	150.0	132.6	
21 Iodomethane	142	3.532	3.539	-0.007	98	126198	20.0	18.4	
22 Carbon disulfide	76	3.654	3.647	0.007	99	200435	20.0	16.2	
24 Methyl acetate	43	3.754	3.747	0.007	97	89668	20.0	18.6	M
25 3-Chloro-1-propene	41	3.790	3.782	0.008	88	86484	20.0	15.3	
* 26 t-Butyl alcohol-d10 (IS)	65	3.947	3.940	0.007	96	353936	250.0	250.0	
27 Methylene Chloride	84	3.968	3.961	0.007	91	76772	20.0	19.6	
28 2-Methyl-2-propanol	59	4.061	4.068	-0.007	99	324381	200.0	220.6	
29 Acrylonitrile	53	4.254	4.254	0.000	100	266419	100.0	101.3	
30 Methyl tert-butyl ether	73	4.347	4.347	0.000	96	269938	20.0	18.4	
31 trans-1,2-Dichloroethene	96	4.369	4.362	0.007	99	66310	20.0	19.3	
33 Hexane	57	4.798	4.798	0.000	95	86715	20.0	17.6	
34 1,1-Dichloroethane	63	5.027	5.019	0.008	96	123099	20.0	19.8	
36 Isopropyl ether	45	5.091	5.084	0.007	93	230802	20.0	18.5	
37 2-Chloro-1,3-butadiene	53	5.141	5.134	0.007	92	101724	20.0	18.7	
39 Tert-butyl ethyl ether	59	5.627	5.634	-0.007	97	248863	20.0	18.6	
40 2-Butanone (MEK)	43	5.820	5.827	-0.007	100	962927	250.0	224.0	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
41 cis-1,2-Dichloroethene	96	5.863	5.863	0.000	83	78973	20.0	19.5	
42 2,2-Dichloropropane	77	5.892	5.892	0.000	89	118270	20.0	18.0	
43 Propionitrile	54	5.899	5.892	0.007	98	194820	150.0	153.5	
46 Methacrylonitrile	67	6.121	6.121	0.000	92	399614	150.0	147.6	
48 Chlorobromomethane	128	6.206	6.199	0.007	77	41853	20.0	20.3	
49 Tetrahydrofuran	71	6.228	6.221	0.007	91	106917	100.0	94.9	
51 Chloroform	83	6.356	6.357	0.000	93	151217	20.0	19.8	
\$ 52 Dibromofluoromethane (Surr)	113	6.578	6.571	0.007	93	189584	50.0	50.7	
53 1,1,1-Trichloroethane	97	6.600	6.600	0.000	98	123230	20.0	19.4	
54 Cyclohexane	56	6.714	6.714	0.000	92	123185	20.0	17.6	
55 1,1-Dichloropropene	75	6.814	6.814	0.000	96	92581	20.0	19.2	
56 Carbon tetrachloride	117	6.821	6.821	0.000	96	97287	20.0	19.1	
57 Isobutyl alcohol	41	6.943	6.943	0.000	93	210339	500.0	454.5	
\$ 58 1,2-Dichloroethane-d4 (Surr)	102	7.043	7.036	0.007	94	46976	50.0	49.5	
59 Benzene	78	7.079	7.072	0.007	97	292579	20.0	19.3	
60 1,2-Dichloroethane	62	7.150	7.143	0.007	98	108547	20.0	19.8	
62 Tert-amyl methyl ether	73	7.272	7.272	0.000	98	241105	20.0	17.8	
* 63 Fluorobenzene (IS)	96	7.486	7.486	0.000	99	787063	50.0	50.0	
64 n-Heptane	43	7.515	7.508	0.007	92	94497	20.0	17.0	
66 n-Butanol	56	7.837	7.837	0.000	91	338534	1000.0	985.1	
67 Trichloroethene	95	7.980	7.980	0.000	98	74531	20.0	19.1	
69 Methylcyclohexane	83	8.301	8.294	0.007	91	127264	20.0	17.9	
70 1,2-Dichloropropane	63	8.309	8.309	-0.001	80	77557	20.0	19.4	
71 2-ethoxy-2-methyl butane	87	8.316	8.323	-0.007	92	108145	20.0	16.5	
72 Methyl methacrylate	69	8.394	8.394	0.000	89	75180	20.0	17.6	
73 1,4-Dioxane	88	8.394	8.394	0.000	46	55233	500.0	475.6	M
74 Dibromomethane	93	8.423	8.423	0.000	96	54580	20.0	19.2	
76 Dichlorobromomethane	83	8.659	8.659	0.000	99	90635	20.0	18.2	
77 2-Nitropropane	41	8.902	8.902	0.000	98	29130	20.0	13.4	
78 2-Chloroethyl vinyl ether	63	9.031	9.024	0.007	92	51371	20.0	16.8	
79 cis-1,3-Dichloropropene	75	9.224	9.217	0.007	95	100673	20.0	16.0	
80 4-Methyl-2-pentanone (MIBK)	43	9.388	9.388	0.000	97	2006300	250.0	239.0	
\$ 81 Toluene-d8 (Surr)	98	9.545	9.546	-0.001	94	775614	50.0	50.5	
82 Toluene	92	9.624	9.624	0.000	98	187970	20.0	19.3	
83 trans-1,3-Dichloropropene	75	9.889	9.889	0.000	95	95099	20.0	16.4	
84 Ethyl methacrylate	69	9.953	9.953	0.000	89	128605	20.0	17.4	
126 1,1,2-Trichloroethane	97	10.096	10.096	0.000	92	73734	20.0	18.6	
127 Tetrachloroethene	166	10.196	10.196	0.000	97	82232	20.0	19.7	
128 1,3-Dichloropropane	76	10.261	10.261	0.000	91	121612	20.0	19.1	
129 2-Hexanone	43	10.311	10.311	0.000	97	1421541	250.0	234.9	
132 Chlorodibromomethane	129	10.489	10.489	0.000	89	71115	20.0	17.3	
133 Ethylene Dibromide	107	10.604	10.604	0.000	99	79835	20.0	19.1	
* 134 Chlorobenzene-d5 (IS)	117	11.040	11.040	0.000	86	588920	50.0	50.0	
135 1-Chlorohexane	91	11.054	11.054	0.000	98	94227	20.0	17.5	
136 Chlorobenzene	112	11.068	11.069	-0.001	94	211369	20.0	18.8	
137 1,1,1,2-Tetrachloroethane	131	11.154	11.154	0.000	93	81813	20.0	18.4	
138 Ethylbenzene	91	11.154	11.154	0.000	99	387382	20.0	19.2	
140 m-Xylene & p-Xylene	106	11.276	11.276	0.000	99	300741	40.0	37.9	
142 o-Xylene	106	11.605	11.605	0.000	97	159471	20.0	18.9	
143 Styrene	104	11.626	11.619	0.007	95	252708	20.0	18.8	
144 Bromoform	173	11.784	11.784	0.000	97	53106	20.0	15.3	
145 Isopropylbenzene	105	11.912	11.912	0.000	96	436040	20.0	20.9	

Compound	Sig	RT (min.)	Exp RT (min.)	Dlt RT (min.)	Q	Response	Cal Amt ug/l	OnCol Amt ug/l	Flags
\$ 148 4-Bromofluorobenzene (Surr)	95	12.055	12.055	0.000	91	294181	50.0	48.9	
149 1,1,2,2-Tetrachloroethane	83	12.155	12.155	0.000	95	150962	20.0	18.2	
150 Bromobenzene	156	12.177	12.177	0.000	97	102437	20.0	18.6	
151 trans-1,4-Dichloro-2-butene	53	12.177	12.177	0.000	89	97655	100.0	43.4	
152 1,2,3-Trichloropropane	110	12.198	12.198	0.000	84	47347	20.0	18.6	
153 N-Propylbenzene	91	12.241	12.241	0.000	99	499498	20.0	19.6	
154 2-Chlorotoluene	126	12.320	12.320	0.000	96	101061	20.0	18.4	
155 1,3,5-Trimethylbenzene	105	12.384	12.384	0.000	93	376851	20.0	18.9	
156 4-Chlorotoluene	126	12.413	12.413	0.000	98	99924	20.0	19.0	
158 tert-Butylbenzene	134	12.627	12.627	0.000	93	70036	20.0	18.8	
160 1,2,4-Trimethylbenzene	105	12.670	12.670	0.000	98	388007	20.0	18.7	
161 sec-Butylbenzene	105	12.792	12.792	0.000	94	481968	20.0	19.2	
162 1,3-Dichlorobenzene	146	12.892	12.892	0.000	98	207327	20.0	18.7	
163 4-Isopropyltoluene	119	12.899	12.899	0.000	97	424406	20.0	18.9	
* 164 1,4-Dichlorobenzene-d4	152	12.949	12.949	0.000	95	361862	50.0	50.0	
165 1,4-Dichlorobenzene	146	12.963	12.963	0.000	95	217754	20.0	19.0	
166 1,2,3-Trimethylbenzene	105	12.970	12.970	0.000	98	401380	20.0	18.0	
167 Benzyl chloride	91	13.035	13.035	0.000	99	237198	20.0	14.1	
168 1,3-Diethylbenzene	119	13.099	13.099	0.000	95	257954	20.0	19.3	
169 p-Diethylbenzene	119	13.178	13.171	0.007	95	271472	20.0	19.3	
170 n-Butylbenzene	92	13.192	13.192	0.000	97	210628	20.0	18.7	
171 1,2-Dichlorobenzene	146	13.221	13.221	0.000	98	225215	20.0	18.8	
172 o-diethylbenzene	119	13.242	13.242	0.000	96	211430	20.0	18.7	
175 1,2-Dibromo-3-Chloropropane	75	13.764	13.764	0.000	86	43306	20.0	16.2	
176 1,3,5-Trichlorobenzene	180	13.900	13.900	0.000	97	187262	20.0	19.4	
177 1,2,4-Trichlorobenzene	180	14.322	14.322	0.000	94	193254	20.0	19.4	
179 Hexachlorobutadiene	225	14.408	14.408	0.000	97	71365	20.0	19.9	
180 Naphthalene	128	14.501	14.501	0.000	97	728069	20.0	19.2	
181 1,2,3-Trichlorobenzene	180	14.644	14.644	0.000	96	200910	20.0	19.6	
182 2-Methylnaphthalene	142	15.259	15.259	0.000	92	437061	20.0	20.4	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

MSV_LCS_Gases_00190

Amount Added: 50.00

Units: uL

MSV_LCS_VOC#1_00159

Amount Added: 50.00

Units: uL

MSV_LCS_ACROL_00160

Amount Added: 50.00

Units: uL

MSV_LCS_2CEVE_00164

Amount Added: 50.00

Units: uL

MSV_HP20_ISSS_00129

Amount Added: 1.00

Units: uL

Run Reagent

Report Date: 29-Mar-2024 00:20:30

Chrom Revision: 2.3 20-Mar-2024 17:23:48

Eurofins Lancaster Laboratories Environment Testing, LLC

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X34.D

Injection Date: 28-Mar-2024 21:29:30

Instrument ID: 9355

Operator ID: gaw91131

Lims ID: LCSD

Worklist Smp#: 5

Client ID:

Purge Vol: 5.000 mL

Dil. Factor: 1.0000


ALS Bottle#: 4

Method: MSVoa_9355

Limit Group: MSV - 8260C_D

Column: Rxi-624Sil MS Capillary Column (0.25 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Lancaster Laboratories Environment Testing, LLC
Recovery Report

Data File: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\YM28X34.D
Lims ID: LCSD
Client ID:
Sample Type: LCSD
Inject. Date: 28-Mar-2024 21:29:30 ALS Bottle#: 4 Worklist Smp#: 5
Purge Vol: 5.000 mL Dil. Factor: 1.0000
Sample Info: 410-0109833-005
Misc. Info.: LCSD
Operator ID: gaw91131 Instrument ID: 9355
Method: \\chromfs\Lancaster\ChromData\9355\20240328-109833.b\MSVoa_9355.m
Limit Group: MSV - 8260C_D
Last Update: 29-Mar-2024 00:20:15 Calib Date: 25-Mar-2024 20:33:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Lancaster\ChromData\9355\20240325-109476.b\YM25X21.D
Column 1 : Rxi-624Sil MS Capillary Column (0.25 mm) Det: MS Quad
Process Host: CTX1621

First Level Reviewer: JS6E

Date: 28-Mar-2024 22:20:38

Compound	Amount Added	Amount Recovered	% Rec.
\$ 52 Dibromofluoromethane (Surr)	50.0	50.7	101.42
\$ 58 1,2-Dichloroethane-d4 (Surr)	50.0	49.5	98.95
\$ 81 Toluene-d8 (Surr)	50.0	50.5	101.05
\$ 148 4-Bromofluorobenzene (Surr)	50.0	48.9	97.74

GC/MS VOA ANALYSIS RUN LOG

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Start Date: 03/18/2024 11:40

Analysis Batch Number: 484275

End Date: 03/18/2024 17:57

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
BFB 410-484275/1		03/18/2024 11:40	1	EM18T01.D	DB-624 20m 0.18 (mm)
IC 410-484275/3		03/18/2024 12:16	1	EN18X03.D	DB-624 20m 0.18 (mm)
IC 410-484275/4		03/18/2024 12:36	1	EN18X04.D	DB-624 20m 0.18 (mm)
IC 410-484275/5		03/18/2024 12:56	1	EN18X05.D	DB-624 20m 0.18 (mm)
IC 410-484275/6		03/18/2024 13:16	1	EN18X06.D	DB-624 20m 0.18 (mm)
CCV 410-484275/1006		03/18/2024 13:16	1		DB-624 20m 0.18 (mm)
IC 410-484275/7		03/18/2024 13:36	1	EN18X07.D	DB-624 20m 0.18 (mm)
IC 410-484275/8		03/18/2024 13:56	1	EN18X08.D	DB-624 20m 0.18 (mm)
ICV 410-484275/10		03/18/2024 14:36	1		DB-624 20m 0.18 (mm)
IC 410-484275/12		03/18/2024 15:16	1	EN18X12.D	DB-624 20m 0.18 (mm)
IC 410-484275/13		03/18/2024 15:36	1	EN18X13.D	DB-624 20m 0.18 (mm)
IC 410-484275/14		03/18/2024 15:56	1	EN18X14.D	DB-624 20m 0.18 (mm)
IC 410-484275/15		03/18/2024 16:16	1	EN18X15.D	DB-624 20m 0.18 (mm)
ICIS 410-484275/16		03/18/2024 16:36	1	EN18X16.D	DB-624 20m 0.18 (mm)
CCVIS 410-484275/1016		03/18/2024 16:36	1		DB-624 20m 0.18 (mm)
IC 410-484275/17		03/18/2024 16:56	1	EN18X17.D	DB-624 20m 0.18 (mm)
IC 410-484275/18		03/18/2024 17:16	1	EN18X18.D	DB-624 20m 0.18 (mm)
ICV 410-484275/20		03/18/2024 17:57	1	EN18X20.D	DB-624 20m 0.18 (mm)

GC/MS VOA ANALYSIS RUN LOG

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 15648

Start Date: 03/22/2024 19:59

Analysis Batch Number: 486390

End Date: 03/23/2024 03:48

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
BFB 410-486390/1		03/22/2024 19:59	1	EM22T31.D	DB-624 20m 0.18 (mm)
CCVIS 410-486390/3		03/22/2024 20:31	1	EM22X32.D	DB-624 20m 0.18 (mm)
LCS 410-486390/4		03/22/2024 20:51	1	EM22X33.D	DB-624 20m 0.18 (mm)
LCSD 410-486390/5		03/22/2024 21:11	1	EM22X34.D	DB-624 20m 0.18 (mm)
ZZZZZ		03/22/2024 21:30	1		DB-624 20m 0.18 (mm)
MB 410-486390/7		03/22/2024 21:50	1	EM22X36.D	DB-624 20m 0.18 (mm)
ZZZZZ		03/22/2024 22:10	1		DB-624 20m 0.18 (mm)
410-164762-6	HD-QC1-0/1-3	03/22/2024 22:30	1	EM22X38.D	DB-624 20m 0.18 (mm)
ZZZZZ		03/22/2024 22:50	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/22/2024 23:10	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/22/2024 23:30	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/22/2024 23:49	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/23/2024 00:09	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/23/2024 00:29	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/23/2024 00:49	1		DB-624 20m 0.18 (mm)
410-164762-1	HD-MW-5-0/1-0	03/23/2024 01:09	1	EM22X46.D	DB-624 20m 0.18 (mm)
410-164762-2	HD-MW-6-0/1-0	03/23/2024 01:29	1	EM22X47.D	DB-624 20m 0.18 (mm)
410-164762-3	HD-MW-88-0/1-0	03/23/2024 01:48	1	EM22X48.D	DB-624 20m 0.18 (mm)
410-164762-4	HD-MW-101S-0/1-0	03/23/2024 02:08	1	EM22X49.D	DB-624 20m 0.18 (mm)
410-164762-5	HD-MW-101D-0/1-0	03/23/2024 02:28	1	EM22X50.D	DB-624 20m 0.18 (mm)
ZZZZZ		03/23/2024 02:48	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/23/2024 03:08	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/23/2024 03:28	1		DB-624 20m 0.18 (mm)
ZZZZZ		03/23/2024 03:48	1		DB-624 20m 0.18 (mm)

GC/MS VOA ANALYSIS RUN LOG

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 9355

Start Date: 03/25/2024 12:49

Analysis Batch Number: 486676

End Date: 03/25/2024 20:33

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
BFB 410-486676/1		03/25/2024 12:49	1	YM25T01.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/3		03/25/2024 13:30	1	YM25X02.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/4		03/25/2024 13:52	1	YM25X03.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/5		03/25/2024 14:14	1	YM25X04.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/6		03/25/2024 14:37	1	YM25X05.D	R-624Si1MS 30m 0.25 (mm)
CCV 410-486676/1006		03/25/2024 14:37	1		R-624Si1MS 30m 0.25 (mm)
IC 410-486676/7		03/25/2024 14:59	1	YM25X06.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/8		03/25/2024 15:21	1	YM25X07.D	R-624Si1MS 30m 0.25 (mm)
ICV 410-486676/10		03/25/2024 16:05	1		R-624Si1MS 30m 0.25 (mm)
IC 410-486676/12		03/25/2024 16:50	1	YM25X11.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/13		03/25/2024 17:12	1	YM25X12.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/15		03/25/2024 17:56	1	YM25X14.D	R-624Si1MS 30m 0.25 (mm)
ICIS 410-486676/16		03/25/2024 18:19	1	YM25X15.D	R-624Si1MS 30m 0.25 (mm)
CCVIS 410-486676/1016		03/25/2024 18:19	1		R-624Si1MS 30m 0.25 (mm)
IC 410-486676/17		03/25/2024 18:41	1	YM25X16.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/18		03/25/2024 19:03	1	YM25X17.D	R-624Si1MS 30m 0.25 (mm)
ICV 410-486676/20		03/25/2024 19:47	1	YM25X19.D	R-624Si1MS 30m 0.25 (mm)
IC 410-486676/14		03/25/2024 20:33	1	YM25X21.D	R-624Si1MS 30m 0.25 (mm)

GC/MS VOA ANALYSIS RUN LOG

Lab Name: Eurofins Lancaster Laboratories Environment
Testing, LLC

Job No.: 410-164762-1

SDG No.:

Instrument ID: 9355

Start Date: 03/28/2024 20:10

Analysis Batch Number: 488320

End Date: 03/29/2024 06:00

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
BFB 410-488320/1		03/28/2024 20:10	1	YM28T31.D	R-624Si1MS 30m 0.25 (mm)
CCVIS 410-488320/3		03/28/2024 20:45	1	YM28X32.D	R-624Si1MS 30m 0.25 (mm)
LCS 410-488320/4		03/28/2024 21:07	1	YM28X33.D	R-624Si1MS 30m 0.25 (mm)
LCSD 410-488320/5		03/28/2024 21:29	1	YM28X34.D	R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/28/2024 21:51	1		R-624Si1MS 30m 0.25 (mm)
MB 410-488320/7		03/28/2024 22:13	1	YM28X36.D	R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/28/2024 22:35	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/28/2024 22:58	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/28/2024 23:20	1		R-624Si1MS 30m 0.25 (mm)
410-164762-7	HD-QC1-0/1-4	03/28/2024 23:42	1	YM28X40.D	R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 00:04	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 00:26	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 00:48	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 01:11	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 01:33	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 01:55	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 02:17	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 02:40	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 03:02	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 03:24	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 03:46	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 04:09	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 04:31	1		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 04:53	5		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 05:15	50		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 05:38	5		R-624Si1MS 30m 0.25 (mm)
ZZZZZ		03/29/2024 06:00	50		R-624Si1MS 30m 0.25 (mm)

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 484275 Batch Start Date: 03/18/24 11:40 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	InitialAmount	FinalAmount	Lot#Vial	MSV_4ppbEE 00574	MSV_CCV_2CEVE 00167	MSV_CCV_CYC 00008
BFB 410-484275/1		8260D			1 uL	1 uL				
IC 410-484275/3		8260D			5 mL	5 mL	2731			
IC 410-484275/4		8260D			5 mL	5 mL	2731			
IC 410-484275/5		8260D			5 mL	5 mL	2731			
IC 410-484275/6		8260D			5 mL	5 mL	2731			
IC 410-484275/7		8260D			5 mL	5 mL	2731			
IC 410-484275/8		8260D			5 mL	5 mL	2731			
IC 410-484275/12		8260D			5 mL	5 mL	2731	12.5 mL		
IC 410-484275/13		8260D			5 mL	5 mL	2731		4 uL	32 uL
IC 410-484275/14		8260D			5 mL	5 mL	2731		2 uL	8 uL
IC 410-484275/15		8260D			5 mL	5 mL	2731		4 uL	16 uL
ICIS 410-484275/16		8260D			5 mL	5 mL	2731		5 uL	10 uL
IC 410-484275/17		8260D			5 mL	5 mL	2731		5 uL	10 uL
IC 410-484275/18		8260D			5 mL	5 mL	2731		15 uL	30 uL
ICV 410-484275/20		8260D			5 mL	5 mL	2731			

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_EE 00006	MSV_CCV_ETOH 00005	MSV_CCV_GASES 00723	MSV_CCV_LKB 00009	MSV_CCV_OH_Sp 00009	MSV_CCV_Penta 00046
BFB 410-484275/1		8260D								
IC 410-484275/3		8260D				20 uL		4 uL		4 uL
IC 410-484275/4		8260D				8 uL		2 uL		2 uL
IC 410-484275/5		8260D				16 uL		4 uL		4 uL
IC 410-484275/6		8260D				10 uL		5 uL		5 uL
IC 410-484275/7		8260D				10 uL		5 uL		5 uL
IC 410-484275/8		8260D				30 uL		15 uL		15 uL
IC 410-484275/12		8260D								

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 1 of 4

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 484275 Batch Start Date: 03/18/24 11:40 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_EE 00006	MSV_CCV_ETOH 00005	MSV_CCV_GASES 00723	MSV_CCV_LKB 00009	MSV_CCV_OH_Sp 00009	MSV_CCV_Penta 00046
IC 410-484275/13		8260D			4 uL		2 uL		4 uL	
IC 410-484275/14		8260D			2 uL		1 uL		2 uL	
IC 410-484275/15		8260D			4 uL		2 uL		4 uL	
ICIS 410-484275/16		8260D			5 uL		2.5 uL		5 uL	
IC 410-484275/17		8260D			5 uL		2.5 uL		5 uL	
IC 410-484275/18		8260D			15 uL		7.5 uL		15 uL	
ICV 410-484275/20		8260D								

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_V5ACE 00034	MSV_CCV_VOC#1 00175	MSV_CCV_VOC#3 00171	MSV_Cent_ISO 00004	MSV_Cent_ISSS 00023	MSV_LCS_2CEVE 00163
BFB 410-484275/1		8260D								
IC 410-484275/3		8260D			4 uL			5 uL		
IC 410-484275/4		8260D			2 uL			5 uL		
IC 410-484275/5		8260D			4 uL			5 uL		
IC 410-484275/6		8260D			5 uL			5 uL		
IC 410-484275/7		8260D			5 uL			5 uL		
IC 410-484275/8		8260D			15 uL			5 uL		
IC 410-484275/12		8260D							5 uL	
IC 410-484275/13		8260D				4 uL	3.2 uL		5 uL	
IC 410-484275/14		8260D				2 uL	1.6 uL		5 uL	
IC 410-484275/15		8260D				4 uL	3.2 uL		5 uL	
ICIS 410-484275/16		8260D				5 uL	4 uL		5 uL	
IC 410-484275/17		8260D				5 uL	4 uL		5 uL	
IC 410-484275/18		8260D				15 uL	12 uL		5 uL	

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 2 of 4

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 484275 Batch Start Date: 03/18/24 11:40 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_V5ACE 00034	MSV_CCV_VOC#1 00175	MSV_CCV_VOC#3 00171	MSV_Cent_ISO 00004	MSV_Cent_ISSS 00023	MSV_LCS_2CEVE 00163
ICV 410-484275/20		8260D							5 uL	50 uL

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_LCS_ACROL 00159	MSV_LCS_CYC 00008	MSV_LCS_EE 00008	MSV_LCS_Gases 00189	MSV_LCS_OH_Sp 00011	MSV_LCS_VOC#1 00158
BFB 410-484275/1		8260D								
IC 410-484275/3		8260D								
IC 410-484275/4		8260D								
IC 410-484275/5		8260D								
IC 410-484275/6		8260D								
IC 410-484275/7		8260D								
IC 410-484275/8		8260D								
IC 410-484275/12		8260D								
IC 410-484275/13		8260D								
IC 410-484275/14		8260D								
IC 410-484275/15		8260D								
ICIS 410-484275/16		8260D								
IC 410-484275/17		8260D								
IC 410-484275/18		8260D								
ICV 410-484275/20		8260D			50 uL	50 uL	50 uL	50 uL	50 uL	50 uL

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_V_BFB 00016	MSV_V_SMFreon 00036				
BFB 410-484275/1		8260D			1 uL					
IC 410-484275/3		8260D				2 uL				
IC 410-484275/4		8260D				1 uL				
IC 410-484275/5		8260D				2 uL				

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 3 of 4

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 484275 Batch Start Date: 03/18/24 11:40 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_V_BFB 00016	MSV_V_SMFreon 00036				
IC 410-484275/6		8260D				2.5 uL				
IC 410-484275/7		8260D				2.5 uL				
IC 410-484275/8		8260D				7.5 uL				
IC 410-484275/12		8260D								
IC 410-484275/13		8260D								
IC 410-484275/14		8260D								
IC 410-484275/15		8260D								
ICIS 410-484275/16		8260D								
IC 410-484275/17		8260D								
IC 410-484275/18		8260D								
ICV 410-484275/20		8260D								

Batch Notes	

Basis	Basis Description

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 4 of 4

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 486390 Batch Start Date: 03/22/24 19:59 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	InitialAmount	FinalAmount	Initial pH	ResidualChloCh eck	Headspace	Lot#Vial
BFB 410-486390/1		8260D			1 uL	1 uL				
CCVIS 410-486390/3		8260D			5 mL	5 mL				2731
LCS 410-486390/4		8260D			5 mL	5 mL				2731
LCSD 410-486390/5		8260D			5 mL	5 mL				2731
MB 410-486390/7		8260D			5 mL	5 mL				2731
410-164762-A-6	HD-QC1-0/1-3	8260D	Water	T	5 mL	5 mL	<2 SU	N	N	
410-164762-A-1	HD-MW-5-0/1-0	8260D	Water	T	5 mL	5 mL	<2 SU	N	N	
410-164762-A-2	HD-MW-6-0/1-0	8260D	Water	T	5 mL	5 mL	<2 SU	N	N	
410-164762-A-3	HD-MW-88-0/1-0	8260D	Water	T	5 mL	5 mL	<2 SU	N	N	
410-164762-A-4	HD-MW-101S-0/1-0	8260D	Water	T	5 mL	5 mL	<2 SU	N	N	
410-164762-A-5	HD-MW-101D-0/1-0	8260D	Water	T	5 mL	5 mL	<2 SU	N	N	

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_2CEVE 00167	MSV_CCV_GASES 00723	MSV_CCV_OH_Sp 00009	MSV_CCV_VOC#1 00175	MSV_CCV_VOC#3 00171	MSV_Cent_ISSS 00023
BFB 410-486390/1		8260D								
CCVIS 410-486390/3		8260D			5 uL	2.5 uL	5 uL	5 uL	4 uL	5 uL
LCS 410-486390/4		8260D								5 uL
LCSD 410-486390/5		8260D								5 uL
MB 410-486390/7		8260D								5 uL
410-164762-A-6	HD-QC1-0/1-3	8260D	Water	T						5 uL
410-164762-A-1	HD-MW-5-0/1-0	8260D	Water	T						5 uL
410-164762-A-2	HD-MW-6-0/1-0	8260D	Water	T						5 uL
410-164762-A-3	HD-MW-88-0/1-0	8260D	Water	T						5 uL
410-164762-A-4	HD-MW-101S-0/1-0	8260D	Water	T						5 uL
410-164762-A-5	HD-MW-101D-0/1-0	8260D	Water	T						5 uL

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 1 of 2

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 486390 Batch Start Date: 03/22/24 19:59 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_LCS_Gases 00189	MSV_LCS_OH_Sp 00011	MSV_LCS_VOC#1 00158	MSV_V_BFB 00016		
BFB 410-486390/1		8260D						1 uL		
CCVIS 410-486390/3		8260D								
LCS 410-486390/4		8260D			50 uL	50 uL	50 uL			
LCSD 410-486390/5		8260D			50 uL	50 uL	50 uL			
MB 410-486390/7		8260D								
410-164762-A-6	HD-QC1-0/1-3	8260D	Water	T						
410-164762-A-1	HD-MW-5-0/1-0	8260D	Water	T						
410-164762-A-2	HD-MW-6-0/1-0	8260D	Water	T						
410-164762-A-3	HD-MW-88-0/1-0	8260D	Water	T						
410-164762-A-4	HD-MW-101S-0/1-0	8260D	Water	T						
410-164762-A-5	HD-MW-101D-0/1-0	8260D	Water	T						

Batch Notes	

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 2 of 2

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 486676 Batch Start Date: 03/25/24 12:49 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	InitialAmount	FinalAmount	Lot#Vial	MSV_4ppbEE 00576	MSV_CCV_2CEVE 00168	MSV_CCV_CYC 00008
BFB 410-486676/1		8260D			1 uL	1 uL				
IC 410-486676/3		8260D			5 mL	5 mL	2731			
IC 410-486676/4		8260D			5 mL	5 mL	2731			
IC 410-486676/5		8260D			5 mL	5 mL	2731			
IC 410-486676/6		8260D			5 mL	5 mL	2731			
IC 410-486676/7		8260D			5 mL	5 mL	2731			
IC 410-486676/8		8260D			5 mL	5 mL	2731			
IC 410-486676/12		8260D			5 mL	5 mL	2731	12.5 mL		
IC 410-486676/13		8260D			5 mL	5 mL	2731		4 uL	32 uL
IC 410-486676/14		8260D			5 mL	5 mL	2731		2 uL	8 uL
IC 410-486676/15		8260D			5 mL	5 mL	2731		4 uL	16 uL
ICIS 410-486676/16		8260D			5 mL	5 mL	2731		5 uL	10 uL
IC 410-486676/17		8260D			5 mL	5 mL	2731		5 uL	10 uL
IC 410-486676/18		8260D			5 mL	5 mL	2731		15 uL	30 uL
ICV 410-486676/20		8260D			5 mL	5 mL	2731			

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_EE 00006	MSV_CCV_ETOH 00005	MSV_CCV_GASES 00760	MSV_CCV_LKB 00009	MSV_CCV_OH_Sp 00009	MSV_CCV_Penta 00046
BFB 410-486676/1		8260D								
IC 410-486676/3		8260D				20 uL		4 uL		4 uL
IC 410-486676/4		8260D				8 uL		2 uL		2 uL
IC 410-486676/5		8260D				16 uL		4 uL		4 uL
IC 410-486676/6		8260D				10 uL		5 uL		5 uL
IC 410-486676/7		8260D				10 uL		5 uL		5 uL
IC 410-486676/8		8260D				30 uL		15 uL		15 uL
IC 410-486676/12		8260D								

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 1 of 4

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 486676 Batch Start Date: 03/25/24 12:49 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_EE 00006	MSV_CCV_ETOH 00005	MSV_CCV_GASES 00760	MSV_CCV_LKB 00009	MSV_CCV_OH_Sp 00009	MSV_CCV_Penta 00046
IC 410-486676/13		8260D			4 uL		2 uL		4 uL	
IC 410-486676/14		8260D			2 uL		1 uL		2 uL	
IC 410-486676/15		8260D			4 uL		2 uL		4 uL	
ICIS 410-486676/16		8260D			5 uL		2.5 uL		5 uL	
IC 410-486676/17		8260D			5 uL		2.5 uL		5 uL	
IC 410-486676/18		8260D			15 uL		7.5 uL		15 uL	
ICV 410-486676/20		8260D								

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_V5ACE 00034	MSV_CCV_VOC#1 00176	MSV_CCV_VOC#3 00172	MSV_HP20_ISO 00010	MSV_HP20_ISSS 00129	MSV_LCS_2CEVE 00164
BFB 410-486676/1		8260D								
IC 410-486676/3		8260D			4 uL			1 uL		
IC 410-486676/4		8260D			2 uL			1 uL		
IC 410-486676/5		8260D			4 uL			1 uL		
IC 410-486676/6		8260D			5 uL			1 uL		
IC 410-486676/7		8260D			5 uL			1 uL		
IC 410-486676/8		8260D			15 uL			1 uL		
IC 410-486676/12		8260D							1 uL	
IC 410-486676/13		8260D				4 uL	3.2 uL		1 uL	
IC 410-486676/14		8260D				2 uL	1.6 uL		1 uL	
IC 410-486676/15		8260D				4 uL	3.2 uL		1 uL	
ICIS 410-486676/16		8260D				5 uL	4 uL		1 uL	
IC 410-486676/17		8260D				5 uL	4 uL		1 uL	
IC 410-486676/18		8260D				15 uL	12 uL		1 uL	

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 2 of 4

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 486676 Batch Start Date: 03/25/24 12:49 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_V5ACE 00034	MSV_CCV_VOC#1 00176	MSV_CCV_VOC#3 00172	MSV_HP20_ISO 00010	MSV_HP20_ISSS 00129	MSV_LCS_2CEVE 00164
ICV 410-486676/20		8260D							1 uL	50 uL

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_LCS_ACROL 00160	MSV_LCS_CYC 00008	MSV_LCS_EE 00008	MSV_LCS_Gases 00190	MSV_LCS_OH_Sp 00011	MSV_LCS_VOC#1 00159
BFB 410-486676/1		8260D								
IC 410-486676/3		8260D								
IC 410-486676/4		8260D								
IC 410-486676/5		8260D								
IC 410-486676/6		8260D								
IC 410-486676/7		8260D								
IC 410-486676/8		8260D								
IC 410-486676/12		8260D								
IC 410-486676/13		8260D								
IC 410-486676/14		8260D								
IC 410-486676/15		8260D								
ICIS 410-486676/16		8260D								
IC 410-486676/17		8260D								
IC 410-486676/18		8260D								
ICV 410-486676/20		8260D			50 uL	50 uL	50 uL	50 uL	50 uL	50 uL

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_V_BFB 00016	MSV_V_SMFreon 00036				
BFB 410-486676/1		8260D			1 uL					
IC 410-486676/3		8260D				2 uL				
IC 410-486676/4		8260D				1 uL				
IC 410-486676/5		8260D				2 uL				

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 3 of 4

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 486676 Batch Start Date: 03/25/24 12:49 Batch Analyst: Campbell, Miranda EBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_V_BFB 00016	MSV_V_SMFreon 00036				
IC 410-486676/6		8260D				2.5 uL				
IC 410-486676/7		8260D				2.5 uL				
IC 410-486676/8		8260D				7.5 uL				
IC 410-486676/12		8260D								
IC 410-486676/13		8260D								
IC 410-486676/14		8260D								
IC 410-486676/15		8260D								
ICIS 410-486676/16		8260D								
IC 410-486676/17		8260D								
IC 410-486676/18		8260D								
ICV 410-486676/20		8260D								

Batch Notes	

Basis	Basis Description

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 488320 Batch Start Date: 03/28/24 20:10 Batch Analyst: Walmer, GavinBatch Method: 8260D Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	InitialAmount	FinalAmount	Initial pH	ResidualChloCh eck	Headspace	Lot#Vial
BFB 410-488320/1		8260D			1 uL	1 uL				
CCVIS 410-488320/3		8260D			5 mL	5 mL				2731
LCS 410-488320/4		8260D			5 mL	5 mL				2731
LCSD 410-488320/5		8260D			5 mL	5 mL				2731
MB 410-488320/7		8260D			5 mL	5 mL				2731
410-164762-A-7	HD-QC1-0/1-4	8260D	Water	T	5 mL	5 mL	<2 SU	N	N	

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_CCV_2CEVE 00168	MSV_CCV_GASES 00724	MSV_CCV_VOC#1 00176	MSV_CCV_VOC#3 00172	MSV_HP20_ISSS 00129	MSV_LCS_2CEVE 00164
BFB 410-488320/1		8260D								
CCVIS 410-488320/3		8260D			5 uL	2.5 uL	5 uL	4 uL	1 uL	
LCS 410-488320/4		8260D							1 uL	50 uL
LCSD 410-488320/5		8260D							1 uL	50 uL
MB 410-488320/7		8260D							1 uL	
410-164762-A-7	HD-QC1-0/1-4	8260D	Water	T					1 uL	

Lab Sample ID	Client Sample ID	Method Chain	Matrix	Basis	MSV_LCS_ACROL 00160	MSV_LCS_Gases 00190	MSV_LCS_VOC#1 00159	MSV_V_BFB 00016		
BFB 410-488320/1		8260D						1 uL		
CCVIS 410-488320/3		8260D								
LCS 410-488320/4		8260D			50 uL	50 uL	50 uL			
LCSD 410-488320/5		8260D			50 uL	50 uL	50 uL			
MB 410-488320/7		8260D								
410-164762-A-7	HD-QC1-0/1-4	8260D	Water	T						

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 1 of 2

GC/MS VOA BATCH WORKSHEET

Lab Name: Eurofins Lancaster Laboratories Job No.: 410-164762-1

SDG No.: _____

Batch Number: 488320 Batch Start Date: 03/28/24 20:10 Batch Analyst: Walmer, GavinBatch Method: 8260D Batch End Date: _____

Batch Notes	

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8260D

Page 2 of 2

Shipping and Receiving Documents

03/30/2024

Login Sample Receipt Checklist

Client: Groundwater Sciences Corporation

Job Number: 410-164762-1

Login Number: 164762

List Number: 1

Creator: Cyms, Carolyn M

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature acceptable,where thermal pres is required(</=6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV:Container Temp acceptable,where thermal pres is required (</=6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	N/A	Not present.
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	True	